





















HE890-7A: Measurement: HE89_FRS09_92_D65_00%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations


input: $rgb \rightarrow olv^*$
output: no change compared to input




HE890-1A, 2; cfi=0.70; nt=0.18; nx=1.0




HE890-2A, 2; cfi=0.70; nt=0.18; nx=1.0




HE890-3A, 2; cfi=0.70; nt=0.18; nx=1.0




HE890-4A, 2; cfi=0.70; nt=0.18; nx=1.0




HE890-5A, 2; cfi=0.70; nt=0.18; nx=1.0




HE890-6A, 2; cfi=0.70; nt=0.18; nx=1.0




HE890-7A, 2; cfi=0.70; nt=0.18; nx=1.0




HE891-1A, 2; cfi=0.70; nt=0.18; nx=1.0




HE891-2A, 2; cfi=0.70; nt=0.18; nx=1.0




HE891-3A, 2; cfi=0.70; nt=0.18; nx=1.0




HE891-4A, 2; cfi=0.70; nt=0.18; nx=1.0




HE891-5A, 2; cfi=0.70; nt=0.18; nx=1.0



HE891-6A, 2; cfi=0.70; nt=0.18; nx=1.0



HE891-7A, 2; cfi=0.70; nt=0.18; nx=1.0



HE891-8A, 2; cfi=0.70; nt=0.18; nx=1.0

















HE890-7A: Measurement: HE89_FRS09_92_D65_00%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/HE89/HE89L0NP.PS /.PDF>
Technical information: <http://www.ps.bam.de> V 2.1, io=1,1, Cx=0; cfi=0.70; nt=0.18; nx=1.0





TUB registration: 20091101-HE89/HE89L0NP.PS /.PDF TUB material: code=rha4ta
application for evaluation and measurement of printer or monitor systems







HE890-7A: Measurement: HE89_FRS09_92_D65_25%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations





input: $rgb \rightarrow olv^*$
output: no change compared to input







HE890-7A: Measurement: HE89_FRS09_92_D65_25%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted



















TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations



input: $rgb \rightarrow olv^*$
output: no change compared to input



TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations




HE890-7A: Measurement: HE89_FRS09_92_D65_50%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations


input: $rgb \rightarrow olv^*$
output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/HE89/HE89L0NP.PS /.PDF>
Technical information: <http://www.ps.bam.de> V 2.1, io=1,1, Cx=0; cfi=0.70; nt=0.18; nx=1.0


TUB registration: 20091101-HE89/HE89L0NP.PS /.PDF TUB material: code=rha4ta
application for evaluation and measurement of printer or monitor systems




HE890-1A, 6; cfi=0.70; nt=0.18; nx=1.0




HE890-1A, 6; cfi=0.70; nt=0.18; nx=1.0




HE890-1A, 6; cfi=0.70; nt=0.18; nx=1.0




HE890-1A, 6; cfi=0.70; nt=0.18; nx=1.0




HE890-2A, 6; cfi=0.70; nt=0.18; nx=1.0




HE890-2A, 6; cfi=0.70; nt=0.18; nx=1.0




HE890-2A, 6; cfi=0.70; nt=0.18; nx=1.0




HE890-2A, 6; cfi=0.70; nt=0.18; nx=1.0




HE891-1A, 6; cfi=0.70; nt=0.18; nx=1.0




HE891-1A, 6; cfi=0.70; nt=0.18; nx=1.0




HE891-1A, 6; cfi=0.70; nt=0.18; nx=1.0




HE891-1A, 6; cfi=0.70; nt=0.18; nx=1.0




HE891-2A, 6; cfi=0.70; nt=0.18; nx=1.0



HE891-2A, 6; cfi=0.70; nt=0.18; nx=1.0



HE891-2A, 6; cfi=0.70; nt=0.18; nx=1.0



















HE891-2A, 6; cfi=0.70; nt=0.18; nx=1.0

HE890-7A: Measurement: HE89_FRS09_92_D65_50%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

















input: $rgb \rightarrow olv^*$
output: no change compared to input



HE890-7A: Measurement: HE89_FRS09_92_D65_75%_00_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input



HE890-7A: Measurement: HE89_FRS09_92_D65_75%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted

TUB-test chart HE89; Relative Elementary Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input