

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	<i>L*=LAB*₁</i>	<i>a*=LAB*₂</i>	<i>b*=LAB*₃</i>	<i>C*_{ab}=LAB*_r</i>	<i>h_{ab}</i>	<i>X=XYZ₁</i>	<i>Y=XYZ₂</i>	<i>Z=XYZ₃</i>	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
0000 0000 0000	1000 1000 1000	0000 0000 %0000 A01	8.09	0.63	0.72	0.96	26	0.87	0.9	0.92	0.3226	0.3333	0.0101
0000 0000 0125	1000 1000 0875	0000 %0001 A02	9.32	9.55	-18.09	20.47	296	1.27	1.04	3.21	0.2304	0.1885	0.0117
0000 0000 0250	1000 1000 0750	0000 %0002 A03	11.67	24.96	-39.07	46.37	302	2.28	1.36	8.9	0.182	0.1083	0.0153
0000 0000 0375	1000 1000 0625	0000 %0003 A04	14.02	35.99	-52.19	63.4	304	3.44	1.73	15.29	0.1681	0.0847	0.0196
0000 0000 0500	1000 1000 0500	0000 %0004 A05	16.48	44.28	-62.6	76.69	305	4.76	2.2	22.71	0.1604	0.074	0.0248
0000 0000 0625	1000 1000 0375	0000 %0005 A06	18.99	51.58	-71.67	88.31	305	6.3	2.74	31.31	0.1562	0.068	0.031
0000 0000 0750	1000 1000 0250	0000 %0006 A07	21.5	58.24	-80.15	99.09	306	8.08	3.38	41.34	0.1531	0.064	0.0381
0000 0000 0875	1000 1000 0125	0000 %0007 A08	24.74	64.39	-88.85	109.74	306	10.51	4.33	54.81	0.1509	0.0622	0.0489
0000 0000 1000	1000 1000 0000	0000 %0008 A09	31.59	74.38	-105.03	128.7	305	16.6	6.9	89.11	0.1474	0.0613	0.0779
0000 0125 0000	1000 0875 1000	0000 %0009 B01	16.76	-15.63	13.28	20.52	141	1.51	2.25	1.1	0.31	0.4639	0.0254
0000 0125 0125	1000 0875 0875	0000 %0010 B02	17.31	-8.26	-5.19	9.77	214	1.88	2.37	3.34	0.248	0.3118	0.0267
0000 0125 0250	1000 0875 0750	0000 %0011 B03	18.74	6.25	-26.94	27.67	283	2.89	2.69	8.92	0.1992	0.1854	0.0303
0000 0125 0375	1000 0875 0625	0000 %0012 B04	20.4	18.53	-41.91	45.83	294	4.11	3.09	15.61	0.18	0.1355	0.0349
0000 0125 0500	1000 0875 0500	0000 %0013 B05	22.13	27.86	-53.5	60.33	297	5.4	3.55	23.08	0.1686	0.1109	0.0401
0000 0125 0625	1000 0875 0375	0000 %0014 B06	23.91	36.93	-63.52	73.49	300	6.94	4.07	31.55	0.163	0.0957	0.046
0000 0125 0750	1000 0875 0250	0000 %0015 B07	25.97	44.88	-72.74	85.48	302	8.75	4.74	41.59	0.1589	0.086	0.0535
0000 0125 0875	1000 0875 0125	0000 %0016 B08	28.54	52.58	-82.36	97.72	302	11.12	5.66	54.88	0.1552	0.079	0.0639
0000 0125 1000	1000 0875 0000	0000 %0017 B09	34.46	65.49	-100.12	119.65	303	17.23	8.23	89.19	0.1503	0.0718	0.0929
0000 0250 0000	1000 0750 1000	0000 %0018 C01	28.77	-32.53	29.75	44.09	138	3.14	5.75	1.45	0.3036	0.5559	0.0649
0000 0250 0125	1000 0750 0875	0000 %0019 C02	29.07	-27.51	13.13	30.5	155	3.52	5.86	3.66	0.27	0.4493	0.0662
0000 0250 0250	1000 0750 0750	0000 %0020 C03	29.94	-16.35	-9.25	18.8	211	4.56	6.21	9.42	0.2257	0.3076	0.0701
0000 0250 0375	1000 0750 0625	0000 %0021 C04	30.91	-6.08	-24.46	25.22	257	5.74	6.61	15.92	0.2029	0.234	0.0747
0000 0250 0500	1000 0750 0500	0000 %0022 C05	31.92	3.83	-37.32	37.52	276	7.08	7.05	23.48	0.1882	0.1874	0.0796
0000 0250 0625	1000 0750 0375	0000 %0023 C06	33.13	12.81	-48.42	50.1	285	8.61	7.6	32.12	0.1782	0.1572	0.0858
0000 0250 0750	1000 0750 0250	0000 %0024 C07	34.52	21.37	-58.52	62.31	290	10.4	8.26	42.04	0.1713	0.1361	0.0933
0000 0250 0875	1000 0750 0125	0000 %0025 C08	36.34	30.68	-69.54	76.02	294	12.8	9.19	55.53	0.1651	0.1185	0.1037
0000 0250 1000	1000 0750 0000	0000 %0026 C09	40.78	46.93	-89.49	101.06	298	18.86	11.73	89.56	0.157	0.0976	0.1324
0000 0375 0000	1000 0625 1000	0000 %0027 D01	38.24	-43.63	41.33	60.1	137	5.23	10.23	1.94	0.3007	0.588	0.1154
0000 0375 0125	1000 0625 0875	0000 %0028 D02	38.45	-39.6	26.45	47.63	146	5.64	10.34	4.17	0.28	0.513	0.1167
0000 0375 0250	1000 0625 0750	0000 %0029 D03	39.0	-30.87	4.78	31.24	172	6.66	10.66	9.94	0.2445	0.391	0.1203
0000 0375 0375	1000 0625 0625	0000 %0030 D04	39.64	-22.65	-10.33	24.91	206	7.79	11.03	16.33	0.2215	0.3139	0.1246
0000 0375 0500	1000 0625 0500	0000 %0031 D05	40.45	-13.84	-23.46	27.26	241	9.19	11.53	23.99	0.2055	0.2578	0.1301
0000 0375 0625	1000 0625 0375	0000 %0032 D06	41.29	-5.5	-34.82	35.27	262	10.7	12.05	32.46	0.1938	0.2182	0.136
0000 0375 0750	1000 0625 0250	0000 %0033 D07	42.32	2.88	-45.64	45.74	274	12.5	12.71	42.54	0.1845	0.1876	0.1435
0000 0375 0875	1000 0625 0125	0000 %0034 D08	43.7	13.13	-57.05	58.55	283	15.04	13.63	55.74	0.1782	0.1615	0.1539
0000 0375 1000	1000 0625 0000	0000 %0035 D09	47.2	29.42	-78.63	83.97	291	20.91	16.18	89.88	0.1647	0.1274	0.1826
0000 0500 0000	1000 0500 1000	0000 %0036 E01	46.63	-52.05	50.92	72.82	136	7.87	15.74	2.53	0.301	0.6022	0.1777
0000 0500 0125	1000 0500 0875	0000 %0037 E02	46.83	-49.07	37.85	61.98	142	8.29	15.89	4.76	0.2864	0.549	0.1793
0000 0500 0250	1000 0500 0750	0000 %0038 E03	47.24	-42.25	17.35	45.68	158	9.29	16.2	10.49	0.2582	0.4503	0.1829
0000 0500 0375	1000 0500 0625	0000 %0039 E04	47.73	-35.26	2.28	35.35	177	10.43	16.58	16.95	0.2373	0.3771	0.1872
0000 0500 0500	1000 0500 0500	0000 %0040 E05	48.31	-27.72	-10.88	29.79	203	11.81	17.04	24.57	0.221	0.319	0.1924
0000 0500 0625	1000 0500 0375	0000 %0041 E06	49.0	-20.42	-22.41	30.33	229	13.32	17.59	33.1	0.2081	0.2748	0.1986
0000 0500 0750	1000 0500 0250	0000 %0042 E07	49.8	-12.34	-33.54	35.75	251	15.18	18.26	43.23	0.198	0.2381	0.2061
0000 0500 0875	1000 0500 0125	0000 %0043 E08	50.9	-3.77	-45.36	45.53	266	17.52	19.18	56.49	0.188	0.2058	0.2165
0000 0500 1000	1000 0500 0000	0000 %0044 E09	53.73	13.7	-67.89	69.27	282	23.6	21.72	90.61	0.1736	0.1598	0.2452
0000 0625 0000	1000 0375 1000	0000 %0045 F01	54.31	-59.14	59.68	84.02	135	11.03	22.27	3.17	0.3025	0.6105	0.2514
0000 0625 0125	1000 0375 0875	0000 %0046 F02	54.43	-56.82	47.67	74.18	140	11.42	22.39	5.46	0.2909	0.57	0.2527
0000 0625 0250	1000 0375 0750	0000 %0047 F03	54.77	-51.27	28.28	58.56	151	12.42	22.7	11.21	0.2681	0.49	0.2563
0000 0625 0375	1000 0375 0625	0000 %0048 F04	55.15	-45.48	13.79	47.53	163	13.55	23.08	17.57	0.25	0.4258	0.2605
0000 0625 0500	1000 0375 0500	0000 %0049 F05	55.63	-38.88	0.56	38.89	180	14.94	23.54	25.28	0.2343	0.3692	0.2657
0000 0625 0625	1000 0375 0375	0000 %0050 F06	56.18	-32.35	-10.96	34.16	200	16.47	24.09	33.79	0.2215	0.324	0.2719
0000 0625 0750	1000 0375 0250	0000 %0051 F07	56.81	-25.27	-22.13	33.6	223	18.27	24.73	43.83	0.2104	0.2848	0.2791
0000 0625 0875	1000 0375 0125	0000 %0052 F08	57.73	-17.04	-34.31	38.32	245	20.68	25.68	57.26	0.1996	0.2478	0.2899
0000 0625 1000	1000 0375 0000	0000 %0053 F09	60.09	-0.36	-57.38	57.39	271	26.73	28.22	91.27	0.1828	0.193	0.3186

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	x	y	$Y/88.59$
0000 0750 0000	1000 0250	1000 0000 %0054 G01	62.31	-66.32	68.29	95.2	134	15.17	30.76	4.04	0.3035	0.6156	0.3472
0000 0750 0125	1000 0250	0875 0000 %0055 G02	62.43	-64.41	57.93	86.64	138	15.58	30.91	6.28	0.2952	0.5857	0.3489
0000 0750 0250	1000 0250	0750 0000 %0056 G03	62.7	-59.76	39.7	71.75	146	16.59	31.22	12.04	0.2772	0.5217	0.3525
0000 0750 0375	1000 0250	0625 0000 %0057 G04	63.01	-54.79	25.54	60.46	155	17.74	31.6	18.45	0.2617	0.4661	0.3567
0000 0750 0500	1000 0250	0500 0000 %0058 G05	63.39	-49.22	12.63	50.82	166	19.12	32.06	26.11	0.2474	0.4148	0.3619
0000 0750 0625	1000 0250	0375 0000 %0059 G06	63.82	-43.57	1.09	43.6	179	20.63	32.58	34.64	0.2348	0.3709	0.3678
0000 0750 0750	1000 0250	0250 0000 %0060 G07	64.36	-37.4	-10.09	38.75	196	22.43	33.25	44.71	0.2234	0.3312	0.3753
0000 0750 0875	1000 0250	0125 0000 %0061 G08	65.1	-30.0	-22.33	37.42	218	24.81	34.17	58.04	0.212	0.292	0.3857
0000 0750 1000	1000 0250	0000 0000 %0062 G09	67.08	-14.37	-45.91	48.12	254	30.88	36.74	92.13	0.1933	0.23	0.4147
0000 0875 0000	1000 0125	1000 0000 %0063 H01	71.35	-73.83	78.24	107.58	133	21.08	42.69	5.16	0.3058	0.6194	0.4819
0000 0875 0125	1000 0125	0875 0000 %0064 H02	71.42	-72.22	69.21	100.04	136	21.49	42.81	7.37	0.2998	0.5973	0.4832
0000 0875 0250	1000 0125	0750 0000 %0065 H03	71.66	-68.51	52.32	86.21	142	22.5	43.15	13.13	0.2856	0.5477	0.4871
0000 0875 0375	1000 0125	0625 0000 %0066 H04	71.91	-64.38	38.63	75.09	149	23.66	43.53	19.61	0.2726	0.5015	0.4914
0000 0875 0500	1000 0125	0500 0000 %0067 H05	72.22	-59.77	26.08	65.23	156	25.03	43.99	27.24	0.26	0.457	0.4966
0000 0875 0625	1000 0125	0375 0000 %0068 H06	72.57	-54.87	14.66	56.8	165	26.56	44.51	35.8	0.2485	0.4165	0.5024
0000 0875 0750	1000 0125	0250 0000 %0069 H07	73.01	-49.49	3.49	49.62	176	28.37	45.18	45.9	0.2375	0.3782	0.5099
0000 0875 0875	1000 0125	0125 0000 %0070 H08	73.61	-42.96	-8.81	43.87	192	30.76	46.1	59.29	0.2259	0.3386	0.5204
0000 0875 1000	1000 0125	0000 0000 %0071 H09	75.23	-28.85	-32.61	43.55	230	36.78	48.64	93.21	0.2059	0.2723	0.5491
0000 1000 0000	1000 0000	1000 0000 %0072 I01	84.14	-83.77	92.55	124.84	132	32.0	64.33	6.99	0.3097	0.6226	0.7261
0000 1000 0125	1000 0000	0875 0000 %0073 I02	84.2	-82.67	84.69	118.35	134	32.37	64.44	9.3	0.3051	0.6073	0.7274
0000 1000 0250	1000 0000	0750 0000 %0074 I03	84.37	-79.67	69.67	105.84	138	33.44	64.79	15.04	0.2952	0.572	0.7313
0000 1000 0375	1000 0000	0625 0000 %0075 I04	84.58	-76.54	56.87	95.36	143	34.59	65.19	21.55	0.2851	0.5373	0.7359
0000 1000 0500	1000 0000	0500 0000 %0076 I05	84.81	-72.82	44.81	85.51	148	35.97	65.63	29.21	0.275	0.5017	0.7408
0000 1000 0625	1000 0000	0375 0000 %0077 I06	85.09	-68.99	33.7	76.79	154	37.5	66.18	37.82	0.265	0.4677	0.747
0000 1000 0750	1000 0000	0250 0000 %0078 I07	85.41	-64.67	22.7	68.55	160	39.27	66.81	47.93	0.255	0.4338	0.7542
0000 1000 0875	1000 0000	0125 0000 %0079 I08	85.89	-59.25	10.55	60.19	170	41.69	67.76	61.28	0.2442	0.3969	0.7649
0000 1000 1000	1000 0000	0000 0000 %0080 I09	87.16	-47.3	-13.31	49.15	197	47.7	70.33	95.1	0.2238	0.33	0.7939
0125 0000 0000	0875 1000	1000 0000 %0081 J01	11.27	12.2	5.88	13.55	24	1.66	1.3	0.95	0.425	0.3325	0.0147
0125 0000 0125	0875 1000	0875 0000 %0082 J02	12.06	17.81	-12.72	21.89	323	2.03	1.42	3.11	0.31	0.216	0.016
0125 0000 0250	0875 1000	0750 0000 %0083 J03	14.19	29.0	-34.36	44.97	309	3.06	1.76	8.78	0.2251	0.1295	0.0199
0125 0000 0375	0875 1000	0625 0000 %0084 J04	16.19	37.86	-48.04	61.17	308	4.19	2.14	15.11	0.1954	0.0997	0.0241
0125 0000 0500	0875 1000	0500 0000 %0085 J05	18.36	45.8	-59.26	74.9	307	5.54	2.6	22.66	0.18	0.0844	0.0293
0125 0000 0625	0875 1000	0375 0000 %0086 J06	20.63	53.03	-68.92	86.97	307	7.13	3.15	31.36	0.1713	0.0756	0.0355
0125 0000 0750	0875 1000	0250 0000 %0087 J07	22.94	58.7	-77.41	97.16	307	8.84	3.78	41.12	0.1645	0.0704	0.0427
0125 0000 0875	0875 1000	0125 0000 %0088 J08	25.97	65.01	-86.68	108.36	307	11.31	4.74	54.76	0.1597	0.0669	0.0535
0125 0000 1000	0875 1000	0000 0000 %0089 J09	32.5	74.81	-103.34	127.59	306	17.39	7.31	88.96	0.153	0.0643	0.0825
0125 0125 0000	0875 0875	1000 0000 %0090 K01	18.49	-4.59	16.69	17.31	106	2.27	2.63	1.07	0.381	0.4405	0.0297
0125 0125 0125	0875 0875	0875 0000 %0091 K02	19.11	0.94	-1.99	2.21	289	2.69	2.77	3.33	0.3056	0.3156	0.0313
0125 0125 0250	0875 0875	0750 0000 %0092 K03	20.4	12.28	-24.25	27.2	296	3.68	3.09	8.97	0.2339	0.1963	0.0349
0125 0125 0375	0875 0875	0625 0000 %0093 K04	21.82	22.17	-38.83	44.72	299	4.83	3.47	15.33	0.2044	0.1467	0.0391
0125 0125 0500	0875 0875	0500 0000 %0094 K05	23.43	31.09	-50.95	59.69	301	6.18	3.93	22.9	0.1872	0.119	0.0443
0125 0125 0625	0875 0875	0375 0000 %0095 K06	25.19	39.37	-61.29	72.85	303	7.76	4.48	31.53	0.1773	0.1023	0.0505
0125 0125 0750	0875 0875	0250 0000 %0096 K07	27.05	46.07	-70.41	84.15	303	9.45	5.11	41.19	0.1695	0.0917	0.0577
0125 0125 0875	0875 0875	0125 0000 %0097 K08	29.58	53.87	-80.69	97.03	304	11.93	6.07	55.0	0.1634	0.0831	0.0685
0125 0125 1000	0875 0875	0000 0000 %0098 K09	35.27	66.14	-98.68	118.8	304	18.0	8.64	89.13	0.1555	0.0746	0.0975
0125 0250 0000	0875 0750	1000 0000 %0099 L01	29.72	-24.48	31.28	39.73	128	3.91	6.12	1.46	0.34	0.5327	0.0691
0125 0250 0125	0875 0750	0875 0000 %0100 L02	30.08	-75.3	2.16	75.34	179	1.43	6.27	6.28	0.102	0.4485	0.0708
0125 0250 0250	0875 0750	0750 0000 %0101 L03	30.84	-10.75	-7.45	13.09	217	5.31	6.59	9.35	0.25	0.31	0.0743
0125 0250 0375	0875 0750	0625 0000 %0102 L04	31.78	-1.68	-22.65	22.72	266	6.48	6.99	15.78	0.2216	0.239	0.0789
0125 0250 0500	0875 0750	0500 0000 %0103 L05	32.82	7.38	-35.57	36.33	282	7.85	7.45	23.37	0.2031	0.1927	0.0841
0125 0250 0625	0875 0750	0375 0000 %0104 L06	33.99	15.72	-46.73	49.32	289	9.39	8.0	31.96	0.1903	0.1621	0.0903
0125 0250 0750	0875 0750	0250 0000 %0105 L07	35.33	23.67	-57.14	61.86	293	11.17	8.67	42.06	0.1805	0.14	0.0978
0125 0250 0875	0875 0750	0125 0000 %0106 L08	37.04	32.57	-68.07	75.47	296	13.55	9.56	55.26	0.1729	0.122	0.1079
0125 0250 1000	0875 0750	0000 0000 %0107 L09	41.42	48.21	-88.35	100.66	299	19.67	12.13	89.52	0.1621	0.1	0.1369

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LECD monitor; Page: 2/20

TUB-test chart JE03; 1080 colours of grid G

input: *olv* setrgbcolor*

Display LAB*-calculation: LECD monitor (with LED backlight) output: *no change compared to input*

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

rgb=olv*	cmy0*	no. position	L*=LAB* ₁	a*=LAB* ₂	b*=LAB* ₃	C* _{ab} =LAB* _r	h _{ab}	X=XYZ ₁	Y=XYZ ₂	Z=XYZ ₃	x	y	Y/88.59
0125 0375 0000 0875 0625 1000 0000	%0108 M01	38.9	-37.52	42.07	56.37	132	6.0	10.6	1.98	0.323	0.5705	0.1197	
0125 0375 0125 0875 0625 0875 0000	%0109 M02	39.15	-34.25	27.54	43.96	141	6.4	10.75	4.19	0.3	0.5035	0.1213	
0125 0375 0250 0875 0625 0750 0000	%0110 M03	39.73	-26.26	6.2	26.99	167	7.45	11.09	9.89	0.262	0.3902	0.1252	
0125 0375 0375 0875 0625 0625 0000	%0111 M04	40.36	-18.36	-8.93	20.44	208	8.61	11.47	16.26	0.2369	0.3156	0.1294	
0125 0375 0500 0875 0625 0500 0000	%0112 M05	41.1	-10.29	-22.2	24.48	247	9.97	11.93	23.91	0.2177	0.2604	0.1347	
0125 0375 0625 0875 0625 0375 0000	%0113 M06	41.92	-2.41	-33.64	33.73	267	11.49	12.45	32.39	0.204	0.221	0.1405	
0125 0375 0750 0875 0625 0250 0000	%0114 M07	42.93	5.43	-44.52	44.86	278	13.28	13.11	42.48	0.1928	0.1904	0.148	
0125 0375 0875 0875 0625 0125 0000	%0115 M08	44.2	14.2	-56.02	57.8	285	15.59	13.98	55.57	0.1831	0.1642	0.1578	
0125 0375 1000 0875 0625 0000 0000	%0116 M09	47.76	31.18	-77.86	83.88	292	21.79	16.61	90.15	0.1695	0.1292	0.1875	
0125 0500 0000 0875 0500 1000 0000	%0117 N01	47.2	-47.29	51.67	70.05	132	8.68	16.18	2.56	0.3165	0.5901	0.1826	
0125 0500 0125 0875 0500 0875 0000	%0118 N02	47.39	-44.59	38.63	59.0	139	9.09	16.32	4.8	0.3008	0.5402	0.1842	
0125 0500 0250 0875 0500 0750 0000	%0119 N03	47.8	-38.19	18.3	42.35	155	10.1	16.64	10.49	0.2712	0.4469	0.1878	
0125 0500 0375 0875 0500 0625 0000	%0120 N04	48.28	-31.6	3.35	31.78	175	11.24	17.01	16.9	0.249	0.3768	0.192	
0125 0500 0500 0875 0500 0500 0000	%0121 N05	48.89	-24.53	-9.79	26.43	203	12.63	17.5	24.52	0.2311	0.3203	0.1976	
0125 0500 0625 0875 0500 0375 0000	%0122 N06	49.49	-17.47	-21.35	27.6	232	14.12	18.0	32.95	0.217	0.2766	0.2031	
0125 0500 0750 0875 0500 0250 0000	%0123 N07	51.0	-10.24	-32.84	34.41	254	16.43	19.27	44.45	0.205	0.2404	0.2175	
0125 0500 0875 0875 0500 0125 0000	%0124 N08	51.4	-1.61	-44.45	44.49	269	18.33	19.61	56.44	0.1942	0.2078	0.2214	
0125 0500 1000 0875 0500 0000 0000	%0125 N09	54.22	15.32	-67.12	68.86	283	24.45	22.18	90.73	0.178	0.1615	0.2504	
0125 0625 0000 0875 0375 1000 0000	%0126 O01	54.77	-55.41	59.98	81.66	132	11.82	22.7	3.25	0.313	0.601	0.2563	
0125 0625 0125 0875 0375 0875 0000	%0127 O02	54.89	-53.15	48.59	72.02	137	12.22	22.82	5.43	0.302	0.5638	0.2576	
0125 0625 0250 0875 0375 0750 0000	%0128 O03	55.24	-47.74	29.26	56.0	148	13.26	23.17	11.15	0.2787	0.4869	0.2615	
0125 0625 0375 0875 0375 0625 0000	%0129 O04	55.65	-41.82	14.17	44.16	161	14.48	23.57	17.81	0.2592	0.422	0.2661	
0125 0625 0500 0875 0375 0500 0000	%0130 O05	56.09	-36.0	1.51	36.04	178	15.77	24.0	25.19	0.2427	0.3695	0.2709	
0125 0625 0625 0875 0375 0375 0000	%0131 O06	56.61	-29.82	-10.06	31.49	200	17.26	24.52	33.68	0.2287	0.325	0.2768	
0125 0625 0750 0875 0375 0250 0000	%0132 O07	57.29	-22.94	-21.36	31.35	225	19.11	25.22	43.87	0.2167	0.2859	0.2846	
0125 0625 0875 0875 0375 0125 0000	%0133 O08	58.14	-15.09	-33.46	36.72	247	21.46	26.11	57.12	0.205	0.2494	0.2948	
0125 0625 1000 0875 0375 0000 0000	%0134 O09	60.53	1.21	-56.71	56.73	272	27.59	28.71	91.39	0.1868	0.1944	0.3241	
0125 0750 0000 0875 0250 1000 0000	%0135 P01	62.72	-63.24	68.95	93.57	132	16.0	31.25	4.05	0.3118	0.6092	0.3528	
0125 0750 0125 0875 0250 0875 0000	%0136 P02	62.82	-61.3	58.51	84.75	136	16.41	31.37	6.31	0.3034	0.58	0.3541	
0125 0750 0250 0875 0250 0750 0000	%0137 P03	63.08	-56.84	40.41	69.75	144	17.42	31.69	12.02	0.285	0.5184	0.3577	
0125 0750 0375 0875 0250 0625 0000	%0138 P04	63.42	-52.16	26.25	58.4	153	18.57	32.09	18.45	0.2687	0.4643	0.3622	
0125 0750 0500 0875 0250 0500 0000	%0139 P05	63.8	-46.73	13.38	48.61	164	19.96	32.55	26.08	0.254	0.4142	0.3675	
0125 0750 0625 0875 0250 0375 0000	%0140 P06	64.24	-41.28	1.82	41.33	178	21.49	33.1	34.64	0.2408	0.371	0.3737	
0125 0750 0750 0875 0250 0250 0000	%0141 P07	64.75	-35.23	-9.43	36.48	196	23.28	33.74	44.73	0.2288	0.3316	0.3808	
0125 0750 0875 0875 0250 0125 0000	%0142 P08	65.48	-28.08	-21.69	35.5	219	25.65	34.66	58.07	0.2167	0.2928	0.3913	
0125 0750 1000 0875 0250 0000 0000	%0143 P09	67.45	-12.85	-45.24	47.05	256	31.73	37.23	92.08	0.197	0.2312	0.4203	
0125 0875 0000 0875 0125 1000 0000	%0144 Q01	71.68	-71.33	78.6	106.14	132	21.91	43.18	5.2	0.3117	0.6143	0.4874	
0125 0875 0125 0875 0125 0875 0000	%0145 Q02	71.78	-69.69	69.65	98.54	135	22.35	43.33	7.42	0.3058	0.5927	0.4891	
0125 0875 0250 0875 0125 0750 0000	%0146 Q03	71.97	-66.13	52.86	84.67	141	23.33	43.62	13.13	0.2913	0.5447	0.4923	
0125 0875 0375 0875 0125 0625 0000	%0147 Q04	72.22	-62.16	39.24	73.51	147	24.47	43.99	19.57	0.278	0.4997	0.4966	
0125 0875 0500 0875 0125 0500 0000	%0148 Q05	72.55	-57.69	26.66	63.56	155	25.86	44.48	27.23	0.265	0.4559	0.5021	
0125 0875 0625 0875 0125 0375 0000	%0149 Q06	72.89	-52.91	15.27	55.08	164	27.38	45.0	35.77	0.2532	0.4161	0.508	
0125 0875 0750 0875 0125 0250 0000	%0150 Q07	73.33	-47.61	4.08	47.79	175	29.21	45.67	45.87	0.2419	0.3782	0.5155	
0125 0875 0875 0875 0125 0125 0000	%0151 Q08	73.93	-41.18	-8.21	42.0	192	31.61	46.59	59.24	0.23	0.339	0.5259	
0125 0875 1000 0875 0125 0000 0000	%0152 Q09	75.55	-27.44	-32.09	42.24	231	37.64	49.16	93.28	0.209	0.273	0.5549	
0125 1000 0000 0875 0000 1000 0000	%0153 R01	84.32	-81.86	92.72	123.7	131	32.74	64.67	7.03	0.3135	0.6192	0.73	
0125 1000 0125 0875 0000 0875 0000	%0154 R02	84.39	-80.67	85.04	117.22	133	33.17	64.82	9.29	0.3092	0.6042	0.7317	
0125 1000 0250 0875 0000 0750 0000	%0155 R03	84.55	-77.76	69.95	104.6	138	34.2	65.14	15.05	0.299	0.5694	0.7352	
0125 1000 0375 0875 0000 0625 0000	%0156 R04	98.94	-85.11	65.29	107.28	142	52.52	97.28	31.93	0.289	0.5353	1.0981	
0125 1000 0500 0875 0000 0500 0000	%0157 R05	84.98	-71.14	45.11	84.24	147	36.71	65.97	29.21	0.2783	0.5002	0.7447	
0125 1000 0625 0875 0000 0375 0000	%0158 R06	85.26	-67.3	34.03	75.43	153	38.25	66.52	37.79	0.2683	0.4666	0.7509	
0125 1000 0750 0875 0000 0250 0000	%0159 R07	85.6	-62.98	23.01	67.06	160	40.07	67.19	47.94	0.2582	0.4329	0.7584	
0125 1000 0875 0875 0000 0125 0000	%0160 R08	86.06	-57.74	10.85	58.76	169	42.44	68.11	61.27	0.247	0.3964	0.7688	
0125 1000 1000 0875 0000 0000 0000	%0161 R09	87.33	-45.82	-13.04	47.65	197	48.5	70.68	95.13	0.2263	0.3298	0.7978	

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LECD monitor; Page: 3/20

TUB-test chart JE03; 1080 colours of grid G

input: *olv* setrgbcolor*

Display LAB*-calculation: LECD monitor (with LED backlight) output: *no change compared to input*

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

rgb=ol*	cmy0*	no. position	L*=LAB* ₁	a*=LAB* ₂	b*=LAB* ₃	C* _{ab} =LAB* _r	h _{ab}	X=XYZ ₁	Y=XYZ ₂	Z=XYZ ₃	x	y	Y/88.59
0250 0000 0000 0750 1000 1000 0000	%0162 S01	17.18	24.99	15.49	29.4	31	3.6	2.34	0.99	0.52	0.3375	0.0264	
0250 0000 0125 0750 1000 0875 0000	%0163 S02	17.85	28.67	-3.76	28.91	351	4.04	2.48	3.26	0.413	0.2537	0.028	
0250 0000 0250 0750 1000 0750 0000	%0164 S03	19.23	36.18	-25.75	44.41	324	5.06	2.8	8.81	0.3033	0.1681	0.0316	
0250 0000 0375 0750 1000 0625 0000	%0165 S04	20.85	42.71	-40.28	58.71	316	6.23	3.21	15.23	0.2524	0.13	0.0362	
0250 0000 0500 0750 1000 0500 0000	%0166 S05	22.44	49.21	-52.25	71.78	313	7.55	3.64	22.67	0.2229	0.1075	0.0411	
0250 0000 0625 0750 1000 0375 0000	%0167 S06	24.19	54.89	-62.36	83.08	311	9.03	4.16	31.06	0.204	0.094	0.047	
0250 0000 0750 0750 1000 0250 0000	%0168 S07	26.31	60.55	-71.94	94.04	310	10.9	4.85	41.4	0.1907	0.0849	0.0548	
0250 0000 0875 0750 1000 0125 0000	%0169 S08	28.84	66.17	-81.69	105.14	309	13.28	5.78	54.72	0.18	0.0783	0.0652	
0250 0000 1000 0750 1000 0000 0000	%0170 S09	34.7	75.84	-99.59	125.19	307	19.39	8.35	89.01	0.1661	0.0715	0.0942	
0250 0125 0000 0750 0875 1000 0000	%0171 T01	22.54	11.53	22.6	25.37	62	4.26	3.67	1.15	0.4696	0.404	0.0414	
0250 0125 0125 0750 0875 0875 0000	%0172 T02	23.04	14.79	4.68	15.51	16	4.67	3.81	3.34	0.3946	0.3225	0.043	
0250 0125 0250 0750 0875 0750 0000	%0173 T03	24.1	22.43	-17.93	28.72	321	5.66	4.13	8.98	0.3015	0.22	0.0466	
0250 0125 0375 0750 0875 0625 0000	%0174 T04	25.37	29.89	-32.96	44.5	312	6.86	4.53	15.44	0.2557	0.169	0.0512	
0250 0125 0500 0750 0875 0500 0000	%0175 T05	26.73	36.93	-45.52	58.62	309	8.22	5.0	23.05	0.2266	0.1378	0.0564	
0250 0125 0625 0750 0875 0375 0000	%0176 T06	28.16	43.26	-55.97	70.75	308	9.69	5.52	31.39	0.208	0.1184	0.0623	
0250 0125 0750 0750 0875 0250 0000	%0177 T07	29.79	49.61	-65.77	82.39	307	11.46	6.15	41.27	0.1946	0.1045	0.0694	
0250 0125 0875 0750 0875 0125 0000	%0178 T08	32.05	56.53	-76.48	95.11	306	13.93	7.11	55.04	0.1831	0.0934	0.0802	
0250 0125 1000 0750 0875 0000 0000	%0179 T09	37.26	67.95	-95.3	117.05	306	20.02	9.68	89.18	0.1684	0.0814	0.1092	
0250 0250 0000 0750 0750 1000 0000	%0180 U01	32.24	-10.03	35.22	36.62	106	5.89	7.19	1.5	0.404	0.4931	0.0812	
0250 0250 0125 0750 0750 0875 0000	%0181 U02	32.5	-6.83	18.62	19.84	110	6.29	7.31	3.74	0.3627	0.4217	0.0825	
0250 0250 0250 0750 0750 0750 0000	%0182 U03	33.25	0.37	-3.5	3.53	279	7.31	7.65	9.41	0.3	0.314	0.0864	
0250 0250 0375 0750 0750 0625 0000	%0183 U04	34.05	7.62	-18.78	20.27	292	8.47	8.03	15.79	0.2623	0.2487	0.0906	
0250 0250 0500 0750 0750 0500 0000	%0184 U05	34.99	14.87	-31.87	35.18	295	9.82	8.49	23.4	0.2355	0.2036	0.0959	
0250 0250 0625 0750 0750 0375 0000	%0185 U06	36.06	21.87	-43.05	48.29	297	11.36	9.04	31.89	0.2172	0.1729	0.1021	
0250 0250 0750 0750 0750 0250 0000	%0186 U07	37.26	28.87	-53.58	60.87	298	13.12	9.68	41.84	0.203	0.1497	0.1092	
0250 0250 0875 0750 0750 0125 0000	%0187 U08	38.95	36.66	-64.79	74.45	300	15.56	10.63	55.27	0.191	0.1305	0.12	
0250 0250 1000 0750 0750 0000 0000	%0188 U09	43.06	50.89	-85.54	99.54	301	21.67	13.2	89.54	0.1742	0.1061	0.149	
0250 0375 0000 0750 0625 1000 0000	%0189 V01	40.69	8.8	70.15	70.7	82	12.33	11.67	-2.33	0.5693	0.5387	0.1317	
0250 0375 0125 0750 0625 0875 0000	%0190 V02	40.92	-22.41	30.3	37.69	126	8.42	11.81	4.25	0.344	0.4825	0.1334	
0250 0375 0250 0750 0625 0750 0000	%0191 V03	41.42	-15.87	8.99	18.25	151	9.45	12.13	9.93	0.2999	0.385	0.1369	
0250 0375 0375 0750 0625 0625 0000	%0192 V04	42.01	-9.52	-6.26	11.41	217	10.58	12.51	16.34	0.2683	0.3172	0.1412	
0250 0375 0500 0750 0625 0500 0000	%0193 V05	42.72	-2.6	-19.48	19.67	264	11.95	12.97	23.95	0.2445	0.2654	0.1464	
0250 0375 0625 0750 0625 0375 0000	%0194 V06	43.53	4.2	-30.89	31.18	279	13.49	13.52	32.41	0.227	0.2275	0.1526	
0250 0375 0750 0750 0625 0250 0000	%0195 V07	44.49	11.15	-41.89	43.36	285	15.28	14.18	42.53	0.2123	0.197	0.1601	
0250 0375 0875 0750 0625 0125 0000	%0196 V08	45.78	19.12	-53.59	56.91	290	17.68	15.11	55.87	0.1994	0.1704	0.1705	
0250 0375 1000 0750 0625 0000 0000	%0197 V09	49.1	34.57	-75.47	83.02	295	23.81	17.68	90.05	0.181	0.1344	0.1995	
0250 0500 0000 0750 0500 1000 0000	%0198 W01	48.57	-37.08	53.8	65.35	124	10.67	17.24	2.59	0.3498	0.5653	0.1947	
0250 0500 0125 0750 0500 0875 0000	%0199 W02	48.75	-34.81	40.96	53.76	130	11.08	17.39	4.8	0.333	0.5226	0.1963	
0250 0500 0250 0750 0500 0750 0000	%0200 W03	49.14	-29.24	20.53	35.74	145	12.1	17.71	10.52	0.3	0.4391	0.1999	
0250 0500 0375 0750 0500 0625 0000	%0201 W04	49.6	-23.49	5.63	24.17	167	13.25	18.08	16.89	0.2747	0.375	0.2041	
0250 0500 0500 0750 0500 0500 0000	%0202 W05	50.18	-17.4	-7.61	19.01	206	14.61	18.57	24.55	0.2531	0.3217	0.2097	
0250 0500 0625 0750 0500 0375 0000	%0203 W06	50.8	-10.96	-19.23	22.15	243	16.15	19.09	33.04	0.2365	0.2796	0.2155	
0250 0500 0750 0750 0500 0250 0000	%0204 W07	51.56	-4.39	-30.4	30.73	263	17.94	19.76	43.14	0.2219	0.2444	0.223	
0250 0500 0875 0750 0500 0125 0000	%0205 W08	52.6	3.44	-42.41	42.56	276	20.35	20.68	56.48	0.2087	0.2121	0.2335	
0250 0500 1000 0750 0500 0000 0000	%0206 W09	57.87	19.55	-67.47	70.26	287	29.35	25.82	100.67	0.1883	0.1657	0.2915	
0250 0625 0000 0750 0375 1000 0000	%0207 X01	55.86	-47.08	61.96	77.82	127	13.78	23.77	3.23	0.3378	0.5829	0.2683	
0250 0625 0125 0750 0375 0875 0000	%0208 X02	56.0	-44.77	50.14	67.23	131	14.24	23.92	5.52	0.3261	0.5476	0.27	
0250 0625 0250 0750 0375 0750 0000	%0209 X03	56.35	-39.99	31.0	50.61	142	15.28	24.26	11.21	0.301	0.4781	0.2739	
0250 0625 0375 0750 0375 0625 0000	%0210 X04	56.72	-35.03	16.4	38.69	155	16.41	24.64	17.62	0.2797	0.42	0.2781	
0250 0625 0500 0750 0375 0500 0000	%0211 X05	57.17	-29.41	3.2	29.59	174	17.78	25.1	25.31	0.2608	0.3681	0.2833	
0250 0625 0625 0750 0375 0375 0000	%0212 X06	57.7	-23.66	-8.34	25.1	201	19.32	25.65	33.8	0.2453	0.3256	0.2895	
0250 0625 0750 0750 0375 0250 0000	%0213 X07	58.31	-17.59	-19.59	26.34	230	21.08	26.29	43.87	0.2311	0.2881	0.2967	
0250 0625 0875 0750 0375 0125 0000	%0214 X08	59.17	-10.18	-31.79	33.39	254	23.5	27.21	57.23	0.2177	0.2521	0.3071	
0250 0625 1000 0750 0375 0000 0000	%0215 X09	61.46	4.96	-55.01	55.24	276	29.58	29.78	91.27	0.1964	0.1977	0.3362	

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LECD monitor; Page: 4/20

TUB-test chart JE03; 1080 colours of grid G

input: *ol** *setrgbcolor*

Display LAB*-calculation: LECD monitor (with LED backlight) output: *no change compared to input*

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
0250 0750 0000	0750 0250 1000 0000	%0216 Y01	63.61	-56.06	70.14	89.8	128	17.99	32.32	4.11	0.3305	0.5939	0.3649
0250 0750 0125	0750 0250 0875 0000	%0217 Y02	63.73	-54.38	59.89	80.9	132	18.4	32.47	6.35	0.3216	0.5674	0.3665
0250 0750 0250	0750 0250 0750 0000	%0218 Y03	64.01	-50.16	41.91	65.37	140	19.46	32.81	12.05	0.3025	0.5101	0.3704
0250 0750 0375	0750 0250 0625 0000	%0219 Y04	64.29	-45.77	27.67	53.49	149	20.59	33.16	18.49	0.285	0.459	0.3743
0250 0750 0500	0750 0250 0500 0000	%0220 Y05	64.66	-40.92	14.77	43.51	160	21.95	33.62	26.14	0.2686	0.4115	0.3795
0250 0750 0625	0750 0250 0375 0000	%0221 Y06	65.1	-35.76	3.29	35.92	175	23.49	34.17	34.64	0.2545	0.3702	0.3857
0250 0750 0750	0750 0250 0250 0000	%0222 Y07	65.6	-30.18	-7.95	31.22	196	25.27	34.81	44.7	0.2412	0.3322	0.3929
0250 0750 0875	0750 0250 0125 0000	%0223 Y08	66.34	-23.52	-20.28	31.07	223	27.66	35.76	58.12	0.2276	0.2942	0.4037
0250 0750 1000	0750 0250 0000 0000	%0224 Y09	68.26	-9.08	-43.93	44.87	260	33.76	38.33	92.2	0.2055	0.2333	0.4327
0250 0875 0000	0750 0125 1000 0000	%0225 Z01	72.4	-65.32	79.83	103.16	129	23.92	44.25	5.2	0.326	0.6031	0.4995
0250 0875 0125	0750 0125 0875 0000	%0226 Z02	72.49	-63.9	70.71	95.31	132	24.34	44.4	7.47	0.3194	0.5826	0.5011
0250 0875 0250	0750 0125 0750 0000	%0227 Z03	72.68	-60.5	53.95	81.07	138	25.33	44.68	13.19	0.3044	0.5371	0.5044
0250 0875 0375	0750 0125 0625 0000	%0228 Z04	72.95	-56.75	40.38	69.66	144	26.5	45.09	19.63	0.2905	0.4943	0.509
0250 0875 0500	0750 0125 0500 0000	%0229 Z05	73.25	-52.44	27.85	59.38	152	27.89	45.55	27.25	0.277	0.4524	0.5142
0250 0875 0625	0750 0125 0375 0000	%0230 Z06	73.59	-48.14	16.44	50.88	161	29.36	46.07	35.79	0.264	0.4142	0.5201
0250 0875 0750	0750 0125 0250 0000	%0231 Z07	74.02	-43.0	5.2	43.33	173	31.22	46.74	45.94	0.252	0.3772	0.5276
0250 0875 0875	0750 0125 0125 0000	%0232 Z08	74.61	-37.14	-7.01	37.81	192	33.56	47.66	59.2	0.239	0.3394	0.538
0250 0875 1000	0750 0125 0000 0000	%0233 Z09	76.23	-23.86	-30.94	39.09	234	39.67	50.26	93.3	0.2165	0.2743	0.5673
0250 1000 0000	0750 0000 1000 0000	%0234 a01	84.82	-77.21	93.45	121.22	129	34.7	65.66	7.07	0.323	0.6112	0.7411
0250 1000 0125	0750 0000 0875 0000	%0235 a02	84.89	-76.09	85.87	114.74	131	35.12	65.8	9.3	0.3186	0.597	0.7427
0250 1000 0250	0750 0000 0750 0000	%0236 a03	85.07	-73.35	70.77	101.94	135	36.15	66.15	15.08	0.308	0.5635	0.7467
0250 1000 0375	0750 0000 0625 0000	%0237 a04	85.26	-70.4	58.03	91.24	140	37.3	66.52	21.55	0.2975	0.5306	0.7509
0250 1000 0500	0750 0000 0500 0000	%0238 a05	85.48	-66.87	46.01	81.17	145	38.68	66.96	29.19	0.2869	0.4966	0.7558
0250 1000 0625	0750 0000 0375 0000	%0239 a06	85.76	-63.26	34.87	72.24	151	40.21	67.5	37.8	0.2763	0.4639	0.762
0250 1000 0750	0750 0000 0250 0000	%0240 a07	86.1	-59.08	23.85	63.72	158	42.06	68.2	47.98	0.2658	0.431	0.7698
0250 1000 0875	0750 0000 0125 0000	%0241 a08	86.56	-54.04	11.64	55.28	168	44.43	69.12	61.36	0.254	0.3952	0.7802
0250 1000 1000	0750 0000 0000 0000	%0242 a09	87.82	-42.52	-12.23	44.26	197	50.5	71.69	95.19	0.2323	0.3298	0.8093
0375 0000 0000	0625 1000 1000 0000	%0243 A10	22.44	34.63	23.74	41.99	34	6.11	3.64	1.05	0.566	0.337	0.0411
0375 0000 0125	0625 1000 0875 0000	%0244 A11	22.94	37.07	5.11	37.43	7	6.54	3.78	3.25	0.482	0.2787	0.0427
0375 0000 0250	0625 1000 0750 0000	%0245 A12	24.1	42.36	-17.6	45.88	337	7.58	4.13	8.88	0.368	0.2006	0.0466
0375 0000 0375	0625 1000 0625 0000	%0246 A13	25.28	47.66	-32.56	57.72	325	8.73	4.51	15.2	0.307	0.1585	0.0509
0375 0000 0500	0625 1000 0500 0000	%0247 A14	26.64	52.81	-45.08	69.44	319	10.07	4.97	22.71	0.2668	0.1316	0.0561
0375 0000 0625	0625 1000 0375 0000	%0248 A15	28.08	57.64	-55.53	80.04	316	11.55	5.49	30.98	0.2405	0.1143	0.0619
0375 0000 0750	0625 1000 0250 0000	%0249 A16	29.79	62.8	-65.68	90.88	314	13.39	6.15	41.19	0.2205	0.1013	0.0694
0375 0000 0875	0625 1000 0125 0000	%0250 A17	31.98	67.98	-76.05	102.02	312	15.78	7.08	54.49	0.204	0.0915	0.0799
0375 0000 1000	0625 1000 0000 0000	%0251 A18	37.26	77.14	-95.1	122.46	309	21.93	9.68	88.9	0.182	0.0803	0.1092
0375 0125 0000	0625 0875 1000 0000	%0252 B10	26.64	23.15	29.27	37.32	51	6.74	4.97	1.18	0.523	0.3855	0.0561
0375 0125 0125	0625 0875 0875 0000	%0253 B11	27.05	25.62	11.2	27.96	23	7.16	5.11	3.41	0.4567	0.326	0.0577
0375 0125 0250	0625 0875 0750 0000	%0254 B12	28.01	31.37	-11.43	33.39	339	8.21	5.46	9.06	0.3613	0.2402	0.0616
0375 0125 0375	0625 0875 0625 0000	%0255 B13	28.99	36.8	-26.57	45.39	324	9.34	5.83	15.38	0.3057	0.191	0.0659
0375 0125 0500	0625 0875 0500 0000	%0256 B14	30.22	42.43	-39.38	57.9	317	10.73	6.33	22.98	0.268	0.158	0.0714
0375 0125 0625	0625 0875 0375 0000	%0257 B15	31.45	48.01	-50.35	69.58	313	12.25	6.85	31.43	0.2424	0.1355	0.0773
0375 0125 0750	0625 0875 0250 0000	%0258 B16	34.17	54.75	-62.2	82.87	311	15.13	8.09	44.75	0.2226	0.119	0.0913
0375 0125 0875	0625 0875 0125 0000	%0259 B17	34.87	59.22	-71.36	92.74	310	16.42	8.43	54.79	0.2062	0.1059	0.0952
0375 0125 1000	0625 0875 0000 0000	%0260 B18	39.64	69.99	-91.23	114.99	308	22.61	11.03	89.23	0.184	0.0898	0.1246
0375 0250 0000	0625 0750 1000 0000	%0261 C10	34.99	2.95	39.24	39.35	85	8.4	8.49	1.57	0.455	0.46	0.0959
0375 0250 0125	0625 0750 0875 0000	%0262 C11	35.27	5.37	23.05	23.67	76	8.82	8.64	3.8	0.415	0.4063	0.0975
0375 0250 0250	0625 0750 0750 0000	%0263 C12	35.95	10.95	0.94	10.99	2	9.85	8.98	9.48	0.348	0.3173	0.1014
0375 0250 0375	0625 0750 0625 0000	%0264 C13	36.72	16.76	-14.47	22.15	319	11.05	9.39	15.92	0.3038	0.2582	0.106
0375 0250 0500	0625 0750 0500 0000	%0265 C14	37.52	22.78	-27.57	35.77	310	12.38	9.82	23.43	0.2713	0.2152	0.1109
0375 0250 0625	0625 0750 0375 0000	%0266 C15	38.5	28.48	-38.88	48.2	306	13.89	10.37	31.91	0.2473	0.1846	0.1171
0375 0250 0750	0625 0750 0250 0000	%0267 C16	39.64	34.68	-49.69	60.6	305	15.73	11.03	42.03	0.2286	0.1604	0.1246
0375 0250 0875	0625 0750 0125 0000	%0268 C17	41.15	41.38	-61.08	73.78	304	18.11	11.96	55.35	0.212	0.14	0.135
0375 0250 1000	0625 0750 0000 0000	%0269 C18	45.02	54.29	-82.31	98.61	304	24.29	14.56	89.75	0.1889	0.1132	0.1643

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LECD monitor; Page: 5/20

TUB-test chart JE03; 1080 colours of grid G

input: *olv* setrgbcolor*

Display LAB*-calculation: LECD monitor (with LED backlight) output: *no change compared to input*

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	x	y	$Y/88.59$
0375 0375 0000	0625 0625	1000 0000 %0270 D10	42.76	-13.3	48.04	49.85	105	10.51	13.0	2.06	0.411	0.5085	0.1467
0375 0375 0125	0625 0625	0875 0000 %0271 D11	42.98	-10.73	33.51	35.19	107	10.97	13.14	4.31	0.386	0.4623	0.1484
0375 0375 0250	0625 0625	0750 0000 %0272 D12	43.45	-5.63	12.33	13.56	113	11.97	13.46	9.98	0.338	0.3802	0.1519
0375 0375 0375	0625 0625	0000 %0273 D13	44.0	-0.4	-2.83	2.87	273	13.09	13.84	16.34	0.3025	0.3198	0.1562
0375 0375 0500	0625 0625	0500 0000 %0274 D14	44.7	5.62	-16.2	17.15	290	14.51	14.33	24.03	0.2745	0.271	0.1617
0375 0375 0625	0625 0625	0375 0000 %0275 D15	45.46	11.52	-27.75	30.06	293	16.06	14.88	32.55	0.253	0.2343	0.1679
0375 0375 0750	0625 0625	0250 0000 %0276 D16	46.33	17.57	-38.79	42.59	295	17.83	15.51	42.59	0.2348	0.2043	0.1751
0375 0375 0875	0625 0625	0125 0000 %0277 D17	47.54	24.62	-50.62	56.3	296	20.22	16.44	55.94	0.2184	0.1775	0.1855
0375 0375 1000	0625 0625	0000 0000 %0278 D18	50.73	38.42	-72.71	82.24	298	26.35	19.04	90.1	0.1945	0.1405	0.2149
0375 0500 0000	0625 0500	1000 0000 %0279 E10	50.18	-26.43	56.02	61.94	115	13.19	18.57	2.67	0.383	0.5395	0.2097
0375 0500 0125	0625 0500	0875 0000 %0280 E11	50.35	-24.37	43.27	49.66	119	13.62	18.72	4.9	0.3657	0.5027	0.2113
0375 0500 0250	0625 0500	0750 0000 %0281 E12	50.76	-19.69	23.09	30.35	130	14.65	19.06	10.6	0.3305	0.4302	0.2152
0375 0500 0375	0625 0500	0625 0000 %0282 E13	51.2	-5.94	11.59	13.03	115	17.36	19.44	15.43	0.3324	0.3722	0.2194
0375 0500 0500	0625 0500	0500 0000 %0283 E14	51.73	-9.3	-5.08	10.61	213	17.16	19.9	24.63	0.2782	0.3226	0.2246
0375 0500 0625	0625 0500	0375 0000 %0284 E15	52.34	-3.79	-16.66	17.1	260	18.69	20.45	33.12	0.2587	0.283	0.2308
0375 0500 0750	0625 0500	0250 0000 %0285 E16	53.07	2.31	-27.95	28.06	276	20.54	21.11	43.28	0.2418	0.2486	0.2383
0375 0500 0875	0625 0500	0125 0000 %0286 E17	54.07	9.08	-40.02	41.05	284	22.89	22.04	56.63	0.2254	0.217	0.2488
0375 0500 1000	0625 0500	0000 0000 %0287 E18	56.69	23.33	-62.85	67.05	291	29.01	24.61	90.72	0.201	0.1705	0.2778
0375 0625 0000	0625 0375	1000 0000 %0288 F10	57.17	-37.48	63.47	73.71	120	16.32	25.1	3.35	0.3645	0.5606	0.2833
0375 0625 0125	0625 0375	0875 0000 %0289 F11	57.31	-35.64	52.16	63.18	124	16.75	25.25	5.57	0.3522	0.5307	0.285
0375 0625 0250	0625 0375	0750 0000 %0290 F12	57.65	-31.37	33.01	45.55	133	17.8	25.59	11.29	0.3255	0.468	0.2889
0375 0625 0375	0625 0375	0625 0000 %0291 F13	58.03	-26.85	18.53	32.63	145	18.98	26.0	17.68	0.3029	0.4149	0.2934
0375 0625 0500	0625 0375	0500 0000 %0292 F14	58.44	-21.83	5.34	22.48	167	20.33	26.43	25.33	0.282	0.3666	0.2983
0375 0625 0625	0625 0375	0375 0000 %0293 F15	58.95	-16.86	-6.21	17.98	203	21.83	26.98	33.82	0.2642	0.3265	0.3045
0375 0625 0750	0625 0375	0250 0000 %0294 F16	59.56	-11.11	-17.5	20.75	240	23.67	27.64	43.94	0.2485	0.2902	0.312
0375 0625 0875	0625 0375	0125 0000 %0295 F17	60.4	-4.5	-29.72	30.07	263	26.05	28.57	57.28	0.2328	0.2553	0.3225
0375 0625 1000	0625 0375	0000 0000 %0296 F18	62.62	9.64	-53.12	54.0	281	32.19	31.14	91.43	0.208	0.2012	0.3515
0375 0750 0000	0625 0250	1000 0000 %0297 G10	64.68	-47.86	71.59	86.12	123	20.51	33.65	4.19	0.3515	0.5767	0.3799
0375 0750 0125	0625 0250	0875 0000 %0298 G11	64.8	-46.35	61.44	76.97	127	20.92	33.8	6.43	0.3422	0.5527	0.3815
0375 0750 0250	0625 0250	0750 0000 %0299 G12	65.08	-42.55	43.53	60.88	134	21.98	34.14	12.14	0.322	0.5002	0.3854
0375 0750 0375	0625 0250	0625 0000 %0300 G13	65.37	-38.53	29.37	48.45	142	23.14	34.52	18.58	0.3035	0.4528	0.3896
0375 0750 0500	0625 0250	0500 0000 %0301 G14	65.73	-34.03	16.51	37.84	154	24.51	34.98	26.2	0.286	0.4082	0.3948
0375 0750 0625	0625 0250	0375 0000 %0302 G15	66.14	-29.38	5.01	29.82	171	26.01	35.5	34.69	0.2704	0.369	0.4007
0375 0750 0750	0625 0250	0250 0000 %0303 G16	66.67	-24.11	-6.23	24.92	196	27.87	36.19	44.82	0.256	0.3324	0.4085
0375 0750 0875	0625 0250	0125 0000 %0304 G17	67.36	-17.86	-18.59	25.79	229	30.27	37.12	58.22	0.241	0.2955	0.419
0375 0750 1000	0625 0250	0000 0000 %0305 G18	69.25	-4.47	-42.28	42.52	266	36.36	39.69	92.27	0.216	0.2358	0.448
0375 0875 0000	0625 0125	1000 0000 %0306 H10	73.27	-58.47	80.92	99.84	125	26.42	45.58	5.29	0.3418	0.5897	0.5145
0375 0875 0125	0625 0125	0875 0000 %0307 H11	73.37	-57.05	71.98	91.85	128	26.86	45.72	7.53	0.3353	0.5707	0.5161
0375 0875 0250	0625 0125	0750 0000 %0308 H12	73.57	-53.76	55.31	77.14	134	27.9	46.04	13.25	0.32	0.528	0.5197
0375 0875 0375	0625 0125	0625 0000 %0309 H13	73.82	-50.33	41.71	65.37	140	29.05	46.42	19.71	0.3052	0.4877	0.524
0375 0875 0500	0625 0125	0500 0000 %0310 H14	74.13	-46.46	29.2	54.88	147	30.42	46.91	27.35	0.2906	0.4481	0.5295
0375 0875 0625	0625 0125	0375 0000 %0311 H15	74.46	-42.26	17.83	45.87	157	31.95	47.43	35.88	0.2772	0.4115	0.5354
0375 0875 0750	0625 0125	0250 0000 %0312 H16	74.88	-37.66	6.63	38.25	170	33.75	48.09	46.0	0.264	0.3762	0.5429
0375 0875 0875	0625 0125	0125 0000 %0313 H17	75.48	-31.98	-5.67	32.49	191	36.16	49.05	59.39	0.2501	0.3392	0.5536
0375 0875 1000	0625 0125	0000 0000 %0314 H18	77.05	-19.41	-29.59	35.4	239	42.27	51.62	93.4	0.2257	0.2756	0.5827
0375 1000 0000	0625 0000	1000 0000 %0315 I10	85.48	-71.79	94.31	118.53	127	37.16	66.96	7.14	0.334	0.6018	0.7558
0375 1000 0125	0625 0000	0875 0000 %0316 I11	85.54	-70.62	86.68	111.81	129	37.6	67.07	9.4	0.3296	0.588	0.7571
0375 1000 0250	0625 0000	0750 0000 %0317 I12	85.71	-67.92	71.78	98.83	133	38.67	67.42	15.13	0.319	0.5562	0.761
0375 1000 0375	0625 0000	0625 0000 %0318 I13	85.92	-65.09	59.08	87.91	137	39.84	67.82	21.6	0.3082	0.5247	0.7656
0375 1000 0500	0625 0000	0500 0000 %0319 I14	86.15	-61.78	46.99	77.63	142	41.23	68.28	29.3	0.297	0.4919	0.7708
0375 1000 0625	0625 0000	0375 0000 %0320 I15	86.42	-58.36	35.91	68.53	148	42.75	68.83	37.89	0.286	0.4605	0.777
0375 1000 0750	0625 0000	0250 0000 %0321 I16	86.75	-54.38	24.9	59.82	155	44.58	69.5	48.03	0.275	0.4287	0.7845
0375 1000 0875	0625 0000	0125 0000 %0322 I17	87.2	-49.53	12.71	51.14	165	46.97	70.42	61.39	0.2627	0.3939	0.7949
0375 1000 1000	0625 0000	0000 0000 %0323 I18	88.46	-38.6	-11.2	40.2	197	53.03	73.02	95.29	0.2396	0.3299	0.8243

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LECD monitor; Page: 6/20

TUB-test chart JE03; 1080 colours of grid G

input: *olv* setrgbcolor*

Display LAB*-calculation: LECD monitor (with LED backlight) output: *no change compared to input*

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=ol*</i>	<i>cmy0*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
0500 0000 0000	0500 1000 0000	0000 %0324 J10	27.77	42.92	31.9	53.48	36	9.44	5.37	1.13	0.5924	0.337	0.0606
0500 0000 0125	0500 1000 0875	0000 %0325 J11	28.24	44.95	13.58	46.96	16	9.95	5.55	3.35	0.5278	0.2943	0.0626
0500 0000 0250	0500 1000 0750	0000 %0326 J12	29.07	48.42	-9.12	49.28	349	10.87	5.86	8.91	0.4238	0.2287	0.0662
0500 0000 0375	0500 1000 0625	0000 %0327 J13	30.08	53.08	-24.7	58.55	335	12.12	6.27	15.38	0.359	0.1856	0.0708
0500 0000 0500	0500 1000 0500	0000 %0328 J14	31.18	57.38	-37.63	68.63	326	13.48	6.73	22.93	0.3125	0.156	0.076
0500 0000 0625	0500 1000 0375	0000 %0329 J15	32.31	61.2	-48.29	77.96	322	14.87	7.22	31.01	0.28	0.136	0.0815
0500 0000 0750	0500 1000 0250	0000 %0330 J16	33.8	65.67	-58.88	88.21	318	16.75	7.91	41.29	0.254	0.12	0.0893
0500 0000 0875	0500 1000 0125	0000 %0331 J17	35.67	69.54	-69.38	98.24	315	18.98	8.84	54.17	0.2315	0.1078	0.0998
0500 0000 1000	0500 1000 0000	0000 %0332 J18	40.36	78.83	-89.79	119.49	311	25.32	11.47	88.95	0.2014	0.0912	0.1294
0500 0125 0000	0500 0875 1000	0000 %0333 K10	31.12	33.24	36.02	49.02	47	10.04	6.7	1.26	0.5577	0.3724	0.0756
0500 0125 0125	0500 0875 0875	0000 %0334 K11	31.45	35.4	18.28	39.84	27	10.5	6.85	3.49	0.504	0.3285	0.0773
0500 0125 0250	0500 0875 0750	0000 %0335 K12	32.24	39.67	-4.4	39.91	353	11.54	7.19	9.14	0.414	0.258	0.0812
0500 0125 0375	0500 0875 0625	0000 %0336 K13	33.13	43.88	-19.68	48.1	335	12.7	7.6	15.48	0.355	0.2123	0.0858
0500 0125 0500	0500 0875 0500	0000 %0337 K14	34.11	48.51	-32.84	58.58	326	14.07	8.06	23.07	0.3112	0.1783	0.091
0500 0125 0625	0500 0875 0375	0000 %0338 K15	35.16	52.94	-43.92	68.79	320	15.55	8.58	31.4	0.28	0.1545	0.0968
0500 0125 0750	0500 0875 0250	0000 %0339 K16	36.45	57.53	-54.55	79.29	316	17.34	9.24	41.48	0.2548	0.1358	0.1043
0500 0125 0875	0500 0875 0125	0000 %0340 K17	38.19	62.81	-65.81	90.98	314	19.8	10.2	54.98	0.233	0.12	0.1151
0500 0125 1000	0500 0875 0000	0000 %0341 K18	42.45	72.63	-86.41	112.89	310	26.0	12.8	89.29	0.203	0.0999	0.1444
0500 0250 0000	0500 0750 1000	0000 %0342 L10	38.24	14.91	44.05	46.51	71	11.7	10.23	1.65	0.4963	0.4338	0.1154
0500 0250 0125	0500 0750 0875	0000 %0343 L11	38.55	16.95	28.14	32.85	58	12.18	10.4	3.9	0.46	0.3928	0.1174
0500 0250 0250	0500 0750 0750	0000 %0344 L12	39.1	21.22	6.19	22.1	15	13.17	10.72	9.53	0.394	0.3207	0.121
0500 0250 0375	0500 0750 0625	0000 %0345 L13	39.78	25.81	-9.23	27.42	340	14.35	11.12	15.95	0.3465	0.2685	0.1255
0500 0250 0500	0500 0750 0500	0000 %0346 L14	40.55	30.73	-22.58	38.14	324	15.72	11.58	23.57	0.309	0.2277	0.1307
0500 0250 0625	0500 0750 0375	0000 %0347 L15	41.42	35.52	-33.99	49.17	316	17.24	12.13	32.02	0.2808	0.1976	0.1369
0500 0250 0750	0500 0750 0250	0000 %0348 L16	42.45	40.71	-44.92	60.63	312	19.06	12.8	42.11	0.2577	0.173	0.1444
0500 0250 0875	0500 0750 0125	0000 %0349 L17	43.83	46.58	-56.55	73.27	310	21.46	13.72	55.44	0.2368	0.1514	0.1549
0500 0250 1000	0500 0750 0000	0000 %0350 L18	47.39	58.03	-78.18	97.38	307	27.64	16.32	89.7	0.2068	0.1221	0.1842
0500 0375 0000	0500 0625 1000	0000 %0351 M10	45.22	-1.23	51.61	51.62	91	13.78	14.7	2.14	0.45	0.4802	0.166
0500 0375 0125	0500 0625 0875	0000 %0352 M11	45.46	0.81	37.39	37.4	88	14.27	14.88	4.39	0.4255	0.4436	0.1679
0500 0375 0250	0500 0625 0750	0000 %0353 M12	45.94	5.02	16.37	17.12	70	15.3	15.22	10.06	0.377	0.3751	0.1718
0500 0375 0375	0500 0625 0625	0000 %0354 M13	46.44	9.56	1.12	9.63	4	16.46	15.6	16.46	0.3393	0.3215	0.1761
0500 0375 0500	0500 0625 0500	0000 %0355 M14	47.09	14.5	-12.13	18.91	320	17.87	16.09	24.06	0.308	0.2773	0.1816
0500 0375 0625	0500 0625 0375	0000 %0356 M15	47.76	19.48	-23.79	30.75	310	19.38	16.61	32.55	0.2828	0.2423	0.1875
0500 0375 0750	0500 0625 0250	0000 %0357 M16	48.6	24.71	-35.01	42.86	306	21.19	17.27	42.71	0.261	0.2128	0.195
0500 0375 0875	0500 0625 0125	0000 %0358 M17	49.73	30.74	-46.77	55.98	304	23.56	18.2	55.87	0.2413	0.1864	0.2054
0500 0375 1000	0500 0625 0000	0000 %0359 M18	52.73	43.17	-69.26	81.62	302	29.73	20.8	90.09	0.2114	0.1479	0.2348
0500 0500 0000	0500 0500 1000	0000 %0360 N10	52.18	-15.07	59.01	60.91	104	16.48	20.31	2.73	0.417	0.5139	0.2292
0500 0500 0125	0500 0500 0875	0000 %0361 N11	52.34	-13.24	46.23	48.09	105	16.93	20.45	5.0	0.3995	0.4826	0.2308
0500 0500 0250	0500 0500 0750	0000 %0362 N12	52.73	-9.27	26.31	27.9	108	17.97	20.8	10.66	0.3635	0.4208	0.2348
0500 0500 0375	0500 0500 0625	0000 %0363 N13	53.17	-5.0	11.34	12.4	111	19.15	21.2	17.1	0.3333	0.369	0.2393
0500 0500 0500	0500 0500 0500	0000 %0364 N14	53.67	-0.29	-1.8	1.84	283	20.53	21.66	24.67	0.307	0.324	0.2445
0500 0500 0625	0500 0500 0375	0000 %0365 N15	54.22	4.49	-13.55	14.28	291	22.04	22.18	33.21	0.2846	0.2865	0.2504
0500 0500 0750	0500 0500 0250	0000 %0366 N16	54.92	9.65	-24.76	26.59	293	23.84	22.85	43.27	0.265	0.254	0.2579
0500 0500 0875	0500 0500 0125	0000 %0367 N17	55.86	15.87	-36.94	40.21	294	26.25	23.77	56.63	0.2461	0.2229	0.2683
0500 0500 1000	0500 0500 0000	0000 %0368 N18	58.42	28.66	-60.02	66.52	296	32.44	26.4	90.91	0.2166	0.1763	0.298
0500 0625 0000	0500 0375 1000	0000 %0369 O10	58.85	-26.96	65.94	71.24	112	19.65	26.86	3.42	0.3935	0.538	0.3032
0500 0625 0125	0500 0375 0875	0000 %0370 O11	58.95	-25.36	54.54	60.15	114	20.06	26.98	5.67	0.3806	0.5118	0.3045
0500 0625 0250	0500 0375 0750	0000 %0371 O12	59.27	-21.66	35.63	41.7	120	21.11	27.33	11.36	0.353	0.457	0.3084
0500 0625 0375	0500 0375 0625	0000 %0372 O13	59.64	-17.68	21.11	27.54	129	22.29	27.73	17.78	0.3288	0.409	0.313
0500 0625 0500	0500 0375 0500	0000 %0373 O14	60.06	-13.31	8.04	15.56	148	23.66	28.19	25.39	0.3063	0.365	0.3182
0500 0625 0625	0500 0375 0375	0000 %0374 O15	60.53	-8.66	-3.6	9.4	207	25.19	28.71	33.9	0.2869	0.327	0.3241
0500 0625 0750	0500 0375 0250	0000 %0375 O16	61.11	-3.65	-14.92	15.37	260	27.01	29.38	44.01	0.269	0.2926	0.3316
0500 0625 0875	0500 0375 0125	0000 %0376 O17	61.91	2.28	-27.22	27.32	277	29.39	30.3	57.39	0.251	0.2588	0.342
0500 0625 1000	0500 0375 0000	0000 %0377 O18	64.08	15.1	-50.65	52.86	288	35.55	32.9	91.49	0.2223	0.2057	0.3714

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LECD monitor; Page: 7/20

TUB-test chart JE03; 1080 colours of grid G

input: *ol** *setrgbcolor*

Display LAB*-calculation: LECD monitor (with LED backlight) output: *no change compared to input*

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	<i>L*=LAB*_1</i>	<i>a*=LAB*_2</i>	<i>b*=LAB*_3</i>	<i>C*_ab=LAB*_r</i>	<i>h_{ab}</i>	<i>X=XYZ₁</i>	<i>Y=XYZ₂</i>	<i>Z=XYZ₃</i>	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
0500 0750 0000	0500 0250 1000	0000 %0378 P10	66.02	-38.49	73.45	82.93	117	23.78	35.36	4.27	0.375	0.5576	0.3991
0500 0750 0125	0500 0250 0875	0000 %0379 P11	66.16	-36.97	63.48	73.46	120	24.25	35.53	6.5	0.3659	0.536	0.401
0500 0750 0250	0500 0250 0750	0000 %0380 P12	66.42	-33.64	45.71	56.76	126	25.3	35.88	12.19	0.3448	0.489	0.405
0500 0750 0375	0500 0250 0625	0000 %0381 P13	66.71	-30.08	31.59	43.63	133	26.44	36.25	18.62	0.3252	0.4458	0.4092
0500 0750 0500	0500 0250 0500	0000 %0382 P14	67.04	-25.96	18.75	32.03	143	27.81	36.68	26.22	0.3066	0.4044	0.4141
0500 0750 0625	0500 0250 0375	0000 %0383 P15	67.47	-21.78	7.18	22.94	162	29.36	37.26	34.8	0.2895	0.3674	0.4206
0500 0750 0750	0500 0250 0250	0000 %0384 P16	67.94	-17.08	-4.12	17.58	196	31.15	37.9	44.89	0.2734	0.3326	0.4278
0500 0750 0875	0500 0250 0125	0000 %0385 P17	68.64	-11.34	-16.41	19.96	239	33.58	38.85	58.24	0.257	0.2973	0.4385
0500 0750 1000	0500 0250 0000	0000 %0386 P18	70.47	1.01	-40.22	40.24	273	39.69	41.42	92.35	0.2288	0.2388	0.4676
0500 0875 0000	0500 0125 1000	0000 %0387 Q10	74.35	-50.25	82.3	96.43	121	29.67	47.26	5.4	0.3604	0.574	0.5334
0500 0875 0125	0500 0125 0875	0000 %0388 Q11	74.44	-48.99	73.62	88.44	123	30.11	47.4	7.59	0.3538	0.557	0.5351
0500 0875 0250	0500 0125 0750	0000 %0389 Q12	74.68	-45.93	57.02	73.22	128	31.2	47.78	13.34	0.338	0.5175	0.5393
0500 0875 0375	0500 0125 0625	0000 %0390 Q13	74.9	-42.73	43.56	61.02	134	32.34	48.12	19.73	0.3228	0.4803	0.5432
0500 0875 0500	0500 0125 0500	0000 %0391 Q14	75.19	-39.08	31.02	49.9	141	33.72	48.58	27.36	0.3075	0.443	0.5484
0500 0875 0625	0500 0125 0375	0000 %0392 Q15	75.53	-35.28	19.66	40.4	150	35.25	49.13	35.89	0.2931	0.4085	0.5546
0500 0875 0750	0500 0125 0250	0000 %0393 Q16	75.94	-31.03	8.44	32.17	165	37.06	49.8	46.01	0.2789	0.3748	0.5621
0500 0875 0875	0500 0125 0125	0000 %0394 Q17	76.51	-25.72	-3.87	26.03	190	39.46	50.72	59.35	0.2639	0.3392	0.5725
0500 0875 1000	0500 0125 0000	0000 %0395 Q18	78.06	-13.99	-27.91	31.24	246	45.61	53.32	93.5	0.237	0.2771	0.6019
0500 1000 0000	0500 0000 1000	0000 %0396 R10	86.29	-64.88	95.38	115.36	124	40.42	68.57	7.23	0.3478	0.59	0.774
0500 1000 0125	0500 0000 0875	0000 %0397 R11	86.38	-63.88	87.91	108.67	125	40.87	68.75	9.47	0.3432	0.5773	0.776
0500 1000 0250	0500 0000 0750	0000 %0398 R12	86.54	-61.37	73.06	95.42	129	41.91	69.06	15.19	0.3322	0.5474	0.7796
0500 1000 0375	0500 0000 0625	0000 %0399 R13	86.72	-58.64	60.41	84.2	133	43.09	69.44	21.63	0.3212	0.5176	0.7838
0500 1000 0500	0500 0000 0500	0000 %0400 R14	86.95	-55.58	48.31	73.65	138	44.46	69.9	29.35	0.3094	0.4864	0.789
0500 1000 0625	0500 0000 0375	0000 %0401 R15	87.22	-52.3	37.31	64.25	144	46.0	70.45	37.87	0.2981	0.4565	0.7952
0500 1000 0750	0500 0000 0250	0000 %0402 R16	87.54	-48.68	26.27	55.32	151	47.79	71.11	48.03	0.2863	0.426	0.8027
0500 1000 0875	0500 0000 0125	0000 %0403 R17	87.99	-43.97	14.08	46.18	162	50.22	72.04	61.37	0.2735	0.3923	0.8132
0500 1000 1000	0500 0000 0000	0000 %0404 R18	89.24	-33.53	-9.87	34.97	198	56.36	74.67	95.31	0.249	0.3299	0.8428
0625 0000 0000	0375 1000 1000	0000 %0405 S10	32.88	50.0	39.73	63.86	38	13.47	7.48	1.2	0.608	0.3377	0.0844
0625 0000 0125	0375 1000 0875	0000 %0406 S11	33.19	51.25	21.91	55.73	23	13.87	7.63	3.39	0.5575	0.3064	0.0861
0625 0000 0250	0375 1000 0750	0000 %0407 S12	33.99	54.62	-1.01	54.63	358	14.98	8.0	9.03	0.468	0.25	0.0903
0625 0000 0375	0375 1000 0625	0000 %0408 S13	34.76	58.0	-16.5	60.3	344	16.12	8.38	15.32	0.4049	0.2104	0.0946
0625 0000 0500	0375 1000 0500	0000 %0409 S14	35.67	61.55	-29.71	68.35	334	17.47	8.84	22.83	0.3555	0.1799	0.0998
0625 0000 0625	0375 1000 0375	0000 %0410 S15	36.72	65.25	-41.04	77.09	328	19.03	9.39	31.27	0.3188	0.1573	0.106
0625 0000 0750	0375 1000 0250	0000 %0411 S16	37.88	68.79	-51.67	86.04	323	20.74	10.02	41.13	0.2885	0.1394	0.1131
0625 0000 0875	0375 1000 0125	0000 %0412 S17	39.54	73.11	-63.15	96.61	319	23.2	10.98	54.62	0.2613	0.1236	0.1239
0625 0000 1000	0375 1000 0000	0000 %0413 S18	43.66	81.28	-84.31	117.12	314	29.47	13.6	89.26	0.2227	0.1028	0.1536
0625 0125 0000	0375 0875 1000	0000 %0414 T10	35.56	42.06	42.74	59.97	45	14.04	8.78	1.34	0.5811	0.3635	0.0991
0625 0125 0125	0375 0875 0875	0000 %0415 T11	35.9	43.66	25.57	50.6	30	14.53	8.95	3.55	0.5374	0.3312	0.1011
0625 0125 0250	0375 0875 0750	0000 %0416 T12	36.56	47.2	2.9	47.29	3	15.6	9.3	9.19	0.4576	0.2729	0.105
0625 0125 0375	0375 0875 0625	0000 %0417 T13	37.26	50.45	-12.57	52.0	346	16.69	9.68	15.49	0.3988	0.2312	0.1092
0625 0125 0500	0375 0875 0500	0000 %0418 T14	38.14	54.31	-25.9	60.17	334	18.1	10.17	23.08	0.3525	0.198	0.1148
0625 0125 0625	0375 0875 0375	0000 %0419 T15	39.1	58.36	-37.42	69.34	327	19.69	10.72	31.61	0.3175	0.1728	0.121
0625 0125 0750	0375 0875 0250	0000 %0420 T16	40.21	62.09	-48.15	78.58	322	21.44	11.38	41.56	0.2883	0.153	0.1285
0625 0125 0875	0375 0875 0125	0000 %0421 T17	41.7	66.74	-59.78	89.6	318	23.86	12.3	54.98	0.2618	0.135	0.1389
0625 0125 1000	0375 0875 0000	0000 %0422 T18	45.54	75.63	-81.3	111.05	313	30.12	14.93	89.6	0.2237	0.1109	0.1686
0625 0250 0000	0375 0750 1000	0000 %0423 U10	41.65	25.74	49.11	55.45	62	15.68	12.28	1.73	0.5282	0.4135	0.1386
0625 0250 0125	0375 0750 0875	0000 %0424 U11	41.92	27.27	33.79	43.42	50	16.15	12.45	3.93	0.4965	0.3828	0.1405
0625 0250 0250	0375 0750 0750	0000 %0425 U12	42.45	30.63	11.91	32.86	20	17.16	12.8	9.55	0.4343	0.3239	0.1444
0625 0250 0375	0375 0750 0625	0000 %0426 U13	43.06	34.51	-3.58	34.7	353	18.37	13.2	15.95	0.3866	0.2778	0.149
0625 0250 0500	0375 0750 0500	0000 %0427 U14	43.75	38.66	-16.97	42.22	336	19.75	13.66	23.51	0.347	0.24	0.1542
0625 0250 0625	0375 0750 0375	0000 %0428 U15	44.53	42.64	-28.59	51.35	326	21.27	14.21	32.0	0.3152	0.2106	0.1604
0625 0250 0750	0375 0750 0250	0000 %0429 U16	45.46	47.01	-39.68	61.53	320	23.08	14.88	42.07	0.2884	0.1859	0.1679
0625 0250 0875	0375 0750 0125	0000 %0430 U17	46.71	52.12	-51.6	73.35	315	25.49	15.8	55.47	0.2634	0.1633	0.1784
0625 0250 1000	0375 0750 0000	0000 %0431 U18	49.98	62.22	-73.69	96.45	310	31.66	18.4	89.65	0.2266	0.1317	0.2077

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LECD monitor; Page: 8/20

TUB-test chart JE03; 1080 colours of grid G

input: *olv* setrgbcolor*

Display LAB*-calculation: LECD monitor (with LED backlight) output: *no change compared to input*

**Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)**

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	x	y	$Y/88.59$
0625 0375 0000 0375 0625 1000 0000	%0432 V10		47.95	10.32	55.71	56.66	79	17.78	16.75	2.21	0.4839	0.456	0.1891
0625 0375 0125 0375 0625 0875 0000	%0433 V11		48.17	12.01	41.79	43.49	73	18.27	16.93	4.44	0.461	0.427	0.1911
0625 0375 0250 0375 0625 0750 0000	%0434 V12		48.6	15.57	20.9	26.06	52	19.33	17.27	10.08	0.414	0.37	0.195
0625 0375 0375 0375 0625 0625 0000	%0435 V13		49.1	19.11	5.74	19.96	15	20.47	17.68	16.44	0.375	0.3238	0.1995
0625 0375 0500 0375 0625 0500 0000	%0436 V14		49.63	23.35	-7.73	24.6	341	21.84	18.11	24.05	0.3412	0.283	0.2044
0625 0375 0625 0375 0625 0375 0000	%0437 V15		50.29	27.5	-19.4	33.66	325	23.36	18.66	32.53	0.3134	0.2503	0.2106
0625 0375 0750 0375 0625 0250 0000	%0438 V16		51.1	32.08	-30.68	44.39	317	25.22	19.35	42.68	0.289	0.2218	0.2185
0625 0375 0875 0375 0625 0125 0000	%0439 V17		52.12	37.35	-42.71	56.75	311	27.56	20.25	55.92	0.2657	0.1952	0.2286
0625 0375 1000 0375 0625 0000 0000	%0440 V18		54.95	48.43	-65.55	81.51	307	33.79	22.88	90.26	0.23	0.1557	0.2582
0625 0500 0000 0375 0500 1000 0000	%0441 W10		54.37	-3.71	62.31	62.42	93	20.45	22.33	2.8	0.4487	0.4899	0.252
0625 0500 0125 0375 0500 0875 0000	%0442 W11		54.52	-2.11	49.85	49.9	91	20.91	22.47	5.03	0.432	0.4642	0.2537
0625 0500 0250 0375 0500 0750 0000	%0443 W12		54.89	1.22	29.96	29.99	86	21.95	22.82	10.69	0.3958	0.4115	0.2576
0625 0500 0375 0375 0500 0625 0000	%0444 W13		55.27	4.94	15.07	15.86	68	23.12	23.19	17.05	0.3649	0.366	0.2618
0625 0500 0500 0375 0500 0500 0000	%0445 W14		55.77	8.83	1.81	9.01	8	24.49	23.69	24.68	0.3362	0.3251	0.2674
0625 0500 0625 0375 0500 0375 0000	%0446 W15		56.32	13.04	-9.84	16.34	324	26.04	24.23	33.14	0.3122	0.2905	0.2736
0625 0500 0750 0375 0500 0250 0000	%0447 W16		56.95	17.45	-21.19	27.46	310	27.79	24.87	43.21	0.2899	0.2594	0.2807
0625 0500 0875 0375 0500 0125 0000	%0448 W17		57.87	22.94	-33.45	40.57	305	30.24	25.82	56.6	0.2684	0.2292	0.2915
0625 0500 1000 0375 0500 0000 0000	%0449 W18		60.27	34.44	-56.75	66.39	302	36.42	28.42	90.81	0.234	0.1826	0.3208
0625 0625 0000 0375 0375 1000 0000	%0450 X10		60.63	-16.25	68.58	70.48	103	23.55	28.83	3.49	0.4215	0.516	0.3254
0625 0625 0125 0375 0375 0875 0000	%0451 X11		60.78	-14.84	57.56	59.44	104	24.02	29.0	5.7	0.409	0.4939	0.3274
0625 0625 0250 0375 0375 0750 0000	%0452 X12		61.09	-11.45	38.78	40.44	105	25.1	29.35	11.35	0.3815	0.446	0.3313
0625 0625 0375 0375 0375 0625 0000	%0453 X13		61.41	-8.0	24.18	25.47	106	26.26	29.72	17.77	0.3561	0.403	0.3355
0625 0625 0500 0375 0375 0500 0000	%0454 X14		61.84	-4.19	11.13	11.9	106	27.65	30.21	25.37	0.3322	0.363	0.341
0625 0625 0625 0375 0375 0375 0000	%0455 X15		62.28	-0.11	-0.5	0.53	317	29.18	30.73	33.85	0.3112	0.3278	0.3469
0625 0625 0750 0375 0375 0250 0000	%0456 X16		62.84	4.28	-11.9	12.66	294	30.98	31.4	43.98	0.2913	0.2952	0.3544
0625 0625 0875 0375 0375 0125 0000	%0457 X17		63.61	9.68	-24.23	26.1	294	33.39	32.32	57.32	0.2714	0.2627	0.3649
0625 0625 1000 0375 0375 0000 0000	%0458 X18		65.69	21.26	-47.93	52.44	295	39.57	34.92	91.56	0.2383	0.2103	0.3942
0625 0750 0000 0375 0250 1000 0000	%0459 Y10		67.54	-28.4	75.75	80.9	110	27.74	37.35	4.33	0.3996	0.538	0.4216
0625 0750 0125 0375 0250 0875 0000	%0460 Y11		67.67	-27.18	65.96	71.35	112	28.19	37.52	6.53	0.3902	0.5194	0.4235
0625 0750 0250 0375 0250 0750 0000	%0461 Y12		67.94	-24.09	48.23	53.92	116	29.29	37.9	12.23	0.3688	0.4772	0.4278
0625 0750 0375 0375 0250 0625 0000	%0462 Y13		68.22	-21.01	34.17	40.12	120	30.41	38.27	18.63	0.3483	0.4383	0.432
0625 0750 0500 0375 0250 0500 0000	%0463 Y14		68.54	-17.29	21.37	27.49	127	31.79	38.71	26.19	0.3288	0.4003	0.4369
0625 0750 0625 0375 0250 0375 0000	%0464 Y15		68.96	-13.57	9.77	16.73	143	33.33	39.28	34.77	0.3104	0.3658	0.4434
0625 0750 0750 0375 0250 0250 0000	%0465 Y16		69.41	-9.29	-1.47	9.41	193	35.14	39.92	44.78	0.2932	0.3331	0.4506
0625 0750 0875 0375 0250 0125 0000	%0466 Y17		70.09	-4.07	-13.92	14.52	259	37.58	40.87	58.25	0.2749	0.299	0.4614
0625 0750 1000 0375 0250 0000 0000	%0467 Y18		71.87	7.22	-37.76	38.46	283	43.72	43.47	92.29	0.2436	0.2422	0.4907
0625 0875 0000 0375 0125 1000 0000	%0468 Z10		75.62	-41.22	84.25	93.8	115	33.64	49.28	5.45	0.3807	0.5576	0.5562
0625 0875 0125 0375 0125 0875 0000	%0469 Z11		75.71	-40.0	75.56	85.5	117	34.1	49.42	7.66	0.374	0.542	0.5579
0625 0875 0250 0375 0125 0750 0000	%0470 Z12		75.93	-37.25	59.11	69.88	121	35.17	49.77	13.36	0.3578	0.5063	0.5618
0625 0875 0375 0375 0125 0625 0000	%0471 Z13		76.16	-34.36	45.69	57.17	126	36.33	50.14	19.75	0.342	0.4721	0.566
0625 0875 0500 0375 0125 0500 0000	%0472 Z14		76.46	-30.9	33.05	45.25	132	37.77	50.64	27.46	0.326	0.437	0.5716
0625 0875 0625 0375 0125 0375 0000	%0473 Z15		76.79	-27.54	21.82	35.14	141	39.27	51.18	35.9	0.3108	0.4051	0.5778
0625 0875 0750 0375 0125 0250 0000	%0474 Z16		77.19	-23.61	10.64	25.91	155	41.08	51.85	45.96	0.2958	0.3733	0.5853
0625 0875 0875 0375 0125 0125 0000	%0475 Z17		77.74	-18.77	-1.76	18.86	187	43.48	52.77	59.37	0.2794	0.3391	0.5957
0625 0875 1000 0375 0125 0000 0000	%0476 Z18		79.27	-7.97	-25.85	27.06	256	49.64	55.4	93.53	0.25	0.279	0.6254
0625 1000 0000 0375 0000 1000 0000	%0477 a10		87.27	-57.27	96.87	112.54	120	44.36	70.57	7.28	0.363	0.5774	0.7965
0625 1000 0125 0375 0000 0875 0000	%0478 a11		87.34	-56.23	89.46	105.67	121	44.83	70.71	9.5	0.3585	0.5655	0.7982
0625 1000 0250 0375 0000 0750 0000	%0479 a12		87.51	-53.88	74.62	92.05	125	45.9	71.06	15.24	0.3472	0.5375	0.8021
0625 1000 0375 0375 0000 0625 0000	%0480 a13		87.71	-51.41	62.09	80.62	129	47.07	71.46	21.64	0.3358	0.5098	0.8067
0625 1000 0500 0375 0000 0500 0000	%0481 a14		87.93	-48.58	50.04	69.75	133	48.44	71.92	29.32	0.3236	0.4805	0.8119
0625 1000 0625 0375 0000 0375 0000	%0482 a15		88.2	-45.49	38.99	59.92	138	49.99	72.47	37.87	0.3118	0.452	0.8181
0625 1000 0750 0375 0000 0250 0000	%0483 a16		88.51	-42.03	27.94	50.48	146	51.81	73.14	48.04	0.2995	0.4228	0.8256
0625 1000 0875 0375 0000 0125 0000	%0484 a17		88.95	-37.68	15.69	40.83	157	54.22	74.06	61.43	0.2858	0.3904	0.836
0625 1000 1000 0375 0000 0000 0000	%0485 a18		90.18	-27.89	-8.27	29.1	198	60.35	76.69	95.35	0.2597	0.33	0.8657

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LECD monitor; Page: 9/20

TUB-test chart JE03; 1080 colours of grid G

input: *olv* setrgbcolor*

Display LAB*-calculation: LECD monitor (with LED backlight) output: *no change compared to input*

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
0750 0000 0000 0250 1000 0000	%0486 A19		38.19	57.17	47.75	74.49	39	18.69	10.2	1.3	0.6192	0.3378	0.1151
0750 0000 0125 0250 1000 0875	%0487 A20		38.55	58.42	30.6	65.95	27	19.23	10.4	3.48	0.5809	0.3141	0.1174
0750 0000 0250 0250 1000 0750	%0488 A21		39.15	61.0	7.69	61.48	7	20.26	10.75	9.09	0.5054	0.268	0.1213
0750 0000 0375 0250 1000 0625	%0489 A22		39.78	63.67	-7.85	64.15	353	21.39	11.12	15.33	0.4471	0.2325	0.1255
0750 0000 0500 0250 1000 0500	%0490 A23		40.55	66.71	-21.38	70.06	342	22.75	11.58	22.87	0.3977	0.2025	0.1307
0750 0000 0625 0250 1000 0375	%0491 A24		41.42	69.7	-32.92	77.09	335	24.27	12.13	31.26	0.3587	0.1793	0.1369
0750 0000 0750 0250 1000 0250	%0492 A25		42.41	73.04	-44.03	85.29	329	26.05	12.77	41.27	0.3253	0.1594	0.1441
0750 0000 0875 0250 1000 0125	%0493 A26		43.83	76.66	-55.77	94.8	324	28.47	13.72	54.64	0.294	0.1417	0.1549
0750 0000 1000 0250 1000 0000	%0494 A27		47.43	83.97	-77.74	114.44	317	34.7	16.35	89.16	0.2475	0.1166	0.1845
0750 0125 0000 0250 0875 1000	%0495 B19		40.45	50.66	50.03	71.2	44	19.32	11.53	1.44	0.5984	0.357	0.1301
0750 0125 0125 0250 0875 0875	%0496 B20		40.73	51.94	33.51	61.81	32	19.81	11.7	3.62	0.564	0.333	0.1321
0750 0125 0250 0250 0875 0750	%0497 B21		41.29	54.52	10.97	55.62	11	20.83	12.05	9.21	0.4949	0.2862	0.136
0750 0125 0375 0250 0875 0625	%0498 B22		41.88	59.74	-3.64	59.85	356	22.48	12.42	15.06	0.4499	0.2486	0.1402
0750 0125 0500 0250 0875 0500	%0499 B23		42.54	60.64	-18.29	63.34	343	23.31	12.85	23.07	0.3935	0.217	0.1451
0750 0125 0625 0250 0875 0375	%0500 B24		43.41	63.87	-29.92	70.54	335	24.9	13.43	31.55	0.3563	0.1922	0.1516
0750 0125 0750 0250 0875 0250	%0501 B25		44.37	67.29	-41.06	78.83	329	26.71	14.1	41.63	0.324	0.171	0.1591
0750 0125 0875 0250 0875 0125	%0502 B26		45.7	71.15	-52.85	88.64	323	29.13	15.05	54.96	0.2938	0.1518	0.1699
0750 0125 1000 0250 0875 0000	%0503 B27		49.1	79.03	-75.1	109.03	317	35.37	17.68	89.51	0.2481	0.124	0.1995
0750 0250 0000 0250 0750 1000	%0504 C19		45.66	36.31	55.05	65.94	56	20.96	15.02	1.83	0.5543	0.3972	0.1695
0750 0250 0125 0250 0750 0875	%0505 C20		45.9	37.48	40.06	54.86	46	21.42	15.19	4.03	0.527	0.3738	0.1715
0750 0250 0250 0250 0750 0750	%0506 C21		46.37	40.32	18.3	44.28	24	22.46	15.54	9.67	0.4712	0.326	0.1754
0750 0250 0375 0250 0750 0625	%0507 C22		46.86	43.45	2.83	43.54	3	23.63	15.92	16.0	0.4254	0.2865	0.1797
0750 0250 0500 0250 0750 0500	%0508 C23		47.5	46.67	-10.54	47.85	347	25.01	16.41	23.54	0.385	0.2526	0.1852
0750 0250 0625 0250 0750 0375	%0509 C24		48.17	50.08	-22.38	54.86	336	26.5	16.93	32.03	0.3512	0.2243	0.1911
0750 0250 0750 0250 0750 0250	%0510 C25		49.03	53.84	-33.58	63.46	328	28.37	17.62	42.11	0.322	0.2	0.1989
0750 0250 0875 0250 0750 0125	%0511 C26		50.15	58.17	-45.67	73.96	322	30.76	18.54	55.46	0.2936	0.177	0.2093
0750 0250 1000 0250 0750 0000	%0512 C27		53.14	67.13	-68.4	95.85	315	37.02	21.17	89.87	0.25	0.143	0.239
0750 0375 0000 0250 0625 1000	%0513 D19		51.23	21.91	60.61	64.45	69	23.03	19.47	2.3	0.514	0.4346	0.2198
0750 0375 0125 0250 0625 0875	%0514 D20		51.43	23.17	46.99	52.39	63	23.5	19.64	4.52	0.493	0.4121	0.2217
0750 0375 0250 0250 0625 0750	%0515 D21		51.82	26.09	26.21	36.98	44	24.55	19.99	10.16	0.4488	0.3654	0.2256
0750 0375 0375 0250 0625 0625	%0516 D22		52.28	29.13	11.15	31.19	20	25.73	20.39	16.47	0.411	0.3258	0.2302
0750 0375 0500 0250 0625 0500	%0517 D23		52.79	32.56	-2.35	32.65	355	27.09	20.85	24.09	0.3761	0.2895	0.2354
0750 0375 0625 0250 0625 0375	%0518 D24		53.39	36.14	-14.14	38.81	339	28.64	21.4	32.59	0.3466	0.259	0.2416
0750 0375 0750 0250 0625 0250	%0519 D25		54.1	40.11	-25.47	47.52	328	30.48	22.07	42.65	0.3202	0.2318	0.2491
0750 0375 0875 0250 0625 0125	%0520 D26		55.06	44.66	-37.73	58.47	320	32.87	22.99	56.02	0.2938	0.2055	0.2595
0750 0375 1000 0250 0625 0000	%0521 D27		57.68	54.3	-60.92	81.61	312	39.1	25.62	90.37	0.2521	0.1652	0.2892
0750 0500 0000 0250 0500 1000	%0522 E19		57.09	8.2	66.18	66.68	82	25.68	25.01	2.92	0.479	0.4666	0.2824
0750 0500 0125 0250 0500 0875	%0523 E20		57.26	9.43	54.03	54.84	79	26.15	25.19	5.14	0.463	0.446	0.2843
0750 0500 0250 0250 0500 0750	%0524 E21		57.59	12.25	34.55	36.65	69	27.19	25.53	10.71	0.4286	0.4025	0.2882
0750 0500 0375 0250 0500 0625	%0525 E22		57.98	15.28	19.58	24.83	50	28.37	25.94	17.13	0.3971	0.3631	0.2928
0750 0500 0500 0250 0500 0500	%0526 E23		58.42	18.8	6.29	19.82	17	29.77	26.4	24.72	0.368	0.3264	0.298
0750 0500 0625 0250 0500 0375	%0527 E24		58.93	22.26	-5.4	22.91	346	31.28	26.95	33.18	0.3422	0.2948	0.3042
0750 0500 0750 0250 0500 0250	%0528 E25		59.54	26.17	-16.83	31.12	328	33.1	27.61	43.3	0.3182	0.2655	0.3117
0750 0500 0875 0250 0500 0125	%0529 E26		60.37	30.95	-29.19	42.55	317	35.52	28.54	56.67	0.2942	0.2364	0.3221
0750 0500 1000 0250 0500 0000	%0530 E27		62.65	40.93	-52.72	66.75	308	41.7	31.17	90.91	0.2546	0.1903	0.3518
0750 0625 0000 0250 0375 1000	%0531 F19		62.96	-4.43	72.15	72.28	93	28.82	31.54	3.57	0.4508	0.4934	0.356
0750 0625 0125 0250 0375 0875	%0532 F20		63.11	-3.23	61.24	61.32	92	29.29	31.72	5.78	0.4386	0.4749	0.358
0750 0625 0250 0250 0375 0750	%0533 F21		63.39	-0.42	42.51	42.51	89	30.36	32.06	11.44	0.411	0.4341	0.3619
0750 0625 0375 0250 0375 0625	%0534 F22		63.7	2.56	28.04	28.16	82	31.52	32.44	17.81	0.3855	0.3967	0.3662
0750 0625 0500 0250 0375 0500	%0535 F23		64.1	5.84	14.99	16.09	65	32.91	32.93	25.4	0.3607	0.3609	0.3717
0750 0625 0625 0250 0375 0375	%0536 F24		64.52	9.34	3.25	9.89	15	34.43	33.45	33.92	0.3382	0.3286	0.3776
0750 0625 0750 0250 0375 0250	%0537 F25		65.08	13.18	-8.09	15.46	329	36.26	34.14	44.02	0.3169	0.2984	0.3854
0750 0625 0875 0250 0375 0125	%0538 F26		65.78	17.96	-20.5	27.27	312	38.65	35.04	57.34	0.295	0.2674	0.3955
0750 0625 1000 0250 0375 0000	%0539 F27		67.77	28.2	-44.37	52.58	303	44.86	37.67	91.61	0.2576	0.2163	0.4252

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	<i>L*=LAB*₁</i>	<i>a*=LAB*₂</i>	<i>b*=LAB*₃</i>	<i>C*_{ab}=LAB*_r</i>	<i>h_{ab}</i>	<i>X=XYZ₁</i>	<i>Y=XYZ₂</i>	<i>Z=XYZ₃</i>	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
0750 0750 0000	0250 0250	1000 0000 %0540 G19	69.51	-17.24	78.77	80.64	102	32.98	40.06	4.41	0.4258	0.5173	0.4522
0750 0750 0125	0250 0250	0875 0000 %0541 G20	69.64	-16.03	68.87	70.72	102	33.47	40.24	6.65	0.4165	0.5007	0.4542
0750 0750 0250	0250 0250	0750 0000 %0542 G21	69.88	-13.49	51.49	53.23	103	34.5	40.58	12.26	0.395	0.4646	0.4581
0750 0750 0375	0250 0250	0625 0000 %0543 G22	70.15	-10.65	37.47	38.95	104	35.67	40.96	18.65	0.3744	0.4299	0.4623
0750 0750 0500	0250 0250	0500 0000 %0544 G23	70.49	46.18	67.39	81.7	55	55.92	41.45	7.43	0.5336	0.3955	0.4679
0750 0750 0625	0250 0250	0375 0000 %0545 G24	70.85	-4.16	13.05	13.7	103	38.57	41.97	34.76	0.3345	0.364	0.4738
0750 0750 0750	0250 0250	0250 0000 %0546 G25	71.33	-0.41	1.71	1.76	57	40.41	42.66	44.89	0.3158	0.3334	0.4816
0750 0750 0875	0250 0250	0125 0000 %0547 G26	71.95	4.21	-10.71	11.52	297	42.82	43.59	58.26	0.296	0.3013	0.492
0750 0750 1000	0250 0250	0000 0000 %0548 G27	73.69	14.44	-34.76	37.65	294	49.03	46.22	92.47	0.2612	0.2462	0.5217
0750 0875 0000	0250 0125	1000 0000 %0549 H19	77.28	-30.9	86.7	92.04	109	38.87	51.99	5.54	0.4032	0.5393	0.5869
0750 0875 0125	0250 0125	0875 0000 %0550 H20	77.38	-29.72	78.09	83.56	110	39.39	52.17	7.76	0.3966	0.5253	0.5888
0750 0875 0250	0250 0125	0750 0000 %0551 H21	77.59	-27.31	61.78	67.55	113	40.44	52.51	13.44	0.3801	0.4936	0.5928
0750 0875 0375	0250 0125	0625 0000 %0552 H22	77.81	-24.72	48.39	54.34	116	41.6	52.89	19.82	0.3639	0.4627	0.597
0750 0875 0500	0250 0125	0500 0000 %0553 H23	78.08	-21.66	35.89	41.93	120	43.0	53.35	27.43	0.3474	0.431	0.6022
0750 0875 0625	0250 0125	0375 0000 %0554 H24	78.22	-18.55	24.47	30.71	125	44.26	53.58	35.75	0.3313	0.4011	0.6048
0750 0875 0750	0250 0125	0250 0000 %0555 H25	78.79	-15.04	13.3	20.09	136	46.33	54.56	46.06	0.3153	0.3713	0.6159
0750 0875 0875	0250 0125	0125 0000 %0556 H26	79.32	-10.67	0.87	10.72	176	48.73	55.49	59.47	0.2977	0.339	0.6263
0750 0875 1000	0250 0125	0000 0000 %0557 H27	80.8	-0.8	-23.24	23.26	272	54.91	58.12	93.57	0.2658	0.2813	0.656
0750 1000 0000	0250 0000	1000 0000 %0558 I19	88.55	-48.24	98.72	109.88	115	49.55	73.22	7.38	0.3807	0.5626	0.8265
0750 1000 0125	0250 0000	0875 0000 %0559 I20	88.64	-47.22	91.37	102.85	117	50.06	73.4	9.61	0.3762	0.5516	0.8285
0750 1000 0250	0250 0000	0750 0000 %0560 I21	88.8	-45.13	76.67	88.97	120	51.11	73.74	15.32	0.3646	0.5261	0.8324
0750 1000 0375	0250 0000	0625 0000 %0561 I22	88.99	-42.79	64.16	77.12	123	52.31	74.15	21.72	0.353	0.5004	0.837
0750 1000 0500	0250 0000	0500 0000 %0562 I23	89.21	-40.19	52.2	65.88	126	53.68	74.61	29.35	0.3405	0.4733	0.8422
0750 1000 0625	0250 0000	0375 0000 %0563 I24	89.47	-37.35	41.1	55.54	131	55.23	75.16	37.94	0.3281	0.4465	0.8484
0750 1000 0750	0250 0000	0250 0000 %0564 I25	89.78	-34.04	30.11	45.45	137	57.09	75.82	48.05	0.3155	0.419	0.8559
0750 1000 0875	0250 0000	0125 0000 %0565 I26	90.21	-30.11	17.8	34.99	148	59.47	76.75	61.48	0.3008	0.3882	0.8663
0750 1000 1000	0250 0000	0000 0000 %0566 I27	91.43	-20.96	-6.22	21.88	199	65.69	79.43	95.51	0.273	0.3301	0.8966
0875 0000 0000	0125 1000	1000 0000 %0567 J19	43.7	64.15	56.05	85.19	41	25.26	13.63	1.4	0.6269	0.3383	0.1539
0875 0000 0125	0125 1000	0875 0000 %0568 J20	43.95	65.14	39.43	76.14	31	25.76	13.81	3.56	0.5973	0.3202	0.1559
0875 0000 0250	0125 1000	0750 0000 %0569 J21	44.49	67.47	16.62	69.49	13	26.88	14.18	9.17	0.5351	0.2823	0.1601
0875 0000 0375	0125 1000	0625 0000 %0570 J22	44.98	69.64	0.92	69.64	0	27.95	14.53	15.41	0.4828	0.251	0.164
0875 0000 0500	0125 1000	0500 0000 %0571 J23	45.66	72.2	-12.65	73.3	350	29.35	15.02	22.92	0.4362	0.2232	0.1695
0875 0000 0625	0125 1000	0375 0000 %0572 J24	46.4	74.87	-24.48	78.78	342	30.91	15.57	31.36	0.3971	0.2	0.1757
0875 0000 0750	0125 1000	0250 0000 %0573 J25	47.24	77.63	-35.8	85.49	335	32.66	16.2	41.36	0.362	0.1796	0.1829
0875 0000 0875	0125 1000	0125 0000 %0574 J26	48.46	80.85	-47.87	93.96	329	35.09	17.16	54.72	0.328	0.1604	0.1937
0875 0000 1000	0125 1000	0000 0000 %0575 J27	51.63	87.46	-70.74	112.49	321	41.38	19.82	89.49	0.2746	0.1315	0.2237
0875 0125 0000	0125 0875	1000 0000 %0576 K19	45.58	58.8	58.04	82.62	44	25.92	14.96	1.52	0.6113	0.3529	0.1689
0875 0125 0125	0125 0875	0875 0000 %0577 K20	45.78	59.95	41.61	72.97	34	26.4	15.11	3.72	0.5837	0.334	0.1705
0875 0125 0250	0125 0875	0750 0000 %0578 K21	46.29	62.04	19.26	64.96	17	27.45	15.48	9.32	0.5254	0.2963	0.1748
0875 0125 0375	0125 0875	0625 0000 %0579 K22	46.83	64.48	3.59	64.58	3	28.66	15.89	15.63	0.4762	0.264	0.1793
0875 0125 0500	0125 0875	0500 0000 %0580 K23	47.39	67.05	-10.09	67.8	351	29.96	16.32	23.17	0.4314	0.235	0.1842
0875 0125 0625	0125 0875	0375 0000 %0581 K24	48.09	69.75	-21.87	73.1	342	31.5	16.87	31.58	0.394	0.211	0.1904
0875 0125 0750	0125 0875	0250 0000 %0582 K25	48.92	72.74	-33.25	79.98	335	33.33	17.53	41.66	0.3602	0.1895	0.1979
0875 0125 0875	0125 0875	0125 0000 %0583 K26	50.08	76.17	-45.47	88.71	329	35.77	18.49	55.13	0.327	0.169	0.2087
0875 0125 1000	0125 0875	0000 0000 %0584 K27	53.07	83.07	-68.3	107.55	321	41.99	21.11	89.57	0.275	0.1383	0.2383
0875 0250 0000	0125 0750	1000 0000 %0585 L19	50.05	46.35	61.74	77.2	52	27.58	18.46	1.93	0.575	0.3848	0.2083
0875 0250 0125	0125 0750	0875 0000 %0586 L20	50.22	47.35	46.93	66.67	44	28.02	18.6	4.14	0.552	0.3665	0.21
0875 0250 0250	0125 0750	0750 0000 %0587 L21	50.66	49.73	25.4	55.84	26	29.11	18.98	9.77	0.5032	0.328	0.2142
0875 0250 0375	0125 0750	0625 0000 %0588 L22	51.1	52.2	9.97	53.14	10	30.26	19.35	16.08	0.4606	0.2946	0.2185
0875 0250 0500	0125 0750	0500 0000 %0589 L23	51.63	54.96	-3.62	55.08	356	31.62	19.82	23.65	0.4211	0.2639	0.2237
0875 0250 0625	0125 0750	0375 0000 %0590 L24	52.25	57.84	-15.4	59.85	345	33.16	20.36	32.07	0.3874	0.2379	0.2299
0875 0250 0750	0125 0750	0250 0000 %0591 L25	52.98	60.89	-26.87	66.56	336	34.95	21.03	42.19	0.356	0.2142	0.2374
0875 0250 0875	0125 0750	0125 0000 %0592 L26	54.01	64.5	-39.12	75.44	329	37.36	21.98	55.57	0.3251	0.1913	0.2481
0875 0250 1000	0125 0750	0000 0000 %0593 L27	56.69	72.35	-62.31	95.49	319	43.62	24.61	89.93	0.2758	0.1556	0.2778

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
0875 0375 0000 0125 0625 1000 0000	%0594 M19		54.98	33.19	66.19	74.05	63	29.65	22.91	2.41	0.5394	0.4167	0.2586
0875 0375 0125 0125 0625 0875 0000	%0595 M20		55.15	34.24	53.01	63.11	56	30.13	23.08	4.6	0.5212	0.3992	0.2605
0875 0375 0250 0125 0625 0750 0000	%0596 M21		55.51	36.68	32.35	48.91	40	31.2	23.43	10.23	0.481	0.3612	0.2644
0875 0375 0375 0125 0625 0625 0000	%0597 M22		55.92	39.12	17.19	42.73	23	32.35	23.83	16.58	0.4446	0.3275	0.269
0875 0375 0500 0125 0625 0500 0000	%0598 M23		56.38	42.08	3.69	42.24	4	33.75	24.29	24.17	0.4105	0.2955	0.2742
0875 0375 0625 0125 0625 0375 0000	%0599 M24		56.92	45.04	-8.07	45.76	350	35.28	24.84	32.6	0.3805	0.2679	0.2804
0875 0375 0750 0125 0625 0250 0000	%0600 M25		57.56	48.33	-19.65	52.17	338	37.1	25.51	42.79	0.352	0.242	0.2879
0875 0375 0875 0125 0625 0125 0000	%0601 M26		58.44	52.22	-31.98	61.24	329	39.49	26.43	56.11	0.3236	0.2166	0.2983
0875 0375 1000 0125 0625 0000 0000	%0602 M27		60.83	60.52	-55.53	82.14	318	45.69	29.06	90.45	0.2766	0.1759	0.328
0875 0500 0000 0125 0500 1000 0000	%0603 N19		60.32	20.08	71.27	74.05	73	32.33	28.48	2.99	0.5068	0.4464	0.3215
0875 0500 0125 0125 0500 0875 0000	%0604 N20		60.45	21.11	59.17	62.82	69	32.78	28.62	5.22	0.492	0.4297	0.3231
0875 0500 0250 0125 0500 0750 0000	%0605 N21		60.78	23.46	39.71	46.13	58	33.85	29.0	10.83	0.4594	0.3936	0.3274
0875 0500 0375 0125 0500 0625 0000	%0606 N22		61.11	26.06	24.86	36.01	42	35.01	29.38	17.19	0.4292	0.3601	0.3316
0875 0500 0500 0125 0500 0500 0000	%0607 N23		61.51	29.23	11.28	31.33	20	36.47	29.84	24.94	0.3997	0.327	0.3368
0875 0500 0625 0125 0500 0375 0000	%0608 N24		61.99	31.89	-0.24	31.89	359	37.9	30.39	33.27	0.3732	0.2992	0.343
0875 0500 0750 0125 0500 0250 0000	%0609 N25		62.58	35.28	-11.73	37.18	342	39.76	31.08	43.42	0.348	0.272	0.3508
0875 0500 0875 0125 0500 0125 0000	%0610 N26		63.32	39.27	-24.13	46.1	329	42.11	31.98	56.69	0.322	0.2445	0.3609
0875 0500 1000 0125 0500 0000 0000	%0611 N27		65.44	48.16	-47.97	67.98	316	48.37	34.6	91.01	0.278	0.1989	0.3906
0875 0625 0000 0125 0375 1000 0000	%0612 O19		65.76	7.59	76.21	76.59	83	35.47	35.01	3.69	0.4782	0.472	0.3952
0875 0625 0125 0125 0375 0875 0000	%0613 O20		65.87	8.53	65.57	66.12	82	35.89	35.15	5.88	0.4666	0.457	0.3968
0875 0625 0250 0125 0375 0750 0000	%0614 O21		66.14	11.01	46.97	48.25	75	36.99	35.5	11.54	0.4402	0.4225	0.4007
0875 0625 0375 0125 0375 0625 0000	%0615 O22		66.45	13.48	32.62	35.3	66	38.16	35.9	17.88	0.415	0.3905	0.4053
0875 0625 0500 0125 0375 0500 0000	%0616 O23		66.82	16.3	19.57	25.47	48	39.55	36.39	25.46	0.39	0.3589	0.4108
0875 0625 0625 0125 0375 0375 0000	%0617 O24		67.21	19.26	7.82	20.79	20	41.05	36.91	33.97	0.3667	0.3298	0.4167
0875 0625 0750 0125 0375 0250 0000	%0618 O25		67.71	22.73	-3.62	23.01	351	42.9	37.58	44.08	0.3444	0.3017	0.4242
0875 0625 0875 0125 0375 0125 0000	%0619 O26		68.39	26.82	-16.14	31.31	330	45.3	38.5	57.49	0.3206	0.2725	0.4346
0875 0625 1000 0125 0375 0000 0000	%0620 O27		70.27	35.71	-40.11	53.71	312	51.47	41.13	91.68	0.2793	0.2232	0.4643
0875 0750 0000 0125 0250 1000 0000	%0621 P19		71.91	-5.44	82.26	82.44	93	39.61	43.53	4.53	0.4518	0.4965	0.4914
0875 0750 0125 0125 0250 0875 0000	%0622 P20		72.03	-4.44	72.71	72.85	92	40.09	43.7	6.73	0.4429	0.4828	0.4933
0875 0750 0250 0125 0250 0750 0000	%0623 P21		72.26	-2.19	55.31	55.35	91	41.14	44.05	12.37	0.4217	0.4515	0.4972
0875 0750 0375 0125 0250 0625 0000	%0624 P22		72.53	0.28	41.38	41.38	88	42.34	44.45	18.74	0.4012	0.4212	0.5018
0875 0750 0500 0125 0250 0500 0000	%0625 P23		72.84	3.09	28.49	28.66	81	43.73	44.92	26.37	0.3802	0.3905	0.507
0875 0750 0625 0125 0250 0375 0000	%0626 P24		73.18	5.96	16.94	17.96	66	45.22	45.44	34.86	0.3603	0.362	0.5129
0875 0750 0750 0125 0250 0250 0000	%0627 P25		73.61	9.29	5.58	10.84	26	47.05	46.1	44.95	0.3407	0.3338	0.5204
0875 0750 0875 0125 0250 0125 0000	%0628 P26		74.22	13.27	-6.91	14.96	334	49.45	47.05	58.38	0.3193	0.3038	0.5311
0875 0750 1000 0125 0250 0000 0000	%0629 P27		75.87	22.32	-31.07	38.27	307	55.66	49.68	92.59	0.2812	0.251	0.5608
0875 0875 0000 0125 0125 1000 0000	%0630 Q19		79.29	-19.55	89.75	91.85	101	45.51	55.43	5.64	0.427	0.5201	0.6257
0875 0875 0125 0125 0125 0875 0000	%0631 Q20		79.39	-18.58	81.35	83.45	102	46.0	55.6	7.81	0.4204	0.5082	0.6276
0875 0875 0250 0125 0125 0750 0000	%0632 Q21		79.6	-16.4	65.1	67.14	103	47.1	55.98	13.5	0.404	0.4802	0.6319
0875 0875 0375 0125 0125 0625 0000	%0633 Q22		79.8	-52.02	31.74	60.95	148	35.74	56.33	32.33	0.2873	0.4528	0.6358
0875 0875 0500 0125 0125 0500 0000	%0634 Q23		80.08	-11.53	39.21	40.87	104	49.61	56.82	27.51	0.3704	0.4242	0.6413
0875 0875 0625 0125 0125 0375 0000	%0635 Q24		80.38	-8.69	27.88	29.21	105	51.16	57.37	36.0	0.354	0.3969	0.6475
0875 0875 0750 0125 0125 0250 0000	%0636 Q25		80.76	-5.53	16.57	17.47	104	52.98	58.03	46.16	0.3371	0.3692	0.655
0875 0875 0875 0125 0125 0125 0000	%0637 Q26		81.27	-1.59	4.13	4.43	91	55.39	58.95	59.56	0.3185	0.339	0.6655
0875 0875 1000 0125 0125 0000 0000	%0638 Q27		82.71	7.28	-20.06	21.34	294	61.61	61.61	93.72	0.284	0.284	0.6955
0875 1000 0000 0125 0000 1000 0000	%0639 R19		90.17	-37.89	101.24	108.1	110	56.21	76.66	7.45	0.4006	0.5463	0.8653
0875 1000 0125 0125 0000 0875 0000	%0640 R20		90.25	-37.05	93.73	100.79	111	56.69	76.83	9.74	0.3957	0.5363	0.8673
0875 1000 0250 0125 0000 0750 0000	%0641 R21		90.4	-35.11	79.26	86.7	113	57.76	77.18	15.39	0.3842	0.5134	0.8712
0875 1000 0375 0125 0000 0625 0000	%0642 R22		90.59	-33.09	66.78	74.53	115	58.92	77.58	21.8	0.3722	0.4901	0.8758
0875 1000 0500 0125 0000 0500 0000	%0643 R23		90.8	-30.68	54.74	62.76	118	60.31	78.05	29.49	0.3593	0.465	0.881
0875 1000 0625 0125 0000 0375 0000	%0644 R24		91.05	-28.08	43.71	51.96	121	61.87	78.6	38.04	0.3466	0.4403	0.8872
0875 1000 0750 0125 0000 0250 0000	%0645 R25		91.35	-25.15	32.65	41.22	126	63.7	79.26	48.21	0.3332	0.4146	0.8947
0875 1000 0875 0125 0000 0125 0000	%0646 R26		91.77	-21.52	20.43	29.68	134	66.09	80.18	61.56	0.318	0.3858	0.9051
0875 1000 1000 0125 0000 0000 0000	%0647 R27		92.95	-13.22	-3.63	13.72	199	72.26	82.84	95.55	0.2883	0.3305	0.9351

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=ol*</i>	<i>cmy0*</i>	<i>no. position</i>	<i>L*=LAB*₁</i>	<i>a*=LAB*₂</i>	<i>b*=LAB*₃</i>	<i>C*_{ab}=LAB*_r</i>	<i>h_{ab}</i>	<i>X=XYZ₁</i>	<i>Y=XYZ₂</i>	<i>Z=XYZ₃</i>	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
1000 0000 0000 0000 1000 1000 0000	%0648 S19	51.0	73.65	67.53	99.92	42	36.2	19.27	1.5	0.6354	0.3382	0.2175	
1000 0000 0125 0000 1000 0875 0000	%0649 S20	51.13	74.33	51.08	90.19	34	36.57	19.38	3.68	0.6133	0.325	0.2188	
1000 0000 0250 0000 1000 0750 0000	%0650 S21	51.5	76.05	28.58	81.24	20	37.58	19.7	9.21	0.5652	0.2963	0.2224	
1000 0000 0375 0000 1000 0625 0000	%0651 S22	51.92	77.86	12.65	78.88	9	38.71	20.08	15.51	0.521	0.2702	0.2266	
1000 0000 0500 0000 1000 0500 0000	%0652 S23	52.44	79.77	-1.09	79.78	359	40.02	20.54	22.99	0.479	0.2458	0.2318	
1000 0000 0625 0000 1000 0375 0000	%0653 S24	53.04	82.03	-13.16	83.08	351	41.6	21.09	31.45	0.4419	0.224	0.238	
1000 0000 0750 0000 1000 0250 0000	%0654 S25	53.73	84.28	-24.68	87.83	344	43.34	21.72	41.42	0.407	0.204	0.2452	
1000 0000 0875 0000 1000 0125 0000	%0655 S26	54.71	87.05	-37.2	94.67	337	45.74	22.65	54.83	0.3712	0.1838	0.2556	
1000 0000 1000 0000 1000 0000 0000	%0656 S27	57.31	92.7	-61.0	110.98	327	51.91	25.25	89.59	0.3113	0.1514	0.285	
1000 0125 0000 0000 0875 1000 0000	%0657 T19	52.47	69.34	68.71	97.62	44	36.81	20.57	1.63	0.6238	0.3485	0.2321	
1000 0125 0125 0000 0875 0875 0000	%0658 T20	52.6	69.93	52.9	87.68	37	37.16	20.68	3.8	0.6028	0.3355	0.2335	
1000 0125 0250 0000 0875 0750 0000	%0659 T21	52.98	71.62	30.49	77.84	23	38.19	21.03	9.42	0.5564	0.3064	0.2374	
1000 0125 0375 0000 0875 0625 0000	%0660 T22	53.39	73.53	14.69	74.98	11	39.34	21.4	15.73	0.5144	0.2799	0.2416	
1000 0125 0500 0000 0875 0500 0000	%0661 T23	53.85	36.18	28.66	46.16	37	29.17	21.84	10.52	0.4741	0.3549	0.2465	
1000 0125 0625 0000 0875 0375 0000	%0662 T24	54.43	77.78	-11.08	78.56	352	42.17	22.39	31.68	0.4382	0.2326	0.2527	
1000 0125 0750 0000 0875 0250 0000	%0663 T25	55.12	80.23	-22.76	83.4	344	44.0	23.05	41.83	0.4041	0.2117	0.2602	
1000 0125 0875 0000 0875 0125 0000	%0664 T26	56.06	83.04	-35.19	90.19	337	46.38	23.97	55.17	0.3695	0.191	0.2706	
1000 0125 1000 0000 0875 0000 0000	%0665 T27	58.58	88.99	-58.96	106.76	327	52.57	26.57	89.79	0.3112	0.1573	0.3	
1000 0250 0000 0000 0750 1000 0000	%0666 U19	56.18	58.65	71.5	92.48	50	38.44	24.09	2.02	0.5955	0.3732	0.2719	
1000 0250 0125 0000 0750 0875 0000	%0667 U20	56.32	59.43	57.08	82.4	43	38.88	24.23	4.21	0.5775	0.36	0.2736	
1000 0250 0250 0000 0750 0750 0000	%0668 U21	56.64	61.2	35.54	70.77	30	39.87	24.55	9.82	0.537	0.3307	0.2771	
1000 0250 0375 0000 0750 0625 0000	%0669 U22	56.98	63.17	19.86	66.22	17	40.98	24.9	16.19	0.4993	0.3034	0.2811	
1000 0250 0500 0000 0750 0500 0000	%0670 U23	57.43	65.35	6.23	65.65	5	42.33	25.36	23.73	0.463	0.2774	0.2863	
1000 0250 0625 0000 0750 0375 0000	%0671 U24	57.95	67.65	-5.72	67.89	355	43.87	25.91	32.19	0.4302	0.2541	0.2925	
1000 0250 0750 0000 0750 0250 0000	%0672 U25	58.58	70.17	-17.34	72.28	346	45.67	26.57	42.3	0.3987	0.232	0.3	
1000 0250 0875 0000 0750 0125 0000	%0673 U26	59.43	73.26	-29.87	79.12	338	48.08	27.5	55.68	0.3663	0.2095	0.3104	
1000 0250 1000 0000 0750 0000 0000	%0674 U27	61.74	79.71	-53.81	96.18	326	54.26	30.1	90.22	0.3108	0.1724	0.3397	
1000 0375 0000 0000 0625 1000 0000	%0675 V19	60.42	47.1	74.85	88.44	57	40.58	28.6	2.51	0.5661	0.3989	0.3228	
1000 0375 0125 0000 0625 0875 0000	%0676 V20	60.55	47.87	61.8	78.17	51	41.01	28.74	4.71	0.5508	0.386	0.3244	
1000 0375 0250 0000 0625 0750 0000	%0677 V21	60.83	49.71	41.2	64.56	39	42.01	29.06	10.35	0.516	0.3569	0.328	
1000 0375 0375 0000 0625 0625 0000	%0678 V22	61.16	51.7	25.94	57.84	26	43.15	29.43	16.72	0.4832	0.3296	0.3322	
1000 0375 0500 0000 0625 0500 0000	%0679 V23	61.59	53.89	12.43	55.3	12	44.52	29.92	24.32	0.4508	0.303	0.3378	
1000 0375 0625 0000 0625 0375 0000	%0680 V24	62.04	56.34	0.43	56.34	0	46.04	30.44	32.83	0.4212	0.2785	0.3437	
1000 0375 0750 0000 0625 0250 0000	%0681 V25	62.6	58.96	-11.15	60.01	349	47.85	31.11	42.95	0.3925	0.2552	0.3512	
1000 0375 0875 0000 0625 0125 0000	%0682 V26	63.37	62.15	-23.72	66.52	339	50.23	32.03	56.35	0.3624	0.2311	0.3616	
1000 0375 1000 0000 0625 0000 0000	%0683 V27	65.46	69.15	-47.81	84.07	326	56.44	34.63	90.82	0.3103	0.1904	0.3909	
1000 0500 0000 0000 0500 1000 0000	%0684 W19	65.17	34.99	78.83	86.24	65	43.34	34.26	3.11	0.537	0.4245	0.3867	
1000 0500 0125 0000 0500 0875 0000	%0685 W20	65.28	35.7	66.96	75.88	61	43.74	34.4	5.33	0.524	0.4121	0.3883	
1000 0500 0250 0000 0500 0750 0000	%0686 W21	65.55	37.52	47.47	60.5	51	44.77	34.75	11.0	0.4946	0.3839	0.3922	
1000 0500 0375 0000 0500 0625 0000	%0687 W22	65.85	39.55	32.52	51.21	38	45.92	35.12	17.43	0.4663	0.3567	0.3965	
1000 0500 0500 0000 0500 0500 0000	%0688 W23	66.2	41.87	19.2	46.06	24	47.28	35.59	25.03	0.4382	0.3298	0.4017	
1000 0500 0625 0000 0500 0375 0000	%0689 W24	66.62	44.32	7.37	44.93	9	48.83	36.14	33.55	0.412	0.3049	0.4079	
1000 0500 0750 0000 0500 0250 0000	%0690 W25	67.13	46.99	-4.18	47.17	355	50.62	36.8	43.68	0.3861	0.2807	0.4154	
1000 0500 0875 0000 0500 0125 0000	%0691 W26	67.82	50.37	-16.72	53.08	342	53.04	37.72	57.06	0.3588	0.2552	0.4258	
1000 0500 1000 0000 0500 0000 0000	%0692 W27	69.7	57.52	-40.87	70.57	325	59.16	40.32	91.35	0.31	0.2113	0.4552	
1000 0625 0000 0000 0375 1000 0000	%0693 X19	70.13	23.02	83.03	86.16	74	46.59	40.93	3.82	0.5101	0.4481	0.462	
1000 0625 0125 0000 0375 0875 0000	%0694 X20	70.23	23.82	72.33	76.15	71	47.03	41.07	6.05	0.4995	0.4362	0.4636	
1000 0625 0250 0000 0375 0750 0000	%0695 X21	70.47	25.58	53.83	59.6	63	48.04	41.42	11.76	0.4746	0.4092	0.4676	
1000 0625 0375 0000 0375 0625 0000	%0696 X22	70.73	27.56	39.45	48.12	54	49.17	41.8	18.16	0.4506	0.383	0.4718	
1000 0625 0500 0000 0375 0500 0000	%0697 X23	71.07	29.99	26.22	39.84	40	50.61	42.29	25.88	0.4261	0.356	0.4773	
1000 0625 0625 0000 0375 0375 0000	%0698 X24	71.42	32.35	14.57	35.48	23	52.09	42.81	34.35	0.403	0.3312	0.4832	
1000 0625 0750 0000 0375 0250 0000	%0699 X25	71.89	35.15	3.09	35.28	4	53.95	43.5	44.52	0.38	0.3064	0.491	
1000 0625 0875 0000 0375 0125 0000	%0700 X26	72.51	38.47	-9.43	39.61	346	56.32	44.42	57.91	0.355	0.28	0.5015	
1000 0625 1000 0000 0375 0000 0000	%0701 X27	74.19	45.91	-33.64	56.92	324	62.43	47.0	92.1	0.3098	0.2332	0.5305	

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	<i>L*=LAB*₁</i>	<i>a*=LAB*₂</i>	<i>b*=LAB*₃</i>	<i>C*_{ab}=LAB*_r</i>	<i>h_{ab}</i>	<i>X=XYZ₁</i>	<i>Y=XYZ₂</i>	<i>Z=XYZ₃</i>	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
1000 0750 0000 0000 0250 1000 0000	%0702 Y19	75.82	10.12	88.26	88.84	83	50.85	49.6	4.68	0.4837	0.4718	0.5598	
1000 0750 0125 0000 0250 0875 0000	%0703 Y20	75.93	10.96	78.57	79.33	81	51.34	49.77	6.95	0.4751	0.4606	0.5618	
1000 0750 0250 0000 0250 0750 0000	%0704 Y21	76.12	12.74	61.19	62.5	77	52.33	50.09	12.67	0.4547	0.4352	0.5654	
1000 0750 0375 0000 0250 0625 0000	%0705 Y22	76.37	14.72	47.2	49.44	71	53.51	50.49	19.15	0.4345	0.41	0.5699	
1000 0750 0500 0000 0250 0500 0000	%0706 Y23	76.67	17.01	34.37	38.35	62	54.91	50.98	26.84	0.4137	0.3841	0.5755	
1000 0750 0625 0000 0250 0375 0000	%0707 Y24	76.98	19.47	22.78	29.97	47	56.43	51.5	35.4	0.3937	0.3593	0.5813	
1000 0750 0750 0000 0250 0250 0000	%0708 Y25	77.38	22.13	11.45	24.92	25	58.22	52.17	45.52	0.3734	0.3346	0.5888	
1000 0750 0875 0000 0250 0125 0000	%0709 Y26	77.93	25.52	-0.95	25.54	357	60.61	53.09	58.84	0.3513	0.3077	0.5993	
1000 0750 1000 0000 0250 0000 0000	%0710 Y27	79.42	33.11	-25.24	41.64	324	66.73	55.66	93.01	0.3098	0.2584	0.6283	
1000 0875 0000 0000 0125 1000 0000	%0711 Z19	82.71	-4.13	94.97	95.06	92	56.86	61.61	5.79	0.4576	0.4958	0.6955	
1000 0875 0125 0000 0125 0875 0000	%0712 Z20	82.78	-3.4	86.39	86.46	91	57.29	61.76	8.05	0.4508	0.4859	0.6971	
1000 0875 0250 0000 0125 0750 0000	%0713 Z21	82.95	-1.6	70.05	70.07	90	58.33	62.07	13.84	0.4345	0.4624	0.7007	
1000 0875 0375 0000 0125 0625 0000	%0714 Z22	83.15	0.33	56.67	56.67	88	59.49	62.45	20.31	0.4182	0.439	0.7049	
1000 0875 0500 0000 0125 0500 0000	%0715 Z23	83.4	2.54	44.18	44.26	85	60.86	62.91	28.0	0.401	0.4145	0.7101	
1000 0875 0625 0000 0125 0375 0000	%0716 Z24	83.7	4.87	32.79	33.15	79	62.42	63.49	36.64	0.384	0.3906	0.7167	
1000 0875 0750 0000 0125 0250 0000	%0717 Z25	84.05	7.57	21.61	22.9	67	64.24	64.15	46.74	0.3668	0.3663	0.7242	
1000 0875 0875 0000 0125 0125 0000	%0718 Z26	84.51	10.8	9.23	14.21	36	66.56	65.05	60.1	0.3472	0.3393	0.7343	
1000 0875 1000 0000 0125 0000 0000	%0719 Z27	85.83	18.33	-14.96	23.67	323	72.69	67.65	94.15	0.31	0.2885	0.7636	
1000 1000 0000 0000 0000 1000 0000	%0720 a19	92.92	-23.25	105.28	107.82	102	67.55	82.78	7.65	0.4276	0.524	0.9345	
1000 1000 0125 0000 0000 0875 0000	%0721 a20	92.98	-25.39	103.64	106.71	103	66.71	82.93	8.14	0.4228	0.5256	0.9361	
1000 1000 0250 0000 0000 0750 0000	%0722 a21	93.13	-20.96	83.23	85.83	103	69.03	83.28	15.73	0.4108	0.4956	0.94	
1000 1000 0375 0000 0000 0625 0000	%0723 a22	93.3	-19.1	70.66	73.2	104	70.21	83.65	22.24	0.3987	0.475	0.9442	
1000 1000 0500 0000 0000 0500 0000	%0724 a23	93.5	-17.09	58.64	61.08	105	71.56	84.11	30.01	0.3854	0.453	0.9495	
1000 1000 0625 0000 0000 0375 0000	%0725 a24	93.74	-14.82	47.61	49.86	105	73.13	84.66	38.64	0.3723	0.431	0.9557	
1000 1000 0750 0000 0000 0250 0000	%0726 a25	94.01	-12.27	36.58	38.59	106	74.93	85.3	48.84	0.3584	0.408	0.9628	
1000 1000 0875 0000 0000 0125 0000	%0727 a26	94.42	-9.19	24.46	26.13	107	77.31	86.25	62.17	0.3425	0.3821	0.9736	
1000 1000 1000 0000 0000 0000 0000	%0728 a27	95.51	-1.97	0.48	2.04	98	83.38	88.82	95.98	0.3109	0.3312	1.0026	
1000 1000 1000 0000 0000 0000 0000	%0729 b01	95.76	-1.86	0.69	1.99	80	84.01	89.43	96.33	0.3114	0.3315	1.0095	
0875 1000 1000 0125 0000 0000 0000	%0730 b02	93.4	-13.08	-3.28	13.49	197	73.27	83.88	96.19	0.2892	0.3311	0.9469	
0750 1000 1000 0250 0000 0000 0000	%0731 b03	91.86	-20.77	-5.82	21.58	198	66.61	80.39	96.01	0.2741	0.3308	0.9074	
0625 1000 1000 0375 0000 0000 0000	%0732 b04	90.59	-27.66	-7.97	28.8	198	61.2	77.58	95.97	0.2607	0.3305	0.8758	
0500 1000 1000 0500 0000 0000 0000	%0733 b05	89.58	-33.37	-9.69	34.76	197	57.01	75.39	95.92	0.2497	0.3302	0.851	
0375 1000 1000 0625 0000 0000 0000	%0734 b06	88.72	-38.33	-11.09	39.92	197	53.57	73.57	95.8	0.2403	0.33	0.8305	
0250 1000 1000 0750 0000 0000 0000	%0735 b07	88.06	-42.42	-12.17	44.15	197	50.92	72.18	95.7	0.2327	0.3299	0.8148	
0125 1000 1000 0875 0000 0000 0000	%0736 b08	87.54	-45.79	-13.04	47.63	197	48.84	71.11	95.67	0.2265	0.3298	0.8027	
0000 1000 1000 1000 0000 0000 0000	%0737 b09	87.32	-47.13	-13.4	49.01	197	48.0	70.65	95.64	0.224	0.3297	0.7975	
1000 0875 0875 0000 0125 0125 0000	%0738 c01	84.78	10.88	9.22	14.26	36	67.12	65.57	60.62	0.3472	0.3392	0.7401	
0875 0875 0875 0125 0125 0125 0000	%0739 c02	81.77	-1.52	4.18	4.45	89	56.29	59.88	60.46	0.3187	0.339	0.6759	
0750 0875 0875 0250 0125 0125 0000	%0740 c03	79.83	-10.38	0.9	10.43	176	49.64	56.38	60.39	0.2983	0.3388	0.6365	
0625 0875 0875 0375 0125 0125 0000	%0741 c04	78.2	-18.51	-1.75	18.6	187	44.25	53.55	60.22	0.28	0.3389	0.6045	
0500 0875 0875 0500 0125 0125 0000	%0742 c05	76.89	-25.53	-3.92	25.84	190	40.05	51.36	60.13	0.2643	0.3389	0.5797	
0375 0875 0875 0625 0125 0125 0000	%0743 c06	75.78	-31.7	-5.74	32.23	191	36.64	49.54	60.04	0.2506	0.3388	0.5592	
0250 0875 0875 0750 0125 0125 0000	%0744 c07	74.9	-36.88	-7.24	37.59	192	34.0	48.12	60.0	0.2392	0.3386	0.5432	
0125 0875 0875 0875 0125 0125 0000	%0745 c08	74.17	-41.09	-8.41	41.95	192	31.92	46.97	59.9	0.23	0.3384	0.5302	
0000 0875 0875 1000 0125 0125 0000	%0746 c09	73.82	-42.89	-8.98	43.83	193	31.01	46.42	59.86	0.2259	0.3381	0.524	
1000 0750 0750 0000 0250 0250 0000	%0747 d01	77.67	22.13	11.35	24.87	25	58.74	52.66	46.08	0.373	0.3344	0.5944	
0875 0750 0750 0125 0250 0250 0000	%0748 d02	74.17	9.24	5.47	10.74	26	47.9	46.97	45.93	0.3402	0.3336	0.5302	
0750 0750 0750 0250 0250 0250 0000	%0749 d03	71.89	-0.26	1.6	1.62	51	41.25	43.5	45.88	0.3158	0.333	0.491	
0625 0750 0750 0375 0250 0250 0000	%0750 d04	69.92	-9.04	-1.62	9.2	194	35.86	40.64	45.73	0.2934	0.3325	0.4588	
0500 0750 0750 0500 0250 0250 0000	%0751 d05	68.35	-16.87	-4.28	17.41	196	31.68	38.45	45.67	0.2736	0.332	0.434	
0375 0750 0750 0625 0250 0250 0000	%0752 d06	67.02	-24.05	-6.4	24.89	196	28.27	36.65	45.51	0.256	0.3319	0.4138	
0250 0750 0750 0750 0250 0250 0000	%0753 d07	65.96	-30.01	-8.18	31.12	196	25.68	35.27	45.47	0.2413	0.3314	0.3981	
0125 0750 0750 0875 0250 0250 0000	%0754 d08	65.05	-35.23	-9.67	36.55	196	23.57	34.11	45.41	0.2286	0.3309	0.3851	
0000 0750 0750 1000 0250 0250 0000	%0755 d09	64.62	-37.18	-10.41	38.62	197	22.72	33.56	45.4	0.2234	0.3301	0.3789	

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmyo*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
1000 0625 0625 0000 0375 0375 0000	%0756 e01		71.76	32.26	14.32	35.3	23	52.6	43.3	34.99	0.4019	0.3308	0.4888
0875 0625 0625 0125 0375 0375 0000	%0757 e02		67.75	19.23	7.62	20.68	20	41.8	37.64	34.83	0.3658	0.3294	0.4248
0750 0625 0625 0250 0375 0375 0000	%0758 e03		65.08	9.34	3.13	9.85	15	35.12	34.14	34.73	0.3377	0.3283	0.3854
0625 0625 0625 0375 0375 0375 0000	%0759 e04		62.79	-0.12	-0.59	0.61	315	29.75	31.34	34.57	0.311	0.3276	0.3538
0500 0625 0625 0500 0375 0375 0000	%0760 e05		60.93	-8.62	-3.74	9.41	208	25.62	29.17	34.53	0.2868	0.3266	0.3293
0375 0625 0625 0625 0375 0375 0000	%0761 e06		59.3	-16.6	-6.41	17.81	204	22.21	27.35	34.43	0.2644	0.3257	0.3088
0250 0625 0625 0750 0375 0375 0000	%0762 e07		58.01	-23.54	-8.51	25.04	202	19.61	25.97	34.33	0.2454	0.325	0.2931
0125 0625 0625 0875 0375 0375 0000	%0763 e08		56.89	-29.61	-10.33	31.37	200	17.52	24.81	34.25	0.2288	0.324	0.2801
0000 0625 0625 1000 0375 0375 0000	%0764 e09		56.38	-32.27	-11.26	34.19	200	16.64	24.29	34.28	0.2212	0.323	0.2742
1000 0500 0500 0000 0500 0500 0000	%0765 f01		66.56	41.68	18.92	45.77	23	47.77	36.05	25.59	0.4366	0.3295	0.4069
0875 0500 0500 0125 0500 0500 0000	%0766 f02		62.01	28.81	11.28	30.94	20	36.99	30.42	25.47	0.3983	0.3275	0.3433
0750 0500 0500 0250 0500 0500 0000	%0767 f03		58.93	18.72	6.13	19.7	16	30.33	26.95	25.36	0.367	0.3261	0.3042
0625 0500 0500 0375 0500 0500 0000	%0768 f04		56.21	8.92	1.64	9.07	7	24.95	24.12	25.23	0.3358	0.3246	0.2723
0500 0500 0500 0500 0500 0500 0000	%0769 f05		53.98	-0.3	-2.02	2.06	282	20.8	21.95	25.13	0.3064	0.3234	0.2478
0375 0500 0500 0625 0500 0500 0000	%0770 f06		52.02	-9.13	-5.23	10.53	214	17.43	20.16	25.03	0.2783	0.322	0.2276
0250 0500 0500 0750 0500 0500 0000	%0771 f07		50.46	-17.18	-7.92	18.93	207	14.84	18.8	25.02	0.253	0.3205	0.2123
0125 0500 0500 0875 0500 0500 0000	%0772 f08		49.14	-24.46	-10.12	26.48	204	12.8	17.71	24.98	0.2307	0.3191	0.1999
0000 0500 0500 1000 0500 0500 0000	%0773 f09		48.49	-27.65	-11.15	29.82	203	11.93	17.19	24.93	0.2207	0.318	0.194
1000 0375 0375 0000 0625 0625 0000	%0774 g01		61.51	51.5	25.52	57.48	26	43.6	29.84	17.2	0.481	0.3292	0.3368
0875 0375 0375 0125 0625 0625 0000	%0775 g02		56.32	38.65	17.06	42.24	23	32.7	24.23	16.97	0.4425	0.3279	0.2736
0750 0375 0375 0250 0625 0625 0000	%0776 g03		52.69	29.21	10.83	31.15	19	26.17	20.77	16.96	0.4096	0.325	0.2344
0625 0375 0375 0375 0625 0625 0000	%0777 g04		49.46	19.31	5.45	20.07	14	20.83	17.97	16.86	0.3742	0.3228	0.2028
0500 0375 0375 0500 0625 0625 0000	%0778 g05		46.71	9.73	0.88	9.77	2	16.7	15.8	16.79	0.3388	0.3206	0.1784
0375 0375 0375 0625 0625 0625 0000	%0779 g06		44.29	-0.1	-3.07	3.08	278	13.32	14.04	16.69	0.3025	0.3187	0.1585
0250 0375 0375 0750 0625 0625 0000	%0780 g07		42.28	-9.41	-6.38	11.38	218	10.75	12.68	16.61	0.2684	0.3167	0.1431
0125 0375 0375 0875 0625 0625 0000	%0781 g08		40.59	-18.24	-9.2	20.44	209	8.74	11.61	16.57	0.2367	0.3145	0.1311
0000 0375 0375 1000 0625 0625 0000	%0782 g09		39.73	-22.55	-10.53	24.9	206	7.84	11.09	16.5	0.2213	0.313	0.1252
1000 0250 0250 0000 0750 0750 0000	%0783 h01		56.92	61.13	35.1	70.49	29	40.24	24.84	10.13	0.535	0.3303	0.2804
0875 0250 0250 0125 0750 0750 0000	%0784 h02		50.96	49.64	25.17	55.65	26	29.43	19.24	10.02	0.5015	0.3278	0.2172
0750 0250 0250 0250 0750 0750 0000	%0785 h03		46.71	40.32	18.16	44.22	23	22.79	15.8	9.91	0.4699	0.3258	0.1784
0625 0250 0250 0375 0750 0750 0000	%0786 h04		42.76	30.89	11.62	33.01	20	17.45	13.0	9.82	0.4333	0.3228	0.1467
0500 0250 0250 0500 0750 0750 0000	%0787 h05		39.3	21.37	6.02	22.2	14	13.32	10.83	9.7	0.3935	0.32	0.1223
0375 0250 0250 0625 0750 0750 0000	%0788 h06		36.12	10.88	0.79	10.91	2	9.93	9.07	9.62	0.3471	0.3169	0.1024
0250 0250 0250 0750 0750 0750 0000	%0789 h07		33.44	0.67	-3.73	3.8	283	7.43	7.74	9.59	0.3	0.3127	0.0874
0125 0250 0250 0875 0750 0750 0000	%0790 h08		30.98	-10.53	-7.67	13.04	218	5.38	6.64	9.49	0.25	0.3088	0.075
0000 0250 0250 1000 0750 0750 0000	%0791 h09		30.01	-16.21	-9.46	18.78	212	4.59	6.24	9.53	0.2255	0.3065	0.0704
1000 0125 0125 0000 0875 0875 0000	%0792 i01		52.82	70.06	52.59	87.6	36	37.49	20.88	3.93	0.6018	0.3352	0.2357
0875 0125 0125 0125 0875 0875 0000	%0793 i02		46.02	59.93	41.42	72.86	34	26.64	15.28	3.82	0.5824	0.334	0.1725
0750 0125 0125 0250 0875 0875 0000	%0794 i03		40.92	52.01	33.2	61.7	32	19.99	11.81	3.73	0.5626	0.3325	0.1334
0625 0125 0125 0375 0875 0875 0000	%0795 i04		36.06	43.92	25.43	50.75	29	14.69	9.04	3.62	0.537	0.3305	0.1021
0500 0125 0125 0500 0875 0875 0000	%0796 i05		31.59	35.36	18.29	39.81	27	10.57	6.9	3.53	0.5034	0.3287	0.0779
0375 0125 0125 0625 0875 0875 0000	%0797 i06		27.13	25.58	11.02	27.85	22	7.19	5.14	3.46	0.4554	0.3255	0.058
0250 0125 0125 0750 0875 0875 0000	%0798 i07		23.14	15.08	4.33	15.69	14	4.72	3.84	3.43	0.3937	0.3204	0.0434
0125 0125 0125 0875 0875 0875 0000	%0799 i08		19.11	1.19	-2.19	2.5	292	2.7	2.77	3.36	0.3055	0.314	0.0313
0000 0125 0125 1000 0875 0875 0000	%0800 i09		17.31	-7.82	-5.34	9.49	217	1.9	2.37	3.37	0.249	0.31	0.0267
1000 0000 0000 0000 1000 1000 0000	%0801 j01		51.13	73.83	67.78	100.23	42	36.43	19.38	1.5	0.6356	0.3382	0.2188
0875 0000 0000 0125 1000 1000 0000	%0802 j02		43.87	64.52	56.43	85.71	41	25.52	13.75	1.39	0.6276	0.3381	0.1552
0750 0000 0000 0250 1000 1000 0000	%0803 j03		38.35	57.38	47.99	74.81	39	18.86	10.28	1.3	0.6195	0.3378	0.1161
0625 0000 0000 0375 1000 1000 0000	%0804 j04		33.0	49.93	39.85	63.88	38	13.54	7.54	1.21	0.6075	0.3382	0.0851
0500 0000 0000 0500 1000 1000 0000	%0805 j05		27.85	42.85	32.02	53.49	36	9.48	5.4	1.13	0.5921	0.3375	0.061
0375 0000 0000 0625 1000 1000 0000	%0806 j06		22.54	34.91	24.04	42.39	34	6.18	3.67	1.04	0.5676	0.337	0.0414
0250 0000 0000 0750 1000 1000 0000	%0807 j07		17.18	25.69	15.43	29.97	30	3.65	2.34	0.99	0.5228	0.3351	0.0264
0125 0000 0000 0875 1000 1000 0000	%0808 j08		11.27	12.1	5.96	13.49	24	1.66	1.3	0.94	0.425	0.3333	0.0147
0000 0000 0000 1000 1000 1000 0000	%0809 j09		8.09	0.63	0.72	0.96	26	0.87	0.9	0.92	0.3226	0.3333	0.0101

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

rgb=olv*			cmy0*			no. position		L*=LAB* ₁	a*=LAB* ₂	b*=LAB* ₃	C* _{ab} =LAB* _r	h _{ab}	X=XYZ ₁	Y=XYZ ₂	Z=XYZ ₃	x	y	Y/88.59
1000	1000	1000	0000	0000	0000	0000	%0810 b10	95.46	-1.92	0.39	1.97	87	83.29	88.71	95.99	0.3108	0.331	1.0013
0875	0875	1000	0125	0125	0000	0000	%0811 b11	82.88	7.24	-19.95	21.23	294	61.91	61.93	93.99	0.2842	0.2843	0.6991
0750	0750	1000	0250	0250	0000	0000	%0812 b12	73.91	14.46	-34.64	37.55	294	49.39	46.56	92.86	0.2616	0.2466	0.5256
0625	0625	1000	0375	0375	0000	0000	%0813 b13	65.91	21.12	-47.78	52.25	295	39.84	35.21	91.91	0.2386	0.2109	0.3975
0500	0500	1000	0500	0500	0000	0000	%0814 b14	58.47	28.73	-60.05	66.58	296	32.52	26.46	91.1	0.2167	0.1763	0.2987
0375	0375	1000	0625	0625	0000	0000	%0815 b15	50.8	38.59	-72.82	82.42	298	26.46	19.09	90.43	0.1946	0.1404	0.2155
0250	0250	1000	0750	0750	0000	0000	%0816 b16	43.11	50.95	-85.51	99.55	301	21.72	13.23	89.62	0.1744	0.1062	0.1493
0125	0125	1000	0875	0875	0000	0000	%0817 b17	35.33	66.53	-98.96	119.26	304	18.12	8.67	89.68	0.1556	0.0744	0.0978
0000	0000	1000	1000	1000	0000	0000	%0818 b18	31.52	74.8	-105.2	129.09	305	16.62	6.87	89.2	0.1475	0.061	0.0776
1000	1000	0875	0000	0000	0125	0000	%0819 c10	94.37	-9.19	24.34	26.02	107	77.2	86.13	62.2	0.3423	0.3819	0.9723
0875	0875	0875	0125	0125	0125	0000	%0820 c11	81.46	-1.52	4.07	4.35	89	55.75	59.3	59.98	0.3185	0.3388	0.6694
0750	0750	0875	0250	0250	0125	0000	%0821 c12	72.18	4.26	-10.77	11.6	297	43.18	43.93	58.75	0.296	0.3012	0.4959
0625	0625	0875	0375	0375	0125	0000	%0822 c13	63.82	9.66	-24.26	26.12	294	33.65	32.58	57.75	0.2714	0.2628	0.3678
0500	0500	0875	0500	0500	0125	0000	%0823 c14	55.95	15.84	-36.99	40.25	294	26.33	23.86	56.85	0.246	0.2229	0.2693
0375	0375	0875	0625	0625	0125	0000	%0824 c15	47.65	24.65	-50.66	56.35	296	20.33	16.52	56.18	0.2185	0.1776	0.1865
0250	0250	0875	0750	0750	0125	0000	%0825 c16	39.0	36.86	-65.0	74.73	300	15.63	10.66	55.58	0.1909	0.1302	0.1203
0125	0125	0875	0875	0875	0125	0000	%0826 c17	29.58	53.57	-80.48	96.69	304	11.88	6.07	54.78	0.1634	0.0834	0.0685
0000	0000	0875	1000	1000	0125	0000	%0827 c18	24.56	64.49	-88.73	109.7	306	10.42	4.27	54.37	0.1509	0.0619	0.0483
1000	1000	0750	0000	0000	0250	0000	%0828 d10	93.96	-12.35	36.57	38.61	106	74.79	85.18	48.76	0.3583	0.4081	0.9615
0875	0875	0750	0125	0125	0250	0000	%0829 d11	80.95	-5.4	16.34	17.21	103	53.35	58.38	46.69	0.3368	0.3685	0.659
0750	0750	0750	0250	0250	0250	0000	%0830 d12	71.54	-0.3	1.58	1.61	52	40.75	42.98	45.34	0.3157	0.333	0.4852
0625	0625	0750	0375	0375	0250	0000	%0831 d13	63.06	4.33	-11.92	12.69	294	31.25	31.66	44.33	0.2914	0.2952	0.3574
0500	0500	0750	0500	0500	0250	0000	%0832 d14	55.0	9.83	-24.95	26.83	293	23.97	22.93	43.57	0.2649	0.2535	0.2589
0375	0375	0750	0625	0625	0250	0000	%0833 d15	46.44	17.87	-38.98	42.89	295	17.98	15.6	42.92	0.235	0.2039	0.1761
0250	0250	0750	0750	0750	0250	0000	%0834 d16	37.36	29.12	-53.85	61.23	299	13.23	9.73	42.24	0.2029	0.1493	0.1099
0125	0125	0750	0875	0875	0250	0000	%0835 d17	27.21	46.58	-70.91	84.85	303	9.6	5.17	41.86	0.1695	0.0913	0.0584
0000	0000	0750	1000	1000	0250	0000	%0836 d18	21.5	58.24	-80.15	99.09	306	8.08	3.38	41.34	0.1531	0.064	0.0381
1000	1000	0625	0000	0000	0375	0000	%0837 e10	93.67	-14.89	47.53	49.81	105	72.97	84.52	38.61	0.3721	0.431	0.954
0875	0875	0625	0125	0125	0375	0000	%0838 e11	80.56	-8.66	27.63	28.96	105	51.47	57.68	36.44	0.3535	0.3962	0.6511
0750	0750	0625	0250	0250	0375	0000	%0839 e12	71.09	-4.05	12.84	13.47	102	38.93	42.32	35.23	0.3342	0.3633	0.4777
0625	0625	0625	0375	0375	0375	0000	%0840 e13	62.5	-0.01	-0.66	0.67	315	29.45	30.99	34.25	0.311	0.3273	0.3499
0500	0500	0625	0500	0500	0375	0000	%0841 e14	54.31	4.64	-13.67	14.45	291	22.15	22.27	33.42	0.2846	0.2861	0.2514
0375	0375	0625	0625	0625	0375	0000	%0842 e15	45.54	11.58	-27.89	30.2	293	16.13	14.93	32.75	0.2528	0.234	0.1686
0250	0250	0625	0750	0750	0375	0000	%0843 e16	36.12	22.02	-43.28	48.57	297	11.41	9.07	32.13	0.2169	0.1724	0.1024
0125	0125	0625	0875	0875	0375	0000	%0844 e17	25.19	39.16	-61.32	72.77	302	7.74	4.48	31.55	0.1768	0.1023	0.0505
0000	0000	0625	1000	1000	0375	0000	%0845 e18	18.87	52.04	-71.84	88.71	306	6.3	2.72	31.27	0.1563	0.0674	0.0306
1000	1000	0500	0000	0000	0500	0000	%0846 f10	93.42	-17.08	58.6	61.04	105	71.41	83.94	29.94	0.3854	0.453	0.9475
0875	0875	0500	0125	0125	0500	0000	%0847 f11	80.22	-11.43	38.94	40.59	104	49.88	57.08	27.85	0.37	0.4234	0.6443
0750	0750	0500	0250	0250	0500	0000	%0848 f12	70.71	-7.38	24.46	25.55	104	37.39	41.77	26.61	0.3535	0.3949	0.4715
0625	0625	0500	0375	0375	0500	0000	%0849 f13	62.01	-4.05	11.0	11.72	106	27.87	30.42	25.64	0.3321	0.3624	0.3433
0500	0500	0500	0500	0500	0500	0000	%0850 f14	53.73	-0.21	-2.05	2.07	284	20.6	21.72	24.89	0.3065	0.3232	0.2452
0375	0375	0500	0625	0625	0500	0000	%0851 f15	44.78	5.72	-16.39	17.37	291	14.59	14.38	24.23	0.2742	0.2704	0.1624
0250	0250	0500	0750	0750	0500	0000	%0852 f16	35.1	15.03	-32.06	35.41	295	9.9	8.55	23.62	0.2354	0.2032	0.0965
0125	0125	0500	0875	0875	0500	0000	%0853 f17	23.53	31.34	-51.04	59.91	301	6.24	3.96	23.06	0.1877	0.119	0.0447
0000	0000	0500	1000	1000	0500	0000	%0854 f18	16.48	44.37	-62.73	76.85	305	4.77	2.2	22.79	0.1602	0.0738	0.0248
1000	1000	0375	0000	0000	0625	0000	%0855 g10	93.22	-19.19	70.58	73.15	104	70.02	83.48	22.21	0.3985	0.4751	0.9423
0875	0875	0375	0125	0125	0625	0000	%0856 g11	79.99	-14.11	51.49	53.39	104	48.53	56.67	20.17	0.3871	0.452	0.6397
0750	0750	0375	0250	0250	0625	0000	%0857 g12	70.37	-10.67	37.26	38.76	104	35.95	41.28	18.95	0.3738	0.4292	0.4659
0625	0625	0375	0375	0375	0625	0000	%0858 g13	61.61	-8.06	24.07	25.39	107	26.46	29.95	17.99	0.3556	0.4026	0.3381
0500	0500	0375	0500	0500	0625	0000	%0859 g14	53.23	-4.93	11.25	12.29	111	19.22	21.26	17.2	0.3332	0.3686	0.24
0375	0375	0375	0625	0625	0625	0000	%0860 g15	44.08	-0.08	-3.11	3.12	278	13.19	13.89	16.54	0.3024	0.3185	0.1568
0250	0250	0375	0750	0750	0625	0000	%0861 g16	34.11	7.75	-18.97	20.5	292	8.51	8.06	15.92	0.262	0.248	0.091
0125	0125	0375	0875	0875	0625	0000	%0862 g17	21.82	21.96	-38.76	44.56	299	4.81	3.47	15.3	0.2041	0.147	0.0391
0000	0000	0375	1000	1000	0625	0000	%0863 g18	14.02	35.51	-52.04	63.0	304	3.41	1.73	15.22	0.1674	0.0851	0.0196

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

rgb=olv*			cmy0*			no. position		L*=LAB* ₁	a*=LAB* ₂	b*=LAB* ₃	C* _{ab} =LAB* _r	h _{ab}	X=XYZ ₁	Y=XYZ ₂	Z=XYZ ₃	x	y	Y/88.59	
1000	1000	0250	0000	0000	0750	0000	%0864	h10	93.06	-21.05	83.14	85.76	103	68.84	83.1	15.71	0.4106	0.4957	0.9381
0875	0875	0250	0125	0125	0750	0000	%0865	h11	79.77	-16.33	64.94	66.97	103	47.37	56.27	13.68	0.4038	0.4796	0.6351
0750	0750	0250	0250	0250	0750	0000	%0866	h12	70.09	-13.36	51.19	52.9	103	34.8	40.87	12.51	0.3946	0.4635	0.4614
0625	0625	0250	0375	0375	0750	0000	%0867	h13	61.26	-11.37	38.61	40.25	105	25.3	29.55	11.52	0.3812	0.4452	0.3336
0500	0500	0250	0500	0500	0750	0000	%0868	h14	52.79	-9.25	26.19	27.78	108	18.02	20.85	10.74	0.3632	0.4203	0.2354
0375	0375	0250	0625	0625	0750	0000	%0869	h15	43.53	-5.57	12.29	13.5	113	12.03	13.52	10.04	0.338	0.3799	0.1526
0250	0250	0250	0750	0750	0750	0000	%0870	h16	33.31	0.34	-3.68	3.71	279	7.34	7.68	9.5	0.2992	0.3133	0.0867
0125	0125	0250	0875	0875	0750	0000	%0871	h17	20.52	12.55	-24.46	27.5	297	3.73	3.12	9.1	0.234	0.1956	0.0352
0000	0000	0250	1000	1000	0750	0000	%0872	h18	11.67	24.65	-38.85	46.02	302	2.27	1.36	8.83	0.182	0.109	0.0153
1000	1000	0125	0000	0000	0875	0000	%0873	i10	92.92	-22.65	97.9	100.49	102	67.83	82.78	9.89	0.4226	0.5158	0.9345
0875	0875	0125	0125	0125	0875	0000	%0874	i11	79.57	-18.63	81.26	83.37	102	46.25	55.92	7.93	0.4201	0.5079	0.6312
0750	0750	0125	0250	0250	0875	0000	%0875	i12	69.84	-16.15	68.94	70.81	102	33.69	40.53	6.73	0.4162	0.5007	0.4575
0625	0625	0125	0375	0375	0875	0000	%0876	i13	60.96	-14.62	57.58	59.41	103	24.24	29.2	5.77	0.4094	0.4932	0.3296
0500	0500	0125	0500	0500	0875	0000	%0877	i14	52.41	-13.33	46.37	48.26	105	16.96	20.51	4.99	0.3995	0.483	0.2315
0375	0375	0125	0625	0625	0875	0000	%0878	i15	42.98	-10.89	33.46	35.19	107	10.95	13.14	4.32	0.3854	0.4625	0.1484
0250	0250	0125	0750	0750	0875	0000	%0879	i16	32.56	-6.78	18.56	19.77	110	6.32	7.34	3.77	0.3626	0.4212	0.0828
0125	0125	0125	0875	0875	0875	0000	%0880	i17	19.11	0.96	-1.95	2.18	289	2.69	2.77	3.32	0.3059	0.3158	0.0313
0000	0000	0125	1000	1000	0875	0000	%0881	i18	9.08	10.4	-18.03	20.82	298	1.27	1.01	3.13	0.234	0.1869	0.0114
1000	1000	0000	0000	0000	1000	0000	%0882	j10	92.86	-23.29	105.34	107.89	102	67.41	82.64	7.6	0.4276	0.5242	0.9328
0875	0875	0000	0125	0125	1000	0000	%0883	j11	79.45	-19.55	89.95	92.05	101	45.76	55.72	5.66	0.4271	0.5201	0.629
0750	0750	0000	0250	0250	1000	0000	%0884	j12	69.7	-17.25	78.9	80.76	102	33.2	40.32	4.44	0.4258	0.5172	0.4552
0625	0625	0000	0375	0375	1000	0000	%0885	j13	60.81	-16.08	68.75	70.61	102	23.76	29.03	3.51	0.422	0.5156	0.3277
0500	0500	0000	0500	0500	1000	0000	%0886	j14	52.21	-15.02	59.07	60.95	104	16.51	20.33	2.73	0.4172	0.5138	0.2295
0375	0375	0000	0625	0625	1000	0000	%0887	j15	42.76	-13.21	48.15	49.93	105	10.52	13.0	2.04	0.4115	0.5085	0.1467
0250	0250	0000	0750	0750	1000	0000	%0888	j16	32.24	-10.11	35.14	36.57	106	5.89	7.19	1.51	0.4035	0.4931	0.0812
0125	0125	0000	0875	0875	1000	0000	%0889	j17	18.49	-4.62	16.51	17.15	107	2.27	2.63	1.08	0.38	0.4396	0.0297
0000	0000	0000	1000	1000	1000	0000	%0890	j18	7.83	0.34	0.6	0.69	176	0.83	0.87	0.9	0.32	0.3333	0.0098
1000	1000	1000	0000	0000	0000	0000	%0891	b19	95.43	-1.98	0.32	2.01	116	83.21	88.65	96.04	0.3106	0.3309	1.0007
1000	0875	1000	0000	0125	0000	0000	%0892	b20	85.74	18.38	-15.14	23.82	322	72.53	67.48	94.2	0.3097	0.2881	0.7617
1000	0750	1000	0000	0250	0000	0000	%0893	b21	79.35	33.12	-25.39	41.73	323	66.61	55.55	93.06	0.3095	0.2581	0.627
1000	0625	1000	0000	0375	0000	0000	%0894	b22	74.19	45.93	-33.7	56.97	324	62.44	47.0	92.18	0.3097	0.2331	0.5305
1000	0500	1000	0000	0500	0000	0000	%0895	b23	69.76	57.56	-40.9	70.62	325	59.29	40.41	91.55	0.31	0.2113	0.4561
1000	0375	1000	0000	0625	0000	0000	%0896	b24	65.6	69.09	-47.74	83.98	326	56.65	34.81	91.06	0.3104	0.1907	0.3929
1000	0250	1000	0000	0750	0000	0000	%0897	b25	61.86	79.64	-53.74	96.08	326	54.44	30.24	90.43	0.3109	0.1727	0.3414
1000	0125	1000	0000	0875	0000	0000	%0898	b26	58.69	89.12	-58.97	106.87	327	52.8	26.69	90.07	0.3114	0.1574	0.3013
1000	0000	1000	0000	1000	0000	0000	%0899	b27	57.43	92.84	-61.02	111.1	327	52.14	25.36	89.89	0.3115	0.1515	0.2863
0875	1000	0875	0125	0000	0125	0000	%0900	c19	91.91	-21.37	20.24	29.44	134	66.44	80.5	62.05	0.3179	0.3852	0.9087
0875	0875	0875	0125	0125	0125	0000	%0901	c20	81.42	-1.56	4.06	4.35	90	55.68	59.24	59.94	0.3184	0.3388	0.6687
0875	0750	0875	0125	0250	0125	0000	%0902	c21	74.43	13.3	-7.02	15.04	333	49.79	47.37	58.87	0.3191	0.3036	0.5347
0875	0625	0875	0125	0375	0125	0000	%0903	c22	68.62	26.81	-16.17	31.31	329	45.64	38.82	57.95	0.3205	0.2726	0.4382
0875	0500	0875	0125	0500	0125	0000	%0904	c23	63.56	39.22	-24.2	46.09	329	42.43	32.26	57.21	0.3217	0.2446	0.3642
0875	0375	0875	0125	0625	0125	0000	%0905	c24	58.66	52.14	-32.04	61.2	329	39.76	26.66	56.56	0.3233	0.2168	0.3009
0875	0250	0875	0125	0750	0125	0000	%0906	c25	54.19	64.7	-39.27	75.69	329	37.66	22.15	56.06	0.325	0.1912	0.2501
0875	0125	0875	0125	0875	0125	0000	%0907	c26	50.22	76.22	-45.53	88.79	329	35.96	18.6	55.44	0.3269	0.1691	0.21
0875	0000	0875	0125	1000	0125	0000	%0908	c27	48.57	81.09	-48.05	94.27	329	35.3	17.24	55.1	0.3279	0.1602	0.1947
0750	1000	0750	0250	0000	0250	0000	%0909	d19	89.9	-33.94	29.84	45.2	137	57.34	76.08	48.5	0.3152	0.4182	0.8588
0750	0875	0750	0250	0125	0250	0000	%0910	d20	78.94	-14.86	13.1	19.82	136	46.63	54.82	46.48	0.3152	0.3706	0.6188
0750	0750	0750	0250	0250	0250	0000	%0911	d21	71.5	-0.22	1.56	1.58	49	40.72	42.92	45.3	0.3158	0.3329	0.4845
0750	0625	0750	0250	0375	0250	0000	%0912	d22	65.26	13.17	-8.2	15.52	329	36.49	34.37	44.4	0.3166	0.2982	0.388
0750	0500	0750	0250	0500	0250	0000	%0913	d23	59.77	26.27	-16.96	31.27	328	33.41	27.87	43.78	0.318	0.2653	0.3146
0750	0375	0750	0250	0625	0250	0000	%0914	d24	54.28	40.14	-25.65	47.64	328	30.7	22.24	43.09	0.3197	0.2316	0.2511
0750	0250	0750	0250	0750	0250	0000	%0915	d25	49.17	53.99	-33.8	63.7	328	28.56	17.74	42.51	0.3216	0.1997	0.2002
0750	0125	0750	0250	0875	0250	0000	%0916	d26	44.53	67.37	-41.2	78.97	328	26.9	14.21	41.99	0.3237	0.171	0.1604
0750	0000	0750	0250	1000	0250	0000	%0917	d27	42.54	73.24	-44.23	85.57	329	26.24	12.85	41.65	0.325	0.1592	0.1451

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	<i>L*=LAB*₁</i>	<i>a*=LAB*₂</i>	<i>b*=LAB*₃</i>	<i>C*_{ab}=LAB*_r</i>	<i>h_{ab}</i>	<i>X=XYZ₁</i>	<i>Y=XYZ₂</i>	<i>Z=XYZ₃</i>	<i>x</i>	<i>y</i>	<i>Y/88.59</i>
0625 1000 0625 0375 0000 0375 0000	%0918 e19	88.28	-45.28	38.65	59.54	139	50.2	72.65	38.26	0.3116	0.4509	0.82	
0625 0875 0625 0375 0125 0375 0000	%0919 e20	76.89	-27.37	21.61	34.88	141	39.47	51.36	36.2	0.3107	0.4043	0.5797	
0625 0750 0625 0375 0250 0375 0000	%0920 e21	69.08	-13.36	9.6	16.46	143	33.55	39.46	35.07	0.3104	0.3651	0.4454	
0625 0625 0625 0375 0375 0375 0000	%0921 e22	62.43	-0.12	-0.66	0.68	312	29.34	30.91	34.15	0.3108	0.3274	0.3489	
0625 0500 0625 0375 0500 0375 0000	%0922 e23	56.47	13.15	-10.06	16.56	323	26.22	24.38	33.49	0.3118	0.2899	0.2752	
0625 0375 0625 0375 0625 0375 0000	%0923 e24	50.46	27.56	-19.54	33.78	325	23.54	18.8	32.84	0.3131	0.2501	0.2123	
0625 0250 0625 0375 0750 0375 0000	%0924 e25	44.66	42.68	-28.8	51.49	326	21.39	14.3	32.3	0.3146	0.2103	0.1614	
0625 0125 0625 0375 0875 0375 0000	%0925 e26	39.2	58.48	-37.64	69.55	327	19.8	10.77	31.88	0.317	0.1725	0.1216	
0625 0000 0625 0375 1000 0375 0000	%0926 e27	36.77	65.32	-41.3	77.29	328	19.09	9.42	31.51	0.318	0.1569	0.1063	
0500 1000 0500 0500 0000 0500 0000	%0927 f19	86.96	-55.41	48.05	73.36	138	44.54	69.93	29.54	0.3093	0.4856	0.7894	
0500 0875 0500 0500 0125 0500 0000	%0928 f20	75.23	-38.99	30.77	49.68	141	33.79	48.64	27.57	0.3072	0.4422	0.5491	
0500 0750 0500 0500 0250 0500 0000	%0929 f21	67.1	-25.87	18.52	31.83	144	27.91	36.77	26.43	0.3063	0.4036	0.4151	
0500 0625 0500 0500 0375 0500 0000	%0930 f22	60.09	-13.16	7.79	15.3	149	23.72	28.22	25.57	0.306	0.3641	0.3186	
0500 0500 0500 0500 0500 0500 0000	%0931 f23	53.7	-0.21	-2.08	2.11	284	20.57	21.69	24.87	0.3064	0.3231	0.2449	
0500 0375 0500 0500 0625 0500 0000	%0932 f24	47.13	14.67	-12.44	19.24	320	17.93	16.12	24.28	0.3074	0.2763	0.1819	
0500 0250 0500 0500 0750 0500 0000	%0933 f25	40.59	30.75	-22.71	38.24	323	15.76	11.61	23.69	0.3086	0.2274	0.1311	
0500 0125 0500 0500 0875 0500 0000	%0934 f26	34.17	48.44	-33.0	58.62	326	14.1	8.09	23.23	0.3104	0.1781	0.0913	
0500 0000 0500 0500 1000 0500 0000	%0935 f27	31.18	57.11	-37.7	68.44	326	13.44	6.73	22.97	0.3115	0.156	0.076	
0375 1000 0375 0625 0000 0625 0000	%0936 g19	85.89	-64.98	58.71	87.59	137	39.83	67.76	21.77	0.3079	0.5238	0.7649	
0375 0875 0375 0625 0125 0625 0000	%0937 g20	73.82	-50.22	41.54	65.19	140	29.07	46.42	19.8	0.3051	0.4871	0.524	
0375 0750 0375 0625 0250 0625 0000	%0938 g21	65.37	-38.52	29.2	48.34	142	23.14	34.52	18.66	0.3032	0.4523	0.3896	
0375 0625 0375 0625 0375 0625 0000	%0939 g22	58.03	-26.75	18.35	32.45	145	19.0	26.0	17.77	0.3027	0.4142	0.2934	
0375 0500 0375 0625 0500 0625 0000	%0940 g23	51.23	-14.53	7.99	16.59	151	15.86	19.47	17.11	0.3024	0.3713	0.2198	
0375 0375 0375 0625 0625 0625 0000	%0941 g24	44.08	-0.08	-3.11	3.12	278	13.19	13.89	16.54	0.3024	0.3185	0.1568	
0375 0250 0375 0625 0750 0625 0000	%0942 g25	36.72	16.87	-14.59	22.31	319	11.06	9.39	15.98	0.3036	0.2577	0.106	
0375 0125 0375 0625 0875 0625 0000	%0943 g26	29.07	36.82	-26.77	45.52	324	9.38	5.86	15.52	0.3049	0.1906	0.0662	
0375 0000 0375 0625 1000 0625 0000	%0944 g27	25.37	47.49	-32.66	57.64	325	8.75	4.53	15.31	0.3061	0.1586	0.0512	
0250 1000 0250 0750 0000 0750 0000	%0945 h19	85.01	-73.32	70.49	101.71	136	36.09	66.03	15.16	0.3077	0.563	0.7454	
0250 0875 0250 0750 0125 0750 0000	%0946 h20	72.68	-60.4	53.82	80.9	138	25.35	44.68	13.24	0.3044	0.5366	0.5044	
0250 0750 0250 0750 0250 0750 0000	%0947 h21	63.96	-50.16	41.64	65.2	140	19.42	32.76	12.13	0.302	0.5094	0.3697	
0250 0625 0250 0750 0375 0750 0000	%0948 h22	56.35	-40.0	30.82	50.5	142	15.27	24.26	11.28	0.3006	0.4775	0.2739	
0250 0500 0250 0750 0500 0750 0000	%0949 h23	49.17	-29.09	20.37	35.52	145	12.14	17.74	10.6	0.3	0.4382	0.2002	
0250 0375 0250 0750 0625 0750 0000	%0950 h24	41.47	-15.89	8.87	18.2	151	9.47	12.16	9.99	0.2995	0.3845	0.1373	
0250 0250 0250 0750 0750 0750 0000	%0951 h25	33.25	0.41	-3.65	3.69	280	7.32	7.65	9.46	0.2995	0.3133	0.0864	
0250 0125 0250 0750 0875 0750 0000	%0952 h26	24.19	22.71	-18.26	29.15	320	5.72	4.16	9.14	0.3008	0.2187	0.047	
0250 0000 0250 0750 1000 0750 0000	%0953 h27	19.35	36.34	-26.19	44.8	324	5.11	2.83	9.01	0.3015	0.167	0.032	
0125 1000 0125 0875 0000 0875 0000	%0954 i19	84.33	-80.81	84.82	117.16	133	33.06	64.7	9.33	0.3087	0.6042	0.7304	
0125 0875 0125 0875 0125 0875 0000	%0955 i20	71.72	-69.7	69.43	98.38	135	22.3	43.24	7.45	0.3055	0.5924	0.4881	
0125 0750 0125 0875 0250 0875 0000	%0956 i21	62.79	-61.39	58.38	84.72	136	16.38	31.34	6.33	0.303	0.5799	0.3538	
0125 0625 0125 0875 0375 0875 0000	%0957 i22	54.89	-52.93	48.15	71.56	137	12.25	22.82	5.53	0.3018	0.562	0.2576	
0125 0500 0125 0875 0500 0875 0000	%0958 i23	47.35	-44.61	38.52	58.95	139	9.07	16.29	4.81	0.3005	0.54	0.1839	
0125 0375 0125 0875 0625 0875 0000	%0959 i24	39.15	-34.05	27.3	43.65	141	6.42	10.75	4.24	0.3	0.502	0.1213	
0125 0250 0125 0875 0750 0875 0000	%0960 i25	30.15	-20.34	14.59	25.04	145	4.33	6.3	3.73	0.3015	0.4385	0.0711	
0125 0125 0125 0875 0875 0875 0000	%0961 i26	19.11	1.17	-2.11	2.42	292	2.7	2.77	3.35	0.3059	0.3145	0.0313	
0125 0000 0125 0875 1000 0875 0000	%0962 i27	12.25	18.06	-13.17	22.36	322	2.08	1.44	3.23	0.308	0.214	0.0163	
0000 1000 0000 1000 0000 1000 0000	%0963 j19	84.03	-83.7	92.37	124.66	132	31.89	64.12	6.99	0.3096	0.6225	0.7238	
0000 0875 0000 1000 0125 1000 0000	%0964 j20	71.27	-73.7	78.34	107.56	133	21.03	42.58	5.11	0.3061	0.6196	0.4806	
0000 0750 0000 1000 0250 1000 0000	%0965 j21	62.23	-66.27	68.26	95.14	134	15.12	30.68	4.03	0.3035	0.6157	0.3463	
0000 0625 0000 1000 0375 1000 0000	%0966 j22	54.22	-59.13	59.43	83.84	135	10.98	22.18	3.19	0.3021	0.6102	0.2504	
0000 0500 0000 1000 0500 1000 0000	%0967 j23	46.56	-51.97	50.96	72.79	135	7.84	15.68	2.51	0.3012	0.6025	0.177	
0000 0375 0000 1000 0625 1000 0000	%0968 j24	38.14	-43.42	41.08	59.78	137	5.21	10.17	1.94	0.3008	0.587	0.1148	
0000 0250 0000 1000 0750 1000 0000	%0969 j25	28.69	-32.62	29.43	43.94	138	3.12	5.72	1.47	0.3023	0.555	0.0646	
0000 0125 0000 1000 0875 1000 0000	%0970 j26	16.48	-15.6	13.27	20.48	141	1.46	2.2	1.06	0.31	0.465	0.0248	
0000 0000 0000 1000 1000 1000 0000	%0971 i27	8.09	0.17	0.17	0.25	244	0.86	0.9	0.96	0.3152	0.33	0.0101	

Colorimetric "Standard data": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LECD monitor (with LED backlight)

<i>rgb=olv*</i>	<i>cmy0*</i>	<i>no. position</i>	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	x	y	$Y/88.59$
0000 0000 0000	1000 1000 1000	0000 0000 %0972 k01	8.09	-0.54	0.73	0.91	172	0.84	0.9	0.92	0.3152	0.337	0.0101
0125 0125 0125	0875 0875 0875	0000 %0973 k02	19.11	1.1	-2.22	2.48	290	2.69	2.77	3.36	0.305	0.314	0.0313
0250 0250 0250	0750 0750 0750	0000 %0974 k03	33.25	0.6	-3.69	3.75	282	7.34	7.65	9.47	0.2999	0.3129	0.0864
0375 0375 0375	0625 0625 0625	0000 %0975 k04	44.04	-0.16	-3.08	3.09	277	13.15	13.86	16.49	0.3023	0.3187	0.1565
0500 0500 0500	0500 0500 0500	0000 %0976 k05	53.67	-0.3	-2.05	2.08	282	20.52	21.66	24.82	0.3063	0.3233	0.2445
0625 0625 0625	0375 0375 0375	0000 %0977 k06	62.43	-0.05	-0.67	0.69	314	29.36	30.91	34.16	0.3109	0.3273	0.3489
0750 0750 0750	0250 0250 0250	0000 %0978 k07	71.48	-0.34	1.52	1.56	51	40.65	42.89	45.3	0.3155	0.3329	0.4842
0875 0875 0875	0125 0125 0125	0000 %0979 k08	81.41	-1.61	3.99	4.31	91	55.63	59.21	59.98	0.3182	0.3387	0.6684
1000 1000 1000	0000 0000 0000	0000 %0980 k09	95.42	-1.98	0.26	2.01	142	83.18	88.62	96.09	0.3105	0.3308	1.0003
0000 0000 0000	1000 1000 1000	0000 %0981 l01	7.83	0.34	0.6	0.69	176	0.83	0.87	0.9	0.32	0.3333	0.0098
0125 0125 0125	0875 0875 0875	0000 %0982 l02	19.11	0.94	-2.09	2.31	288	2.68	2.77	3.35	0.305	0.315	0.0313
0250 0250 0250	0750 0750 0750	0000 %0983 l03	33.25	0.62	-3.68	3.75	282	7.34	7.65	9.47	0.3	0.3129	0.0864
0375 0375 0375	0625 0625 0625	0000 %0984 l04	44.04	-0.1	-3.12	3.13	277	13.16	13.86	16.51	0.3023	0.3185	0.1565
0500 0500 0500	0500 0500 0500	0000 %0985 l05	53.67	-0.24	-2.09	2.12	283	20.54	21.66	24.85	0.3063	0.3231	0.2445
0625 0625 0625	0375 0375 0375	0000 %0986 l06	62.43	-0.02	-0.74	0.75	313	29.37	30.91	34.21	0.3108	0.3271	0.3489
0750 0750 0750	0250 0250 0250	0000 %0987 l07	71.48	-0.34	1.57	1.6	52	40.65	42.89	45.26	0.3156	0.333	0.4842
0875 0875 0875	0125 0125 0125	0000 %0988 l08	81.41	-1.65	4.02	4.35	91	55.61	59.21	59.95	0.3182	0.3388	0.6684
1000 1000 1000	0000 0000 0000	0000 %0989 l09	95.41	-1.98	0.26	2.01	142	83.15	88.59	96.06	0.3105	0.3308	1.0
0000 0000 0000	1000 1000 1000	0000 %0990 m01	8.09	0.35	0.62	0.71	143	0.86	0.9	0.93	0.32	0.3333	0.0101
0125 0125 0125	0875 0875 0875	0000 %0991 m02	18.99	1.11	-2.29	2.56	290	2.67	2.74	3.34	0.3046	0.3135	0.031
0250 0250 0250	0750 0750 0750	0000 %0992 m03	33.25	0.62	-3.68	3.75	282	7.34	7.65	9.47	0.3	0.3129	0.0864
0375 0375 0375	0625 0625 0625	0000 %0993 m04	44.04	-0.27	-3.06	3.08	275	13.13	13.86	16.48	0.3021	0.3189	0.1565
0500 0500 0500	0500 0500 0500	0000 %0994 m05	53.67	-0.28	-2.1	2.13	282	20.53	21.66	24.86	0.3062	0.3231	0.2445
0625 0625 0625	0375 0375 0375	0000 %0995 m06	62.43	-0.09	-0.69	0.7	312	29.35	30.91	34.17	0.3108	0.3273	0.3489
0750 0750 0750	0250 0250 0250	0000 %0996 m07	71.48	-0.34	1.57	1.6	52	40.65	42.89	45.26	0.3156	0.333	0.4842
0875 0875 0875	0125 0125 0125	0000 %0997 m08	81.41	-1.56	4.01	4.3	90	55.65	59.21	59.97	0.3183	0.3387	0.6684
1000 1000 1000	0000 0000 0000	0000 %0998 m09	95.41	-2.03	0.3	2.06	142	83.13	88.59	96.01	0.3105	0.3309	1.0
0000 0000 0000	1000 1000 1000	0000 %0999 n01	8.09	0.35	0.62	0.71	143	0.86	0.9	0.93	0.32	0.3333	0.0101
0125 0125 0125	0875 0875 0875	0000 %1000 n02	19.11	1.13	-1.89	2.21	293	2.69	2.77	3.31	0.3069	0.3158	0.0313
0250 0250 0250	0750 0750 0750	0000 %1001 n03	33.25	0.6	-3.69	3.75	282	7.34	7.65	9.47	0.2999	0.3129	0.0864
0375 0375 0375	0625 0625 0625	0000 %1002 n04	44.04	-0.22	-3.1	3.12	276	13.14	13.86	16.5	0.3021	0.3187	0.1565
0500 0500 0500	0500 0500 0500	0000 %1003 n05	53.67	-0.34	-2.13	2.17	281	20.52	21.66	24.87	0.306	0.3231	0.2445
0625 0625 0625	0375 0375 0375	0000 %1004 n06	62.43	-0.09	-0.69	0.7	312	29.35	30.91	34.17	0.3108	0.3273	0.3489
0750 0750 0750	0250 0250 0250	0000 %1005 n07	71.5	-0.3	1.54	1.57	51	40.69	42.92	45.32	0.3156	0.3329	0.4845
0875 0875 0875	0125 0125 0125	0000 %1006 n08	81.41	-1.6	4.04	4.35	91	55.63	59.21	59.93	0.3183	0.3388	0.6684
1000 1000 1000	0000 0000 0000	0000 %1007 n09	95.41	-2.03	0.24	2.06	169	83.13	88.59	96.09	0.3104	0.3308	1.0
0000 0000 0000	1000 1000 1000	0000 %1008 k10	7.83	0.34	0.6	0.69	176	0.83	0.87	0.9	0.32	0.3333	0.0098
0066 0066 0066	0933 0933 0933	0000 %1009 k11	10.65	0.89	0.31	0.94	334	1.18	1.21	1.29	0.32	0.329	0.0137
0133 0133 0133	0866 0866 0866	0000 %1010 k12	19.94	1.29	-2.57	2.89	291	2.9	2.98	3.66	0.304	0.312	0.0336
0200 0200 0200	0800 0800 0800	0000 %1011 k13	28.77	0.62	-4.02	4.07	280	5.52	5.75	7.29	0.2973	0.3098	0.0649
0266 0266 0266	0333 0333 0333	0000 %1012 k14	34.64	0.5	-3.03	3.08	283	7.96	8.32	10.04	0.3025	0.3161	0.0939
0333 0333 0333	0666 0666 0666	0000 %1013 k15	40.31	0.64	-3.37	3.44	286	10.96	11.44	13.8	0.3027	0.316	0.1291
0400 0400 0400	0600 0600 0600	0000 %1014 k16	45.74	-0.01	-2.93	2.94	280	14.33	15.08	17.82	0.3034	0.3193	0.1702
0466 0466 0466	0533 0533 0533	0000 %1015 k17	51.16	-0.34	-2.38	2.42	278	18.38	19.41	22.47	0.305	0.3221	0.2191
0533 0533 0533	0466 0466 0466	0000 %1016 k18	55.89	0.03	-2.27	2.28	289	22.63	23.8	27.37	0.3066	0.3225	0.2687
0600 0600 0600	0400 0400 0400	0000 %1017 k19	60.73	0.05	-1.3	1.31	303	27.52	28.94	32.45	0.3095	0.3255	0.3267
0666 0666 0666	0333 0333 0333	0000 %1018 k20	65.55	-0.18	-0.31	0.37	325	32.97	34.75	38.09	0.3116	0.3284	0.3922
0734 0734 0734	0266 0266 0266	0000 %1019 k21	70.39	-0.29	0.98	1.02	33	39.16	41.31	44.1	0.3144	0.3316	0.4663
0800 0800 0800	0200 0200 0200	0000 %1020 k22	75.53	-0.64	2.51	2.6	71	46.47	49.13	50.98	0.317	0.3352	0.5546
0866 0866 0866	0133 0133 0133	0000 %1021 k23	80.84	-1.22	3.82	4.02	85	54.8	58.17	59.09	0.3185	0.3381	0.6567
0933 0933 0933	0066 0066 0066	0000 %1022 k24	86.95	-2.06	5.82	6.18	94	65.51	69.9	68.86	0.3207	0.3422	0.789
1000 1000 1000	0000 0000 0000	0000 %1023 k25	95.42	-1.98	0.26	2.01	142	83.18	88.62	96.09	0.3105	0.3308	1.0003

Colorimetric "Standard": Television Luminous System TLS08 for CIE lightness $L^*=08$ of black for illuminant D65
System TLS08; LCD monitor (with LED backlight)

rgb=ol*	cmv*	no. position	$L^*=LAB^*_1$	$a^*=LAB^*_2$	$b^*=LAB^*_3$	$C^*_{ab}=LAB^*_r$	h_{ab}	$X=XYZ_1$	$Y=XYZ_2$	$Z=XYZ_3$	x	y	Y/88.59
0000 0000 0000	1000 1000 1000	0000 0000 %1024 i10	8.09	0.35	0.62	0.71	143	0.86	0.9	0.93	0.32	0.3333	0.0101
0066 0066 0066	0933 0933 0933	0000 0000 %1025 i11	10.86	1.05	0.26	1.08	336	1.21	1.24	1.33	0.3205	0.3282	0.014
0133 0133 0133	0866 0866 0866	0000 0000 %1026 i12	20.06	1.42	-2.49	2.87	294	2.93	3.0	3.68	0.305	0.3123	0.0339
0200 0200 0200	0800 0800 0800	0000 0000 %1027 i13	28.84	0.42	-3.82	3.85	278	5.53	5.78	7.27	0.2975	0.311	0.0652
0266 0266 0266	0333 0333 0333	0000 0000 %1028 i14	34.7	0.62	-3.15	3.22	285	8.0	8.35	10.11	0.3024	0.3155	0.0942
0333 0333 0333	0666 0666 0666	0000 0000 %1029 i15	40.4	0.35	-3.36	3.39	282	10.97	11.5	13.87	0.302	0.3164	0.1298
0400 0400 0400	0600 0600 0600	0000 0000 %1030 i16	45.82	0.01	-2.99	3.0	280	14.39	15.14	17.91	0.3033	0.3191	0.1709
0466 0466 0466	0533 0533 0533	0000 0000 %1031 i17	51.2	-0.28	-2.3	2.32	280	18.42	19.44	22.46	0.3054	0.3223	0.2194
0533 0533 0533	0466 0466 0466	0000 0000 %1032 i18	55.98	0.04	-2.2	2.21	290	22.71	23.89	27.43	0.3068	0.3227	0.2696
0600 0600 0600	0400 0400 0400	0000 0000 %1033 i19	60.78	-0.04	-1.26	1.27	301	27.55	29.0	32.49	0.3094	0.3257	0.3274
0666 0666 0666	0333 0333 0333	0000 0000 %1034 i20	65.62	-0.22	-0.28	0.37	325	33.04	34.84	38.16	0.3116	0.3285	0.3932
0734 0734 0734	0266 0266 0266	0000 0000 %1035 i21	70.45	-0.21	0.96	0.99	31	39.27	41.39	44.2	0.3145	0.3315	0.4672
0800 0800 0800	0200 0200 0200	0000 0000 %1036 i22	75.59	-0.64	2.52	2.6	71	46.55	49.22	51.07	0.317	0.3352	0.5556
0866 0866 0866	0133 0133 0133	0000 0000 %1037 i23	80.88	-1.26	3.86	4.06	85	54.87	58.26	59.14	0.3185	0.3382	0.6576
0933 0933 0933	0066 0066 0066	0000 0000 %1038 i24	86.98	-2.06	5.88	6.23	94	65.57	69.96	68.86	0.3208	0.3423	0.7897
1000 1000 1000	0000 0000 0000	0000 0000 %1039 i25	95.43	-1.98	0.32	2.01	116	83.21	88.65	96.04	0.3106	0.3309	1.0007
0000 0000 0000	1000 1000 1000	0000 0000 %1040 m10	8.09	0.35	0.62	0.71	143	0.86	0.9	0.93	0.32	0.3333	0.0101
0066 0066 0066	0933 0933 0933	0000 0000 %1041 m11	10.65	1.06	0.26	1.09	336	1.19	1.21	1.3	0.3206	0.3282	0.0137
0133 0133 0133	0866 0866 0866	0000 0000 %1042 m12	20.06	1.3	-2.58	2.9	291	2.93	3.0	3.7	0.304	0.312	0.0339
0200 0200 0200	0800 0800 0800	0000 0000 %1043 m13	28.77	0.39	-3.93	3.96	277	5.5	5.75	7.27	0.2969	0.3105	0.0649
0266 0266 0266	0333 0333 0333	0000 0000 %1044 m14	34.7	0.36	-3.06	3.09	281	7.97	8.35	10.08	0.302	0.3162	0.0942
0333 0333 0333	0666 0666 0666	0000 0000 %1045 m15	40.36	0.37	-3.38	3.41	282	10.95	11.47	13.84	0.302	0.3163	0.1294
0400 0400 0400	0600 0600 0600	0000 0000 %1046 m16	45.74	-0.01	-3.0	3.01	280	14.33	15.08	17.85	0.3032	0.3191	0.1702
0466 0466 0466	0533 0533 0533	0000 0000 %1047 m17	51.2	-0.22	-2.34	2.36	281	18.43	19.44	22.48	0.3054	0.3221	0.2194
0533 0533 0533	0466 0466 0466	0000 0000 %1048 m18	55.92	0.13	-2.28	2.29	291	22.68	23.83	27.41	0.3068	0.3224	0.269
0600 0600 0600	0400 0400 0400	0000 0000 %1049 m19	60.73	-0.01	-1.28	1.29	301	27.5	28.94	32.44	0.3094	0.3256	0.3267
0666 0666 0666	0333 0333 0333	0000 0000 %1050 m20	65.58	-0.29	-0.27	0.41	323	32.97	34.78	38.09	0.3115	0.3286	0.3926
0734 0734 0734	0266 0266 0266	0000 0000 %1051 m21	70.43	-0.33	0.96	1.02	34	39.21	41.36	44.17	0.3143	0.3316	0.4669
0800 0800 0800	0200 0200 0200	0000 0000 %1052 m22	75.57	-0.6	2.48	2.56	70	46.53	49.19	51.07	0.317	0.3351	0.5553
0866 0866 0866	0133 0133 0133	0000 0000 %1053 m23	80.87	-1.22	3.83	4.02	85	54.86	58.23	59.14	0.3185	0.3381	0.6573
0933 0933 0933	0066 0066 0066	0000 0000 %1054 m24	86.96	-2.06	5.88	6.23	94	65.54	69.93	68.83	0.3208	0.3423	0.7894
1000 1000 1000	0000 0000 0000	0000 0000 %1055 m25	95.43	-1.98	0.26	2.01	142	83.21	88.65	96.12	0.3105	0.3308	1.0007
0000 0000 0000	1000 1000 1000	0000 0000 %1056 n10	8.09	0.59	0.71	0.92	28	0.87	0.9	0.93	0.3222	0.3333	0.0101
0066 0066 0066	0933 0933 0933	0000 0000 %1057 n11	10.86	1.13	0.13	1.14	331	1.22	1.24	1.34	0.32	0.327	0.014
0133 0133 0133	0866 0866 0866	0000 0000 %1058 n12	20.06	1.11	-2.63	2.86	288	2.92	3.0	3.7	0.303	0.3121	0.0339
0200 0200 0200	0800 0800 0800	0000 0000 %1059 n13	28.77	0.31	-3.87	3.89	276	5.49	5.75	7.25	0.2969	0.3109	0.0649
0266 0266 0266	0333 0333 0333	0000 0000 %1060 n14	34.64	0.69	-3.15	3.23	286	7.98	8.32	10.08	0.3026	0.3154	0.0939
0333 0333 0333	0666 0666 0666	0000 0000 %1061 n15	40.31	0.5	-3.42	3.46	284	10.94	11.44	13.82	0.3022	0.316	0.1291
0400 0400 0400	0600 0600 0600	0000 0000 %1062 n16	45.74	0.09	-2.99	3.0	282	14.35	15.08	17.84	0.3035	0.319	0.1702
0466 0466 0466	0533 0533 0533	0000 0000 %1063 n17	51.13	-0.25	-2.38	2.41	280	18.37	19.38	22.44	0.3052	0.322	0.2188
0533 0533 0533	0466 0466 0466	0000 0000 %1064 n18	55.92	-0.31	-2.01	2.04	283	22.58	23.83	27.23	0.3066	0.3236	0.269
0600 0600 0600	0400 0400 0400	0000 0000 %1065 n19	60.73	-0.01	-1.28	1.29	301	27.5	28.94	32.44	0.3094	0.3256	0.3267
0666 0666 0666	0333 0333 0333	0000 0000 %1066 n20	65.58	-0.22	-0.28	0.37	325	32.99	34.78	38.1	0.3116	0.3285	0.3926
0734 0734 0734	0266 0266 0266	0000 0000 %1067 n21	70.43	-0.25	0.95	0.98	31	39.23	41.36	44.18	0.3144	0.3315	0.4669
0800 0800 0800	0200 0200 0200	0000 0000 %1068 n22	75.55	-0.6	2.48	2.56	70	46.51	49.17	51.04	0.317	0.3351	0.5549
0866 0866 0866	0133 0133 0133	0000 0000 %1069 n23	80.84	-1.18	3.79	3.97	84	54.82	58.17	59.12	0.3185	0.338	0.6567
0933 0933 0933	0066 0066 0066	0000 0000 %1070 n24	86.96	-2.06	5.83	6.18	94	65.54	69.93	68.89	0.3207	0.3422	0.7894
1000 1000 1000	0000 0000 0000	0000 0000 %1071 n25	95.42	-2.03	0.24	2.06	169	83.15	88.62	96.12	0.3104	0.3308	1.0003
0000 0000 0000	1000 1000 1000	0000 0000 %1072 k26	8.09	0.38	0.6	0.71	0	0.86	0.9	0.93	0.32	0.333	0.0101
1000 1000 1000	0000 0000 0000	0000 0000 %1073 k27	95.41	-1.93	0.23	1.95	0	83.18	88.59	96.12	0.3105	0.3307	1.0
1000 0000 0000	1000 0000 0000	0000 0000 %1074 i26	51.1	73.83	67.5	100.03	42	36.38	19.35	1.52	0.6354	0.338	0.2185
0000 1000 0000	1000 0000 0000	0000 0000 %1075 i27	87.06	-46.89	-13.73	48.87	197	47.69	70.13	95.47	0.2236	0.3288	0.7917
1000 1000 0000	0000 0000 0000	0000 0000 %1076 m26	92.83	-23.29	105.32	107.86	102	67.36	82.58	7.59	0.4276	0.5242	0.9322
0000 0000 1000	1000 0000 0000	0000 0000 %1077 m27	31.59	74.81	-105.23	129.12	305	16.68	6.9	89.41	0.1476	0.0611	0.0779
0000 1000 0000	1000 0000 0000	0000 0000 %1078 n26	84.17	-83.91	92.33	124.77	132	32.0	64.38	7.07	0.3093	0.6224	0.7268
1000 0000 1000	0000 0000 0000	0000 0000 %1079 n27	57.43	92.98	-61.14	111.28	327	52.2	25.36	90.06	0.3114	0.1513	0.2863

JE030-7N, Colorimetric data of Television Luminous System TLS08 for CIE lightness $L^*=08$ for CIE standard illuminant D65; LCD monitor; Page: 20/20

TUB-test chart JE03; 1080 colours of grid G

input: olv* setrgbcolor

Display LAB*-calculation: LCD monitor (with LED backlight) output: no change compared to input