

See original or copy: <http://web.me.com/klaus.richter/KE62/KE62L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb → olv%	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	[L*, C* _{ab} , h _{ab}] _{Fa,d}	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}	n _{rgb}	rgb → olv%	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	[L*, C* _{ab} , h _{ab}] _{Fa,d}	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}
0	0.0	0.0	0.0	57.46	99.08	46.0	0.0	0.0	46.0	1.0	0.0	r30j	o00y	o00y	o00y	o00y	o00y
1	0.0	0.0	0.125	57.46	99.08	46.0	7.18	12.39	46.0	0.875	0.125	r30j	o00y	o00y	o00y	o00y	o00y
2	0.0	0.0	0.25	57.46	99.08	46.0	14.37	24.77	46.0	0.75	0.25	r30j	o00y	o00y	o00y	o00y	o00y
3	0.0	0.0	0.375	57.46	99.08	46.0	21.55	37.16	46.0	0.625	0.375	r30j	o00y	o00y	o00y	o00y	o00y
4	0.0	0.0	0.5	57.46	99.08	46.0	28.73	49.54	46.0	0.5	0.5	r30j	o00y	o00y	o00y	o00y	o00y
5	0.0	0.125	0.625	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y	o00y	o00y	o00y	o00y
6	0.0	0.0	0.75	57.46	99.08	46.0	43.1	74.31	46.0	0.25	0.75	r30j	o00y	o00y	o00y	o00y	o00y
7	0.0	0.0	0.875	57.46	99.08	46.0	50.28	86.7	46.0	0.125	0.875	r30j	o00y	o00y	o00y	o00y	o00y
8	0.0	0.0	1.0	57.46	99.08	46.0	57.46	99.08	46.0	0.0	1.0	r30j	o00y	o00y	o00y	o00y	o00y
9	0.0	0.125	0.0	150.0	58.5	97.82	48.0	7.31	12.23	48.0	0.875	0.125	r33j	o04y	o04y	o04y	o04y
10	0.0	0.125	0.125	210.0	58.5	97.82	48.0	7.31	12.23	48.0	0.875	0.125	r33j	o04y	o04y	o04y	o04y
11	0.0	0.125	0.25	240.0	58.5	97.82	48.0	14.62	24.46	48.0	0.75	0.25	r33j	o04y	o04y	o04y	o04y
12	0.0	0.125	0.375	250.9	58.5	97.82	48.0	21.94	36.68	48.0	0.625	0.375	r33j	o04y	o04y	o04y	o04y
13	0.0	0.125	0.5	256.1	58.5	97.82	48.0	29.25	48.91	48.0	0.5	0.5	r33j	o04y	o04y	o04y	o04y
14	0.0	0.125	0.625	259.1	58.5	97.82	48.0	36.56	61.14	48.0	0.375	0.625	r33j	o04y	o04y	o04y	o04y
15	0.0	0.125	0.75	261.1	58.5	97.82	48.0	43.87	73.37	48.0	0.25	0.75	r33j	o04y	o04y	o04y	o04y
16	0.0	0.125	0.875	262.4	58.5	97.82	48.0	51.18	85.59	48.0	0.125	0.875	r33j	o04y	o04y	o04y	o04y
17	0.0	0.125	1.0	263.4	58.5	97.82	48.0	58.5	97.82	48.0	0.0	1.0	r33j	o04y	o04y	o04y	o04y
18	0.0	0.25	0.0	150.0	61.25	95.24	53.0	15.31	23.81	53.0	0.75	0.25	r41j	o13y	o13y	o13y	o13y
19	0.0	0.25	0.125	180.0	61.25	95.24	53.0	15.31	23.81	53.0	0.75	0.25	r41j	o13y	o13y	o13y	o13y
20	0.0	0.25	0.25	210.0	61.25	95.24	53.0	15.31	23.81	53.0	0.75	0.25	r41j	o13y	o13y	o13y	o13y
21	0.0	0.25	0.375	229.1	61.25	95.24	53.0	22.97	35.71	53.0	0.625	0.375	r41j	o13y	o13y	o13y	o13y
22	0.0	0.25	0.5	240.0	61.25	95.24	53.0	30.63	47.62	53.0	0.5	0.5	r41j	o13y	o13y	o13y	o13y
23	0.0	0.25	0.625	246.6	61.25	95.24	53.0	38.28	59.52	53.0	0.375	0.625	r41j	o13y	o13y	o13y	o13y
24	0.0	0.25	0.75	250.9	61.25	95.24	53.0	45.94	71.43	53.0	0.25	0.75	r41j	o13y	o13y	o13y	o13y
25	0.0	0.25	0.875	253.9	61.25	95.24	53.0	53.6	83.33	53.0	0.125	0.875	r41j	o13y	o13y	o13y	o13y
26	0.0	0.25	1.0	256.1	61.25	95.24	53.0	61.25	95.24	53.0	0.0	1.0	r41j	o13y	o13y	o13y	o13y
27	0.0	0.375	0.0	150.0	64.87	92.89	59.2	24.32	34.83	59.2	0.625	0.375	r50j	o24y	o24y	o24y	o24y
28	0.0	0.375	0.125	169.1	64.87	92.89	59.2	24.32	34.83	59.2	0.625	0.375	r50j	o24y	o24y	o24y	o24y
29	0.0	0.375	0.25	190.9	64.87	92.89	59.2	24.32	34.83	59.2	0.625	0.375	r50j	o24y	o24y	o24y	o24y
30	0.0	0.375	0.375	210.0	64.87	92.89	59.2	24.32	34.83	59.2	0.625	0.375	r50j	o24y	o24y	o24y	o24y
31	0.0	0.375	0.5	223.9	64.87	92.89	59.2	32.43	46.44	59.2	0.5	0.5	r50j	o24y	o24y	o24y	o24y
32	0.0	0.375	0.625	233.4	64.87	92.89	59.2	40.54	58.05	59.2	0.375	0.625	r50j	o24y	o24y	o24y	o24y
33	0.0	0.375	0.75	240.0	64.87	92.89	59.2	48.65	69.67	59.2	0.25	0.75	r50j	o24y	o24y	o24y	o24y
34	0.0	0.375	0.875	244.7	64.87	92.89	59.2	56.76	81.28	59.2	0.125	0.875	r50j	o24y	o24y	o24y	o24y
35	0.0	0.375	1.0	248.2	64.87	92.89	59.2	64.87	92.89	59.2	0.0	1.0	r50j	o24y	o24y	o24y	o24y
36	0.0	0.5	0.0	150.0	69.35	91.97	66.6	34.67	45.99	66.6	0.5	0.5	r61j	o37y	o37y	o37y	o37y
37	0.0	0.5	0.125	163.9	69.35	91.97	66.6	34.67	45.99	66.6	0.5	0.5	r61j	o37y	o37y	o37y	o37y
38	0.0	0.5	0.25	180.0	69.35	91.97	66.6	34.67	45.99	66.6	0.5	0.5	r61j	o37y	o37y	o37y	o37y
39	0.0	0.5	0.375	196.1	69.35	91.97	66.6	34.67	45.99	66.6	0.5	0.5	r61j	o37y	o37y	o37y	o37y
40	0.0	0.5	0.5	210.0	69.35	91.97	66.6	34.67	45.99	66.6	0.5	0.5	r61j	o37y	o37y	o37y	o37y
41	0.0	0.5	0.625	220.9	69.35	91.97	66.6	43.34	57.48	66.6	0.375	0.625	r61j	o37y	o37y	o37y	o37y
42	0.0	0.5	0.75	229.1	69.35	91.97	66.6	52.01	68.98	66.6	0.25	0.75	r61j	o37y	o37y	o37y	o37y
43	0.0	0.5	0.875	235.3	69.35	91.97	66.6	60.68	80.48	66.6	0.125	0.875	r61j	o37y	o37y	o37y	o37y
44	0.0	0.5	1.0	240.0	69.35	91.97	66.6	69.35	91.97	66.6	0.0	1.0	r61j	o37y	o37y	o37y	o37y
45	0.0	0.625	0.0	150.0	74.67	93.41	74.3	46.67	58.38	74.3	0.375	0.625	r72j	o51y	o51y	o51y	o51y
46	0.0	0.625	0.125	160.9	74.67	93.41	74.3	46.67	58.38	74.3	0.375	0.625	r72j	o51y	o51y	o51y	o51y
47	0.0	0.625	0.25	173.4	74.67	93.41	74.3	46.67	58.38	74.3	0.375	0.625	r72j	o51y	o51y	o51y	o51y
48	0.0	0.625	0.375	186.6	74.67	93.41	74.3	46.67	58.38	74.3	0.375	0.625	r72j	o51y	o51y	o51y	o51y
49	0.0	0.625	0.5	199.1	74.67	93.41	74.3	46.67	58.38	74.3	0.375	0.625	r72j	o51y	o51y	o51y	o51y
50	0.0	0.625	0.625	210.0	74.67	93.41	74.3	46.67	58.38	74.3	0.375	0.625	r72j	o51y	o51y	o51y	o51y
51	0.0	0.625	0.75	219.0	74.67	93.41	74.3	56.0	70.06	74.3	0.25	0.75	r72j	o51y	o51y	o51y	o51y
52	0.0	0.625	0.875	226.1	74.67	93.41	74.3	65.34	81.74	74.3	0.125	0.875	r72j	o51y	o51y	o51y	o51y
53	0.0	0.625	1.0	231.8	74.67	93.41	74.3	74.67	93.41	74.3	0.0	1.0	r72j	o51y	o51y	o51y	o51y
54	0.0	0.75	0.0	150.0	81.54	98.27	82.8	61.15	73.7	82.8	0.25	0.75	r85j	o67y	o67y	o67y	o67y
55	0.0	0.75	0.125	158.9	81.54	98.27	82.8	61.15	73.7	82.8	0.25	0.75	r85j	o67y	o67y	o67y	o67y
56	0.0	0.75	0.25	169.1	81.54	98.27	82.8	61.15	73.7	82.8	0.25	0.75	r85j	o67y	o67y	o67y	o67y
57	0.0	0.75	0.375	180.0	81.54	98.27	82.8	61.15	73.7	82.8	0.25	0.75	r85j	o67y	o67y	o67y	o67y
58	0.0.																

See original or copy: <http://web.me.com/klau.s.richter/KE62/KE62L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb} $rgb \rightarrow olv^3$				h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,d}$	$[L^*, C^*_{ab}, h_{ab}]_{Fa,d}$	n^*_Fa	c^*_Fa	u^*_Fa	d^*_Fa	n_{rgb} $rgb \rightarrow olv^3$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,d}$	$[L^*, C^*_{ab}, h_{ab}]_{Fa,d}$	n^*_Fa	c^*_Fa	u^*_Fa	d^*_Fa											
162	0.25	0.0	0.0	30.0	57.46	99.08	46.0	14.37	24.77	46.0	0.75	0.25	r30j	o00y	243	0.375	0.0	0.0	30.0	57.46	99.08	46.0	21.55	37.16	46.0	0.625	0.375	r30j	o00y
163	0.25	0.0	0.125	0.0	57.46	99.08	46.0	14.37	24.77	46.0	0.75	0.25	r30j	o00y	244	0.375	0.0	0.125	10.9	57.46	99.08	46.0	21.55	37.16	46.0	0.625	0.375	r30j	o00y
164	0.25	0.0	0.25	330.0	57.46	99.08	46.0	14.37	24.77	46.0	0.75	0.25	r30j	o00y	245	0.375	0.0	0.25	349.1	57.46	99.08	46.0	21.55	37.16	46.0	0.625	0.375	r30j	o00y
165	0.25	0.0	0.375	310.9	57.46	99.08	46.0	21.55	37.16	46.0	0.625	0.375	r30j	o00y	246	0.375	0.0	0.375	300.0	57.46	99.08	46.0	28.73	49.54	46.0	0.5	0.5	r30j	o00y
166	0.25	0.0	0.5	300.0	57.46	99.08	46.0	28.73	49.54	46.0	0.5	0.5	r30j	o00y	247	0.375	0.0	0.5	316.1	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y
167	0.25	0.0	0.625	293.4	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y	248	0.375	0.0	0.625	306.6	57.46	99.08	46.0	43.1	74.31	46.0	0.25	0.75	r30j	o00y
168	0.25	0.0	0.75	289.1	57.46	99.08	46.0	43.1	74.31	46.0	0.25	0.75	r30j	o00y	249	0.375	0.0	0.75	300.0	57.46	99.08	46.0	50.28	86.7	46.0	0.125	0.875	r30j	o00y
169	0.25	0.0	0.875	286.1	57.46	99.08	46.0	50.28	86.7	46.0	0.125	0.875	r30j	o00y	250	0.375	0.0	0.875	295.3	57.46	99.08	46.0	57.46	99.08	46.0	0.0	1.0	r30j	o00y
170	0.25	0.0	1.0	283.9	57.46	99.08	46.0	57.46	99.08	46.0	0.0	1.0	r30j	o00y	251	0.375	0.0	1.0	291.8	57.46	99.08	46.0	63.11	85.59	48.0	0.0	0.875	r33j	o04y
171	0.25	0.125	0.0	60.0	58.5	97.82	48.0	14.62	24.46	48.0	0.75	0.25	r33j	o04y	252	0.375	0.125	0.0	49.1	58.5	97.82	48.0	21.94	36.68	48.0	0.625	0.375	r33j	o04y
172	0.25	0.125	0.125	30.0	58.5	97.82	48.0	19.24	12.23	48.0	0.75	0.125	r33j	o04y	253	0.375	0.125	0.125	30.0	58.5	97.82	48.0	26.55	24.46	48.0	0.625	0.25	r33j	o04y
173	0.25	0.125	0.25	330.0	58.5	97.82	48.0	19.24	12.23	48.0	0.75	0.125	r33j	o04y	254	0.375	0.125	0.25	0.0	58.5	97.82	48.0	26.55	24.46	48.0	0.625	0.25	r33j	o04y
174	0.25	0.125	0.375	300.0	58.5	97.82	48.0	26.55	24.46	48.0	0.625	0.25	r33j	o04y	255	0.375	0.125	0.375	330.0	58.5	97.82	48.0	26.55	24.46	48.0	0.625	0.25	r33j	o04y
175	0.25	0.125	0.5	289.1	58.5	97.82	48.0	33.86	36.68	48.0	0.5	0.375	r33j	o04y	256	0.375	0.125	0.5	310.9	58.5	97.82	48.0	33.86	36.68	48.0	0.5	0.375	r33j	o04y
176	0.25	0.125	0.625	283.9	58.5	97.82	48.0	41.17	48.91	48.0	0.375	0.5	r33j	o04y	257	0.375	0.125	0.625	300.0	58.5	97.82	48.0	41.17	48.91	48.0	0.375	0.5	r33j	o04y
177	0.25	0.125	0.75	280.9	58.5	97.82	48.0	48.49	61.14	48.0	0.25	0.625	r33j	o04y	258	0.375	0.125	0.75	293.4	58.5	97.82	48.0	48.49	61.14	48.0	0.25	0.625	r33j	o04y
178	0.25	0.125	0.875	279.0	58.5	97.82	48.0	55.8	73.37	48.0	0.125	0.75	r33j	o04y	259	0.375	0.125	0.875	289.1	58.5	97.82	48.0	55.8	73.37	48.0	0.125	0.75	r33j	o04y
179	0.25	0.125	1.0	277.6	58.5	97.82	48.0	63.11	85.59	48.0	0.0	0.875	r33j	o04y	260	0.375	0.125	1.0	286.1	58.5	97.82	48.0	63.11	85.59	48.0	0.0	0.875	r33j	o04y
180	0.25	0.25	0.0	90.0	61.25	95.24	53.0	15.31	23.81	53.0	0.75	0.25	r41j	o13y	261	0.375	0.25	0.0	70.9	61.25	95.24	53.0	22.97	35.71	53.0	0.625	0.375	r41j	o13y
181	0.25	0.25	0.125	90.0	61.25	95.24	53.0	19.58	11.9	53.0	0.75	0.125	r41j	o13y	262	0.375	0.25	0.125	60.0	61.25	95.24	53.0	27.24	23.81	53.0	0.625	0.25	r41j	o13y
182	0.25	0.25	0.25	0.0	61.25	95.24	53.0	23.81	0.0	53.0	0.75	0.25	r41j	o13y	263	0.375	0.25	0.25	30.0	61.25	95.24	53.0	31.51	11.9	53.0	0.625	0.125	r41j	o13y
183	0.25	0.25	0.375	270.0	61.25	95.24	53.0	31.51	11.9	53.0	0.625	0.125	r41j	o13y	264	0.375	0.25	0.375	330.0	61.25	95.24	53.0	31.51	11.9	53.0	0.625	0.125	r41j	o13y
184	0.25	0.25	0.5	270.0	61.25	95.24	53.0	39.17	23.81	53.0	0.5	0.25	r41j	o13y	265	0.375	0.25	0.5	300.0	61.25	95.24	53.0	39.17	23.81	53.0	0.5	0.25	r41j	o13y
185	0.25	0.25	0.625	270.0	61.25	95.24	53.0	46.82	35.71	53.0	0.375	0.375	r41j	o13y	266	0.375	0.25	0.625	289.1	61.25	95.24	53.0	46.82	35.71	53.0	0.375	0.375	r41j	o13y
186	0.25	0.25	0.75	270.0	61.25	95.24	53.0	54.48	47.62	53.0	0.25	0.5	r41j	o13y	267	0.375	0.25	0.75	283.9	61.25	95.24	53.0	54.48	47.62	53.0	0.25	0.5	r41j	o13y
187	0.25	0.25	0.875	270.0	61.25	95.24	53.0	62.14	59.52	53.0	0.125	0.625	r41j	o13y	268	0.375	0.25	0.875	280.9	61.25	95.24	53.0	62.14	59.52	53.0	0.125	0.625	r41j	o13y
188	0.25	0.25	1.0	270.0	61.25	95.24	53.0	69.79	71.43	53.0	0.0	0.75	r41j	o13y	269	0.375	0.25	1.0	279.0	61.25	95.24	53.0	69.79	71.43	53.0	0.0	0.75	r41j	o13y
189	0.25	0.375	0.0	109.1	64.87	92.89	59.2	24.32	34.83	59.2	0.625	0.375	r50j	o24y	270	0.375	0.375	0.0	90.0	64.87	92.89	59.2	24.32	34.83	59.2	0.625	0.375	r50j	o24y
190	0.25	0.375	0.125	120.0	64.87	92.89	59.2	28.14	23.22	59.2	0.625	0.25	r50j	o24y	271	0.375	0.375	0.125	90.0	64.87	92.89	59.2	28.14	23.22	59.2	0.625	0.25	r50j	o24y
191	0.25	0.375	0.25	150.0	64.87	92.89	59.2	31.96	11.61	59.2	0.625	0.125	r50j	o24y	272	0.375	0.375	0.25	90.0	64.87	92.89	59.2	31.96	11.61	59.2	0.625	0.125	r50j	o24y
192	0.25	0.375	0.375	210.0	64.87	92.89	59.2	31.96	11.61	59.2	0.625	0.125	r50j	o24y	273	0.375	0.375	0.375	0.0	64.87	92.89	59.2	35.78	0.0	59.2	0.625	0.0	r50j	o24y
193	0.25	0.375	0.5	240.0	64.87	92.89	59.2	40.07	23.22	59.2	0.5	0.25	r50j	o24y	274	0.375	0.375	0.5	270.0	64.87	92.89	59.2	43.89	11.61	59.2	0.5	0.125	r50j	o24y
194	0.25	0.375	0.625	250.9	64.87	92.89	59.2	48.18	34.83	59.2	0.375	0.375	r50j	o24y	275	0.375	0.375	0.625	270.0	64.87	92.89	59.2	51.99	23.22	59.2	0.375	0.25	r50j	o24y
195	0.25	0.375	0.75	256.1	64.87	92.89	59.2	56.28	46.44	59.2	0.25	0.5	r50j	o24y	276	0.375	0.375	0.75	270.0	64.87	92.89	59.2	60.1	34.83	59.2	0.25	0.375	r50j	o24y
196	0.25	0.375	0.875	259.1	64.87	92.89	59.2	64.39	58.05	59.2	0.125	0.625	r50j	o24y	277	0.375	0.375												

http://130.149.60.45/~farbmetrik/KE62/KE62L0NP.PDF /.PS; start output; Reflection; Lr=0%

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), Page 3/5

See original or copy: <http://web.me.com/klau.s.richter/KE62/KE62L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb} rgb -> olv*3				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				[L*, C* _{ab} , h _{ab}]Fa,d				n _{Fa} c _{Fa} u _{Fa} d _{Fa}				n _{rgb} rgb -> olv*3				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				[L*, C* _{ab} , h _{ab}]Fa,d				n _{Fa} c _{Fa} u _{Fa} d _{Fa}																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
324	0.5	0.0	0.0	30.0	57.46	99.08	46.0	28.73	49.54	46.0	0.5	0.5	r30j	o00y	405	0.625	0.0	0.0	30.0	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y	406	0.625	0.0	0.125	19.1	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y	407	0.625	0.0	0.25	6.6	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y	408	0.625	0.0	0.375	353.4	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y	409	0.625	0.0	0.5	340.9	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y	410	0.625	0.0	0.625	330.0	57.46	99.08	46.0	35.91	61.93	46.0	0.375	0.625	r30j	o00y	411	0.625	0.0	0.75	321.1	57.46	99.08	46.0	43.1	74.31	46.0	0.25	0.75	r30j	o00y	412	0.625	0.0	0.875	313.9	57.46	99.08	46.0	50.28	86.7	46.0	0.125	0.875	r30j	o00y	413	0.625	0.0	1.0	308.2	57.46	99.08	46.0	57.46	99.08	46.0	0.0	1.0	r30j	o00y	414	0.625	0.125	0.0	40.9	58.5	97.82	48.0	36.56	61.14	48.0	0.375	0.625	r33j	o04y	415	0.625	0.125	0.125	30.0	58.5	97.82	48.0	41.17	48.91	48.0	0.375	0.5	r33j	o04y	416	0.625	0.125	0.25	16.1	58.5	97.82	48.0	41.17	48.91	48.0	0.375	0.5	r33j	o04y	417	0.625	0.125	0.375	0.0	58.5	97.82	48.0	41.17	48.91	48.0	0.375	0.5	r33j	o04y	418	0.625	0.125	0.5	343.9	58.5	97.82	48.0	41.17	48.91	48.0	0.375	0.5	r33j	o04y	419	0.625	0.125	0.625	330.0	58.5	97.82	48.0	41.17	48.91	48.0	0.375	0.5	r33j	o04y	420	0.625	0.125	0.75	319.1	58.5	97.82	48.0	48.49	61.14	48.0	0.25	0.625	r33j	o04y	421	0.625	0.125	0.875	310.9	58.5	97.82	48.0	55.8	73.37	48.0	0.125	0.75	r33j	o04y	422	0.625	0.125	1.0	304.7	58.5	97.82	48.0	63.11	85.59	48.0	0.0	0.875	r33j	o04y	423	0.625	0.25	0.0	53.4	61.25	95.24	53.0	38.28	59.52	53.0	0.375	0.625	r41j	o13y	424	0.625	0.25	0.125	43.9	61.25	95.24	53.0	42.55	47.62	53.0	0.375	0.5	r41j	o13y	425	0.625	0.25	0.25	30.0	61.25	95.24	53.0	46.82	35.71	53.0	0.375	0.375	r41j	o13y	426	0.625	0.25	0.375	10.9	61.25	95.24	53.0	46.82	35.71	53.0	0.375	0.375	r41j	o13y	427	0.625	0.25	0.5	349.1	61.25	95.24	53.0	46.82	35.71	53.0	0.375	0.375	r41j	o13y	428	0.625	0.25	0.625	330.0	61.25	95.24	53.0	46.82	35.71	53.0	0.375	0.375	r41j	o13y	429	0.625	0.25	0.75	316.1	61.25	95.24	53.0	54.48	47.62	53.0	0.25	0.5	r41j	o13y	430	0.625	0.25	0.875	306.6	61.25	95.24	53.0	62.14	59.52	53.0	0.125	0.625	r41j	o13y	431	0.625	0.25	1.0	300.0	61.25	95.24	53.0	69.79	71.43	53.0	0.0	0.75	r41j	o13y	432	0.625	0.375	0.0	66.6	64.87	92.89	59.2	40.54	58.05	59.2	0.375	0.625	r50j	o24y	433	0.625	0.375	0.125	60.0	64.87	92.89	59.2	44.36	46.44	59.2	0.375	0.5	r50j	o24y	434	0.625	0.375	0.25	49.1	64.87	92.89	59.2	48.18	34.83	59.2	0.375	0.375	r50j	o24y	435	0.625	0.375	0.375	30.0	64.87	92.89	59.2	51.99	23.22	59.2	0.375	0.25	r50j	o24y	436	0.625	0.375	0.5	0.0	64.87	92.89	59.2	51.99	23.22	59.2	0.375	0.25	r50j	o24y	437	0.625	0.375	0.625	330.0	64.87	92.89	59.2	51.99	23.22	59.2	0.375	0.25	r50j	o24y	438	0.625	0.375	0.75	310.9	64.87	92.89	59.2	60.1	34.83	59.2	0.25	0.375	r50j	o24y	439	0.625	0.375	0.875	300.0	64.87	92.89	59.2	68.21	46.44	59.2	0.125	0.5	r50j	o24y	440	0.625	0.375	1.0	293.4	64.87	92.89	59.2	76.32	58.05	59.2	0.0	0.625	r50j	o24y	441	0.625	0.5	0.0	79.1	69.35	91.97	66.6	43.34	57.48	66.6	0.375	0.625	r61j	o37y	442	0.625	0.5	0.125	76.1	69.35	91.97	66.6	46.6	45.99	66.6	0.375	0.5	r61j	o37y	443	0.625	0.5	0.25	70.9	69.35	91.97	66.6	49.86	34.49	66.6	0.375	0.375	r61j	o37y	444	0.625	0.5	0.375	60.0	69.35	91.97	66.6	53.12	22.99	66.6	0.375	0.25	r61j	o37y	445	0.625	0.5	0.5	30.0	69.35	91.97	66.6	56.37	11.5	66.6	0.375	0.125	r61j	o37y	446	0.625	0.5	0.625	330.0	69.35	91.97	66.6	56.37	11.5	66.6	0.375	0.125	r61j	o37y	447	0.625	0.5	0.75	300.0	69.35	91.97	66.6	65.04	22.99	66.6	0.25	0.25	r61j	o37y	448	0.625	0.5	0.875	289.1	69.35	91.97	66.6	73.71	34.49	66.6	0.125	0.375	r61j	o37y	449	0.625	0.5	1.0	283.9	69.35	91.97	66.6	82.38	45.99	66.6	0.0	0.5	r61j	o37y	450	0.625	0.625	0.0	90.0	74.67	93.41	74.3	46.67	58.38	74.3	0.375	0.625	r72j	o51y	451	0.625	0.625	0.125	90.0	74.67	93.41	74.3	49.26	46.71	74.3	0.375	0.5	r72j	o51y	452	0.625	0.625	0.25	90.0	74.67	93.41	74.3	51.85	35.03	74.3	0.375	0.375	r72j	o51y	453	0.625	0.625	0.375	90.0	74.67	93.41	74.3	54.45	23.35	74.3	0.375	0.25	r72j	o51y	454	0.625	0.625	0.5	90.0	74.67	93.41	74.3	57.04	11.68	74.3	0.375	0.125	r72j	o51y	455	0.625	0.625	0.625	0.0	74.67	93.41	74.3	59.63	0.0	74.3	0.375	0.0	r72j	o51y	456	0.625	0.625	0.75	270.0	74.67	93.41	74.3	68.96	11.68	74.3	0.25	0.125	r72j	o51y	457	0.625	0.625	0.875	270.0	74.67	93.41	74.3	78.3	23.35	74.3	0.125	0.25	r72j	o51y	458	0.625	0.625	1.0	270.0	74.67	93.41	74.3	87.63	35.03	74.3	0.0	0.375	r72j	o51y	459	0.625	0.75	0.0	98.9	81.54	98.27	82.8	61.15	73.7	82.8	0.25	0.75	r85j	o67y	460	0.625	0.75	0.125	100.9	81.54	98.27	82.8	62.89	61.42	82.8	0.25	0.625	r85j	o67y	461	0.625	0.75	0.25	103.9	81.54	98.27	82.8	64.62	49.13	82.8	0.25	0.5	r85j	o67y	462	0.625	0.75	0.375	109.1	81.54	98.27	82.8	66.36	36.85	82.8	0.25	0.375	r85j	o67y	463	0.625	0.75	0.5	120.0	81.54	98.27	82.8	68.09	24.57	82.8	0.25	0.25	r85j	o67y	464	0.625	0.75	0.625	150.0	81.54	98.27	82.8	69.82	12.28	82.8	0.25	0.125	r85j	o67y	465	0.625	0.75	0.75	210.0	81.54	98.27	82.8	69.82	12.28	82.8	0.25	0.125	r85j	o67y	466	0.625	0.75	0.875	240.0	81.54	98.27	82.8	80.02	24.57	82.8	0.125	0.25	r85j	o67y	467	0.625	0.75	1.0	250.9	81.54	98.27	82.8	90.21	36.85	82.8	0.0	0.375	r85j	o67y	468	0.625	0.875	0.0	106.1	91.81	109.55	91.4	80.33	95.86	91.4	0.125	0.875	r98j	o82y	469	0.625	0.875	0.125	109.1	91.81	109.55	91.4	80.78	82.16	91.4	0.125	0.75	r98j	o82y	470	0.625	0.875	0.25	113.4	91.81	109.55	91.4	81.23	68.47	91.4	0.125	0.625	r98j	o82y	471	0.625	0.875	0.375	120.0	91.81	109.55	91.4	81.68	54.78	91.4	0.125	0.5	r98j	o82y	472	0.625	0.875	0.5	141.3	91.81	109.55	91.4	82.13	41.08	91.4	0.125	0.375	r98j	o82y	473	0.625	0.875	0.625	150.0	91.81	109.55	91.4	82.58	27.39	91.4	0.125	0.25	r98j	o82y	474	0.625	0.875	0.75	180.0	91.81	109.55	91.4	82.58	27.39	91.4	0.125	0.25	r98j	o82y	475	0.625	0.875	0.875	210.0	91.81	109.55	91.4	82.58	27.39	91.4	0.125	0.25

n _{rgb}	rgb → olv ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,d	[L*, C* _{ab} , h _{ab}]Fa,d	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}	n _{rgb}	rgb → olv ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,d	[L*, C* _{ab} , h _{ab}]Fa,d	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}
486	0.75 0.0 0.0	30.0	57.46 99.08 46.0	43.1 74.31 46.0	0.25	0.75	r30j	o00y	567	0.875 0.0 0.0	30.0	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y
487	0.75 0.0 0.125	21.0	57.46 99.08 46.0	43.1 74.31 46.0	0.25	0.75	r30j	o00y	568	0.875 0.0 0.125	22.4	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y
488	0.75 0.0 0.25	10.9	57.46 99.08 46.0	43.1 74.31 46.0	0.25	0.75	r30j	o00y	569	0.875 0.0 0.25	13.9	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y
489	0.75 0.0 0.375	0.0	57.46 99.08 46.0	43.1 74.31 46.0	0.25	0.75	r30j	o00y	570	0.875 0.0 0.375	4.7	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y
490	0.75 0.0 0.5	349.1	57.46 99.08 46.0	43.1 74.31 46.0	0.25	0.75	r30j	o00y	571	0.875 0.0 0.5	355.3	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y
491	0.75 0.0 0.625	339.0	57.46 99.08 46.0	43.1 74.31 46.0	0.25	0.75	r30j	o00y	572	0.875 0.0 0.625	346.1	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y
492	0.75 0.0 0.75	330.0	57.46 99.08 46.0	43.1 74.31 46.0	0.25	0.75	r30j	o00y	573	0.875 0.0 0.75	337.6	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y
493	0.75 0.0 0.875	322.4	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y	574	0.875 0.0 0.875	330.0	57.46 99.08 46.0	50.28 86.7 46.0	0.125	0.875	r30j	o00y
494	0.75 0.0 1.0	316.1	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y	575	0.875 0.0 1.0	323.4	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
495	0.75 0.125 0.0	38.9	58.5 97.82 48.0	43.87 73.37 48.0	0.25	0.75	r33j	o04y	576	0.875 0.125 0.0	37.6	58.5 97.82 48.0	51.18 85.59 48.0	0.125	0.875	r33j	o04y
496	0.75 0.125 0.125	30.0	58.5 97.82 48.0	48.49 61.14 48.0	0.25	0.625	r33j	o04y	577	0.875 0.125 0.125	30.0	58.5 97.82 48.0	55.8 73.37 48.0	0.125	0.75	r33j	o04y
497	0.75 0.125 0.25	19.1	58.5 97.82 48.0	48.49 61.14 48.0	0.25	0.625	r33j	o04y	578	0.875 0.125 0.25	21.0	58.5 97.82 48.0	55.8 73.37 48.0	0.125	0.75	r33j	o04y
498	0.75 0.125 0.375	6.6	58.5 97.82 48.0	48.49 61.14 48.0	0.25	0.625	r33j	o04y	579	0.875 0.125 0.375	10.9	58.5 97.82 48.0	55.8 73.37 48.0	0.125	0.75	r33j	o04y
499	0.75 0.125 0.5	353.4	58.5 97.82 48.0	48.49 61.14 48.0	0.25	0.625	r33j	o04y	580	0.875 0.125 0.5	0.0	58.5 97.82 48.0	55.8 73.37 48.0	0.125	0.75	r33j	o04y
500	0.75 0.125 0.625	340.9	58.5 97.82 48.0	48.49 61.14 48.0	0.25	0.625	r33j	o04y	581	0.875 0.125 0.625	349.1	58.5 97.82 48.0	55.8 73.37 48.0	0.125	0.75	r33j	o04y
501	0.75 0.125 0.75	330.0	58.5 97.82 48.0	48.49 61.14 48.0	0.25	0.625	r33j	o04y	582	0.875 0.125 0.75	339.0	58.5 97.82 48.0	55.8 73.37 48.0	0.125	0.75	r33j	o04y
502	0.75 0.125 0.875	321.1	58.5 97.82 48.0	55.8 73.37 48.0	0.125	0.75	r33j	o04y	583	0.875 0.125 0.875	330.0	58.5 97.82 48.0	55.8 73.37 48.0	0.125	0.75	r33j	o04y
503	0.75 0.125 1.0	313.9	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y	584	0.875 0.125 1.0	322.4	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
504	0.75 0.25 0.0	49.1	61.25 95.24 53.0	45.94 71.43 53.0	0.25	0.75	r41j	o13y	585	0.875 0.25 0.0	46.1	61.25 95.24 53.0	53.6 83.33 53.0	0.125	0.875	r41j	o13y
505	0.75 0.25 0.125	40.9	61.25 95.24 53.0	50.21 59.52 53.0	0.25	0.625	r41j	o13y	586	0.875 0.25 0.125	38.9	61.25 95.24 53.0	57.87 71.43 53.0	0.125	0.75	r41j	o13y
506	0.75 0.25 0.25	30.0	61.25 95.24 53.0	54.48 47.62 53.0	0.25	0.5	r41j	o13y	587	0.875 0.25 0.25	30.0	61.25 95.24 53.0	62.14 59.52 53.0	0.125	0.625	r41j	o13y
507	0.75 0.25 0.375	16.1	61.25 95.24 53.0	54.48 47.62 53.0	0.25	0.5	r41j	o13y	588	0.875 0.25 0.375	19.1	61.25 95.24 53.0	62.14 59.52 53.0	0.125	0.625	r41j	o13y
508	0.75 0.25 0.5	0.0	61.25 95.24 53.0	54.48 47.62 53.0	0.25	0.5	r41j	o13y	589	0.875 0.25 0.5	6.6	61.25 95.24 53.0	62.14 59.52 53.0	0.125	0.625	r41j	o13y
509	0.75 0.25 0.625	343.9	61.25 95.24 53.0	54.48 47.62 53.0	0.25	0.5	r41j	o13y	590	0.875 0.25 0.625	353.4	61.25 95.24 53.0	62.14 59.52 53.0	0.125	0.625	r41j	o13y
510	0.75 0.25 0.75	330.0	61.25 95.24 53.0	54.48 47.62 53.0	0.25	0.5	r41j	o13y	591	0.875 0.25 0.75	340.9	61.25 95.24 53.0	62.14 59.52 53.0	0.125	0.625	r41j	o13y
511	0.75 0.25 0.875	319.1	61.25 95.24 53.0	62.14 59.52 53.0	0.125	0.625	r41j	o13y	592	0.875 0.25 0.875	330.0	61.25 95.24 53.0	62.14 59.52 53.0	0.125	0.625	r41j	o13y
512	0.75 0.25 1.0	310.9	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y	593	0.875 0.25 1.0	321.1	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y
513	0.75 0.375 0.0	60.0	64.87 92.89 59.2	48.65 69.67 59.2	0.25	0.75	r50j	o24y	594	0.875 0.375 0.0	55.3	64.87 92.89 59.2	56.76 81.28 59.2	0.125	0.875	r50j	o24y
514	0.75 0.375 0.125	53.4	64.87 92.89 59.2	52.47 58.05 59.2	0.25	0.625	r50j	o24y	595	0.875 0.375 0.125	49.1	64.87 92.89 59.2	60.58 69.67 59.2	0.125	0.75	r50j	o24y
515	0.75 0.375 0.25	43.9	64.87 92.89 59.2	56.28 46.44 59.2	0.25	0.5	r50j	o24y	596	0.875 0.375 0.25	40.9	64.87 92.89 59.2	64.39 58.05 59.2	0.125	0.625	r50j	o24y
516	0.75 0.375 0.375	30.0	64.87 92.89 59.2	60.1 34.83 59.2	0.25	0.375	r50j	o24y	597	0.875 0.375 0.375	30.0	64.87 92.89 59.2	68.21 46.44 59.2	0.125	0.5	r50j	o24y
517	0.75 0.375 0.5	10.9	64.87 92.89 59.2	60.1 34.83 59.2	0.25	0.375	r50j	o24y	598	0.875 0.375 0.5	16.1	64.87 92.89 59.2	68.21 46.44 59.2	0.125	0.5	r50j	o24y
518	0.75 0.375 0.625	349.1	64.87 92.89 59.2	60.1 34.83 59.2	0.25	0.375	r50j	o24y	599	0.875 0.375 0.625	0.0	64.87 92.89 59.2	68.21 46.44 59.2	0.125	0.5	r50j	o24y
519	0.75 0.375 0.75	330.0	64.87 92.89 59.2	60.1 34.83 59.2	0.25	0.375	r50j	o24y	600	0.875 0.375 0.75	343.9	64.87 92.89 59.2	68.21 46.44 59.2	0.125	0.5	r50j	o24y
520	0.75 0.375 0.875	316.1	64.87 92.89 59.2	68.21 46.44 59.2	0.125	0.5	r50j	o24y	601	0.875 0.375 0.875	330.0	64.87 92.89 59.2	68.21 46.44 59.2	0.125	0.5	r50j	o24y
521	0.75 0.375 1.0	306.6	64.87 92.89 59.2	76.32 58.05 59.2	0.0	0.625	r50j	o24y	602	0.875 0.375 1.0	319.1	64.87 92.89 59.2	76.32 58.05 59.2	0.0	0.625	r50j	o24y
522	0.75 0.5 0.0	70.9	69.35 91.97 66.6	52.01 68.98 66.6	0.25	0.75	r61j	o37y	603	0.875 0.5 0.0	64.7	69.35 91.97 66.6	60.68 80.48 66.6	0.125	0.875	r61j	o37y
523	0.75 0.5 0.125	66.6	69.35 91.97 66.6	55.27 57.48 66.6	0.25	0.625	r61j	o37y	604	0.875 0.5 0.125	60.0	69.35 91.97 66.6	63.94 68.98 66.6	0.125	0.75	r61j	o37y
524	0.75 0.5 0.25	60.0	69.35 91.97 66.6	58.53 45.99 66.6	0.25	0.5	r61j	o37y	605	0.875 0.5 0.25	53.4	69.35 91.97 66.6	67.19 57.48 66.6	0.125	0.625	r61j	o37y
525	0.75 0.5 0.375	49.1	69.35 91.97 66.6	61.78 34.49 66.6	0.25	0.375	r61j	o37y	606	0.875 0.5 0.375	43.9	69.35 91.97 66.6	70.45 45.99 66.6	0.125	0.5	r61j	o37y
526	0.75 0.5 0.5	30.0	69.35 91.97 66.6	65.04 22.99 66.6	0.25	0.25	r61j	o37y	607	0.875 0.5 0.5	30.0	69.35 91.97 66.6	73.71 34.49 66.6	0.125	0.375	r61j	o37y
527	0.75 0.5 0.625	0.0	69.35 91.97 66.6	65.04 22.99 66.6	0.25	0.25	r61j	o37y	608	0.875 0.5 0.625	10.9	69.35 91.97 66.6	73.71 34.49 66.6	0.125	0.375	r61j	o37y
528	0.75 0.5 0.75	330.0															

See original or copy: <http://web.me.com/klaus.richter/KE62/KE62L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb -> olv*	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	[L*, C* _{ab} , h _{ab}] _{Fa,d}	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}
648	1.0 0.0 0.0	30.0	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
649	1.0 0.0 0.125	23.4	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
650	1.0 0.0 0.25	16.1	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
651	1.0 0.0 0.375	8.2	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
652	1.0 0.0 0.5	0.0	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
653	1.0 0.0 0.625	351.8	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
654	1.0 0.0 0.75	343.9	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
655	1.0 0.0 0.875	336.6	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
656	1.0 0.0 1.0	330.0	57.46 99.08 46.0	57.46 99.08 46.0	0.0	1.0	r30j	o00y
657	1.0 0.125 0.0	36.6	58.5 97.82 48.0	58.5 97.82 48.0	0.0	1.0	r33j	o04y
658	1.0 0.125 0.125	30.0	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
659	1.0 0.125 0.25	22.4	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
660	1.0 0.125 0.375	13.9	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
661	1.0 0.125 0.5	4.7	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
662	1.0 0.125 0.625	355.3	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
663	1.0 0.125 0.75	346.1	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
664	1.0 0.125 0.875	337.6	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
665	1.0 0.125 1.0	330.0	58.5 97.82 48.0	63.11 85.59 48.0	0.0	0.875	r33j	o04y
666	1.0 0.25 0.0	43.9	61.25 95.24 53.0	61.25 95.24 53.0	0.0	1.0	r41j	o13y
667	1.0 0.25 0.125	37.6	61.25 95.24 53.0	65.52 83.33 53.0	0.0	0.875	r41j	o13y
668	1.0 0.25 0.25	30.0	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y
669	1.0 0.25 0.375	21.0	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y
670	1.0 0.25 0.5	10.9	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y
671	1.0 0.25 0.625	0.0	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y
672	1.0 0.25 0.75	349.1	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y
673	1.0 0.25 0.875	339.0	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y
674	1.0 0.25 1.0	330.0	61.25 95.24 53.0	69.79 71.43 53.0	0.0	0.75	r41j	o13y
675	1.0 0.375 0.0	51.8	64.87 92.89 59.2	64.87 92.89 59.2	0.0	1.0	r50j	o24y
676	1.0 0.375 0.125	46.1	64.87 92.89 59.2	68.68 81.28 59.2	0.0	0.875	r50j	o24y
677	1.0 0.375 0.25	38.9	64.87 92.89 59.2	72.5 69.67 59.2	0.0	0.75	r50j	o24y
678	1.0 0.375 0.375	30.0	64.87 92.89 59.2	76.32 58.05 59.2	0.0	0.625	r50j	o24y
679	1.0 0.375 0.5	19.1	64.87 92.89 59.2	76.32 58.05 59.2	0.0	0.625	r50j	o24y
680	1.0 0.375 0.625	6.6	64.87 92.89 59.2	76.32 58.05 59.2	0.0	0.625	r50j	o24y
681	1.0 0.375 0.75	353.4	64.87 92.89 59.2	76.32 58.05 59.2	0.0	0.625	r50j	o24y
682	1.0 0.375 0.875	340.9	64.87 92.89 59.2	76.32 58.05 59.2	0.0	0.625	r50j	o24y
683	1.0 0.375 1.0	330.0	64.87 92.89 59.2	76.32 58.05 59.2	0.0	0.625	r50j	o24y
684	1.0 0.5 0.0	60.0	69.35 91.97 66.6	69.35 91.97 66.6	0.0	1.0	r61j	o37y
685	1.0 0.5 0.125	55.3	69.35 91.97 66.6	72.6 80.48 66.6	0.0	0.875	r61j	o37y
686	1.0 0.5 0.25	49.1	69.35 91.97 66.6	75.86 68.98 66.6	0.0	0.75	r61j	o37y
687	1.0 0.5 0.375	40.9	69.35 91.97 66.6	79.12 57.48 66.6	0.0	0.625	r61j	o37y
688	1.0 0.5 0.5	30.0	69.35 91.97 66.6	82.38 45.99 66.6	0.0	0.5	r61j	o37y
689	1.0 0.5 0.625	16.1	69.35 91.97 66.6	82.38 45.99 66.6	0.0	0.5	r61j	o37y
690	1.0 0.5 0.75	0.0	69.35 91.97 66.6	82.38 45.99 66.6	0.0	0.5	r61j	o37y
691	1.0 0.5 0.875	343.9	69.35 91.97 66.6	82.38 45.99 66.6	0.0	0.5	r61j	o37y
692	1.0 0.5 1.0	330.0	69.35 91.97 66.6	82.38 45.99 66.6	0.0	0.5	r61j	o37y
693	1.0 0.625 0.0	68.2	74.67 93.41 74.3	74.67 93.41 74.3	0.0	1.0	r72j	o51y
694	1.0 0.625 0.125	64.7	74.67 93.41 74.3	77.26 81.74 74.3	0.0	0.875	r72j	o51y
695	1.0 0.625 0.25	60.0	74.67 93.41 74.3	79.86 70.06 74.3	0.0	0.75	r72j	o51y
696	1.0 0.625 0.375	53.4	74.67 93.41 74.3	82.45 58.38 74.3	0.0	0.625	r72j	o51y
697	1.0 0.625 0.5	43.9	74.67 93.41 74.3	85.04 46.71 74.3	0.0	0.5	r72j	o51y
698	1.0 0.625 0.625	30.0	74.67 93.41 74.3	87.63 35.03 74.3	0.0	0.375	r72j	o51y
699	1.0 0.625 0.75	10.9	74.67 93.41 74.3	87.63 35.03 74.3	0.0	0.375	r72j	o51y
700	1.0 0.625 0.875	349.1	74.67 93.41 74.3	87.63 35.03 74.3	0.0	0.375	r72j	o51y
701	1.0 0.625 1.0	330.0	74.67 93.41 74.3	87.63 35.03 74.3	0.0	0.375	r72j	o51y
702	1.0 0.75 0.0	76.1	81.54 98.27 82.8	81.54 98.27 82.8	0.0	1.0	r85j	o67y
703	1.0 0.75 0.125	73.9	81.54 98.27 82.8	83.27 85.98 82.8	0.0	0.875	r85j	o67y
704	1.0 0.75 0.25	70.9	81.54 98.27 82.8	85.01 73.7 82.8	0.0	0.75	r85j	o67y
705	1.0 0.75 0.375	66.6	81.54 98.27 82.8	86.74 61.42 82.8	0.0	0.625	r85j	o67y
706	1.0 0.75 0.5	60.0	81.54 98.27 82.8	88.47 49.13 82.8	0.0	0.5	r85j	o67y
707	1.0 0.75 0.625	49.0	81.54 98.27 82.8	90.21 36.85 82.8	0.0	0.375	r85j	o67y
708	1.0 0.75 0.75	30.0	81.54 98.27 82.8	91.94 24.57 82.8	0.0	0.25	r85j	o67y
709	1.0 0.75 0.875	0.0	81.54 98.27 82.8	91.94 24.57 82.8	0.0	0.25	r85j	o67y
710	1.0 0.75 1.0	330.0	81.54 98.27 82.8	91.94 24.57 82.8	0.0	0.25	r85j	o67y
711	1.0 0.875 0.0	83.4	91.81 109.55 91.4	91.81 109.55 91.4	0.0	1.0	r98j	o82y
712	1.0 0.875 0.125	82.4	91.81 109.55 91.4	92.26 95.86 91.4	0.0	0.875	r98j	o82y
713	1.0 0.875 0.25	81.0	91.81 109.55 91.4	92.71 82.16 91.4	0.0	0.75	r98j	o82y
714	1.0 0.875 0.375	79.1	91.81 109.55 91.4	93.16 68.47 91.4	0.0	0.625	r98j	o82y
715	1.0 0.875 0.5	76.1	91.81 109.55 91.4	93.61 54.78 91.4	0.0	0.5	r98j	o82y
716	1.0 0.875 0.625	70.9	91.81 109.55 91.4	94.06 41.08 91.4	0.0	0.375	r98j	o82y
717	1.0 0.875 0.75	60.0	91.81 109.55 91.4	94.51 27.39 91.4	0.0	0.25	r98j	o82y
718	1.0 0.875 0.875	30.0	91.81 109.55 91.4	94.96 13.69 91.4	0.0	0.125	r98j	o82y
719	1.0 0.875 1.0	330.0	91.81 109.55 91.4	94.96 13.69 91.4	0.0	0.125	r98j	o82y
720	1.0 1.0 0.0	90.0	90.07 110.84 101.2	90.07 110.84 101.2	0.0	1.0	i13g	y00l
721	1.0 1.0 0.125	90.0	90.07 110.84 101.2	90.74 96.99 101.2	0.0	0.875	i13g	y00l
722	1.0 1.0 0.25	90.0	90.07 110.84 101.2	91.41 83.13 101.2	0.0	0.75	i13g	y00l
723	1.0 1.0 0.375	90.0	90.07 110.84 101.2	92.07 69.28 101.2	0.0	0.625	i13g	y00l
724	1.0 1.0 0.5	90.0	90.07 110.84 101.2	92.74 55.42 101.2	0.0	0.5	i13g	y00l
725	1.0 1.0 0.625	90.0	90.07 110.84 101.2	93.41 41.57 101.2	0.0	0.375	i13g	y00l
726	1.0 1.0 0.75	90.0	90.07 110.84 101.2	94.07 27.71 101.2	0.0	0.25	i13g	y00l
727	1.0 1.0 0.875	90.0	90.07 110.84 101.2	94.74 13.86 101.2	0.0	0.125	i13g	y00l
728	1.0 1.0 1.0	90.0	90.07 110.84 101.2	95.41 0.0 101.2	0.0	0.0	i13g	y00l

KE620-7N, 1, table rgb->olv*3 - LCH*a of 729 colours of 9x9x9 (=729) colour grid; device colour coordinates olv*3; display reflection Lr=0%; Page 5/5

TUB-test chart KE62; 729 olv* colours of 9x9x9 grid
LECD display: CIELAB data of colours Ma and Fa

input: *rgb->olv* setrgbcolor*
output: *no change compared to input*

TUB registration: 20100801-KE62/KE62L0NP.PDF /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta