

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}								
0	0.0	0.0	0.0	51.73	83.56	357.0	81	0.125	0.0	0.0	30.0	50.49	87.89	25.5	243	0.375	0.0	0.0	30.0	50.49	87.89	25.5	
1	0.0	0.0	0.125	58.86	59.98	271.8	82	0.125	0.0	0.125	330.0	56.14	111.42	328.6	244	0.375	0.0	0.125	10.9	51.14	82.0	7.4	
2	0.0	0.0	0.25	58.87	59.96	271.8	83	0.125	0.0	0.25	300.0	37.1	111.66	300.2	245	0.375	0.0	0.25	349.1	52.61	88.87	346.7	
3	0.0	0.0	0.375	58.87	59.95	271.8	84	0.125	0.0	0.375	289.1	47.13	84.48	289.9	246	0.375	0.0	0.375	330.0	56.15	111.44	328.6	
4	0.0	0.0	0.5	58.88	59.95	271.7	85	0.125	0.0	0.5	283.9	50.87	75.96	284.9	247	0.375	0.0	0.5	316.1	43.78	120.43	315.4	
5	0.0	0.0	0.625	58.88	59.95	271.7	86	0.125	0.0	0.625	280.9	53.0	71.13	282.1	248	0.375	0.0	0.625	306.6	29.92	134.6	306.4	
6	0.0	0.0	0.75	58.88	59.94	271.7	87	0.125	0.0	0.75	279.0	54.05	69.13	280.2	249	0.375	0.0	0.75	300.0	37.12	111.61	300.2	
7	0.0	0.0	0.875	58.88	59.94	271.7	88	0.125	0.0	0.875	277.6	54.78	67.74	278.9	250	0.375	0.0	0.875	295.3	41.84	98.27	295.7	
8	0.0	0.0	1.0	58.88	59.94	271.7	89	0.125	0.0	1.0	276.6	55.32	66.71	278.0	251	0.375	0.0	1.0	291.8	44.98	89.84	292.4	
9	0.0	0.125	0.0	150.0	85.38	66.25	162.2	90	0.125	0.125	0.0	90.0	83.42	100.03	92.3	171	0.25	0.125	0.0	60.0	59.6	85.9	46.7
10	0.0	0.125	0.125	210.0	79.69	45.34	217.0	91	0.125	0.125	0.125	0.0	51.73	83.56	357.0	172	0.25	0.125	0.125	30.0	50.49	87.89	25.5
11	0.0	0.125	0.25	240.0	70.01	46.71	244.4	92	0.125	0.125	0.25	270.0	58.86	59.98	271.8	173	0.25	0.125	0.25	330.0	56.14	111.42	328.6
12	0.0	0.125	0.375	250.9	66.53	49.04	254.3	93	0.125	0.125	0.375	270.0	58.87	59.96	271.8	174	0.25	0.125	0.375	300.0	37.1	111.66	300.2
13	0.0	0.125	0.5	256.1	64.49	51.87	259.1	94	0.125	0.125	0.5	270.0	58.87	59.95	271.7	175	0.25	0.125	0.5	289.1	47.13	84.48	289.9
14	0.0	0.125	0.625	259.1	63.31	53.5	261.8	95	0.125	0.125	0.625	270.0	58.88	59.95	271.7	176	0.25	0.125	0.625	283.9	50.87	75.96	284.9
15	0.0	0.125	0.75	261.1	62.54	54.56	263.6	96	0.125	0.125	0.75	270.0	58.88	59.95	271.7	177	0.25	0.125	0.75	280.9	53.0	71.13	282.1
16	0.0	0.125	0.875	262.4	62.01	55.3	264.8	97	0.125	0.125	0.875	270.0	58.88	59.94	271.7	178	0.25	0.125	0.875	279.0	54.05	69.13	280.2
17	0.0	0.125	1.0	263.4	61.61	55.84	265.7	98	0.125	0.125	1.0	270.0	58.88	59.94	271.7	179	0.25	0.125	1.0	277.6	54.78	67.74	278.9
18	0.0	0.25	0.0	150.0	85.38	66.24	162.2	99	0.125	0.25	0.0	120.0	85.02	122.25	127.2	180	0.25	0.25	0.0	90.0	83.45	100.06	92.3
19	0.0	0.25	0.125	180.0	86.72	51.09	189.6	100	0.125	0.25	0.125	150.0	85.38	66.25	162.2	181	0.25	0.25	0.125	90.0	83.42	100.03	92.3
20	0.0	0.25	0.25	210.0	79.7	45.34	217.0	101	0.125	0.25	0.25	210.0	79.69	45.34	217.0	182	0.25	0.25	0.25	0.0	51.73	83.56	357.0
21	0.0	0.25	0.375	229.1	73.46	44.48	234.4	102	0.125	0.25	0.375	240.0	70.01	46.71	244.4	183	0.25	0.25	0.375	270.0	58.86	59.98	271.8
22	0.0	0.25	0.5	240.0	70.01	46.71	244.4	103	0.125	0.25	0.5	250.9	66.53	49.04	254.3	184	0.25	0.25	0.5	270.0	58.87	59.96	271.8
23	0.0	0.25	0.625	246.6	67.92	48.06	250.4	104	0.125	0.25	0.625	256.1	64.49	51.87	259.1	185	0.25	0.25	0.625	270.0	58.87	59.95	271.8
24	0.0	0.25	0.75	250.9	66.54	49.03	254.3	105	0.125	0.25	0.75	259.1	63.31	53.5	261.8	186	0.25	0.25	0.75	270.0	58.88	59.95	271.7
25	0.0	0.25	0.875	253.9	65.36	50.67	257.0	106	0.125	0.25	0.875	261.1	62.54	54.56	263.6	187	0.25	0.25	0.875	270.0	58.88	59.95	271.7
26	0.0	0.25	1.0	256.1	64.49	51.87	259.1	107	0.125	0.25	1.0	262.4	62.01	55.3	264.8	188	0.25	0.25	1.0	270.0	58.88	59.94	271.7
27	0.0	0.375	0.0	150.0	85.38	66.24	162.2	108	0.125	0.375	0.0	130.9	84.32	102.2	139.9	189	0.25	0.375	0.0	109.1	88.53	112.38	114.6
28	0.0	0.375	0.125	169.1	86.24	55.24	179.7	109	0.125	0.375	0.125	150.0	85.38	66.24	162.2	190	0.25	0.375	0.125	120.0	85.02	122.25	127.2
29	0.0	0.375	0.25	190.9	86.0	47.76	199.5	110	0.125	0.375	0.25	180.0	86.72	51.09	189.6	191	0.25	0.375	0.25	150.0	85.38	66.25	162.2
30	0.0	0.375	0.375	210.0	79.7	45.34	217.0	111	0.125	0.375	0.375	210.0	79.7	45.34	217.0	192	0.25	0.375	0.375	210.0	79.69	45.34	217.0
31	0.0	0.375	0.5	223.9	75.12	43.58	229.7	112	0.125	0.375	0.5	229.1	73.46	44.48	234.4	193	0.25	0.375	0.5	240.0	70.01	46.71	244.4
32	0.0	0.375	0.625	233.4	72.1	45.36	238.4	113	0.125	0.375	0.625	240.0	70.01	46.71	244.4	194	0.25	0.375	0.625	250.9	66.53	49.04	254.3
33	0.0	0.375	0.75	240.0	70.01	46.71	244.4	114	0.125	0.375	0.75	246.6	67.92	48.06	250.4	195	0.25	0.375	0.75	256.1	64.49	51.87	259.1
34	0.0	0.375	0.875	244.7	68.52	47.67	248.7	115	0.125	0.375	0.875	250.9	66.54	49.03	254.3	196	0.25	0.375	0.875	259.1	63.31	53.5	261.8
35	0.0	0.375	1.0	248.2	67.41	48.39	251.9	116	0.125	0.375	1.0	253.9	65.36	50.67	257.0	197	0.25	0.375	1.0	261.1	62.54	54.56	263.6
36	0.0	0.5	0.0	150.0	85.38	66.23	162.2	117	0.125	0.5	0.0	136.1	84.59	89.06	146.0	198	0.25	0.5	0.0	120.0	85.02	122.27	127.3
37	0.0	0.5	0.125	163.9	86.01	57.22	174.9	118	0.125	0.5	0.125	150.0	85.38	66.24	162.2	199	0.25	0.5	0.125	130.9	84.32	102.2	139.9
38	0.0	0.5	0.25	180.0	86.72	51.09	189.6	119	0.125	0.5	0.25	169.1	86.24	55.24	179.7	200	0.25	0.5	0.25	150.0	85.38	66.24	162.2
39	0.0	0.5	0.375	196.1	84.28	47.1	204.3	120	0.125	0.5	0.375	190.9	86.0	47.76	199.5	201	0.25	0.5	0.375	180.0	86.72	51.09	189.6
40	0.0	0.5	0.5	210.0	79.7	45.34	217.0	121	0.125	0.5	0.5	210.0	79.7	45.34	217.0	202	0.25	0.5	0.5	210.0	79.7	45.34	217.0
41	0.0	0.5	0.625	220.9	76.11	43.96	226.9	122	0.125	0.5	0.625	223.9	75.12	43.58	229.7	203	0.25	0.5	0.625	229.1	73.46	44.48	234.4
42	0.0	0.5	0.75	229.1	73.46	44.48	234.4	123	0.125	0.5	0.75	233.4	72.1	45.36	238.4	204	0.25	0.5	0.75	240.0	70.01	46.71	244.4
43	0.0	0.5	0.875	235.3	71.5	45.74	240.																

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e							
324	0.5	0.0	0.0	30.0	50.49	87.89	25.5	405	0.625	0.0	0.0	30.0	50.49	87.89	25.5	486	0.75	0.0	0.0	30.0	50.49	87.89	25.5	567	0.875	0.0	0.0	30.0	50.49	87.89	25.5	648	1.0	0.0	0.0	30.0	50.49	87.89	25.5
325	0.5	0.0	0.125	16.1	50.92	82.59	12.3	406	0.625	0.0	0.125	19.1	50.82	83.22	15.1	487	0.75	0.0	0.125	21.0	50.75	83.63	17.0	568	0.875	0.0	0.125	22.4	50.7	83.92	18.3	649	1.0	0.0	0.125	23.8	50.6	84.23	19.6
326	0.5	0.0	0.25	0.0	51.73	83.56	357.0	407	0.625	0.0	0.25	6.6	51.35	82.38	3.3	488	0.75	0.0	0.25	10.9	51.14	82.0	7.4	569	0.875	0.0	0.25	13.9	51.0	82.12	10.2	650	1.0	0.0	0.25	17.8	50.8	82.33	14.1
327	0.5	0.0	0.375	343.9	53.19	92.86	341.8	408	0.625	0.0	0.375	353.4	52.2	86.12	350.8	489	0.75	0.0	0.375	0.0	51.73	83.56	357.0	570	0.875	0.0	0.375	4.7	51.45	82.54	1.5	651	1.0	0.0	0.375	9.4	51.26	82.85	6.1
328	0.5	0.0	0.5	330.0	56.15	111.45	328.6	409	0.625	0.0	0.5	340.9	53.62	95.81	338.9	490	0.75	0.0	0.5	349.1	52.61	88.87	346.7	571	0.875	0.0	0.5	355.3	52.07	85.39	352.6	652	1.0	0.0	0.5	361.5	51.88	85.70	358.8
329	0.5	0.0	0.625	319.1	47.25	117.97	318.3	410	0.625	0.0	0.625	330.0	56.15	111.45	328.6	491	0.75	0.0	0.625	339.0	53.9	97.72	337.1	572	0.875	0.0	0.625	346.1	52.89	90.81	343.9	653	1.0	0.0	0.625	353.1	52.09	87.82	351.0
330	0.5	0.0	0.75	310.9	36.96	126.33	310.5	411	0.625	0.0	0.75	321.1	49.4	116.86	320.1	492	0.75	0.0	0.75	330.0	56.15	111.45	328.6	573	0.875	0.0	0.75	337.6	54.22	93.69	335.8	654	1.0	0.0	0.75	344.6	53.39	91.93	341.6
331	0.5	0.0	0.875	304.7	31.55	128.41	304.6	412	0.625	0.0	0.875	313.9	41.06	122.56	313.4	493	0.75	0.0	0.875	322.4	50.88	116.12	321.4	574	0.875	0.0	0.875	330.0	56.15	111.45	328.6	655	1.0	0.0	0.875	337.0	53.39	92.97	333.7
332	0.5	0.0	1.0	300.0	37.12	111.61	300.2	413	0.625	0.0	1.0	308.2	32.8	131.03	308.0	494	0.75	0.0	1.0	316.4	43.77	120.44	315.4	575	0.875	0.0	1.0	323.4	51.89	115.81	322.4	656	1.0	0.0	1.0	330.4	53.67	94.99	329.1
333	0.5	0.125	0.0	43.9	50.16	102.85	40.9	414	0.625	0.125	0.0	40.9	50.21	97.94	37.6	495	0.75	0.125	0.0	38.9	50.24	95.02	35.4	576	0.875	0.125	0.0	37.6	50.28	93.94	33.9	657	1.0	0.125	0.0	46.1	50.13	90.67	43.4
334	0.5	0.125	0.125	30.0	50.49	87.89	25.5	415	0.625	0.125	0.125	30.0	50.49	87.89	25.5	496	0.75	0.125	0.125	30.0	50.49	87.89	25.5	577	0.875	0.125	0.125	30.0	50.49	87.89	25.5	658	1.0	0.125	0.125	30.0	50.49	87.89	25.5
335	0.5	0.125	0.25	10.9	51.14	82.0	7.4	416	0.625	0.125	0.25	16.1	50.92	82.59	12.3	497	0.75	0.125	0.25	19.1	50.82	83.22	15.1	578	0.875	0.125	0.25	21.0	50.75	83.63	17.0	659	1.0	0.125	0.25	23.8	50.6	84.23	19.6
336	0.5	0.125	0.375	349.1	52.61	88.87	346.7	417	0.625	0.125	0.375	360.0	51.73	83.56	357.0	498	0.75	0.125	0.375	6.6	51.35	82.38	3.3	579	0.875	0.125	0.375	10.9	51.14	82.0	7.4	660	1.0	0.125	0.375	17.8	50.8	82.33	14.1
337	0.5	0.125	0.5	330.0	56.15	111.44	328.6	418	0.625	0.125	0.5	343.9	53.19	92.86	341.8	499	0.75	0.125	0.5	353.4	52.2	86.12	350.8	580	0.875	0.125	0.5	359.3	52.07	85.39	352.6	661	1.0	0.125	0.5	365.3	51.88	85.70	358.8
338	0.5	0.125	0.625	316.1	43.78	120.43	315.4	419	0.625	0.125	0.625	330.0	56.15	111.45	328.6	500	0.75	0.125	0.625	339.0	53.92	95.81	338.9	581	0.875	0.125	0.625	346.1	52.89	90.81	343.9	662	1.0	0.125	0.625	353.1	52.09	87.82	351.0
339	0.5	0.125	0.75	306.6	29.92	134.6	306.4	420	0.625	0.125	0.75	319.1	47.25	117.97	318.3	501	0.75	0.125	0.75	330.0	56.15	111.45	328.6	582	0.875	0.125	0.75	339.0	53.9	97.72	337.1	663	1.0	0.125	0.75	348.0	53.62	95.81	338.9
340	0.5	0.125	0.875	300.0	37.12	111.61	300.2	421	0.625	0.125	0.875	310.9	36.96	126.33	310.5	502	0.75	0.125	0.875	321.1	49.4	116.86	320.1	583	0.875	0.125	0.875	330.0	56.15	111.45	328.6	664	1.0	0.125	0.875	337.0	53.39	92.97	333.7
341	0.5	0.125	1.0	295.3	41.84	98.27	295.7	422	0.625	0.125	1.0	304.7	31.55	128.41	304.6	503	0.75	0.125	1.0	313.9	41.06	122.56	313.4	584	0.875	0.125	1.0	322.4	50.88	116.12	321.4	665	1.0	0.125	1.0	330.4	53.67	94.99	329.1
342	0.5	0.25	0.0	60.0	59.61	96.47	58.9	423	0.625	0.25	0.0	53.4	54.34	103.35	51.5	504	0.75	0.25	0.0	49.1	50.65	109.38	46.8	585	0.875	0.25	0.0	46.1	50.13	90.67	43.4	666	1.0	0.25	0.0	59.1	50.49	87.89	25.5
343	0.5	0.25	0.125	49.1	50.65	109.39	46.7	424	0.625	0.25	0.125	43.9	50.16	102.85	40.9	505	0.75	0.25	0.125	40.9	50.21	97.94	37.6	586	0.875	0.25	0.125	38.9	50.24	95.02	35.4	667	1.0	0.25	0.125	59.1	50.49	87.89	25.5
344	0.5	0.25	0.25	30.0	50.49	87.89	25.5	425	0.625	0.25	0.25	30.0	50.49	87.89	25.5	506	0.75	0.25	0.25	30.0	50.49	87.89	25.5	587	0.875	0.25	0.25	30.0	50.49	87.89	25.5	668	1.0	0.25	0.25	30.0	50.49	87.89	25.5
345	0.5	0.25	0.375	360.0	51.73	83.56	357.0	426	0.625	0.25	0.375	10.9	51.14	82.0	7.4	507	0.75	0.25	0.375	16.1	50.92	82.59	12.3	588	0.875	0.25	0.375	19.1	50.82	83.22	15.1	669	1.0	0.25	0.375	26.1	50.7	83.92	18.3
346	0.5	0.25	0.5	330.0	56.15	111.44	328.6	427	0.625	0.25	0.5	349.1	52.61	88.87	346.7	508	0.75	0.25	0.5	0.0	51.73	83.56	357.0	589	0.875	0.25	0.5	6.6	51.35	82.38	3.3	670	1.0	0.25	0.5	6.6	51.35	82.38	3.3
347	0.5	0.25	0.625	310.9	36.97	126.32	310.5	428	0.625	0.25	0.625	330.0	56.15	111.44	328.6	509	0.75	0.25	0.625	343.9	53.19	92.86	341.8	590	0.875	0.25	0.625	353.4	52.2	86.12	350.8	671	1.0	0.25	0.625	353.4	52.2	86.12	350.8
348	0.5	0.25	0.75	300.0	37.11	111.62	300.2	429	0.625	0.25	0.75	316.1	43.78	120.43	315.4	510	0.75	0.25	0.75	330.0	56.15	111.45	328.6	591	0.875	0.25	0.75	340.9	53.92	95.81	338.9	672	1.0	0.25	0.75	340.9	53.92	95.81	338.9
349	0.5	0.25	0.875	293.4	43.52	93.77	293.9	430	0.625	0.25	0.875	306.6	29.92	134.6	306.4	511	0.75	0.25	0.875	319.1	47.25	117.97	318.3	592	0.875	0.25	0.875	330.0	56.15	111.45	328.6	673	1.0	0.25	0.875	330.0	56.15	111.45	328.6
350	0.5	0.25	1.0	289.1	47.13	84.46	289.9	431	0.625	0.25	1.0	300.0	37.12	111.61	300.2	512	0.75	0.25	1.0	310.9	36.96	126.33	310.5	593	0.875	0.25	1.0	321.1	49.4	116.86	320.1	674	1.0	0.25	1.0	321.1	49.4	116.86	320.1
351	0.5	0.375	0.0	76.1	71.46																																		

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems


TUB material: code=rha4ta

n_rgb rgb -> rgb%				h_rgb				[L*, C*_ab, h_ab]Mae				n_rgb rgb -> rgb%				h_rgb				[L*, C*_ab, h_ab]Mae				n_rgb rgb -> rgb%				h_rgb				[L*, C*_ab, h_ab]Mae							
648	1.0	0.0	0.0	30.0	50.49	87.9	25.5	729	1.0	1.0	1.0	0.0	51.73	83.56	357.0	810	1.0	1.0	1.0	0.0	51.73	83.56	357.0	891	1.0	1.0	1.0	0.0	51.73	83.56	357.0	972	1.0	1.0	1.0	0.0	51.73	83.56	357.0
649	1.0	0.0	0.125	23.4	50.66	84.13	19.2	730	0.875	1.0	1.0	210.0	79.69	45.34	217.0	811	0.875	0.875	1.0	270.0	58.86	59.98	271.8	892	1.0	0.875	1.0	0.0	51.73	83.56	357.0	973	1.0	0.875	1.0	0.0	51.73	83.56	357.0
650	1.0	0.0	0.25	16.1	50.92	82.59	12.3	731	0.75	1.0	1.0	210.0	79.7	45.34	217.0	812	0.75	0.75	1.0	270.0	58.87	59.96	271.8	893	1.0	0.75	1.0	0.0	51.73	83.56	357.0	974	1.0	0.75	1.0	0.0	51.73	83.56	357.0
651	1.0	0.375	0.0	0.0	51.27	82.23	4.8	732	1.0	1.0	1.0	210.0	79.7	45.34	217.0	813	0.625	0.625	1.0	270.0	58.87	59.96	271.8	894	1.0	0.625	1.0	0.0	51.73	83.56	357.0	975	1.0	0.625	1.0	0.0	51.73	83.56	357.0
652	1.0	0.0	0.5	0.0	51.73	83.56	357.0	733	0.5	1.0	1.0	210.0	79.7	45.34	217.0	814	0.5	0.5	1.0	270.0	58.88	59.95	271.7	895	1.0	0.5	1.0	0.0	51.73	83.56	357.0	976	1.0	0.5	1.0	0.0	51.73	83.56	357.0
653	1.0	0.0	0.625	351.8	52.35	87.13	349.3	734	0.375	1.0	1.0	210.0	79.7	45.34	217.0	815	0.375	0.375	1.0	270.0	58.88	59.95	271.7	896	1.0	0.375	1.0	0.0	51.73	83.56	357.0	977	1.0	0.375	1.0	0.0	51.73	83.56	357.0
654	1.0	0.0	0.75	343.9	53.19	92.86	341.8	735	0.25	1.0	1.0	210.0	79.7	45.34	217.0	816	0.25	0.25	1.0	270.0	58.88	59.94	271.7	897	1.0	0.25	1.0	0.0	51.73	83.56	357.0	978	1.0	0.25	1.0	0.0	51.73	83.56	357.0
655	1.0	0.0	0.875	336.6	54.47	101.24	334.9	736	0.125	1.0	1.0	210.0	79.7	45.34	217.0	817	0.125	0.125	1.0	270.0	58.88	59.94	271.7	898	1.0	0.125	1.0	0.0	51.73	83.56	357.0	979	1.0	0.125	1.0	0.0	51.73	83.56	357.0
656	1.0	0.0	1.0	330.0	56.15	111.45	328.6	737	0.0	1.0	1.0	210.0	79.7	45.34	217.0	818	0.0	0.0	1.0	270.0	58.88	59.94	271.7	899	1.0	0.0	1.0	0.0	51.73	83.56	357.0	980	1.0	0.0	1.0	0.0	51.73	83.56	357.0
657	1.0	0.125	0.0	36.6	50.3	93.14	32.8	738	1.0	0.875	0.875	30.0	50.49	87.88	25.5	819	1.0	1.0	0.875	90.0	83.42	100.03	92.3	900	0.875	1.0	0.875	150.0	85.38	66.25	162.2	981	0.875	1.0	0.875	150.0	85.38	66.25	162.2
658	1.0	0.125	0.125	30.0	50.49	87.89	25.5	739	0.875	0.875	0.875	0.0	51.73	83.56	357.0	820	0.875	0.875	0.875	0.0	51.73	83.56	357.0	901	0.875	0.875	0.875	0.0	51.73	83.56	357.0	982	0.875	0.875	0.875	0.0	51.73	83.56	357.0
659	1.0	0.125	0.25	22.4	50.7	83.92	18.3	740	0.75	0.875	0.875	210.0	79.69	45.34	217.0	821	0.75	0.75	0.875	270.0	58.86	59.98	271.8	902	0.875	0.75	0.875	330.0	56.14	111.42	328.6	983	0.875	0.75	0.875	330.0	56.14	111.42	328.6
660	1.0	0.125	0.375	13.9	51.0	82.12	10.2	741	0.625	0.875	0.875	210.0	79.7	45.34	217.0	822	0.625	0.625	0.875	270.0	58.87	59.96	271.8	903	0.875	0.625	0.875	330.0	56.15	111.44	328.6	984	0.875	0.625	0.875	330.0	56.15	111.44	328.6
661	1.0	0.125	0.5	4.7	51.45	82.54	1.5	742	0.5	0.875	0.875	210.0	79.7	45.34	217.0	823	0.5	0.5	0.875	270.0	58.87	59.95	271.8	904	0.875	0.5	0.875	330.0	56.15	111.44	328.6	985	0.875	0.5	0.875	330.0	56.15	111.44	328.6
662	1.0	0.125	0.625	355.3	52.07	85.39	352.6	743	0.375	0.875	0.875	210.0	79.7	45.34	217.0	824	0.375	0.375	0.875	270.0	58.88	59.95	271.7	905	0.875	0.375	0.875	330.0	56.15	111.45	328.6	986	0.875	0.375	0.875	330.0	56.15	111.45	328.6
663	1.0	0.125	0.75	346.1	52.89	90.81	343.9	744	0.25	0.875	0.875	210.0	79.7	45.34	217.0	825	0.25	0.25	0.875	270.0	58.88	59.95	271.7	906	0.875	0.25	0.875	330.0	56.15	111.45	328.6	987	0.875	0.25	0.875	330.0	56.15	111.45	328.6
664	1.0	0.125	0.875	337.6	54.22	99.69	335.8	745	0.125	0.875	0.875	210.0	79.7	45.34	217.0	826	0.125	0.125	0.875	270.0	58.88	59.94	271.7	907	0.875	0.125	0.875	330.0	56.15	111.45	328.6	988	0.875	0.125	0.875	330.0	56.15	111.45	328.6
665	1.0	0.125	1.0	330.0	56.15	111.45	328.6	746	0.0	0.875	0.875	210.0	79.7	45.34	217.0	827	0.0	0.0	0.875	270.0	58.88	59.94	271.7	908	0.875	0.0	0.875	330.0	56.15	111.45	328.6	989	0.875	0.0	0.875	330.0	56.15	111.45	328.6
666	1.0	0.25	0.0	43.9	50.16	102.86	41.0	747	1.0	0.75	0.75	30.0	50.49	87.89	25.5	828	1.0	1.0	0.75	90.0	83.45	100.06	92.3	909	0.75	1.0	0.75	150.0	85.38	66.24	162.2	990	0.75	1.0	0.75	150.0	85.38	66.24	162.2
667	1.0	0.25	0.125	37.6	50.28	93.94	33.9	748	0.875	0.75	0.75	30.0	50.49	87.88	25.5	829	0.875	0.875	0.75	90.0	83.42	100.03	92.3	910	0.75	0.875	0.75	150.0	85.38	66.25	162.2	991	0.75	0.875	0.75	150.0	85.38	66.25	162.2
668	1.0	0.25	0.25	30.0	50.49	87.89	25.5	749	0.75	0.75	0.75	0.0	51.73	83.56	357.0	830	0.75	0.75	0.75	0.0	51.73	83.56	357.0	911	0.75	0.75	0.75	0.0	51.73	83.56	357.0	992	0.75	0.75	0.75	0.0	51.73	83.56	357.0
669	1.0	0.25	0.375	21.0	50.47	83.63	17.0	750	0.625	0.75	0.75	210.0	79.69	45.34	217.0	831	0.625	0.625	0.75	270.0	58.86	59.98	271.8	912	0.75	0.625	0.75	330.0	56.14	111.42	328.6	993	0.75	0.625	0.75	330.0	56.14	111.42	328.6
670	1.0	0.25	0.5	10.9	51.14	82.0	7.4	751	0.5	0.75	0.75	210.0	79.7	45.34	217.0	832	0.5	0.5	0.75	270.0	58.87	59.96	271.8	913	0.75	0.5	0.75	330.0	56.15	111.44	328.6	994	0.75	0.5	0.75	330.0	56.15	111.44	328.6
671	1.0	0.25	0.625	0.0	51.73	83.56	357.0	752	0.375	0.75	0.75	210.0	79.7	45.34	217.0	833	0.375	0.375	0.75	270.0	58.87	59.95	271.8	914	0.75	0.375	0.75	330.0	56.15	111.44	328.6	995	0.75	0.375	0.75	330.0	56.15	111.44	328.6
672	1.0	0.25	0.75	349.1	52.61	88.87	346.7	753	0.25	0.75	0.75	210.0	79.7	45.34	217.0	834	0.25	0.25	0.75	270.0	58.88	59.95	271.7	915	0.75	0.25	0.75	330.0	56.15	111.45	328.6	996	0.75	0.25	0.75	330.0	56.15	111.45	328.6
673	1.0	0.25	0.875	339.0	53.69	97.72	337.1	754	0.125	0.75	0.75	210.0	79.7	45.34	217.0	835	0.125	0.125	0.75	270.0	58.88	59.95	271.7	916	0.75	0.125	0.75	330.0	56.15	111.45	328.6	997	0.75	0.125	0.75	330.0	56.15	111.45	328.6
674	1.0	0.25	1.0	330.0	56.15	111.45	328.6	755	0.0	0.75	0.75	210.0	79.7	45.34	217.0	836	0.0	0.0	0.75	270.0	58.88	59.94	271.7	917	0.75	0.0	0.75	330.0	56.15	111.45	328.6	998	0.75	0.0	0.75	330.0	56.15	111.45	328.6
675	1.0	0.375	0.0	51.8	52.96	105.62	49.7	756	1.0	0.625	0.625	30.0	50.49	87.89	25.5	837	1.0	1.0	0.625	90.0	83.46	100.07	92.3	918	0.625	1.0	0.625	150.0	85.38	66.24	162.2	999	0.625	1.0	0.625	150.0	85.38	66.24	162.2
676	1.0	0.375	0.125	46.1	50.13	106.47	43.4	757	0.875	0.625	0.625	30.0	50.49	87.89	25.5	838	0.875	0.875	0.625	90.0	83.45	100.06	92.3	919	0.625	0.875	0.625	150.0	85.38	66.24	162.2	1000	0.625	0.875	0.625	150.0	85.38	66.24	162.2
677	1.0	0.375	0.25	38.9	50.24	95.02	35.4	758	0.75	0.625	0.625	30.0	50.49	87.88	25.5	839	0.75	0.75	0.625	90.0	83.42	100.03	92.3	920	0.625	0.75	0.625	150.0	85.38	66.25	162.2	1001	0.625	0.75	0.625	150.0	85.38	66.25	162.2
678	1.0	0.375	0.375	30.0	50.49	87.89	25.5	759	0.625	0.625	0.625	0.0	51.73	83.56	357.0	840	0.625	0.625	0.625	0.0	51.73	83.56	357.0	921	0.625	0.625	0.625	0.0	51.73	83.56	357.0	1002	0.625	0.625	0.625	0.0	51.73	83.56	357.0
679	1.0	0.375	0.5	19.1	50.82	83.22	15.1	760	0.5	0.625	0.625	210.0	79.69	45.34	217.0	841	0.5	0.5	0.625	270.0	58.86	59.98	271.8	922	0.625	0.5	0.625	330.0	56.14	111.42	328.6	1003	0.625	0.5	0.625	330.0	56.14	111.42	328.6
680	1.0	0.375	0.625	6.6	51.35	82.38	3.3	761	0.375	0.625	0.625	210.0	79.7	45.34	217.0	842	0.375	0.375	0.625	270.0																			



KE650-7N, 3, table rgb->rgb*3 - LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb*3; display reflection Lr=0%; Page 3/40

TUB-test chart KE65; 1080 rgb* colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: `rgb->rgb* setrgbcolor`
output: `no change compared to input`



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta



n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
972	0.0 0.0 0.0	0.0	51.73 83.56 357.0
973	0.125 0.125 0.125	0.0	51.73 83.56 357.0
974	0.25 0.25 0.25	0.0	51.73 83.56 357.0
975	0.375 0.375 0.375	0.0	51.73 83.56 357.0
976	0.5 0.5 0.5	0.0	51.73 83.56 357.0
977	0.625 0.625 0.625	0.0	51.73 83.56 357.0
978	0.75 0.75 0.75	0.0	51.73 83.56 357.0
979	0.875 0.875 0.875	0.0	51.73 83.56 357.0
980	1.0 1.0 1.0	0.0	51.73 83.56 357.0
981	0.0 0.0 0.0	0.0	51.73 83.56 357.0
982	0.125 0.125 0.125	0.0	51.73 83.56 357.0
983	0.25 0.25 0.25	0.0	51.73 83.56 357.0
984	0.375 0.375 0.375	0.0	51.73 83.56 357.0
985	0.5 0.5 0.5	0.0	51.73 83.56 357.0
986	0.625 0.625 0.625	0.0	51.73 83.56 357.0
987	0.75 0.75 0.75	0.0	51.73 83.56 357.0
988	0.875 0.875 0.875	0.0	51.73 83.56 357.0
989	1.0 1.0 1.0	0.0	51.73 83.56 357.0
990	0.0 0.0 0.0	0.0	51.73 83.56 357.0
991	0.125 0.125 0.125	0.0	51.73 83.56 357.0
992	0.25 0.25 0.25	0.0	51.73 83.56 357.0
993	0.375 0.375 0.375	0.0	51.73 83.56 357.0
994	0.5 0.5 0.5	0.0	51.73 83.56 357.0
995	0.625 0.625 0.625	0.0	51.73 83.56 357.0
996	0.75 0.75 0.75	0.0	51.73 83.56 357.0
997	0.875 0.875 0.875	0.0	51.73 83.56 357.0
998	1.0 1.0 1.0	0.0	51.73 83.56 357.0
999	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1000	0.125 0.125 0.125	0.0	51.73 83.56 357.0
1001	0.25 0.25 0.25	0.0	51.73 83.56 357.0
1002	0.375 0.375 0.375	0.0	51.73 83.56 357.0
1003	0.5 0.5 0.5	0.0	51.73 83.56 357.0
1004	0.625 0.625 0.625	0.0	51.73 83.56 357.0
1005	0.75 0.75 0.75	0.0	51.73 83.56 357.0
1006	0.875 0.875 0.875	0.0	51.73 83.56 357.0
1007	1.0 1.0 1.0	0.0	51.73 83.56 357.0



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb -> rgb*	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}
1008	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1009	0.066 0.066 0.066	0.0	51.73 83.56 357.0
1010	0.133 0.133 0.133	0.0	51.73 83.56 357.0
1011	0.2 0.2 0.2	0.0	51.73 83.56 357.0
1012	0.266 0.266 0.266	0.0	51.73 83.56 357.0
1013	0.333 0.333 0.333	0.0	51.73 83.56 357.0
1014	0.4 0.4 0.4	0.0	51.73 83.56 357.0
1015	0.466 0.466 0.466	0.0	51.73 83.56 357.0
1016	0.533 0.533 0.533	0.0	51.73 83.56 357.0
1017	0.6 0.6 0.6	0.0	51.73 83.56 357.0
1018	0.666 0.666 0.666	0.0	51.73 83.56 357.0
1019	0.734 0.734 0.734	0.0	51.73 83.56 357.0
1020	0.8 0.8 0.8	0.0	51.73 83.56 357.0
1021	0.866 0.866 0.866	0.0	51.73 83.56 357.0
1022	0.933 0.933 0.933	0.0	51.73 83.56 357.0
1023	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1024	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1025	0.066 0.066 0.066	0.0	51.73 83.56 357.0
1026	0.133 0.133 0.133	0.0	51.73 83.56 357.0
1027	0.2 0.2 0.2	0.0	51.73 83.56 357.0
1028	0.266 0.266 0.266	0.0	51.73 83.56 357.0
1029	0.333 0.333 0.333	0.0	51.73 83.56 357.0
1030	0.4 0.4 0.4	0.0	51.73 83.56 357.0
1031	0.466 0.466 0.466	0.0	51.73 83.56 357.0
1032	0.533 0.533 0.533	0.0	51.73 83.56 357.0
1033	0.6 0.6 0.6	0.0	51.73 83.56 357.0
1034	0.666 0.666 0.666	0.0	51.73 83.56 357.0
1035	0.734 0.734 0.734	0.0	51.73 83.56 357.0
1036	0.8 0.8 0.8	0.0	51.73 83.56 357.0
1037	0.866 0.866 0.866	0.0	51.73 83.56 357.0
1038	0.933 0.933 0.933	0.0	51.73 83.56 357.0
1039	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1040	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1041	0.066 0.066 0.066	0.0	51.73 83.56 357.0
1042	0.133 0.133 0.133	0.0	51.73 83.56 357.0
1043	0.2 0.2 0.2	0.0	51.73 83.56 357.0
1044	0.266 0.266 0.266	0.0	51.73 83.56 357.0
1045	0.333 0.333 0.333	0.0	51.73 83.56 357.0
1046	0.4 0.4 0.4	0.0	51.73 83.56 357.0
1047	0.466 0.466 0.466	0.0	51.73 83.56 357.0
1048	0.533 0.533 0.533	0.0	51.73 83.56 357.0
1049	0.6 0.6 0.6	0.0	51.73 83.56 357.0
1050	0.666 0.666 0.666	0.0	51.73 83.56 357.0
1051	0.734 0.734 0.734	0.0	51.73 83.56 357.0
1052	0.8 0.8 0.8	0.0	51.73 83.56 357.0
1053	0.866 0.866 0.866	0.0	51.73 83.56 357.0
1054	0.933 0.933 0.933	0.0	51.73 83.56 357.0
1055	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1056	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1057	0.066 0.066 0.066	0.0	51.73 83.56 357.0
1058	0.133 0.133 0.133	0.0	51.73 83.56 357.0
1059	0.2 0.2 0.2	0.0	51.73 83.56 357.0
1060	0.266 0.266 0.266	0.0	51.73 83.56 357.0
1061	0.333 0.333 0.333	0.0	51.73 83.56 357.0
1062	0.4 0.4 0.4	0.0	51.73 83.56 357.0
1063	0.466 0.466 0.466	0.0	51.73 83.56 357.0
1064	0.533 0.533 0.533	0.0	51.73 83.56 357.0
1065	0.6 0.6 0.6	0.0	51.73 83.56 357.0
1066	0.666 0.666 0.666	0.0	51.73 83.56 357.0
1067	0.734 0.734 0.734	0.0	51.73 83.56 357.0
1068	0.8 0.8 0.8	0.0	51.73 83.56 357.0
1069	0.866 0.866 0.866	0.0	51.73 83.56 357.0
1070	0.933 0.933 0.933	0.0	51.73 83.56 357.0
1071	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1072	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1073	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1074	1.0 0.0 0.0	30.0	50.49 87.9 25.5
1075	0.0 1.0 0.0	79.7	45.34 217.0
1076	1.0 1.0 0.0	90.0	83.47 100.08 92.3
1077	0.0 0.0 1.0	270.0	58.88 59.94 271.7
1078	0.0 1.0 0.0	150.0	85.38 66.23 162.2
1079	1.0 0.0 0.0	330.0	56.15 111.45 328.6

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}			
0	0.0	0.0	52.28	82.17	357.0	81	0.125	0.0	0.0	30.0	51.05	86.18	25.5	162	0.25	0.0	0.0	0.0	30.0	51.05	86.19	25.5
1	0.0	0.125	59.26	59.31	271.8	82	0.125	0.0	0.125	330.0	56.59	109.85	328.6	163	0.25	0.0	0.125	0.0	0.125	52.28	82.17	357.0
2	0.0	0.25	59.27	59.29	271.8	83	0.125	0.0	0.25	300.0	37.68	110.55	300.2	164	0.25	0.0	0.25	330.0	56.59	109.87	328.6	
3	0.0	0.375	59.28	59.28	271.8	84	0.125	0.0	0.375	289.9	47.66	83.5	289.9	165	0.25	0.0	0.375	310.9	38.48	102.77	330.0	
4	0.0	0.5	59.28	59.28	271.7	85	0.125	0.0	0.5	283.9	51.35	75.13	284.9	166	0.25	0.0	0.5	300.0	37.69	101.51	300.2	
5	0.0	0.625	59.28	59.28	271.7	86	0.125	0.0	0.625	280.9	53.47	70.32	282.1	167	0.25	0.0	0.625	293.4	44.06	92.76	293.9	
6	0.0	0.75	59.28	59.27	271.7	87	0.125	0.0	0.75	279.0	54.51	68.35	280.2	168	0.25	0.0	0.75	289.1	47.66	83.49	289.9	
7	0.0	0.875	59.28	59.27	271.7	88	0.125	0.0	0.875	277.6	55.23	66.97	278.9	169	0.25	0.0	0.875	286.1	49.79	78.66	287.0	
8	0.0	1.0	59.28	59.27	271.7	89	0.125	0.0	1.0	276.6	55.77	65.95	278.0	170	0.25	0.0	1.0	283.9	51.35	75.12	284.9	
9	0.125	0.0	150.0	85.46	65.56	162.2	90	0.125	0.125	0.0	90.0	83.48	97.16	92.3	171	0.25	0.125	0.0	60.0	60.89	90.68	58.9
10	0.125	0.125	210.0	79.85	44.9	217.0	91	0.125	0.125	0.125	0.0	52.28	82.17	357.0	172	0.25	0.125	0.125	30.0	51.05	86.18	25.5
11	0.125	0.25	240.0	70.28	46.21	244.4	92	0.125	0.25	270.0	59.26	59.31	271.8	173	0.25	0.125	0.25	330.0	56.59	109.85	328.6	
12	0.125	0.375	250.9	66.85	48.49	254.3	93	0.125	0.375	270.0	59.27	59.29	271.8	174	0.25	0.125	0.375	300.0	37.68	110.55	300.2	
13	0.125	0.5	256.1	64.83	51.29	259.1	94	0.125	0.5	270.0	59.28	59.28	271.8	175	0.25	0.125	0.5	289.1	47.66	83.5	289.9	
14	0.125	0.625	259.1	63.66	52.91	261.8	95	0.125	0.625	270.0	59.28	59.28	271.7	176	0.25	0.125	0.625	283.9	51.35	75.13	284.9	
15	0.125	0.75	261.1	62.91	53.95	263.6	96	0.125	0.75	270.0	59.28	59.28	271.7	177	0.25	0.125	0.75	280.9	53.47	70.32	282.1	
16	0.125	0.875	262.4	62.38	54.68	264.8	97	0.125	0.875	270.0	59.28	59.27	271.7	178	0.25	0.125	0.875	279.0	54.51	68.35	280.2	
17	0.125	1.0	263.4	61.99	55.22	265.7	98	0.125	1.0	270.0	59.28	59.27	271.7	179	0.25	0.125	1.0	277.6	55.23	66.97	278.9	
18	0.25	0.0	150.0	85.46	65.55	162.2	99	0.125	0.25	0.0	120.0	85.22	119.37	127.2	180	0.25	0.25	0.0	90.0	83.5	97.19	92.3
19	0.25	0.125	180.0	86.79	50.61	189.6	100	0.125	0.25	0.125	150.0	85.46	65.56	162.2	181	0.25	0.25	0.125	90.0	83.48	97.16	92.3
20	0.25	0.25	210.0	79.86	44.91	217.0	101	0.125	0.25	0.25	210.0	79.85	44.9	217.0	182	0.25	0.25	0.25	0.0	52.28	82.17	357.0
21	0.25	0.375	229.1	73.69	44.0	234.4	102	0.125	0.25	0.375	240.0	70.28	46.21	244.4	183	0.25	0.25	0.375	270.0	59.26	59.31	271.8
22	0.25	0.5	240.0	70.28	46.21	244.4	103	0.125	0.25	0.5	250.9	66.85	48.49	254.3	184	0.25	0.25	0.5	270.0	59.27	59.29	271.8
23	0.25	0.625	246.6	68.22	47.55	250.4	104	0.125	0.25	0.625	256.1	64.83	51.29	259.1	185	0.25	0.25	0.625	270.0	59.28	59.28	271.8
24	0.25	0.75	250.9	66.86	48.48	254.3	105	0.125	0.25	0.75	259.1	63.66	52.91	261.8	186	0.25	0.25	0.75	270.0	59.28	59.28	271.7
25	0.25	0.875	253.9	65.69	50.1	257.0	106	0.125	0.25	0.875	261.1	62.91	53.95	263.6	187	0.25	0.25	0.875	270.0	59.28	59.28	271.7
26	0.25	1.0	256.1	64.83	51.29	259.1	107	0.125	0.25	1.0	262.4	62.38	54.68	264.8	188	0.25	0.25	1.0	270.0	59.28	59.27	271.7
27	0.375	0.0	150.0	85.46	65.55	162.2	108	0.125	0.375	0.0	130.9	84.4	101.17	139.9	189	0.25	0.375	0.0	109.1	88.67	109.92	114.6
28	0.375	0.125	169.1	86.31	54.69	179.7	109	0.125	0.375	0.125	150.0	85.46	65.55	162.2	190	0.25	0.375	0.125	120.0	85.22	119.37	127.2
29	0.375	0.25	190.9	86.08	47.32	199.5	110	0.125	0.375	0.25	180.0	86.79	50.61	189.6	191	0.25	0.375	0.25	150.0	85.46	65.56	162.2
30	0.375	0.375	210.0	79.86	44.91	217.0	111	0.125	0.375	0.375	210.0	79.86	44.91	217.0	192	0.25	0.375	0.375	210.0	79.85	44.9	217.0
31	0.375	0.5	223.9	75.33	43.15	229.7	112	0.125	0.375	0.5	229.1	73.69	44.0	234.4	193	0.25	0.375	0.5	240.0	70.28	46.21	244.4
32	0.375	0.625	233.4	72.34	44.88	238.4	113	0.125	0.375	0.625	240.0	70.28	46.21	244.4	194	0.25	0.375	0.625	250.9	66.85	48.49	254.3
33	0.375	0.75	240.0	70.28	46.21	244.4	114	0.125	0.375	0.75	246.6	68.22	47.55	250.4	195	0.25	0.375	0.75	256.1	64.83	51.29	259.1
34	0.375	0.875	244.7	68.81	47.17	248.7	115	0.125	0.375	0.875	250.9	66.86	48.48	254.3	196	0.25	0.375	0.875	259.1	63.66	52.91	261.8
35	0.375	1.0	248.2	67.71	47.88	251.9	116	0.125	0.375	1.0	253.9	65.69	50.1	257.0	197	0.25	0.375	1.0	261.1	62.91	53.95	263.6
36	0.5	0.0	150.0	85.46	65.55	162.2	117	0.125	0.5	0.0	136.1	84.68	88.14	146.0	198	0.25	0.5	0.0	120.0	85.22	119.39	127.3
37	0.5	0.125	163.9	86.09	56.65	174.9	118	0.125	0.5	0.125	150.0	85.46	65.55	162.2	199	0.25	0.5	0.125	130.9	84.4	101.17	139.9
38	0.5	0.25	180.0	86.79	50.61	189.6	119	0.125	0.5	0.25	169.1	86.31	54.69	179.7	200	0.25	0.5	0.25	150.0	85.46	65.55	162.2
39	0.5	0.375	196.1	84.39	46.66	204.3	120	0.125	0.5	0.375	190.9	86.08	47.32	199.5	201	0.25	0.5	0.375	180.0	86.79	50.61	189.6
40	0.5	0.5	210.0	79.86	44.91	217.0	121	0.125	0.5	0.5	210.0	79.86	44.91	217.0	202	0.25	0.5	0.5	210.0	79.86	44.91	217.0
41	0.5	0.625	220.9	76.31	43.53	226.9	122	0.125	0.5	0.625	223.9	75.33	43.15	229.7	203	0.25	0.5	0.625	229.1	73.69	44.0	234.4
42	0.5	0.75	229.1	73.69	44.0	234.4	123	0.125	0.5	0.75	233.4	72.34	44.88	238.4	204	0.25	0.5	0.75	240.0	70.28	46.21	244.4
43	0.5	0.875	235.3	71.76	45.26	240.1	124	0.125	0.5	0.875	240.0	70.28	46.21	244.4	205	0.25	0.5	0.875	246.6	68.22	47.55	250.4
44	0.5	1.0	240.0	70.28	46.21	244.4	125	0.125	0.5	1.0	244.7	68.81	47.17	248.7	206	0.25	0.5	1.0	250.			

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb} rgb -> rgb [*]				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb [*]				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb [*]				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e																							
324	0.5	0.0	0.0	30.0	51.05	86.19	25.5	405	0.625	0.0	0.0	30.0	51.05	86.19	25.5	486	0.75	0.0	0.0	30.0	51.05	86.19	25.5	567	0.875	0.0	0.0	30.0	51.05	86.19	25.5	648	0.875	0.0	0.0	30.0	51.05	86.19	25.5	729	0.875	0.0	0.0	30.0	51.05	86.19	25.5	810	0.875	0.0	0.0	30.0	51.05	86.19	25.5
325	0.5	0.0	0.125	16.1	51.49	81.13	12.3	406	0.625	0.0	0.125	19.1	51.38	81.72	15.1	487	0.75	0.0	0.125	21.0	51.31	82.1	17.0	568	0.875	0.0	0.125	22.4	51.26	82.36	18.3	649	0.875	0.0	0.125	22.4	51.26	82.36	18.3	730	0.875	0.0	0.125	22.4	51.26	82.36	18.3	811	0.875	0.0	0.125	22.4	51.26	82.36	18.3
326	0.5	0.0	0.25	0.0	52.28	82.17	357.0	407	0.625	0.0	0.25	6.6	51.91	80.97	3.3	488	0.75	0.0	0.25	10.9	51.7	80.57	7.4	569	0.875	0.0	0.25	13.9	51.57	80.7	10.2	650	0.875	0.0	0.25	13.9	51.57	80.7	10.2	731	0.875	0.0	0.25	13.9	51.57	80.7	10.2	812	0.875	0.0	0.25	13.9	51.57	80.7	10.2
327	0.5	0.0	0.375	343.9	53.71	91.42	341.8	408	0.625	0.0	0.375	353.4	52.74	84.73	350.8	489	0.75	0.0	0.375	0.0	51.38	82.17	357.0	570	0.875	0.0	0.375	4.7	52.0	81.15	1.5	651	0.875	0.0	0.375	4.7	52.0	81.15	1.5	732	0.875	0.0	0.375	4.7	52.0	81.15	1.5	813	0.875	0.0	0.375	4.7	52.0	81.15	1.5
328	0.5	0.0	0.5	330.0	56.59	109.88	328.6	409	0.625	0.0	0.5	340.9	54.13	94.35	338.9	490	0.75	0.0	0.5	349.1	53.14	87.46	346.7	571	0.875	0.0	0.5	355.3	52.61	84.0	352.6	652	0.875	0.0	0.5	355.3	52.61	84.0	352.6	733	0.875	0.0	0.5	355.3	52.61	84.0	352.6	814	0.875	0.0	0.5	355.3	52.61	84.0	352.6
329	0.5	0.0	0.625	319.1	48.09	115.91	318.3	410	0.625	0.0	0.625	330.0	56.59	109.88	328.6	491	0.75	0.0	0.625	339.0	54.4	96.24	337.1	572	0.875	0.0	0.625	346.1	53.42	89.38	343.9	653	0.875	0.0	0.625	346.1	53.42	89.38	343.9	734	0.875	0.0	0.625	346.1	53.42	89.38	343.9	815	0.875	0.0	0.625	346.1	53.42	89.38	343.9
330	0.5	0.0	0.75	310.9	38.47	122.98	310.5	411	0.625	0.0	0.75	321.1	50.14	114.94	320.1	492	0.75	0.0	0.75	330.0	56.59	109.88	328.6	573	0.875	0.0	0.75	337.6	54.71	98.19	335.8	654	0.875	0.0	0.75	337.6	54.71	98.19	335.8	735	0.875	0.0	0.75	337.6	54.71	98.19	335.8	816	0.875	0.0	0.75	337.6	54.71	98.19	335.8
331	0.5	0.0	0.875	304.7	32.14	127.24	304.6	412	0.625	0.0	0.875	313.9	42.24	119.87	313.4	493	0.75	0.0	0.875	322.4	51.56	114.32	321.4	574	0.875	0.0	0.875	330.0	56.59	109.88	328.6	655	0.875	0.0	0.875	330.0	56.59	109.88	328.6	736	0.875	0.0	0.875	330.0	56.59	109.88	328.6	817	0.875	0.0	0.875	330.0	56.59	109.88	328.6
332	0.5	0.0	1.0	300.0	37.69	110.49	300.2	413	0.625	0.0	1.0	308.2	34.72	126.87	308.0	494	0.75	0.0	1.0	316.1	44.78	118.03	315.4	575	0.875	0.0	1.0	323.4	52.53	114.06	322.4	656	0.875	0.0	1.0	323.4	52.53	114.06	322.4	737	0.875	0.0	1.0	323.4	52.53	114.06	322.4	818	0.875	0.0	1.0	323.4	52.53	114.06	322.4
333	0.5	0.125	0.0	43.9	50.72	100.34	40.9	414	0.625	0.125	0.0	40.9	50.77	96.06	37.6	495	0.75	0.125	0.0	38.9	50.8	93.3	35.4	576	0.875	0.125	0.0	37.6	50.83	91.75	33.9	657	0.875	0.125	0.0	37.6	50.83	91.75	33.9	738	0.875	0.125	0.0	37.6	50.83	91.75	33.9	819	0.875	0.125	0.0	37.6	50.83	91.75	33.9
334	0.5	0.125	0.125	30.0	51.05	86.19	25.5	415	0.625	0.125	0.125	30.0	51.05	86.19	25.5	496	0.75	0.125	0.125	30.0	51.05	86.19	25.5	577	0.875	0.125	0.125	30.0	51.05	86.19	25.5	658	0.875	0.125	0.125	30.0	51.05	86.19	25.5	739	0.875	0.125	0.125	30.0	51.05	86.19	25.5	820	0.875	0.125	0.125	30.0	51.05	86.19	25.5
335	0.5	0.125	0.25	10.9	51.7	80.57	7.4	416	0.625	0.125	0.25	16.1	51.49	81.13	12.3	497	0.75	0.125	0.25	19.1	51.38	82.17	15.1	578	0.875	0.125	0.25	21.0	51.31	82.1	17.0	659	0.875	0.125	0.25	21.0	51.31	82.1	17.0	740	0.875	0.125	0.25	21.0	51.31	82.1	17.0	821	0.875	0.125	0.25	21.0	51.31	82.1	17.0
336	0.5	0.125	0.375	349.1	53.14	87.45	346.7	417	0.625	0.125	0.375	360.0	52.28	82.17	357.0	498	0.75	0.125	0.375	6.6	51.91	80.97	3.3	579	0.875	0.125	0.375	10.9	51.7	80.57	7.4	660	0.875	0.125	0.375	10.9	51.7	80.57	7.4	741	0.875	0.125	0.375	10.9	51.7	80.57	7.4	822	0.875	0.125	0.375	10.9	51.7	80.57	7.4
337	0.5	0.125	0.5	330.0	56.59	109.88	328.6	418	0.625	0.125	0.5	343.9	53.71	91.42	341.8	499	0.75	0.125	0.5	353.4	52.74	84.73	350.8	580	0.875	0.125	0.5	0.0	52.28	82.17	357.0	661	0.875	0.125	0.5	0.0	52.28	82.17	357.0	742	0.875	0.125	0.5	0.0	52.28	82.17	357.0	823	0.875	0.125	0.5	0.0	52.28	82.17	357.0
338	0.5	0.125	0.625	316.1	44.78	118.02	315.4	419	0.625	0.125	0.625	330.0	56.59	109.88	328.6	500	0.75	0.125	0.625	340.9	54.13	94.35	338.9	581	0.875	0.125	0.625	349.1	53.14	87.46	346.7	662	0.875	0.125	0.625	349.1	53.14	87.46	346.7	743	0.875	0.125	0.625	349.1	53.14	87.46	346.7	824	0.875	0.125	0.625	349.1	53.14	87.46	346.7
339	0.5	0.125	0.75	306.8	42.22	129.66	306.4	420	0.625	0.125	0.75	319.1	48.09	115.91	318.3	501	0.75	0.125	0.75	330.0	56.59	109.88	328.6	582	0.875	0.125	0.75	339.0	54.4	96.24	337.1	663	0.875	0.125	0.75	339.0	54.4	96.24	337.1	744	0.875	0.125	0.75	339.0	54.4	96.24	337.1	825	0.875	0.125	0.75	339.0	54.4	96.24	337.1
340	0.5	0.125	0.875	300.0	37.69	110.5	300.2	421	0.625	0.125	0.875	310.9	38.47	122.98	310.5	502	0.75	0.125	0.875	321.1	50.14	114.94	320.1	583	0.875	0.125	0.875	330.0	56.59	109.88	328.6	664	0.875	0.125	0.875	330.0	56.59	109.88	328.6	745	0.875	0.125	0.875	330.0	56.59	109.88	328.6	826	0.875	0.125	0.875	330.0	56.59	109.88	328.6
341	0.5	0.125	1.0	295.3	42.41	97.17	295.7	422	0.625	0.125	1.0	304.7	32.14	127.24	304.6	503	0.75	0.125	1.0	313.9	42.24	119.87	313.4	584	0.875	0.125	1.0	322.4	51.56	114.32	321.4	665	0.875	0.125	1.0	322.4	51.56	114.32	321.4	746	0.875	0.125	1.0	322.4	51.56	114.32	321.4	827	0.875	0.125	1.0	322.4	51.56	114.32	321.4
342	0.5	0.25	0.0	60.0	60.89	90.67	58.9	423	0.625	0.25	0.0	53.4	56.32	95.0	51.5	504	0.75	0.25	0.0	49.1	53.11	99.5	46.8	585	0.875	0.25	0.0	46.1	50.78	103.15	43.4	666	0.875	0.25	0.0	46.1	50.78	103.15	43.4	747	0.875	0.25	0.0	46.1	50.78	103.15	43.4	828	0.875	0.25	0.0	46.1	50.78	103.15	43.4
343	0.5	0.25	0.125	49.1	53.11	99.51	46.7	424	0.625	0.25	0.125	43.9	50.72	100.34	40.9	505	0.75	0.25	0.125	40.9	50.77	96.06	37.6	586	0.875	0.25	0.125	38.9	50.8	93.3	3																								

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n_rgb rgb -> rgb%				h_rgb				[L*, C*_ab, h_ab]Ma,e				n_rgb rgb -> rgb%				h_rgb				[L*, C*_ab, h_ab]Ma,e				n_rgb rgb -> rgb%				h_rgb				[L*, C*_ab, h_ab]Ma,e							
648	1.0	0.0	0.0	30.0	51.05	86.19	25.5	729	1.0	1.0	1.0	0.0	52.28	82.17	357.0	810	1.0	1.0	1.0	0.0	52.28	82.17	357.0	891	1.0	1.0	1.0	0.0	52.28	82.17	357.0	881	1.0	1.0	1.0	0.0	52.28	82.17	357.0
649	1.0	0.0	0.125	23.4	51.22	82.56	19.2	730	0.875	1.0	1.0	210.0	79.85	44.9	217.0	811	0.875	0.875	1.0	270.0	59.26	59.31	271.8	892	1.0	0.875	1.0	330.0	56.59	109.85	328.6	893	1.0	0.875	1.0	330.0	56.59	109.85	328.6
650	1.0	0.0	0.25	16.1	51.49	81.13	12.3	731	0.75	1.0	1.0	210.0	79.86	44.91	217.0	812	0.75	0.75	1.0	270.0	59.27	59.29	271.8	893	1.0	0.75	1.0	330.0	56.59	109.87	328.6	894	1.0	0.625	1.0	330.0	56.59	109.88	328.6
651	1.0	0.0	0.375	8.2	51.83	80.82	4.8	732	0.625	1.0	1.0	210.0	79.86	44.91	217.0	813	0.625	0.625	1.0	270.0	59.28	59.28	271.8	894	1.0	0.5	1.0	330.0	56.59	109.88	328.6	895	1.0	0.375	1.0	330.0	56.59	109.88	328.6
652	1.0	0.0	0.5	0.0	52.28	82.17	357.0	733	0.5	1.0	1.0	210.0	79.86	44.91	217.0	814	0.5	0.5	1.0	270.0	59.28	59.28	271.8	895	1.0	0.5	1.0	330.0	56.59	109.88	328.6	896	1.0	0.375	1.0	330.0	56.59	109.88	328.6
653	1.0	0.0	0.625	351.8	52.89	85.74	349.3	734	0.375	1.0	1.0	210.0	79.86	44.91	217.0	815	0.375	0.375	1.0	270.0	59.28	59.28	271.7	896	1.0	0.375	1.0	330.0	56.59	109.88	328.6	897	1.0	0.25	1.0	330.0	56.59	109.88	328.6
654	1.0	0.0	0.75	343.9	53.71	91.42	341.8	735	0.25	1.0	1.0	210.0	79.86	44.91	217.0	816	0.25	0.25	1.0	270.0	59.28	59.27	271.7	897	1.0	0.25	1.0	330.0	56.59	109.88	328.6	898	1.0	0.125	1.0	330.0	56.59	109.88	328.6
655	1.0	0.0	0.875	336.6	54.96	99.73	334.9	736	0.125	1.0	1.0	210.0	79.86	44.91	217.0	817	0.125	0.125	1.0	270.0	59.28	59.27	271.7	898	1.0	0.125	1.0	330.0	56.59	109.88	328.6	899	1.0	0.0	1.0	330.0	56.59	109.88	328.6
656	1.0	0.0	1.0	330.0	56.59	109.88	328.6	737	0.0	1.0	1.0	210.0	79.86	44.91	217.0	818	0.0	0.0	1.0	270.0	59.28	59.27	271.7	899	1.0	0.0	1.0	330.0	56.59	109.88	328.6	900	0.875	1.0	0.875	150.0	85.46	65.56	162.2
657	1.0	0.125	0.0	36.6	50.86	91.02	32.8	738	1.0	0.875	0.875	30.0	51.05	86.18	25.5	819	1.0	1.0	0.875	90.0	83.48	97.16	92.3	900	0.875	1.0	0.875	150.0	85.46	65.56	162.2	901	0.875	0.875	0.875	0.0	52.28	82.17	357.0
658	1.0	0.125	0.125	30.0	51.05	86.19	25.5	739	0.875	0.875	0.875	0.0	52.28	82.17	357.0	820	0.875	0.875	0.875	0.0	52.28	82.17	357.0	901	0.875	0.875	0.875	0.0	52.28	82.17	357.0	902	0.875	0.75	0.875	330.0	56.59	109.85	328.6
659	1.0	0.125	0.25	22.4	51.26	82.36	18.3	740	0.75	0.875	0.875	210.0	79.85	44.9	217.0	821	0.75	0.75	0.875	270.0	59.26	59.31	271.8	902	0.875	0.75	0.875	330.0	56.59	109.85	328.6	903	0.875	0.625	0.875	330.0	56.59	109.87	328.6
660	1.0	0.125	0.375	13.9	51.57	80.7	10.2	741	0.625	0.875	0.875	210.0	79.86	44.91	217.0	822	0.625	0.625	0.875	270.0	59.27	59.29	271.8	903	0.875	0.625	0.875	330.0	56.59	109.87	328.6	904	0.875	0.5	0.875	330.0	56.59	109.88	328.6
661	1.0	0.125	0.5	4.7	52.0	81.15	1.5	742	0.5	0.875	0.875	210.0	79.86	44.91	217.0	823	0.5	0.5	0.875	270.0	59.28	59.28	271.8	904	0.875	0.5	0.875	330.0	56.59	109.88	328.6	905	0.875	0.375	0.875	330.0	56.59	109.88	328.6
662	1.0	0.125	0.625	355.3	52.61	84.0	352.6	743	0.375	0.875	0.875	210.0	79.86	44.91	217.0	824	0.375	0.375	0.875	270.0	59.28	59.28	271.7	905	0.875	0.375	0.875	330.0	56.59	109.88	328.6	906	0.875	0.25	0.875	330.0	56.59	109.88	328.6
663	1.0	0.125	0.75	346.1	53.42	89.38	343.9	744	0.25	0.875	0.875	210.0	79.86	44.91	217.0	825	0.25	0.25	0.875	270.0	59.28	59.28	271.7	906	0.875	0.25	0.875	330.0	56.59	109.88	328.6	907	0.875	0.125	0.875	330.0	56.59	109.88	328.6
664	1.0	0.125	0.875	337.6	54.71	98.19	335.8	745	0.125	0.875	0.875	210.0	79.86	44.91	217.0	826	0.125	0.125	0.875	270.0	59.28	59.27	271.7	907	0.875	0.125	0.875	330.0	56.59	109.88	328.6	908	0.875	0.0	0.875	330.0	56.59	109.88	328.6
665	1.0	0.125	1.0	330.0	56.59	109.88	328.6	746	0.0	0.875	0.875	210.0	79.86	44.91	217.0	827	0.0	0.0	0.875	270.0	59.28	59.27	271.7	908	0.875	0.0	0.875	330.0	56.59	109.88	328.6	909	0.75	1.0	0.75	150.0	85.46	65.55	162.2
666	1.0	0.25	0.0	43.9	50.72	100.34	41.0	747	1.0	0.75	0.75	30.0	51.05	86.18	25.5	828	1.0	1.0	0.75	90.0	83.5	97.19	92.3	910	0.75	1.0	0.75	150.0	85.46	65.55	162.2	911	0.75	0.75	0.75	0.0	52.28	82.17	357.0
667	1.0	0.25	0.125	37.6	50.83	91.75	33.9	748	0.875	0.75	0.75	30.0	51.05	86.18	25.5	829	0.875	0.875	0.75	90.0	83.48	97.16	92.3	911	0.75	0.75	0.75	0.0	52.28	82.17	357.0	912	0.75	0.625	0.75	330.0	56.59	109.85	328.6
668	1.0	0.25	0.25	30.0	51.05	86.19	25.5	749	0.75	0.75	0.75	0.0	52.28	82.17	357.0	830	0.75	0.75	0.75	0.0	52.28	82.17	357.0	912	0.75	0.625	0.75	330.0	56.59	109.85	328.6	913	0.75	0.5	0.75	330.0	56.59	109.87	328.6
669	1.0	0.25	0.375	21.0	51.31	82.1	17.0	750	0.625	0.75	0.75	210.0	79.85	44.9	217.0	831	0.625	0.625	0.75	270.0	59.26	59.31	271.8	913	0.75	0.5	0.75	330.0	56.59	109.88	328.6	914	0.75	0.375	0.75	330.0	56.59	109.88	328.6
670	1.0	0.25	0.5	10.9	51.7	80.57	7.4	751	0.5	0.75	0.75	210.0	79.86	44.91	217.0	832	0.5	0.5	0.75	270.0	59.27	59.29	271.8	914	0.75	0.5	0.75	330.0	56.59	109.88	328.6	915	0.75	0.25	0.75	330.0	56.59	109.88	328.6
671	1.0	0.25	0.625	0.0	52.28	82.17	357.0	752	0.375	0.75	0.75	210.0	79.86	44.91	217.0	833	0.375	0.375	0.75	270.0	59.28	59.28	271.8	915	0.75	0.25	0.75	330.0	56.59	109.88	328.6	916	0.75	0.125	0.75	330.0	56.59	109.88	328.6
672	1.0	0.25	0.75	349.1	53.14	87.46	346.7	753	0.25	0.75	0.75	210.0	79.86	44.91	217.0	834	0.25	0.25	0.75	270.0	59.28	59.28	271.7	916	0.75	0.125	0.75	330.0	56.59	109.88	328.6	917	0.75	0.0	0.75	330.0	56.59	109.88	328.6
673	1.0	0.25	0.875	339.0	54.4	96.24	337.1	754	0.125	0.75	0.75	210.0	79.86	44.91	217.0	835	0.125	0.125	0.75	270.0	59.28	59.28	271.7	917	0.75	0.0	0.75	330.0	56.59	109.88	328.6	918	0.625	1.0	0.625	150.0	85.46	65.55	162.2
674	1.0	0.25	1.0	330.0	56.59	109.88	328.6	755	0.0	0.75	0.75	210.0	79.86	44.91	217.0	836	0.0	0.0	0.75	270.0	59.28	59.27	271.7	918	0.625	1.0	0.625	150.0	85.46	65.55	162.2	919	0.625	0.875	0.625	150.0	85.46	65.55	162.2
675	1.0	0.375	0.0	51.8	55.13	96.56																																	

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
972	0.0 0.0 0.0	0.0	52.28 82.17 357.0
973	0.125 0.125 0.125	0.0	52.28 82.17 357.0
974	0.25 0.25 0.25	0.0	52.28 82.17 357.0
975	0.375 0.375 0.375	0.0	52.28 82.17 357.0
976	0.5 0.5 0.5	0.0	52.28 82.17 357.0
977	0.625 0.625 0.625	0.0	52.28 82.17 357.0
978	0.75 0.75 0.75	0.0	52.28 82.17 357.0
979	0.875 0.875 0.875	0.0	52.28 82.17 357.0
980	1.0 1.0 1.0	0.0	52.28 82.17 357.0
981	0.0 0.0 0.0	0.0	52.28 82.17 357.0
982	0.125 0.125 0.125	0.0	52.28 82.17 357.0
983	0.25 0.25 0.25	0.0	52.28 82.17 357.0
984	0.375 0.375 0.375	0.0	52.28 82.17 357.0
985	0.5 0.5 0.5	0.0	52.28 82.17 357.0
986	0.625 0.625 0.625	0.0	52.28 82.17 357.0
987	0.75 0.75 0.75	0.0	52.28 82.17 357.0
988	0.875 0.875 0.875	0.0	52.28 82.17 357.0
989	1.0 1.0 1.0	0.0	52.28 82.17 357.0
990	0.0 0.0 0.0	0.0	52.28 82.17 357.0
991	0.125 0.125 0.125	0.0	52.28 82.17 357.0
992	0.25 0.25 0.25	0.0	52.28 82.17 357.0
993	0.375 0.375 0.375	0.0	52.28 82.17 357.0
994	0.5 0.5 0.5	0.0	52.28 82.17 357.0
995	0.625 0.625 0.625	0.0	52.28 82.17 357.0
996	0.75 0.75 0.75	0.0	52.28 82.17 357.0
997	0.875 0.875 0.875	0.0	52.28 82.17 357.0
998	1.0 1.0 1.0	0.0	52.28 82.17 357.0
999	0.0 0.0 0.0	0.0	52.28 82.17 357.0
1000	0.125 0.125 0.125	0.0	52.28 82.17 357.0
1001	0.25 0.25 0.25	0.0	52.28 82.17 357.0
1002	0.375 0.375 0.375	0.0	52.28 82.17 357.0
1003	0.5 0.5 0.5	0.0	52.28 82.17 357.0
1004	0.625 0.625 0.625	0.0	52.28 82.17 357.0
1005	0.75 0.75 0.75	0.0	52.28 82.17 357.0
1006	0.875 0.875 0.875	0.0	52.28 82.17 357.0
1007	1.0 1.0 1.0	0.0	52.28 82.17 357.0

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$		
1008	0.0	0.0	0.0	0.0	52.28	82.17	357.0
1009	0.066	0.066	0.066	0.0	52.28	82.17	357.0
1010	0.133	0.133	0.133	0.0	52.28	82.17	357.0
1011	0.2	0.2	0.2	0.0	52.28	82.17	357.0
1012	0.266	0.266	0.266	0.0	52.28	82.17	357.0
1013	0.333	0.333	0.333	0.0	52.28	82.17	357.0
1014	0.4	0.4	0.4	0.0	52.28	82.17	357.0
1015	0.466	0.466	0.466	0.0	52.28	82.17	357.0
1016	0.533	0.533	0.533	0.0	52.28	82.17	357.0
1017	0.6	0.6	0.6	0.0	52.28	82.17	357.0
1018	0.666	0.666	0.666	0.0	52.28	82.17	357.0
1019	0.734	0.734	0.734	0.0	52.28	82.17	357.0
1020	0.8	0.8	0.8	0.0	52.28	82.17	357.0
1021	0.866	0.866	0.866	0.0	52.28	82.17	357.0
1022	0.933	0.933	0.933	0.0	52.28	82.17	357.0
1023	1.0	1.0	1.0	0.0	52.28	82.17	357.0
1024	0.0	0.0	0.0	0.0	52.28	82.17	357.0
1025	0.066	0.066	0.066	0.0	52.28	82.17	357.0
1026	0.133	0.133	0.133	0.0	52.28	82.17	357.0
1027	0.2	0.2	0.2	0.0	52.28	82.17	357.0
1028	0.266	0.266	0.266	0.0	52.28	82.17	357.0
1029	0.333	0.333	0.333	0.0	52.28	82.17	357.0
1030	0.4	0.4	0.4	0.0	52.28	82.17	357.0
1031	0.466	0.466	0.466	0.0	52.28	82.17	357.0
1032	0.533	0.533	0.533	0.0	52.28	82.17	357.0
1033	0.6	0.6	0.6	0.0	52.28	82.17	357.0
1034	0.666	0.666	0.666	0.0	52.28	82.17	357.0
1035	0.734	0.734	0.734	0.0	52.28	82.17	357.0
1036	0.8	0.8	0.8	0.0	52.28	82.17	357.0
1037	0.866	0.866	0.866	0.0	52.28	82.17	357.0
1038	0.933	0.933	0.933	0.0	52.28	82.17	357.0
1039	1.0	1.0	1.0	0.0	52.28	82.17	357.0
1040	0.0	0.0	0.0	0.0	52.28	82.17	357.0
1041	0.066	0.066	0.066	0.0	52.28	82.17	357.0
1042	0.133	0.133	0.133	0.0	52.28	82.17	357.0
1043	0.2	0.2	0.2	0.0	52.28	82.17	357.0
1044	0.266	0.266	0.266	0.0	52.28	82.17	357.0
1045	0.333	0.333	0.333	0.0	52.28	82.17	357.0
1046	0.4	0.4	0.4	0.0	52.28	82.17	357.0
1047	0.466	0.466	0.466	0.0	52.28	82.17	357.0
1048	0.533	0.533	0.533	0.0	52.28	82.17	357.0
1049	0.6	0.6	0.6	0.0	52.28	82.17	357.0
1050	0.666	0.666	0.666	0.0	52.28	82.17	357.0
1051	0.734	0.734	0.734	0.0	52.28	82.17	357.0
1052	0.8	0.8	0.8	0.0	52.28	82.17	357.0
1053	0.866	0.866	0.866	0.0	52.28	82.17	357.0
1054	0.933	0.933	0.933	0.0	52.28	82.17	357.0
1055	1.0	1.0	1.0	0.0	52.28	82.17	357.0
1056	0.0	0.0	0.0	0.0	52.28	82.17	357.0
1057	0.066	0.066	0.066	0.0	52.28	82.17	357.0
1058	0.133	0.133	0.133	0.0	52.28	82.17	357.0
1059	0.2	0.2	0.2	0.0	52.28	82.17	357.0
1060	0.266	0.266	0.266	0.0	52.28	82.17	357.0
1061	0.333	0.333	0.333	0.0	52.28	82.17	357.0
1062	0.4	0.4	0.4	0.0	52.28	82.17	357.0
1063	0.466	0.466	0.466	0.0	52.28	82.17	357.0
1064	0.533	0.533	0.533	0.0	52.28	82.17	357.0
1065	0.6	0.6	0.6	0.0	52.28	82.17	357.0
1066	0.666	0.666	0.666	0.0	52.28	82.17	357.0
1067	0.734	0.734	0.734	0.0	52.28	82.17	357.0
1068	0.8	0.8	0.8	0.0	52.28	82.17	357.0
1069	0.866	0.866	0.866	0.0	52.28	82.17	357.0
1070	0.933	0.933	0.933	0.0	52.28	82.17	357.0
1071	1.0	1.0	1.0	0.0	52.28	82.17	357.0
1072	0.0	0.0	0.0	0.0	52.28	82.17	357.0
1073	1.0	1.0	1.0	0.0	52.28	82.17	357.0
1074	1.0	0.0	0.0	30.0	51.05	86.19	25.5
1075	0.0	1.0	1.0	210.0	79.86	44.91	217.0
1076	1.0	1.0	0.0	90.0	83.52	97.21	92.3
1077	0.0	0.0	1.0	270.0	59.28	59.27	271.7
1078	0.0	1.0	0.0	150.0	85.46	65.54	162.2
1079	1.0	0.0	1.0	330.0	56.59	109.88	328.6

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb}	rgb -> rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma_e}	n _{rgb}	rgb -> rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma_e}	n _{rgb}	rgb -> rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma_e}	n _{rgb}	rgb -> rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma_e}
0	0.0	0.0	52.82 80.8 357.0	81	0.125	0.0	30.0 51.6 84.5 25.5	162	0.25	0.0	0.0 30.0 51.6 84.51 25.5	243	0.375	0.0	0.0 30.0 51.6 84.51 25.5
1	0.0	0.125	59.66 58.65 271.8	82	0.125	0.0	0.125 330.0 57.03 108.29 328.6	163	0.25	0.0	0.125 0.0 52.82 80.8 357.0	244	0.375	0.0	0.125 10.9 52.25 79.17 7.4
2	0.0	0.25	59.67 58.63 271.8	83	0.125	0.0	0.25 330.0 57.03 108.31 328.6	164	0.25	0.0	0.25 330.0 57.03 108.31 328.6	245	0.375	0.0	0.25 349.1 53.66 86.06 346.7
3	0.0	0.375	59.67 58.62 271.8	84	0.125	0.0	0.375 289.1 48.18 82.53 289.9	165	0.25	0.0	0.375 310.9 39.86 119.87 310.5	246	0.375	0.0	0.375 330.0 57.03 108.31 328.6
4	0.0	0.5	59.67 58.62 271.7	85	0.125	0.0	0.5 283.9 51.82 74.3 284.9	166	0.25	0.0	0.5 300.0 38.26 109.37 300.2	247	0.375	0.0	0.5 316.1 45.74 115.71 315.4
5	0.0	0.625	59.68 58.62 271.7	86	0.125	0.0	0.625 280.9 53.92 69.55 282.1	167	0.25	0.0	0.625 293.4 44.6 91.75 293.9	248	0.375	0.0	0.625 306.6 34.22 125.42 306.4
6	0.0	0.75	59.68 58.61 271.7	87	0.125	0.0	0.75 279.0 54.96 67.57 280.2	168	0.25	0.0	0.75 289.1 48.18 82.52 289.9	249	0.375	0.0	0.75 300.0 38.26 109.36 300.2
7	0.0	0.875	59.68 58.61 271.7	88	0.125	0.0	0.875 277.6 55.67 66.21 278.9	169	0.25	0.0	0.875 286.1 50.28 77.77 287.0	250	0.375	0.0	0.875 295.3 42.98 96.06 295.7
8	0.0	1.0	59.68 58.61 271.7	89	0.125	0.0	1.0 276.6 56.2 65.2 278.0	170	0.25	0.0	1.0 283.9 51.82 74.29 284.9	251	0.375	0.0	1.0 291.8 46.02 87.99 292.4
9	0.0	0.125	85.54 64.88 162.2	90	0.125	0.125	0.0 90.0 83.54 94.51 92.3	171	0.25	0.125	0.0 60.0 61.89 86.34 58.9	252	0.375	0.125	0.0 49.1 54.79 93.02 46.7
10	0.0	0.125	80.01 44.47 217.0	91	0.125	0.125	0.0 52.82 80.8 357.0	172	0.25	0.125	0.125 0.0 51.6 84.5 25.5	253	0.375	0.125	0.125 30.0 51.6 84.51 25.5
11	0.0	0.125	240.0 70.54 45.72 244.4	92	0.125	0.125	0.25 270.0 59.66 58.65 271.8	173	0.25	0.125	0.25 330.0 57.03 108.29 328.6	254	0.375	0.125	0.25 0.0 52.82 80.8 357.0
12	0.0	0.125	250.9 71.16 47.95 254.3	93	0.125	0.125	0.375 270.0 59.67 58.63 271.8	174	0.25	0.125	0.375 300.0 38.25 109.41 300.2	255	0.375	0.125	0.375 330.0 57.03 108.31 328.6
13	0.0	0.125	256.1 65.16 50.72 259.1	94	0.125	0.125	0.5 270.0 59.67 58.62 271.8	175	0.25	0.125	0.5 289.1 48.18 82.53 289.9	256	0.375	0.125	0.5 310.9 39.86 119.87 310.5
14	0.0	0.125	259.1 64.01 52.32 261.8	95	0.125	0.125	0.625 270.0 59.67 58.62 271.7	176	0.25	0.125	0.625 283.9 51.82 74.3 284.9	257	0.375	0.125	0.625 300.0 38.26 109.37 300.2
15	0.0	0.125	261.1 63.26 53.35 263.6	96	0.125	0.125	0.75 270.0 59.68 58.62 271.7	177	0.25	0.125	0.75 280.9 53.92 69.55 282.1	258	0.375	0.125	0.75 293.4 44.6 91.75 293.9
16	0.0	0.125	262.4 62.74 54.07 264.8	97	0.125	0.125	0.875 270.0 59.68 58.61 271.7	178	0.25	0.125	0.875 279.0 54.96 67.57 280.2	259	0.375	0.125	0.875 289.1 48.18 82.52 289.9
17	0.0	0.125	1.0 263.4 62.35 54.61 265.7	98	0.125	0.125	1.0 270.0 59.68 58.61 271.7	179	0.25	0.125	1.0 277.6 55.67 66.21 278.9	260	0.375	0.125	1.0 286.1 50.28 77.77 287.0
18	0.0	0.25	0.0 150.0 85.54 64.87 162.2	99	0.125	0.25	0.0 120.0 85.41 116.67 127.2	180	0.25	0.25	0.0 90.0 83.56 94.54 92.3	261	0.375	0.25	0.0 70.9 68.86 84.76 71.0
19	0.0	0.25	0.125 180.0 86.86 50.13 189.6	100	0.125	0.25	0.125 150.0 85.54 64.88 162.2	181	0.25	0.25	0.125 90.0 83.54 94.51 92.3	262	0.375	0.25	0.125 60.0 61.89 86.34 58.9
20	0.0	0.25	0.25 210.0 80.01 44.47 217.0	101	0.125	0.25	0.25 210.0 80.01 44.47 217.0	182	0.25	0.25	0.25 0.0 52.82 80.8 357.0	263	0.375	0.25	0.25 30.0 51.6 84.5 25.5
21	0.0	0.25	0.375 229.1 73.92 45.54 234.4	102	0.125	0.25	0.375 240.0 70.54 45.72 244.4	183	0.25	0.25	0.375 270.0 59.66 58.65 271.8	264	0.375	0.25	0.375 330.0 57.03 108.29 328.6
22	0.0	0.25	0.5 240.0 70.55 45.72 244.4	103	0.125	0.25	0.5 250.9 71.16 47.95 254.3	184	0.25	0.25	0.5 270.0 59.67 58.63 271.8	265	0.375	0.25	0.5 300.0 38.25 109.41 300.2
23	0.0	0.25	0.625 246.6 68.51 47.04 250.4	104	0.125	0.25	0.625 256.1 65.16 50.72 259.1	185	0.25	0.25	0.625 270.0 59.67 58.62 271.8	266	0.375	0.25	0.625 289.1 48.18 82.53 289.9
24	0.0	0.25	0.75 250.9 71.17 49.4 254.3	105	0.125	0.25	0.75 259.1 64.01 52.32 261.8	186	0.25	0.25	0.75 270.0 59.67 58.62 271.7	267	0.375	0.25	0.75 283.9 51.82 74.3 284.9
25	0.0	0.25	0.875 253.9 66.01 49.54 257.0	106	0.125	0.25	0.875 261.1 63.26 53.35 263.6	187	0.25	0.25	0.875 270.0 59.68 58.62 271.7	268	0.375	0.25	0.875 280.9 53.92 69.55 282.1
26	0.0	0.25	1.0 256.1 65.16 50.71 259.1	107	0.125	0.25	1.0 262.4 62.74 54.07 264.8	188	0.25	0.25	1.0 270.0 59.68 58.61 271.7	269	0.375	0.25	1.0 279.0 54.96 67.57 280.2
27	0.0	0.375	0.0 150.0 85.54 64.87 162.2	108	0.125	0.375	0.0 130.9 84.49 100.15 139.9	189	0.25	0.375	0.0 109.1 88.81 107.6 114.6	270	0.375	0.375	0.0 90.0 83.57 94.55 92.3
28	0.0	0.375	0.125 169.1 86.39 54.16 179.7	109	0.125	0.375	0.125 150.0 85.54 64.87 162.2	190	0.25	0.375	0.125 120.0 85.41 116.67 127.2	271	0.375	0.375	0.125 90.0 83.56 94.54 92.3
29	0.0	0.375	0.25 190.9 86.17 46.88 199.5	110	0.125	0.375	0.25 180.0 86.86 50.13 189.6	191	0.25	0.375	0.25 150.0 85.54 64.88 162.2	272	0.375	0.375	0.25 90.0 83.54 94.51 92.3
30	0.0	0.375	0.375 210.0 80.01 44.47 217.0	111	0.125	0.375	0.375 210.0 80.01 44.47 217.0	192	0.25	0.375	0.375 210.0 80.01 44.47 217.0	273	0.375	0.375	0.375 0.0 52.82 80.8 357.0
31	0.0	0.375	0.5 223.9 75.54 42.72 229.7	112	0.125	0.375	0.5 229.1 73.92 45.54 234.4	193	0.25	0.375	0.5 240.0 70.54 45.72 244.4	274	0.375	0.375	0.5 270.0 59.66 58.65 271.8
32	0.0	0.375	0.625 233.4 72.59 44.4 238.4	113	0.125	0.375	0.625 240.0 70.55 45.72 244.4	194	0.25	0.375	0.625 250.9 71.16 47.95 254.3	275	0.375	0.375	0.625 270.0 59.67 58.63 271.8
33	0.0	0.375	0.75 240.0 70.55 45.72 244.4	114	0.125	0.375	0.75 246.6 68.51 47.04 250.4	195	0.25	0.375	0.75 256.1 65.16 50.72 259.1	276	0.375	0.375	0.75 270.0 59.67 58.62 271.8
34	0.0	0.375	0.875 244.7 69.09 46.66 248.7	115	0.125	0.375	0.875 250.9 67.17 47.94 254.3	196	0.25	0.375	0.875 259.1 64.01 52.32 261.8	277	0.375	0.375	0.875 270.0 59.67 58.62 271.7
35	0.0	0.375	1.0 248.2 68.01 47.37 251.9	116	0.125	0.375	1.0 253.9 66.01 49.54 257.0	197	0.25	0.375	1.0 261.1 63.26 53.35 263.6	278	0.375	0.375	1.0 270.0 59.68 58.62 271.7
36	0.0	0.5	0.0 150.0 85.54 64.87 162.2	117	0.125	0.5	0.0 136.1 84.76 87.24 146.0	198	0.25	0.5	0.0 120.0 85.4 116.69 127.3	279	0.375	0.5	0.0 103.9 90.6 106.19 108.5
37	0.0	0.5	0.125 163.9 86.16 56.08 174.9	118	0.125	0.5	0.125 150.0 85.54 64.87 162.2	199	0.25	0.5	0.125 130.9 84.49 100.15 139.9	280	0.375	0.5	0.125 90.0 83.56 94.54 92.3
38	0.0	0.5	0.25 180.0 86.86 50.13 189.6	119	0.125	0.5	0.25 169.1 86.39 54.16 179.7	200	0.25	0.5	0.25 150.0 85.54 64.87 162.2	281	0.375	0.5	0.25 120.0 85.41 116.67 127.2
39	0.0	0.5	0.375 196.1 84.49 46.23 204.3	120	0.125	0.5	0.375 190.9 86.17 46.88 199.5	201	0.25	0.5	0.375 180.0 86.86 50.13 189.6	282	0.375	0.5	0.375 150.0 85.54 64.88 162.2
40	0.0	0.5	0.5 210.0 80.02 44.47 217.0	121	0.125	0.5	0.5 210.0 80.01 44.47 217.0	202	0.25	0.5	0.5 210.0 80.01 44.47 217.0	283	0.375	0.5	0.5 210.0 80.01 44.47 217.0
41	0.0	0.5	0.625 220.9 76.51 43.1 226.9	122	0.125	0.5	0.625 223.9 75.54 42.72 229.7	203							

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
324	0.5	0.0	0.0	30.0	51.6	84.51	25.5	405	0.625	0.0	0.0	30.0	51.6	84.51	25.5	486	0.75	0.0	0.0	30.0	51.6	84.51	25.5	567	0.875	0.0	0.0	30.0	51.6	84.51	25.5	648	1.0	0.0	0.0	30.0	51.6	84.51	25.5	729	1.125	0.0	0.0	30.0	51.6	84.51	25.5	810	1.25	0.0	0.0	30.0	51.6	84.51	25.5	891	1.375	0.0	0.0	30.0	51.6	84.51	25.5	972	1.5	0.0	0.0	30.0	51.6	84.51	25.5	1053	1.625	0.0	0.0	30.0	51.6	84.51	25.5	1134	1.75	0.0	0.0	30.0	51.6	84.51	25.5	1215	1.875	0.0	0.0	30.0	51.6	84.51	25.5	1296	2.0	0.0	0.0	30.0	51.6	84.51	25.5	1377	2.125	0.0	0.0	30.0	51.6	84.51	25.5	1458	2.25	0.0	0.0	30.0	51.6	84.51	25.5	1539	2.375	0.0	0.0	30.0	51.6	84.51	25.5	1620	2.5	0.0	0.0	30.0	51.6	84.51	25.5	1701	2.625	0.0	0.0	30.0	51.6	84.51	25.5	1782	2.75	0.0	0.0	30.0	51.6	84.51	25.5	1863	2.875	0.0	0.0	30.0	51.6	84.51	25.5	1944	3.0	0.0	0.0	30.0	51.6	84.51	25.5	2025	3.125	0.0	0.0	30.0	51.6	84.51	25.5	2106	3.25	0.0	0.0	30.0	51.6	84.51	25.5	2187	3.375	0.0	0.0	30.0	51.6	84.51	25.5	2268	3.5	0.0	0.0	30.0	51.6	84.51	25.5	2349	3.625	0.0	0.0	30.0	51.6	84.51	25.5	2430	3.75	0.0	0.0	30.0	51.6	84.51	25.5	2511	3.875	0.0	0.0	30.0	51.6	84.51	25.5	2592	4.0	0.0	0.0	30.0	51.6	84.51	25.5	2673	4.125	0.0	0.0	30.0	51.6	84.51	25.5	2754	4.25	0.0	0.0	30.0	51.6	84.51	25.5	2835	4.375	0.0	0.0	30.0	51.6	84.51	25.5	2916	4.5	0.0	0.0	30.0	51.6	84.51	25.5	2997	4.625	0.0	0.0	30.0	51.6	84.51	25.5	3078	4.75	0.0	0.0	30.0	51.6	84.51	25.5	3159	4.875	0.0	0.0	30.0	51.6	84.51	25.5	3240	5.0	0.0	0.0	30.0	51.6	84.51	25.5	3321	5.125	0.0	0.0	30.0	51.6	84.51	25.5	3402	5.25	0.0	0.0	30.0	51.6	84.51	25.5	3483	5.375	0.0	0.0	30.0	51.6	84.51	25.5	3564	5.5	0.0	0.0	30.0	51.6	84.51	25.5	3645	5.625	0.0	0.0	30.0	51.6	84.51	25.5	3726	5.75	0.0	0.0	30.0	51.6	84.51	25.5	3807	5.875	0.0	0.0	30.0	51.6	84.51	25.5	3888	6.0	0.0	0.0	30.0	51.6	84.51	25.5	3969	6.125	0.0	0.0	30.0	51.6	84.51	25.5	4050	6.25	0.0	0.0	30.0	51.6	84.51	25.5	4131	6.375	0.0	0.0	30.0	51.6	84.51	25.5	4212	6.5	0.0	0.0	30.0	51.6	84.51	25.5	4293	6.625	0.0	0.0	30.0	51.6	84.51	25.5	4374	6.75	0.0	0.0	30.0	51.6	84.51	25.5	4455	6.875	0.0	0.0	30.0	51.6	84.51	25.5	4536	7.0	0.0	0.0	30.0	51.6	84.51	25.5	4617	7.125	0.0	0.0	30.0	51.6	84.51	25.5	4698	7.25	0.0	0.0	30.0	51.6	84.51	25.5	4779	7.375	0.0	0.0	30.0	51.6	84.51	25.5	4860	7.5	0.0	0.0	30.0	51.6	84.51	25.5	4941	7.625	0.0	0.0	30.0	51.6	84.51	25.5	5022	7.75	0.0	0.0	30.0	51.6	84.51	25.5	5103	7.875	0.0	0.0	30.0	51.6	84.51	25.5	5184	8.0	0.0	0.0	30.0	51.6	84.51	25.5	5265	8.125	0.0	0.0	30.0	51.6	84.51	25.5	5346	8.25	0.0	0.0	30.0	51.6	84.51	25.5	5427	8.375	0.0	0.0	30.0	51.6	84.51	25.5	5508	8.5	0.0	0.0	30.0	51.6	84.51	25.5	5589	8.625	0.0	0.0	30.0	51.6	84.51	25.5	5670	8.75	0.0	0.0	30.0	51.6	84.51	25.5	5751	8.875	0.0	0.0	30.0	51.6	84.51	25.5	5832	9.0	0.0	0.0	30.0	51.6	84.51	25.5	5913	9.125	0.0	0.0	30.0	51.6	84.51	25.5	5994	9.25	0.0	0.0	30.0	51.6	84.51	25.5	6075	9.375	0.0	0.0	30.0	51.6	84.51	25.5	6156	9.5	0.0	0.0	30.0	51.6	84.51	25.5	6237	9.625	0.0	0.0	30.0	51.6	84.51	25.5	6318	9.75	0.0	0.0	30.0	51.6	84.51	25.5	6399	9.875	0.0	0.0	30.0	51.6	84.51	25.5	6480	10.0	0.0	0.0	30.0	51.6	84.51	25.5	6561	10.125	0.0	0.0	30.0	51.6	84.51	25.5	6642	10.25	0.0	0.0	30.0	51.6	84.51	25.5	6723	10.375	0.0	0.0	30.0	51.6	84.51	25.5	6804	10.5	0.0	0.0	30.0	51.6	84.51	25.5	6885	10.625	0.0	0.0	30.0	51.6	84.51	25.5	6966	10.75	0.0	0.0	30.0	51.6	84.51	25.5	7047	10.875	0.0	0.0	30.0	51.6	84.51	25.5	7128	11.0	0.0	0.0	30.0	51.6	84.51	25.5	7209	11.125	0.0	0.0	30.0	51.6	84.51	25.5	7290	11.25	0.0	0.0	30.0	51.6	84.51	25.5	7371	11.375	0.0	0.0	30.0	51.6	84.51	25.5	7452	11.5	0.0	0.0	30.0	51.6	84.51	25.5	7533	11.625	0.0	0.0	30.0	51.6	84.51	25.5	7614	11.75	0.0	0.0	30.0	51.6	84.51	25.5	7695	11.875	0.0	0.0	30.0	51.6	84.51	25.5	7776	12.0	0.0	0.0	30.0	51.6	84.51	25.5	7857	12.125	0.0	0.0	30.0	51.6	84.51	25.5	7938	12.25	0.0	0.0	30.0	51.6	84.51	25.5	8019	12.375	0.0	0.0	30.0	51.6	84.51	25.5	8100	12.5	0.0	0.0	30.0	51.6	84.51	25.5	8181	12.625	0.0	0.0	30.0	51.6	84.51	25.5	8262	12.75	0.0	0.0	30.0	51.6	84.51	25.5	8343	12.875	0.0	0.0	30.0	51.6	84.51	25.5	8424	13.0	0.0	0.0	30.0	51.6	84.51	25.5	8505	13.125	0.0	0.0	30.0	51.6	84.51	25.5	8586	13.25	0.0	0.0	30.0	51.6	84.51	25.5	8667	13.375	0.0	0.0	30.0	51.6	84.51	25.5	8748	13.5	0.0	0.0	30.0	51.6	84.51	25.5	8829	13.625	0.0	0.0	30.0	51.6	84.51	25.5	8910	13.75	0.0	0.0	30.0	51.6	84.51	25.5	8991	13.875	0.0	0.0	30.0	51.6	84.51	25.5	9072	14.0	0.0	0.0	30.0	51.6	84.51	25.5	9153	14.125	0.0	0.0	30.0	51.6	84.51	25.5	9234	14.25	0.0	0.0	30.0	51.6	84.51	25.5	9315	14.375	0.0	0.0	30.0	51.6	84.51	25.5	9396	14.5	0.0	0.0	30.0	51.6	84.51	25.5	9477	14.625	0.0	0.0	30.0	51.6	84.51	25.5	9558	14.75	0.0	0.0	30.0	51.6	84.51	25.5	9639	14.875	0.0	0.0	30.0	51.6	84.51	25.5	9720	15.0	0.0	0.0	30.0	51.6	84.51	25.5	9801	15.125	0.0	0.0	30.0	51.6	84.51	25.5	9882	15.25	0.0	0.0	30.0	51.6	84.51	25.5	9963	15.375	0.0	0.0	30.0	51.6	84.51	25.5	10044	15.5	0.0	0.0	30.0	51.6	84.51	25.5	10125	15.625	0.0	0.0	30.0	51.6	84.51	25.5	10206	15.75	0.0	0.0	30.0	51.6	84.51	25.5	10287	15.875	0.0	0.0	30.0	51.6	84.51	25.5	10368	16.0	0.0	0.0	30.0	51.6	84.51	25.5	10449	16.125	0.0	0.0	30.0	51.6	84.51	25.5	10530	16.25	0.0	0.0	30.0	51.6	84.51	25.5	10611	16.375	0.0	0.0	30.0	51.6	84.51	25.5	10692	16.5	0.0	0.0	30.0	51.6	84.51	25.5	10773	16.625	0.0	0.0	30.0	51.6	84.51	25.5	10854	16.75	0.0	0.0	30.0	51.6	84.51	25.5	10935	16.875	0.0	0.0	30.0	51.6	84.51	25.5	11016	17.0	0.0	0.0	30.0	51.6	84.51	25.5	11097	17.125	0.0	0.0	30.0	51.6	84.51	25.5	11178	17.25	0.0	0.0	30.0	51.6	84.51	25.5	11259	17.375	0.0	0.0	30.0	51.6	84.51	25.5	11340	17.5	0.0	0.0	30.0	51.6	84.51	25.5	11421	17.625	0.0	0.0	30.0	51.6	84.51	25.5	11502	17.75	0.0	0.0	30.0	51.6	84.51	25.5	11583	17.875	0.0	0.0	30.0	51.6	84.51	25.5	11664	18.0	0.0	0.0	30.0	51.6	84.51	25.5	11745	18.125	0.0	0.0	30.0	51.6	84.51	25.5	11826	18.25	0.0	0.0	30.0	51.6	84.51	25.5	11907	18.375	0.0	0.0

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~fabnmetrik>

n_{rgb}	$rgb \rightarrow rgb_3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$	n_{rgb}	$rgb \rightarrow rgb_3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$	n_{rgb}	$rgb \rightarrow rgb_3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$	n_{rgb}	$rgb \rightarrow rgb_3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$
648	1.0	0.0	0.0	30.0	51.6	84.51	25.5	729	1.0	1.0	1.0	0.0	52.82	80.8	357.0
649	1.0	0.0	0.125	23.4	51.78	81.01	19.2	730	1.0	0.875	1.0	0.0	52.82	80.8	357.0
650	1.0	0.0	0.25	16.1	52.04	79.69	12.3	731	1.0	0.75	1.0	0.0	52.82	80.8	357.0
651	1.0	0.0	0.375	8.2	52.38	79.43	6.25	732	1.0	0.625	1.0	0.0	52.82	80.8	357.0
652	1.0	0.0	0.5	0.0	52.82	80.8	357.0	733	0.5	1.0	1.0	0.0	52.82	80.8	357.0
653	1.0	0.0	0.625	351.8	53.42	84.35	349.3	734	0.375	1.0	1.0	0.0	52.82	80.8	357.0
654	1.0	0.0	0.75	343.9	54.22	89.99	341.8	735	0.25	1.0	1.0	0.0	52.82	80.8	357.0
655	1.0	0.0	0.875	336.6	55.44	98.24	334.9	736	0.125	1.0	1.0	0.0	52.82	80.8	357.0
656	1.0	0.0	1.0	330.0	57.03	108.32	328.6	737	0.0	1.0	1.0	0.0	52.82	80.8	357.0
657	1.0	0.125	0.0	36.6	51.41	88.99	32.8	738	1.0	0.875	0.875	0.0	52.82	80.8	357.0
658	1.0	0.125	0.125	30.0	51.6	84.51	25.5	739	0.875	0.875	0.875	0.0	52.82	80.8	357.0
659	1.0	0.125	0.25	22.4	51.81	80.83	18.3	740	0.75	0.875	0.875	0.0	52.82	80.8	357.0
660	1.0	0.125	0.375	13.9	52.12	79.29	10.2	741	0.625	0.875	0.875	0.0	52.82	80.8	357.0
661	1.0	0.125	0.5	4.7	52.55	79.77	1.5	742	0.5	0.875	0.875	0.0	52.82	80.8	357.0
662	1.0	0.125	0.625	355.3	53.15	82.62	352.6	743	0.375	0.875	0.875	0.0	52.82	80.8	357.0
663	1.0	0.125	0.75	346.1	53.93	87.97	343.9	744	0.25	0.875	0.875	0.0	52.82	80.8	357.0
664	1.0	0.125	0.875	337.6	55.19	96.7	335.8	745	0.125	0.875	0.875	0.0	52.82	80.8	357.0
665	1.0	0.125	1.0	330.0	57.03	108.32	328.6	746	0.0	0.875	0.875	0.0	52.82	80.8	357.0
666	1.0	0.25	0.0	43.9	51.26	97.86	41.0	747	1.0	0.75	0.75	0.0	52.82	80.8	357.0
667	1.0	0.25	0.125	37.6	51.38	88.98	33.9	748	0.875	0.75	0.75	0.0	52.82	80.8	357.0
668	1.0	0.25	0.25	30.0	51.6	84.51	25.5	749	0.75	0.75	0.75	0.0	52.82	80.8	357.0
669	1.0	0.25	0.375	21.0	51.86	80.58	17.0	750	0.625	0.75	0.75	0.0	52.82	80.8	357.0
670	1.0	0.25	0.5	10.9	52.25	79.17	7.4	751	0.5	0.75	0.75	0.0	52.82	80.8	357.0
671	1.0	0.25	0.625	0.0	52.82	80.8	357.0	752	0.375	0.75	0.75	0.0	52.82	80.8	357.0
672	1.0	0.25	0.75	349.1	53.66	86.06	346.7	753	0.25	0.75	0.75	0.0	52.82	80.8	357.0
673	1.0	0.25	0.875	339.0	54.89	94.77	337.1	754	0.125	0.75	0.75	0.0	52.82	80.8	357.0
674	1.0	0.25	1.0	330.0	57.03	108.32	328.6	755	0.0	0.75	0.75	0.0	52.82	80.8	357.0
675	1.0	0.375	0.0	51.8	56.62	90.63	49.7	756	1.0	0.625	0.625	0.0	51.6	84.51	25.5
676	1.0	0.375	0.125	46.1	52.73	95.81	43.4	757	0.875	0.625	0.625	0.0	51.6	84.51	25.5
677	1.0	0.375	0.25	38.9	51.36	91.6	35.4	758	0.75	0.625	0.625	0.0	51.6	84.51	25.5
678	1.0	0.375	0.375	30.0	51.6	84.51	25.5	759	0.625	0.625	0.625	0.0	52.82	80.8	357.0
679	1.0	0.375	0.5	19.1	51.93	80.23	15.1	760	0.5	0.625	0.625	0.0	80.01	44.47	217.0
680	1.0	0.375	0.625	6.6	52.46	79.59	3.3	761	0.375	0.625	0.625	0.0	80.01	44.47	217.0
681	1.0	0.375	0.75	353.4	53.28	83.35	350.8	762	0.25	0.625	0.625	0.0	80.01	44.47	217.0
682	1.0	0.375	0.875	340.9	54.63	92.89	338.9	763	0.125	0.625	0.625	0.0	80.02	44.47	217.0
683	1.0	0.375	1.0	330.0	57.03	108.32	328.6	764	0.0	0.625	0.625	0.0	80.02	44.47	217.0
684	1.0	0.5	0.0	60.0	61.9	86.34	58.9	765	1.0	0.5	0.5	0.0	51.6	84.51	25.5
685	1.0	0.5	0.125	55.3	58.88	88.52	53.6	766	0.875	0.5	0.5	0.0	51.6	84.51	25.5
686	1.0	0.5	0.25	49.1	54.79	93.01	46.8	767	0.75	0.5	0.5	0.0	51.6	84.51	25.5
687	1.0	0.5	0.375	40.9	51.32	94.06	37.6	768	0.625	0.5	0.5	0.0	51.6	84.51	25.5
688	1.0	0.5	0.5	30.0	51.6	84.51	25.5	769	0.5	0.5	0.5	0.0	52.82	80.8	357.0
689	1.0	0.5	0.625	16.1	52.04	79.69	12.3	770	0.375	0.5	0.5	0.0	80.01	44.47	217.0
690	1.0	0.5	0.75	360.0	52.82	80.8	357.0	771	0.25	0.5	0.5	0.0	80.01	44.47	217.0
691	1.0	0.5	0.875	343.9	54.22	89.99	341.8	772	0.125	0.5	0.5	0.0	80.01	44.47	217.0
692	1.0	0.5	1.0	330.0	57.03	108.32	328.6	773	0.0	0.5	0.5	0.0	80.02	44.47	217.0
693	1.0	0.625	0.0	68.2	67.13	84.78	68.0	774	1.0	0.375	0.375	0.0	51.6	84.51	25.5
694	1.0	0.625	0.125	64.7	64.88	84.99	64.1	775	0.875	0.375	0.375	0.0	51.6	84.51	25.5
695	1.0	0.625	0.25	60.0	61.9	86.34	58.9	776	0.75	0.375	0.375	0.0	51.6	84.51	25.5
696	1.0	0.625	0.375	53.4	57.67	89.65	51.5	777	0.625	0.375	0.375	0.0	51.6	84.51	25.5
697	1.0	0.625	0.5	43.9	51.26	97.86	40.9	778	0.5	0.375	0.375	0.0	51.6	84.51	25.5
698	1.0	0.625	0.625	30.0	51.6	84.51	25.5	779	0.375	0.375	0.375	0.0	52.82	80.8	357.0
699	1.0	0.625	0.75	10.9	52.25	79.17	7.4	780	0.25	0.375	0.375	0.0	80.01	44.47	217.0
700	1.0	0.625	0.875	349.1	53.66	86.06	346.7	781	0.125	0.375	0.375	0.0	80.01	44.47	217.0
701	1.0	0.625	1.0	330.0	57.03	108.31	328.6	782	0.0	0.375	0.375	0.0	80.01	44.47	217.0
702	1.0	0.75	0.0	76.1	72.4	85.76	76.8	783	1.0	0.25	0.25	0.0	51.6	84.51	25.5
703	1.0	0.75	0.125	73.9	70.85	85.03	74.4	784	0.875	0.25	0.25	0.0	51.6	84.51	25.5
704	1.0	0.75	0.25	70.9	68.86	84.76	71.0	785	0.75	0.25	0.25	0.0	51.6	84.51	25.5
705	1.0	0.75	0.375	66.6	66.08	84.79	66.2	786	0.625	0.25	0.25	0.0	51.6	84.51	25.5
706	1.0	0.75	0.5	60.0	61.9	86.34	58.9	787	0.5	0.25	0.25	0.0	51.6	84.51	25.5
707	1.0	0.75	0.625	49.1	54.79	93.02	46.7	788	0.375	0.25	0.25	0.0	51.6	84.51	25.5
708	1.0	0.75	0.75	30.0	51.6	84.51	25.5	789	0.25	0.25	0.25	0.0	52.82	80.8	357.0
709	1.0	0.875	0.0	360.0	52.82	80.8	357.0	790	0.125	0.25	0.25	0.0	80.01	44.47	217.0
710	1.0	0.75	1.0	330.0	57.03	108.31	328.6	791	0.0	0.25	0.25	0.0	80.01	44.47	217.0
711	1.0	0.875	0.0	83.4	77.84	89.13	85.0	792	1.0	0.125	0.125	0.0	51.6	84.51	25.5
712	1.0	0.875	0.125	82.4	77.0	88.38	83.9	793	0.875	0.125	0.125	0.0	51.6	84.51	25.5
713	1.0	0.875	0.25	81.0	75.86	87.38	82.3	794	0.75	0.125	0.125	0.0	51.6	84.51	25.5
714	1.0	0.875	0.375	79.1	74.5	86.74	80.2	795	0.625	0.125	0.125	0.0	51.6	84.51	25.5
715	1.0	0.875	0.5	70.9	72.49	85.75	76.8	796	0.5	0.125	0.125	0.0	51.6	84.51	25.5
716	1.0	0.875	0.625	70.9	68.86	84.76	71.0	797	0.375	0.125	0.125	0.0	51.6	84.51	25.5
717	1.0	0.875	0.75	60.0	61.89	86.34	58.9	798	0.25	0.125	0.125	0.0	51.6	84.51	25.5
718	1.0	0.875	0.875	30.0	51.6	84.51	25.5	799	0.125	0.125	0.125	0.0	52.82	80.8	357.0
719	1.0	0.875	1.0	330.0	57.03	108.29	328.6	800	0.0	0.125	0.125	0.0	80.01	44.47	217.0
720	1.0	1.0	0.0	90.0	83.58	94.56	92.3	801	1.0	0.0	0.0	0.0	51.6	84.51	25.5
721	1.0	1.0	0.125	90.0	83.58	94.56	92.3	802	0.875	0.0	0.0	0.0	51.6	84.51	25.5
722	1.0	1.0	0.25	90.0	83.58	94.56	92.3	803	0.75	0.0	0.0	0.0	51.6	84.51	25.5
723	1.0	1.0	0.375	90.0	83.58	94.56	92.3	804	0.625	0.0	0.0	0.0	51.6	84.51	25.5
724	1.0	1.0	0.5	90.0	83.57	94.56	92.3	805	0.5	0.0	0.0	0.0	51.6	84.51	25.5
725	1.0	1.0	0.625	90.0	83.57	94.55	92.3	806	0.375	0.0	0.0	0.0	51.6	84.51	25.5
726	1.0	1.0	0.75	90.0	83.56	94.54	92.3	807	0.25	0.0	0.0	0.0	51.6	84.51	25.5
727	1.0	1.0	0.875	90.0	83.54	94.51	92.3	808	0.125	0.0	0.0	0.0	51.6	84.51	25.5
728	1.0	1.0	1.0	0.0	52.82	80.8	357.0	809	0.0	0.0	0.0	0.0	52.82	80.8	357.0
810	1.0	1.0</													

application for measurement of printer or monitor systems

IUB material: code=rha4ta

KE650-7N, 13, table rgb→rgb*3 – LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb*3; display reflection $L_r = 1,2\%$; Page 11/4

TUB-test chart KE65; 1080 *rgb** colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: *rgb->rgb** *setrgbcolor*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$		
972	0.0	0.0	0.0	0.0	52.82	80.8	357.0
973	0.125	0.125	0.125	0.0	52.82	80.8	357.0
974	0.25	0.25	0.25	0.0	52.82	80.8	357.0
975	0.375	0.375	0.375	0.0	52.82	80.8	357.0
976	0.5	0.5	0.5	0.0	52.82	80.8	357.0
977	0.625	0.625	0.625	0.0	52.82	80.8	357.0
978	0.75	0.75	0.75	0.0	52.82	80.8	357.0
979	0.875	0.875	0.875	0.0	52.82	80.8	357.0
980	1.0	1.0	1.0	0.0	52.82	80.8	357.0
981	0.0	0.0	0.0	0.0	52.82	80.8	357.0
982	0.125	0.125	0.125	0.0	52.82	80.8	357.0
983	0.25	0.25	0.25	0.0	52.82	80.8	357.0
984	0.375	0.375	0.375	0.0	52.82	80.8	357.0
985	0.5	0.5	0.5	0.0	52.82	80.8	357.0
986	0.625	0.625	0.625	0.0	52.82	80.8	357.0
987	0.75	0.75	0.75	0.0	52.82	80.8	357.0
988	0.875	0.875	0.875	0.0	52.82	80.8	357.0
989	1.0	1.0	1.0	0.0	52.82	80.8	357.0
990	0.0	0.0	0.0	0.0	52.82	80.8	357.0
991	0.125	0.125	0.125	0.0	52.82	80.8	357.0
992	0.25	0.25	0.25	0.0	52.82	80.8	357.0
993	0.375	0.375	0.375	0.0	52.82	80.8	357.0
994	0.5	0.5	0.5	0.0	52.82	80.8	357.0
995	0.625	0.625	0.625	0.0	52.82	80.8	357.0
996	0.75	0.75	0.75	0.0	52.82	80.8	357.0
997	0.875	0.875	0.875	0.0	52.82	80.8	357.0
998	1.0	1.0	1.0	0.0	52.82	80.8	357.0
999	0.0	0.0	0.0	0.0	52.82	80.8	357.0
1000	0.125	0.125	0.125	0.0	52.82	80.8	357.0
1001	0.25	0.25	0.25	0.0	52.82	80.8	357.0
1002	0.375	0.375	0.375	0.0	52.82	80.8	357.0
1003	0.5	0.5	0.5	0.0	52.82	80.8	357.0
1004	0.625	0.625	0.625	0.0	52.82	80.8	357.0
1005	0.75	0.75	0.75	0.0	52.82	80.8	357.0
1006	0.875	0.875	0.875	0.0	52.82	80.8	357.0
1007	1.0	1.0	1.0	0.0	52.82	80.8	357.0

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
1008	0.0	0.0	0.0	0.0	52.82 80.8 357.0
1009	0.066	0.066	0.066	0.0	52.82 80.8 357.0
1010	0.133	0.133	0.133	0.0	52.82 80.8 357.0
1011	0.2	0.2	0.2	0.0	52.82 80.8 357.0
1012	0.266	0.266	0.266	0.0	52.82 80.8 357.0
1013	0.333	0.333	0.333	0.0	52.82 80.8 357.0
1014	0.4	0.4	0.4	0.0	52.82 80.8 357.0
1015	0.466	0.466	0.466	0.0	52.82 80.8 357.0
1016	0.533	0.533	0.533	0.0	52.82 80.8 357.0
1017	0.6	0.6	0.6	0.0	52.82 80.8 357.0
1018	0.666	0.666	0.666	0.0	52.82 80.8 357.0
1019	0.734	0.734	0.734	0.0	52.82 80.8 357.0
1020	0.8	0.8	0.8	0.0	52.82 80.8 357.0
1021	0.866	0.866	0.866	0.0	52.82 80.8 357.0
1022	0.933	0.933	0.933	0.0	52.82 80.8 357.0
1023	1.0	1.0	1.0	0.0	52.82 80.8 357.0
1024	0.0	0.0	0.0	0.0	52.82 80.8 357.0
1025	0.066	0.066	0.066	0.0	52.82 80.8 357.0
1026	0.133	0.133	0.133	0.0	52.82 80.8 357.0
1027	0.2	0.2	0.2	0.0	52.82 80.8 357.0
1028	0.266	0.266	0.266	0.0	52.82 80.8 357.0
1029	0.333	0.333	0.333	0.0	52.82 80.8 357.0
1030	0.4	0.4	0.4	0.0	52.82 80.8 357.0
1031	0.466	0.466	0.466	0.0	52.82 80.8 357.0
1032	0.533	0.533	0.533	0.0	52.82 80.8 357.0
1033	0.6	0.6	0.6	0.0	52.82 80.8 357.0
1034	0.666	0.666	0.666	0.0	52.82 80.8 357.0
1035	0.734	0.734	0.734	0.0	52.82 80.8 357.0
1036	0.8	0.8	0.8	0.0	52.82 80.8 357.0
1037	0.866	0.866	0.866	0.0	52.82 80.8 357.0
1038	0.933	0.933	0.933	0.0	52.82 80.8 357.0
1039	1.0	1.0	1.0	0.0	52.82 80.8 357.0
1040	0.0	0.0	0.0	0.0	52.82 80.8 357.0
1041	0.066	0.066	0.066	0.0	52.82 80.8 357.0
1042	0.133	0.133	0.133	0.0	52.82 80.8 357.0
1043	0.2	0.2	0.2	0.0	52.82 80.8 357.0
1044	0.266	0.266	0.266	0.0	52.82 80.8 357.0
1045	0.333	0.333	0.333	0.0	52.82 80.8 357.0
1046	0.4	0.4	0.4	0.0	52.82 80.8 357.0
1047	0.466	0.466	0.466	0.0	52.82 80.8 357.0
1048	0.533	0.533	0.533	0.0	52.82 80.8 357.0
1049	0.6	0.6	0.6	0.0	52.82 80.8 357.0
1050	0.666	0.666	0.666	0.0	52.82 80.8 357.0
1051	0.734	0.734	0.734	0.0	52.82 80.8 357.0
1052	0.8	0.8	0.8	0.0	52.82 80.8 357.0
1053	0.866	0.866	0.866	0.0	52.82 80.8 357.0
1054	0.933	0.933	0.933	0.0	52.82 80.8 357.0
1055	1.0	1.0	1.0	0.0	52.82 80.8 357.0
1056	0.0	0.0	0.0	0.0	52.82 80.8 357.0
1057	0.066	0.066	0.066	0.0	52.82 80.8 357.0
1058	0.133	0.133	0.133	0.0	52.82 80.8 357.0
1059	0.2	0.2	0.2	0.0	52.82 80.8 357.0
1060	0.266	0.266	0.266	0.0	52.82 80.8 357.0
1061	0.333	0.333	0.333	0.0	52.82 80.8 357.0
1062	0.4	0.4	0.4	0.0	52.82 80.8 357.0
1063	0.466	0.466	0.466	0.0	52.82 80.8 357.0
1064	0.533	0.533	0.533	0.0	52.82 80.8 357.0
1065	0.6	0.6	0.6	0.0	52.82 80.8 357.0
1066	0.666	0.666	0.666	0.0	52.82 80.8 357.0
1067	0.734	0.734	0.734	0.0	52.82 80.8 357.0
1068	0.8	0.8	0.8	0.0	52.82 80.8 357.0
1069	0.866	0.866	0.866	0.0	52.82 80.8 357.0
1070	0.933	0.933	0.933	0.0	52.82 80.8 357.0
1071	1.0	1.0	1.0	0.0	52.82 80.8 357.0
1072	0.0	0.0	0.0	0.0	52.82 80.8 357.0
1073	1.0	1.0	1.0	0.0	52.82 80.8 357.0
1074	1.0	0.0	0.0	30.0	51.6 84.51 25.5
1075	0.0	1.0	1.0	210.0	80.02 44.47 217.0
1076	1.0	1.0	0.0	90.0	83.58 94.56 92.3
1077	0.0	0.0	1.0	270.0	59.68 58.61 271.7
1078	0.0	1.0	0.0	150.0	85.54 64.86 162.2
1079	1.0	0.0	1.0	330.0	57.03 108.32 328.6

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
 Technical information: <http://www.ps.ban.de> or <http://130.149.60.45/~fabnmetrik>

n_{rgb} $rgb \rightarrow rgb^3$				h_{rgb} $[L^*, C^*_{ab}, h_{ab}]_{\text{Ma,e}}$				n_{rgb} $rgb \rightarrow rgb^3$				h_{rgb} $[L^*, C^*_{ab}, h_{ab}]_{\text{Ma,e}}$				n_{rgb} $rgb \rightarrow rgb^3$				h_{rgb} $[L^*, C^*_{ab}, h_{ab}]_{\text{Ma,e}}$				n_{rgb} $rgb \rightarrow rgb^3$				h_{rgb} $[L^*, C^*_{ab}, h_{ab}]_{\text{Ma,e}}$			
0	0.0	0.0	0.0	0.0	53.88	78.16	357.0	81	0.125	0.0	0.0	30.0	52.69	81.29	25.5	162	0.25	0.0	0.0	30.0	52.69	81.3	25.5	243	0.375	0.0	0.0	30.0	52.69	81.3	25.5
1	0.0	0.0	0.125	27.0	60.43	57.35	271.8	82	0.125	0.0	0.125	330.0	57.89	105.25	328.6	163	0.25	0.0	0.125	0.0	53.88	78.16	357.0	244	0.375	0.0	0.125	10.9	53.32	76.46	7.4
2	0.0	0.0	0.25	270.0	60.44	57.33	271.8	83	0.125	0.0	0.25	300.0	39.39	107.08	300.2	164	0.25	0.0	0.25	330.0	57.89	105.26	328.6	253	0.375	0.0	0.25	330.1	54.69	83.35	346.7
3	0.0	0.0	0.375	270.375	60.45	57.32	271.7	84	0.125	0.0	0.375	289.0	39.2	107.08	300.2	165	0.25	0.0	0.375	300.0	57.89	105.26	328.6	254	0.375	0.0	0.375	330.2	54.69	83.35	346.7
4	0.0	0.0	0.5	270.0	60.45	57.32	271.7	85	0.125	0.0	0.5	283.9	52.75	72.66	284.9	166	0.25	0.0	0.5	310.0	39.1	107.05	300.2	255	0.375	0.0	0.5	330.1	54.74	111.38	315.4
5	0.0	0.0	0.625	270.0	60.45	57.32	271.7	86	0.125	0.0	0.625	280.9	54.8	68.07	282.1	167	0.25	0.0	0.625	293.4	45.67	89.75	293.9	248	0.375	0.0	0.625	306.6	37.56	118.36	306.4
6	0.0	0.0	0.75	270.0	60.45	57.31	271.7	87	0.125	0.0	0.75	279.0	55.84	66.03	280.2	168	0.25	0.0	0.75	289.1	49.21	80.61	289.9	249	0.375	0.0	0.75	300.0	39.41	107.04	300.2
7	0.0	0.0	0.875	270.0	60.45	57.31	271.7	88	0.125	0.0	0.875	277.6	56.54	64.71	278.9	169	0.25	0.0	0.875	286.1	51.25	76.02	287.0	250	0.375	0.0	0.875	295.3	44.1	93.88	295.7
8	0.0	0.0	1.0	270.0	60.45	57.31	271.7	89	0.125	0.0	1.0	276.6	57.06	63.73	278.0	170	0.25	0.0	1.0	283.9	52.76	72.65	284.9	251	0.375	0.0	1.0	291.8	47.04	86.14	292.4
9	0.0	0.125	0.0	150.0	85.69	63.54	162.2	90	0.125	0.125	0.0	90.0	83.66	89.74	92.3	171	0.25	0.125	0.0	60.0	63.49	79.68	58.9	252	0.375	0.125	0.0	49.1	57.18	84.16	46.7
10	0.0	0.125	0.125	210.0	80.32	43.61	217.0	91	0.125	0.125	0.125	0.0	53.88	78.16	357.0	172	0.25	0.125	0.125	30.0	52.69	81.29	25.5	253	0.375	0.125	0.125	30.0	52.69	81.3	25.5
11	0.0	0.125	0.25	240.0	71.06	44.75	244.4	92	0.125	0.125	0.25	270.0	60.43	57.35	271.8	173	0.25	0.125	0.25	330.0	57.89	105.25	328.6	254	0.375	0.125	0.25	0.0	53.88	78.16	357.0
12	0.0	0.125	0.375	250.9	67.77	46.89	254.3	93	0.125	0.125	0.375	270.0	60.44	57.33	271.8	174	0.25	0.125	0.375	300.0	39.39	107.08	300.2	255	0.375	0.125	0.375	330.0	57.89	105.26	328.6
13	0.0	0.125	0.5	256.1	65.82	49.59	259.1	94	0.125	0.125	0.5	270.0	60.45	57.32	271.8	175	0.25	0.125	0.5	289.1	49.2	80.62	289.9	256	0.375	0.125	0.5	310.9	42.34	114.36	310.5
14	0.0	0.125	0.625	259.1	64.69	51.15	261.8	95	0.125	0.125	0.625	270.0	60.45	57.32	271.7	176	0.25	0.125	0.625	283.9	52.75	72.66	284.9	257	0.375	0.125	0.625	300.0	39.4	107.05	300.2
15	0.0	0.125	0.75	261.1	63.96	52.17	263.6	96	0.125	0.125	0.75	270.0	60.45	57.32	271.7	177	0.25	0.125	0.75	280.9	54.8	68.07	282.1	258	0.375	0.125	0.75	293.4	45.67	89.75	293.9
16	0.0	0.125	0.875	262.4	63.45	52.87	264.8	97	0.125	0.125	0.875	270.0	60.45	57.31	271.7	178	0.25	0.125	0.875	279.0	55.84	66.03	280.2	259	0.375	0.125	0.875	289.1	49.21	80.61	289.9
17	0.0	0.125	1.0	263.4	63.07	53.39	265.7	98	0.125	0.125	1.0	270.0	60.45	57.31	271.7	179	0.25	0.125	1.0	277.6	56.54	64.71	278.9	260	0.375	0.125	1.0	286.1	51.25	76.02	287.0
18	0.0	0.25	0.0	150.0	85.69	63.53	162.2	99	0.125	0.25	0.0	120.0	85.74	111.75	127.2	180	0.25	0.25	0.0	90.0	83.69	89.78	92.3	261	0.375	0.25	0.0	70.9	69.87	79.07	71.0
19	0.0	0.25	0.125	180.0	86.99	49.19	189.6	100	0.125	0.25	0.125	150.0	85.69	63.54	162.2	181	0.25	0.25	0.125	90.0	83.66	89.74	92.3	262	0.375	0.25	0.125	60.0	63.49	79.68	58.9
20	0.0	0.25	0.25	210.0	80.32	43.61	217.0	101	0.125	0.25	0.25	210.0	80.32	43.61	217.0	182	0.25	0.25	0.25	0.0	53.88	78.16	357.0	263	0.375	0.25	0.25	30.0	52.69	81.29	25.5
21	0.0	0.25	0.375	229.1	74.36	42.61	234.4	102	0.125	0.25	0.375	240.0	71.06	44.75	244.4	183	0.25	0.25	0.375	270.0	60.43	57.35	271.8	264	0.375	0.25	0.375	330.0	57.89	105.25	328.6
22	0.0	0.25	0.5	240.0	71.07	44.75	244.4	103	0.125	0.25	0.5	250.9	67.77	46.89	254.3	184	0.25	0.25	0.5	270.0	60.44	57.33	271.8	265	0.375	0.25	0.5	300.0	39.39	107.08	300.2
23	0.0	0.25	0.625	246.6	69.08	46.04	250.4	104	0.125	0.25	0.625	256.1	65.82	49.59	259.1	185	0.25	0.25	0.625	270.0	60.45	57.32	271.8	266	0.375	0.25	0.625	289.1	49.2	80.62	289.9
24	0.0	0.25	0.75	250.9	67.77	46.89	254.3	105	0.125	0.25	0.75	259.1	64.69	51.15	261.8	186	0.25	0.25	0.75	270.0	60.45	57.32	271.7	267	0.375	0.25	0.75	283.9	52.75	72.66	284.9
25	0.0	0.25	0.875	253.9	66.65	48.44	257.0	106	0.125	0.25	0.875	261.1	63.96	52.17	263.6	187	0.25	0.25	0.875	270.0	60.45	57.32	271.7	268	0.375	0.25	0.875	280.9	54.8	68.07	282.1
26	0.0	0.25	1.0	256.1	65.82	49.59	259.1	107	0.125	0.25	1.0	262.4	63.45	52.87	264.8	188	0.25	0.25	1.0	270.0	60.45	57.31	271.7	269	0.375	0.25	1.0	279.0	55.84	66.03	280.2
27	0.0	0.375	0.0	150.0	85.69	63.52	162.2	108	0.125	0.375	0.0	130.9	84.65	98.12	139.9	189	0.25	0.375	0.0	109.1	89.06	103.33	114.6	270	0.375	0.375	0.0	90.0	83.69	89.79	92.3
28	0.0	0.375	0.125	169.1	86.53	53.1	179.7	109	0.125	0.375	0.125	150.0	85.69	63.53	162.2	190	0.25	0.375	0.125	120.0	85.74	111.75	127.2	271	0.375	0.375	0.125	90.0	83.69	89.78	92.3
29	0.0	0.375	0.25	190.9	86.34	46.01	199.5	110	0.125	0.375	0.25	180.0	86.99	49.19	189.6	191	0.25	0.375	0.25	150.0	85.69	63.54	162.2	272	0.375	0.375	0.25	90.0	83.66	89.74	92.3
30	0.0	0.375	0.375	210.0	80.32	43.62	217.0	111	0.125	0.375	0.375	210.0	80.32	43.61	217.0	192	0.25	0.375	0.375	210.0	80.32	43.61	217.0	273	0.375	0.375	0.375	0.0	53.88	78.16	357.0
31	0.0	0.375	0.5	223.9	75.95	41.88	229.7	112	0.125	0.375	0.5	229.1	74.36	42.61	234.4	193	0.25	0.375	0.5	240.0	71.06	44.75	244.4	274	0.375	0.375	0.5	270.0	60.43	57.35	271.8
32	0.0	0.375	0.625	233.4	73.06	43.45	238.4	113	0.125	0.375	0.625	240.0	71.07	44.75	244.4	194	0.25	0.375	0.625	250.9	67.77	46.89	254.3	275	0.375	0.375	0.625	270.0	60.44	57.33	271.8
33	0.0	0.375	0.75	240.0	71.07	44.75	244.4	114	0.125	0.375	0.75	246.6	69.08	46.04	250.4	195	0.25	0.375	0.75	256.1	65.82	49.59	259.1	276	0.375	0.375	0.75	270.0	60.45	57.32	271.8
34	0.0	0.375	0.875	244.7	69.64	45.67	248.7	115	0.125	0.375	0.875	250.9	67.77	46.89	254.3	196	0.25	0.375	0.875	259.1	64.69	51.15	261.8	277	0.375	0.375	0.875	270.0	60.45	57.32	271.7
35	0.0	0.375	1.0	248.2	68.59	46.36	251.9	116	0.125	0.375	1.0	253.9	66.65	48.44	257.0	197	0.25	0.375	1.0	261.1	63.96	52.17	263.6	278	0.375	0.375	1.0	270.0	60.45	57.32	271.7
36	0.0	0.5	0.0	150.0	85.69	63.52	162.2	117	0.125	0.5	0.0	136.1	84.92	85.44	146.0	198	0.25	0.5	0.0	120.0	85.74	111.76	127.3	279	0.375	0.5	0.0	103.9	90.81	102.05	108.5
37	0.0	0.5	0.125	163.9	86.31	54.96	174.9	118	0.125	0.5	0.125	150.0	85.69	63.52	162.2	199	0.25	0.5	0.125	130.9	84.65	98.12	139.9	280	0.375	0.5	0.125	109.1	89.06	103.33	114.6
38	0.0	0.5	0.25	180.0	86.99	49.19	189.6	119	0.125	0.5	0.25	169.1	86.53	53.1	179.7	200	0.25	0.5	0.25	150.0	85.69	63.53	162.2	281	0.375	0.5	0.25	120.0	85.74	111.75	127.2
39	0.0	0.5	0.375	196.1	84.7	45.36	204.3	120	0.125	0.5	0.375	190.9	86.34	46.01	199.5	201	0.25	0.5	0.375	180.0	86.99	49.19	189.6	282	0.375	0.5	0.375				

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

KE650-7N, 16, table rgb→rgb*3 - LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb*3; display reflection $L_r=2,5\%$; Page 13/40

TUB-test chart KE65; 1080 *rgb** colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: *rgb*->*rgb** *setrgbcolor*
output: *no change compared to input*

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e															
324	0.5	0.0	0.0	30.0	52.69	81.3	25.5	405	0.625	0.0	0.0	30.0	52.69	81.3	25.5	486	0.75	0.0	0.0	30.0	52.69	81.3	25.5	567	0.875	0.0	0.0	30.0	52.69	81.3	25.5	648	0.875	0.0	0.0	30.0	52.69	81.3	25.5	729	0.875	0.0	0.0	30.0	52.69	81.3	25.5
325	0.5	0.0	0.125	16.1	53.12	76.92	12.3	406	0.625	0.0	0.125	19.1	53.01	77.38	15.1	487	0.75	0.0	0.125	21.0	52.94	77.68	17.0	568	0.875	0.0	0.125	22.4	52.9	77.89	18.2	649	0.875	0.0	0.125	23.8	52.9	77.89	18.2	730	0.875	0.0	0.125	25.2	52.9	77.89	18.2
326	0.5	0.0	0.25	0.0	53.88	78.16	357.0	407	0.625	0.0	0.25	6.6	53.53	76.91	3.3	488	0.75	0.0	0.25	10.9	53.32	76.46	7.4	569	0.875	0.0	0.25	13.9	53.2	76.58	10.3	650	0.875	0.0	0.25	17.3	53.2	76.58	10.3	731	0.875	0.0	0.25	20.7	53.2	76.58	10.3
327	0.5	0.0	0.375	343.9	55.22	87.22	341.8	408	0.625	0.0	0.375	353.4	54.32	80.67	350.8	489	0.75	0.0	0.375	0.0	53.88	78.16	357.0	570	0.875	0.0	0.375	4.7	53.62	77.11	15.1	651	0.875	0.0	0.375	8.1	53.62	77.11	15.1	732	0.875	0.0	0.375	11.5	53.62	77.11	15.1
328	0.5	0.0	0.5	330.0	57.9	105.27	328.6	409	0.625	0.0	0.5	340.9	55.61	90.07	338.9	490	0.75	0.0	0.5	349.1	54.69	83.35	346.7	571	0.875	0.0	0.5	355.3	54.19	79.96	352.6	652	0.875	0.0	0.5	361.7	54.19	79.96	352.6	733	0.875	0.0	0.5	368.1	54.19	79.96	352.6
329	0.5	0.0	0.625	319.1	50.41	110.07	318.3	410	0.625	0.0	0.625	330.0	57.9	105.27	328.6	491	0.75	0.0	0.625	339.0	55.86	91.91	337.1	572	0.875	0.0	0.625	346.1	54.95	85.22	343.9	653	0.875	0.0	0.625	352.5	54.95	85.22	343.9	734	0.875	0.0	0.625	358.9	54.95	85.22	343.9
330	0.5	0.0	0.75	310.9	42.33	114.36	310.5	411	0.625	0.0	0.75	321.1	52.24	109.46	320.1	492	0.75	0.0	0.75	330.0	57.9	105.27	328.6	573	0.875	0.0	0.75	337.6	56.15	93.81	335.8	654	0.875	0.0	0.75	344.0	56.15	93.81	335.8	735	0.875	0.0	0.75	350.4	56.15	93.81	335.8
331	0.5	0.0	0.875	304.7	35.38	120.34	304.6	412	0.625	0.0	0.875	313.9	45.38	112.61	313.4	493	0.75	0.0	0.875	322.4	53.49	109.15	321.4	574	0.875	0.0	0.875	330.0	57.9	105.27	328.6	655	0.875	0.0	0.875	336.4	57.9	105.27	328.6	736	0.875	0.0	0.875	342.8	57.9	105.27	328.6
332	0.5	0.0	1.0	300.0	39.41	107.03	300.2	413	0.625	0.0	1.0	308.2	39.38	116.74	308.0	494	0.75	0.0	1.0	316.1	47.53	111.38	315.4	575	0.875	0.0	1.0	323.4	54.38	109.02	322.4	656	0.875	0.0	1.0	330.0	54.38	109.02	322.4	737	0.875	0.0	1.0	336.4	54.38	109.02	322.4
333	0.5	0.125	0.0	43.9	53.98	88.33	40.9	414	0.625	0.125	0.0	40.9	52.4	90.11	37.6	495	0.75	0.125	0.0	38.9	52.44	88.07	35.4	576	0.875	0.125	0.0	37.6	52.47	86.64	33.9	657	0.875	0.125	0.0	36.4	52.47	86.64	33.9	738	0.875	0.125	0.0	35.2	52.47	86.64	33.9
334	0.5	0.125	0.125	30.0	52.69	81.3	25.5	415	0.625	0.125	0.125	30.0	52.69	81.3	25.5	496	0.75	0.125	0.125	30.0	52.69	81.3	25.5	577	0.875	0.125	0.125	30.0	52.69	81.3	25.5	658	0.875	0.125	0.125	30.0	52.69	81.3	25.5	739	0.875	0.125	0.125	30.0	52.69	81.3	25.5
335	0.5	0.125	0.25	10.9	53.32	76.46	7.4	416	0.625	0.125	0.25	16.1	53.12	76.92	12.3	497	0.75	0.125	0.25	19.1	53.01	77.38	15.1	578	0.875	0.125	0.25	21.0	52.94	77.68	17.0	659	0.875	0.125	0.25	23.8	52.94	77.68	17.0	740	0.875	0.125	0.25	26.6	52.94	77.68	17.0
336	0.5	0.125	0.375	349.1	54.69	83.35	346.7	417	0.625	0.125	0.375	360.0	53.88	78.16	357.0	498	0.75	0.125	0.375	6.6	53.53	76.91	3.1	579	0.875	0.125	0.375	10.9	53.32	76.46	7.4	660	0.875	0.125	0.375	14.3	53.32	76.46	7.4	741	0.875	0.125	0.375	17.7	53.32	76.46	7.4
337	0.5	0.125	0.5	330.0	57.9	105.27	328.6	418	0.625	0.125	0.5	343.9	55.22	87.22	341.8	499	0.75	0.125	0.5	353.4	54.32	80.67	350.8	580	0.875	0.125	0.5	360.0	57.9	105.27	328.6	661	0.875	0.125	0.5	366.4	57.9	105.27	328.6	742	0.875	0.125	0.5	372.8	57.9	105.27	328.6
338	0.5	0.125	0.625	316.1	47.54	111.38	315.4	419	0.625	0.125	0.625	330.0	57.9	105.27	328.6	500	0.75	0.125	0.625	340.0	55.61	90.07	338.9	581	0.875	0.125	0.625	346.1	54.95	85.22	343.9	662	0.875	0.125	0.625	352.5	54.95	85.22	343.9	743	0.875	0.125	0.625	358.9	54.95	85.22	343.9
339	0.5	0.125	0.75	306.8	42.33	114.36	310.5	420	0.625	0.125	0.75	319.1	45.38	112.61	313.4	501	0.75	0.125	0.75	330.0	57.9	105.27	328.6	582	0.875	0.125	0.75	337.6	56.15	93.81	335.8	663	0.875	0.125	0.75	344.0	56.15	93.81	335.8	744	0.875	0.125	0.75	350.4	56.15	93.81	335.8
340	0.5	0.125	0.875	300.0	39.41	107.04	300.2	421	0.625	0.125	0.875	310.9	42.33	114.36	310.5	502	0.75	0.125	0.875	321.1	52.24	109.46	320.1	583	0.875	0.125	0.875	330.0	57.9	105.27	328.6	664	0.875	0.125	0.875	336.4	57.9	105.27	328.6	745	0.875	0.125	0.875	342.8	57.9	105.27	328.6
341	0.5	0.125	1.0	295.3	44.1	93.88	295.7	422	0.625	0.125	1.0	304.7	35.38	120.34	304.6	503	0.75	0.125	1.0	313.9	45.38	112.61	313.4	584	0.875	0.125	1.0	322.4	54.38	109.02	322.4	665	0.875	0.125	1.0	330.0	54.38	109.02	322.4	746	0.875	0.125	1.0	336.4	54.38	109.02	322.4
342	0.5	0.25	0.0	60.0	63.5	79.67	58.9	423	0.625	0.25	0.0	53.4	59.7	81.92	51.5	504	0.75	0.25	0.0	49.1	57.18	84.15	46.8	585	0.875	0.25	0.0	46.1	55.33	86.56	43.4	666	0.875	0.25	0.0	42.9	52.44	88.07	35.4	747	0.875	0.25	0.0	39.7	52.44	88.07	35.4
343	0.5	0.25	0.125	49.1	57.18	84.16	46.7	424	0.625	0.25	0.125	43.9	53.98	88.33	40.9	505	0.75	0.25	0.125	40.9	52.4	90.11	37.6	586	0.875	0.25	0.125	38.9	52.44	88.07	35.4	667	0.875	0.25	0.125	35.7	52.44	88.07	35.4	748	0.875	0.25	0.125	32.5	52.44	88.07	35.4
344	0.5	0.25	0.25	30.0	52.69	81.3	25.5	425	0.625	0.25	0.25	30.0	52.69	81.3	25.5	506	0.75	0.25	0.25	30.0	52.69	81.3	25.5	587	0.875	0.25	0.25	30.0	52.69	81.3	25.5	668	0.875	0.25	0.25	30.0	52.69	81.3	25.5	749	0.875	0.25	0.25	30.0	52.69	81.3	25.5
345	0.5	0.25	0.375	360.0	53.88	78.16	357.0	426	0.625	0.25	0.375	10.9	53.32	76.46	7.4	507	0.75	0.25	0.375	16.1	53.12	76.92	12.3	588	0.875	0.25	0.375	19.1	53.01	77.38	15.1	669	0.875	0.25	0.375	22.5	53.01	77.38	15.1	750	0.875	0.25	0.375	25.9	53.01	77.38	15.1
346	0.5	0.25	0.5	330.0	57.89	105.26	328.6	427	0.625	0.25	0.5	349.1	54.69	83.35	346.7	508	0.75	0.25	0.5	0.0	53.88	78.16	357.0	589	0.875	0.25	0.5	6.6	53.53																		

n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
648	1.0	0.0	0.0 30.0 52.69 81.3 25.5	729	1.0	1.0 1.0 0.0 53.88 78.16 357.0	810	1.0	1.0 1.0 0.0 53.88 78.16 357.0	891	1.0	1.0 1.0 0.0 53.88 78.16 357.0	972	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1053	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1134	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1215	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1296	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1377	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1458	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1539	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1620	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1701	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1782	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1863	1.0	1.0 1.0 0.0 53.88 78.16 357.0	1944	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2025	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2106	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2187	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2268	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2349	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2430	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2511	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2592	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2673	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2754	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2835	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2916	1.0	1.0 1.0 0.0 53.88 78.16 357.0	2997	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3078	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3159	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3240	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3321	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3402	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3483	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3564	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3645	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3726	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3807	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3888	1.0	1.0 1.0 0.0 53.88 78.16 357.0	3969	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4050	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4131	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4212	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4293	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4374	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4455	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4536	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4617	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4698	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4779	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4860	1.0	1.0 1.0 0.0 53.88 78.16 357.0	4941	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5022	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5103	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5184	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5265	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5346	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5427	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5508	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5589	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5670	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5751	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5832	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5913	1.0	1.0 1.0 0.0 53.88 78.16 357.0	5994	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6075	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6156	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6237	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6318	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6399	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6480	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6561	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6642	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6723	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6804	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6885	1.0	1.0 1.0 0.0 53.88 78.16 357.0	6966	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7047	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7128	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7209	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7290	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7371	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7452	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7533	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7614	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7695	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7776	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7857	1.0	1.0 1.0 0.0 53.88 78.16 357.0	7938	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8019	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8100	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8181	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8262	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8343	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8424	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8505	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8586	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8667	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8748	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8829	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8910	1.0	1.0 1.0 0.0 53.88 78.16 357.0	8991	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9072	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9153	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9234	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9315	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9396	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9477	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9558	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9639	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9720	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9801	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9882	1.0	1.0 1.0 0.0 53.88 78.16 357.0	9963	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10044	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10125	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10206	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10287	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10368	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10449	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10530	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10611	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10692	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10773	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10854	1.0	1.0 1.0 0.0 53.88 78.16 357.0	10935	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11016	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11097	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11178	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11259	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11340	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11421	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11502	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11583	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11664	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11745	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11826	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11907	1.0	1.0 1.0 0.0 53.88 78.16 357.0	11988	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12069	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12150	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12231	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12312	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12393	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12474	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12555	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12636	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12717	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12798	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12879	1.0	1.0 1.0 0.0 53.88 78.16 357.0	12960	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13041	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13122	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13203	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13284	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13365	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13446	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13527	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13608	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13689	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13770	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13851	1.0	1.0 1.0 0.0 53.88 78.16 357.0	13932	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14013	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14094	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14175	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14256	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14337	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14418	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14499	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14580	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14661	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14742	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14823	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14904	1.0	1.0 1.0 0.0 53.88 78.16 357.0	14985	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15066	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15147	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15228	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15309	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15390	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15471	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15552	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15633	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15714	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15795	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15876	1.0	1.0 1.0 0.0 53.88 78.16 357.0	15957	1.0	1.0 1.0 0.0 53.88 78.16 357.0	16038	1.0	1.0 1.0 0.0 53.88 78.16 357.0	16119	1.0	1.0 1.0 0.0 53.88 78.16 357.0	16200	1.0	1.0 1.0 0.0 53.88 78.16 357.

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
972	0.0 0.0 0.0	0.0	53.88 78.16 357.0
973	0.125 0.125 0.125	0.0	53.88 78.16 357.0
974	0.25 0.25 0.25	0.0	53.88 78.16 357.0
975	0.375 0.375 0.375	0.0	53.88 78.16 357.0
976	0.5 0.5 0.5	0.0	53.88 78.16 357.0
977	0.625 0.625 0.625	0.0	53.88 78.16 357.0
978	0.75 0.75 0.75	0.0	53.88 78.16 357.0
979	0.875 0.875 0.875	0.0	53.88 78.16 357.0
980	1.0 1.0 1.0	0.0	53.88 78.16 357.0
981	0.0 0.0 0.0	0.0	53.88 78.16 357.0
982	0.125 0.125 0.125	0.0	53.88 78.16 357.0
983	0.25 0.25 0.25	0.0	53.88 78.16 357.0
984	0.375 0.375 0.375	0.0	53.88 78.16 357.0
985	0.5 0.5 0.5	0.0	53.88 78.16 357.0
986	0.625 0.625 0.625	0.0	53.88 78.16 357.0
987	0.75 0.75 0.75	0.0	53.88 78.16 357.0
988	0.875 0.875 0.875	0.0	53.88 78.16 357.0
989	1.0 1.0 1.0	0.0	53.88 78.16 357.0
990	0.0 0.0 0.0	0.0	53.88 78.16 357.0
991	0.125 0.125 0.125	0.0	53.88 78.16 357.0
992	0.25 0.25 0.25	0.0	53.88 78.16 357.0
993	0.375 0.375 0.375	0.0	53.88 78.16 357.0
994	0.5 0.5 0.5	0.0	53.88 78.16 357.0
995	0.625 0.625 0.625	0.0	53.88 78.16 357.0
996	0.75 0.75 0.75	0.0	53.88 78.16 357.0
997	0.875 0.875 0.875	0.0	53.88 78.16 357.0
998	1.0 1.0 1.0	0.0	53.88 78.16 357.0
999	0.0 0.0 0.0	0.0	53.88 78.16 357.0
1000	0.125 0.125 0.125	0.0	53.88 78.16 357.0
1001	0.25 0.25 0.25	0.0	53.88 78.16 357.0
1002	0.375 0.375 0.375	0.0	53.88 78.16 357.0
1003	0.5 0.5 0.5	0.0	53.88 78.16 357.0
1004	0.625 0.625 0.625	0.0	53.88 78.16 357.0
1005	0.75 0.75 0.75	0.0	53.88 78.16 357.0
1006	0.875 0.875 0.875	0.0	53.88 78.16 357.0
1007	1.0 1.0 1.0	0.0	53.88 78.16 357.0

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
1008	0.0 0.0 0.0	0.0	53.88 78.16 357.0
1009	0.066 0.066 0.066	0.0	53.88 78.16 357.0
1010	0.133 0.133 0.133	0.0	53.88 78.16 357.0
1011	0.2 0.2 0.2	0.0	53.88 78.16 357.0
1012	0.266 0.266 0.266	0.0	53.88 78.16 357.0
1013	0.333 0.333 0.333	0.0	53.88 78.16 357.0
1014	0.4 0.4 0.4	0.0	53.88 78.16 357.0
1015	0.466 0.466 0.466	0.0	53.88 78.16 357.0
1016	0.533 0.533 0.533	0.0	53.88 78.16 357.0
1017	0.6 0.6 0.6	0.0	53.88 78.16 357.0
1018	0.666 0.666 0.666	0.0	53.88 78.16 357.0
1019	0.734 0.734 0.734	0.0	53.88 78.16 357.0
1020	0.8 0.8 0.8	0.0	53.88 78.16 357.0
1021	0.866 0.866 0.866	0.0	53.88 78.16 357.0
1022	0.933 0.933 0.933	0.0	53.88 78.16 357.0
1023	1.0 1.0 1.0	0.0	53.88 78.16 357.0
1024	0.0 0.0 0.0	0.0	53.88 78.16 357.0
1025	0.066 0.066 0.066	0.0	53.88 78.16 357.0
1026	0.133 0.133 0.133	0.0	53.88 78.16 357.0
1027	0.2 0.2 0.2	0.0	53.88 78.16 357.0
1028	0.266 0.266 0.266	0.0	53.88 78.16 357.0
1029	0.333 0.333 0.333	0.0	53.88 78.16 357.0
1030	0.4 0.4 0.4	0.0	53.88 78.16 357.0
1031	0.466 0.466 0.466	0.0	53.88 78.16 357.0
1032	0.533 0.533 0.533	0.0	53.88 78.16 357.0
1033	0.6 0.6 0.6	0.0	53.88 78.16 357.0
1034	0.666 0.666 0.666	0.0	53.88 78.16 357.0
1035	0.734 0.734 0.734	0.0	53.88 78.16 357.0
1036	0.8 0.8 0.8	0.0	53.88 78.16 357.0
1037	0.866 0.866 0.866	0.0	53.88 78.16 357.0
1038	0.933 0.933 0.933	0.0	53.88 78.16 357.0
1039	1.0 1.0 1.0	0.0	53.88 78.16 357.0
1040	0.0 0.0 0.0	0.0	53.88 78.16 357.0
1041	0.066 0.066 0.066	0.0	53.88 78.16 357.0
1042	0.133 0.133 0.133	0.0	53.88 78.16 357.0
1043	0.2 0.2 0.2	0.0	53.88 78.16 357.0
1044	0.266 0.266 0.266	0.0	53.88 78.16 357.0
1045	0.333 0.333 0.333	0.0	53.88 78.16 357.0
1046	0.4 0.4 0.4	0.0	53.88 78.16 357.0
1047	0.466 0.466 0.466	0.0	53.88 78.16 357.0
1048	0.533 0.533 0.533	0.0	53.88 78.16 357.0
1049	0.6 0.6 0.6	0.0	53.88 78.16 357.0
1050	0.666 0.666 0.666	0.0	53.88 78.16 357.0
1051	0.734 0.734 0.734	0.0	53.88 78.16 357.0
1052	0.8 0.8 0.8	0.0	53.88 78.16 357.0
1053	0.866 0.866 0.866	0.0	53.88 78.16 357.0
1054	0.933 0.933 0.933	0.0	53.88 78.16 357.0
1055	1.0 1.0 1.0	0.0	53.88 78.16 357.0
1056	0.0 0.0 0.0	0.0	53.88 78.16 357.0
1057	0.066 0.066 0.066	0.0	53.88 78.16 357.0
1058	0.133 0.133 0.133	0.0	53.88 78.16 357.0
1059	0.2 0.2 0.2	0.0	53.88 78.16 357.0
1060	0.266 0.266 0.266	0.0	53.88 78.16 357.0
1061	0.333 0.333 0.333	0.0	53.88 78.16 357.0
1062	0.4 0.4 0.4	0.0	53.88 78.16 357.0
1063	0.466 0.466 0.466	0.0	53.88 78.16 357.0
1064	0.533 0.533 0.533	0.0	53.88 78.16 357.0
1065	0.6 0.6 0.6	0.0	53.88 78.16 357.0
1066	0.666 0.666 0.666	0.0	53.88 78.16 357.0
1067	0.734 0.734 0.734	0.0	53.88 78.16 357.0
1068	0.8 0.8 0.8	0.0	53.88 78.16 357.0
1069	0.866 0.866 0.866	0.0	53.88 78.16 357.0
1070	0.933 0.933 0.933	0.0	53.88 78.16 357.0
1071	1.0 1.0 1.0	0.0	53.88 78.16 357.0
1072	0.0 0.0 0.0	0.0	53.88 78.16 357.0
1073	1.0 1.0 1.0	0.0	53.88 78.16 357.0
1074	1.0 0.0 0.0	30.0	52.69 81.3 25.5
1075	0.0 1.0 0.0	210.0	80.32 43.62 217.0
1076	1.0 1.0 0.0	90.0	83.7 89.8 92.3
1077	0.0 0.0 1.0	270.0	60.45 57.31 271.7
1078	0.0 1.0 0.0	150.0	85.69 63.52 162.2
1079	1.0 0.0 1.0	330.0	57.9 105.28 328.6

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb}	rgb -> r _{gb}	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> r _{gb}	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> r _{gb}	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> r _{gb}	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}						
0	0.0	0.0	55.9	73.21	357.0	81	0.125	0.0	0.0	30.0	54.76	75.38	25.5	162	0.25	0.0	0.0	30.0	54.76	75.38	25.5
1	0.0	0.125	61.94	54.83	271.8	82	0.125	0.0	0.125	330.0	59.57	99.45	328.6	163	0.25	0.0	0.125	0.0	55.9	73.21	357.0
2	0.0	0.25	61.95	54.8	271.8	83	0.125	0.0	0.25	300.0	41.68	102.39	300.2	164	0.25	0.0	0.25	330.0	59.57	99.45	328.6
3	0.0	0.375	61.96	54.79	271.7	84	0.125	0.0	0.375	289.1	51.18	77.03	289.9	165	0.25	0.0	0.375	310.9	46.42	105.35	310.5
4	0.0	0.5	61.96	54.79	271.7	85	0.125	0.0	0.5	283.9	54.57	69.47	284.9	166	0.25	0.0	0.5	300.0	41.69	102.36	300.2
5	0.0	0.625	61.96	54.79	271.7	86	0.125	0.0	0.625	280.9	56.51	65.16	282.1	167	0.25	0.0	0.625	293.4	47.77	85.79	293.9
6	0.0	0.75	61.96	54.79	271.7	87	0.125	0.0	0.75	279.0	57.56	63.06	280.2	168	0.25	0.0	0.75	289.1	51.18	77.01	289.9
7	0.0	0.875	61.96	54.79	271.7	88	0.125	0.0	0.875	277.6	58.23	61.8	278.9	169	0.25	0.0	0.875	286.1	53.15	72.62	287.0
8	0.0	1.0	61.96	54.79	271.7	89	0.125	0.0	1.0	276.6	58.73	60.88	278.0	170	0.25	0.0	1.0	283.9	54.57	69.46	284.9
9	0.0	0.125	60.0	60.9	162.2	90	0.125	0.125	0.0	90.0	83.94	81.75	92.3	171	0.25	0.125	0.0	60.0	65.92	70.17	58.9
10	0.0	0.125	60.92	41.93	217.0	91	0.125	0.125	0.125	0.0	55.9	73.21	357.0	172	0.25	0.125	0.125	30.0	54.76	75.38	25.5
11	0.0	0.125	72.09	42.85	244.4	92	0.125	0.125	0.25	270.0	61.94	54.83	271.8	173	0.25	0.125	0.25	330.0	59.57	99.45	328.6
12	0.0	0.125	68.94	44.9	254.3	93	0.125	0.125	0.375	270.0	61.95	54.8	271.8	174	0.25	0.125	0.375	300.0	41.68	102.39	300.2
13	0.0	0.125	66.01	47.4	259.1	94	0.125	0.125	0.5	270.0	61.96	54.8	271.8	175	0.25	0.125	0.5	289.1	51.18	77.03	289.9
14	0.0	0.125	66.01	48.9	261.8	95	0.125	0.125	0.625	270.0	61.96	54.79	271.7	176	0.25	0.125	0.625	283.9	54.57	69.47	284.9
15	0.0	0.125	66.01	49.87	263.6	96	0.125	0.125	0.75	270.0	61.96	54.79	271.7	177	0.25	0.125	0.75	280.9	56.51	65.16	282.1
16	0.0	0.125	66.01	50.54	264.8	97	0.125	0.125	0.875	270.0	61.96	54.79	271.7	178	0.25	0.125	0.875	279.0	57.56	63.06	280.2
17	0.0	0.125	64.47	51.04	265.7	98	0.125	0.125	1.0	270.0	61.96	54.79	271.7	179	0.25	0.125	1.0	277.6	58.23	61.8	278.9
18	0.0	0.25	60.01	60.89	162.2	99	0.125	0.25	0.0	120.0	86.33	103.29	127.2	180	0.25	0.25	0.0	90.0	83.97	81.78	92.3
19	0.0	0.25	60.92	41.93	217.0	100	0.125	0.25	0.125	150.0	86.01	60.9	162.2	181	0.25	0.25	0.125	90.0	83.94	81.75	92.3
20	0.0	0.25	72.09	42.85	244.4	101	0.125	0.25	0.25	210.0	80.92	41.93	217.0	182	0.25	0.25	0.25	0.0	55.9	73.21	357.0
21	0.0	0.25	68.94	44.9	254.3	102	0.125	0.25	0.375	240.0	80.92	42.85	244.4	183	0.25	0.25	0.375	270.0	61.94	54.83	271.8
22	0.0	0.25	66.01	47.4	259.1	103	0.125	0.25	0.5	250.9	68.94	44.9	254.3	184	0.25	0.25	0.5	270.0	61.95	54.8	271.8
23	0.0	0.25	66.01	48.9	261.8	104	0.125	0.25	0.625	256.1	67.09	47.4	259.1	185	0.25	0.25	0.625	270.0	61.96	54.8	271.8
24	0.0	0.25	66.01	49.87	263.6	105	0.125	0.25	0.75	259.1	66.01	48.9	261.8	186	0.25	0.25	0.75	270.0	61.96	54.79	271.7
25	0.0	0.25	66.01	50.54	264.8	106	0.125	0.25	0.875	261.1	65.31	49.87	263.6	187	0.25	0.25	0.875	270.0	61.96	54.79	271.7
26	0.0	0.25	64.47	51.04	265.7	107	0.125	0.25	1.0	262.4	64.83	50.54	264.8	188	0.25	0.25	1.0	270.0	61.96	54.79	271.7
27	0.0	0.375	60.01	60.89	162.2	108	0.125	0.375	0.0	130.9	84.97	94.14	139.9	189	0.25	0.375	0.0	109.1	89.5	95.85	114.6
28	0.0	0.375	60.92	41.93	217.0	109	0.125	0.375	0.125	150.0	86.01	60.89	162.2	190	0.25	0.375	0.125	120.0	86.33	103.29	127.2
29	0.0	0.375	72.09	42.85	244.4	110	0.125	0.375	0.25	180.0	87.25	47.33	189.6	191	0.25	0.375	0.25	150.0	86.01	60.9	162.2
30	0.0	0.375	68.94	44.9	254.3	111	0.125	0.375	0.375	210.0	80.93	41.93	217.0	192	0.25	0.375	0.375	210.0	80.92	41.93	217.0
31	0.0	0.375	66.01	47.4	259.1	112	0.125	0.375	0.5	229.1	75.23	40.8	234.4	193	0.25	0.375	0.5	240.0	72.09	42.85	244.4
32	0.0	0.375	66.01	48.9	261.8	113	0.125	0.375	0.625	240.0	72.09	42.85	244.4	194	0.25	0.375	0.625	250.9	68.94	44.9	254.3
33	0.0	0.375	66.01	49.87	263.6	114	0.125	0.375	0.75	246.6	70.19	44.09	250.4	195	0.25	0.375	0.75	256.1	67.09	47.4	259.1
34	0.0	0.375	66.01	50.54	264.8	115	0.125	0.375	0.875	250.9	68.95	44.9	254.3	196	0.25	0.375	0.875	259.1	66.01	48.9	261.8
35	0.0	0.375	64.47	51.04	265.7	116	0.125	0.375	1.0	253.9	67.89	46.3	257.0	197	0.25	0.375	1.0	261.1	65.31	49.87	263.6
36	0.0	0.5	60.01	60.89	162.2	117	0.125	0.5	0.0	136.1	85.25	81.92	146.0	198	0.25	0.5	0.0	120.0	86.32	103.3	127.3
37	0.0	0.5	60.92	41.93	217.0	118	0.125	0.5	0.125	150.0	86.01	60.89	162.2	199	0.25	0.5	0.125	130.9	84.97	94.14	139.9
38	0.0	0.5	72.09	42.85	244.4	119	0.125	0.5	0.25	169.1	86.81	51.01	179.7	200	0.25	0.5	0.25	150.0	86.01	60.89	162.2
39	0.0	0.5	68.94	44.9	254.3	120	0.125	0.5	0.375	190.9	86.67	44.29	199.5	201	0.25	0.5	0.375	180.0	87.25	47.33	189.6
40	0.0	0.5	66.01	47.4	259.1	121	0.125	0.5	0.5	210.0	80.93	41.93	217.0	202	0.25	0.5	0.5	210.0	80.93	41.93	217.0
41	0.0	0.5	66.01	48.9	261.8	122	0.125	0.5	0.625	223.9	76.75	40.22	229.7	203	0.25	0.5	0.625	229.1	75.23	40.8	234.4
42	0.0	0.5	66.01	49.87	263.6	123	0.125	0.5	0.75	233.4	73.99	41.61	238.4	204	0.25	0.5	0.75	240.0	72.09	42.85	244.4
43	0.0	0.5	66.01	50.54	264.8	124	0.125	0.5	0.875	240.0	72.09	42.85	244.4	205	0.25	0.5	0.875	246.6	70.19	44.09	250.4
44	0.0	0.5	64.47	51.04	265.7	125	0.125	0.5	1.0	244.7	70.73	43.74	248.7	206	0.25	0.5	1.0	250.9	68.95	44.9	254.3
45	0.0	0.625	60.01	60.89	162.2	126	0.125	0.625	0.0	139.1	85.41	75.99	149.5	207	0.25	0.625	0.0	126.6	84.76	106.8	108.5
46	0.0	0.625	60.92	41.93	217.0	127	0.125	0.625	0.125	150.0	86.01	60.89	162.2	208	0.25	0.625	0.125	136.1	85.25	81.92	

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e							
324	0.5	0.0	0.0	30.0	54.76	75.39	25.5	405	0.625	0.0	0.0	30.0	54.76	75.39	25.5	486	0.75	0.0	0.0	30.0	54.76	75.39	25.5	567	0.875	0.0	0.0	30.0	54.76	75.39	25.5	648	0.875	0.0	0.0	30.0	54.76	75.39	25.5
325	0.5	0.0	0.125	16.1	55.19	71.76	12.3	406	0.625	0.0	0.125	19.1	55.08	72.09	15.1	487	0.75	0.0	0.125	21.0	55.02	72.31	17.0	568	0.875	0.0	0.125	22.4	54.97	72.46	18.3	649	0.875	0.0	0.125	22.4	54.97	72.46	18.3
326	0.5	0.0	0.25	0.0	55.9	73.21	357.0	407	0.625	0.0	0.25	6.6	55.57	71.92	3.3	488	0.75	0.0	0.25	10.9	55.38	71.42	7.4	569	0.875	0.0	0.25	13.9	55.26	71.52	10.2	650	0.875	0.0	0.25	13.9	55.26	71.52	10.2
327	0.5	0.0	0.375	343.9	57.14	82.01	341.8	408	0.625	0.0	0.375	353.4	56.31	75.68	350.8	489	0.75	0.0	0.375	0.0	55.9	73.21	357.0	570	0.875	0.0	0.375	4.7	55.66	72.14	1.5	651	0.875	0.0	0.375	4.7	55.66	72.14	1.5
328	0.5	0.0	0.5	330.0	59.57	99.47	328.6	409	0.625	0.0	0.5	340.9	57.49	84.75	338.9	490	0.75	0.0	0.5	349.1	56.65	78.27	346.7	571	0.875	0.0	0.5	355.3	56.19	74.97	352.6	652	0.875	0.0	0.5	355.3	56.19	74.97	352.6
329	0.5	0.0	0.625	319.1	53.19	103.13	318.3	410	0.625	0.0	0.625	330.0	59.57	99.47	328.6	491	0.75	0.0	0.625	339.0	57.72	86.52	337.1	572	0.875	0.0	0.625	346.1	56.89	80.07	343.9	653	0.875	0.0	0.625	346.1	56.89	80.07	343.9
330	0.5	0.0	0.75	310.9	46.42	105.36	310.5	411	0.625	0.0	0.75	321.1	54.78	102.87	320.1	492	0.75	0.0	0.75	330.0	59.57	99.47	328.6	573	0.875	0.0	0.75	337.6	57.98	88.35	335.8	654	0.875	0.0	0.75	337.6	57.98	88.35	335.8
331	0.5	0.0	0.875	304.7	41.07	108.57	304.6	412	0.625	0.0	0.875	313.9	48.91	104.43	313.4	493	0.75	0.0	0.875	322.4	55.86	102.83	321.4	574	0.875	0.0	0.875	330.0	59.57	99.47	328.6	655	0.875	0.0	0.875	330.0	59.57	99.47	328.6
332	0.5	0.0	1.0	300.0	41.7	102.34	300.2	413	0.625	0.0	1.0	308.2	44.11	106.56	308.0	494	0.75	0.0	1.0	316.1	50.72	103.71	315.4	575	0.875	0.0	1.0	323.4	56.66	102.83	322.4	656	0.875	0.0	1.0	323.4	56.66	102.83	322.4
333	0.5	0.125	0.0	43.9	57.72	76.2	40.9	414	0.625	0.125	0.0	40.9	56.1	78.33	37.6	495	0.75	0.125	0.0	38.9	55.0	79.93	35.4	576	0.875	0.125	0.0	37.6	54.55	80.2	33.9	657	0.875	0.125	0.0	37.6	54.55	80.2	33.9
334	0.5	0.125	0.125	30.0	54.76	75.39	25.5	415	0.625	0.125	0.125	30.0	54.76	75.39	25.5	496	0.75	0.125	0.125	30.0	54.76	75.39	25.5	577	0.875	0.125	0.125	30.0	54.76	75.39	25.5	658	0.875	0.125	0.125	30.0	54.76	75.39	25.5
335	0.5	0.125	0.25	10.9	55.38	71.42	7.4	416	0.625	0.125	0.25	16.1	55.19	71.76	12.3	497	0.75	0.125	0.25	19.1	55.08	72.09	15.1	578	0.875	0.125	0.25	21.0	55.02	72.31	17.0	659	0.875	0.125	0.25	21.0	55.02	72.31	17.0
336	0.5	0.125	0.375	349.1	56.65	78.26	346.7	417	0.625	0.125	0.375	360.0	55.9	73.21	357.0	498	0.75	0.125	0.375	6.6	55.57	71.92	3.3	579	0.875	0.125	0.375	10.9	55.38	71.42	7.4	660	0.875	0.125	0.375	10.9	55.38	71.42	7.4
337	0.5	0.125	0.5	330.0	59.57	99.47	328.6	418	0.625	0.125	0.5	343.9	57.14	82.01	341.8	499	0.75	0.125	0.5	353.4	56.31	75.68	350.8	580	0.875	0.125	0.5	0.0	55.9	73.21	357.0	661	0.875	0.125	0.5	0.0	55.9	73.21	357.0
338	0.5	0.125	0.625	316.1	50.73	103.71	315.4	419	0.625	0.125	0.625	330.0	59.57	99.47	328.6	500	0.75	0.125	0.625	340.9	57.49	84.75	338.9	581	0.875	0.125	0.625	349.1	56.65	78.27	346.7	662	0.875	0.125	0.625	349.1	56.65	78.27	346.7
339	0.5	0.125	0.75	306.6	42.7	107.46	306.4	420	0.625	0.125	0.75	319.1	48.91	104.43	313.4	501	0.75	0.125	0.75	330.0	59.57	99.47	328.6	582	0.875	0.125	0.75	339.0	57.72	86.52	337.1	663	0.875	0.125	0.75	339.0	57.72	86.52	337.1
340	0.5	0.125	0.875	300.0	41.7	102.35	300.2	421	0.625	0.125	0.875	310.9	46.42	105.36	310.5	502	0.75	0.125	0.875	321.1	54.78	102.87	320.1	583	0.875	0.125	0.875	330.0	59.57	99.47	328.6	664	0.875	0.125	0.875	330.0	59.57	99.47	328.6
341	0.5	0.125	1.0	295.3	46.29	89.6	295.7	422	0.625	0.125	1.0	304.7	41.07	108.57	304.6	503	0.75	0.125	1.0	313.9	48.91	104.43	313.4	584	0.875	0.125	1.0	322.4	55.86	102.83	321.4	665	0.875	0.125	1.0	322.4	55.86	102.83	321.4
342	0.5	0.25	0.0	60.0	65.92	70.17	58.9	423	0.625	0.25	0.0	53.4	62.64	71.39	51.5	504	0.75	0.25	0.0	49.1	60.45	73.26	46.8	585	0.875	0.25	0.0	46.1	58.91	74.64	43.4	666	0.875	0.25	0.0	46.1	58.91	74.64	43.4
343	0.5	0.25	0.125	49.1	60.44	73.27	46.7	424	0.625	0.25	0.125	43.9	57.72	76.2	40.9	505	0.75	0.25	0.125	40.9	56.1	78.33	37.6	586	0.875	0.25	0.125	38.9	55.9	79.93	35.4	667	0.875	0.25	0.125	38.9	55.9	79.93	35.4
344	0.5	0.25	0.25	30.0	54.76	75.39	25.5	425	0.625	0.25	0.25	30.0	54.76	75.39	25.5	506	0.75	0.25	0.25	30.0	54.76	75.39	25.5	587	0.875	0.25	0.25	30.0	54.76	75.39	25.5	668	0.875	0.25	0.25	30.0	54.76	75.39	25.5
345	0.5	0.25	0.375	360.0	55.9	73.21	357.0	426	0.625	0.25	0.375	375.0	55.38	71.42	357.0	507	0.75	0.25	0.375	16.1	55.19	71.76	12.3	588	0.875	0.25	0.375	19.1	55.08	72.09	15.1	669	0.875	0.25	0.375	19.1	55.08	72.09	15.1
346	0.5	0.25	0.5	330.0	59.57	99.46	328.6	427	0.625	0.25	0.5	349.1	56.65	78.26	346.7	508	0.75	0.25	0.5	0.0	55.9	73.21	357.0	589	0.875	0.25	0.5	6.6	55.57	71.92	3.3	670	0.875	0.25	0.5	6.6	55.57	71.92	3.3
347	0.5	0.25	0.625	310.9	46.42	105.35	310.5	428	0.625	0.25	0.625	330.0	59.57	99.47	328.6	509	0.75	0.25	0.625	343.9	57.14	82.01	341.8	590	0.875	0.25	0.625	353.4	56.31	75.68	350.8	671	0.875	0.25	0.625	353.4	56.31	75.68	350.8
348	0.5	0.25	0.75	300.0	41.69	102.36	300.2	429	0.625	0.25	0.75	316.1	50.73	103.71	315.4	510	0.75	0.25	0.75	330.0	59.57	99.47	328.6	591	0.875	0.25	0.75	340.9	57.49	84.75	338.9	672	0.875	0.25	0.75	340.9	57.49	84.75	338.9
349	0.5	0.25	0.875	293.4	42.77	85.79	293.9	430	0.625	0.25	0.875	306.6	42.7	107.46	306.4	511	0.75	0.25	0.875	319.1	53.19	103.13	318.3	592	0.875	0.25	0.875	330.0	59.57	99.47	328.6	673	0.875	0.25	0.875	330.0	59.57	99.47	328.6
350	0.5	0.25	1.0	289.1	51.18	77.01	289.9	431	0.625	0.25	1.0	300.0	41.7	102.35	300.2	512	0.75	0.25	1.0	310.9	46.42	105.36	310.5	593	0.875	0.25	1.0	321.1	54.78										

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
 Technical information: <http://www.ps.ban.de> or <http://130.149.60.45/~fabmetrik>

n_{rgb}	$rgb \rightarrow rgb^3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$	n_{rgb}	$rgb \rightarrow rgb^3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$	n_{rgb}	$rgb \rightarrow rgb^3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$	n_{rgb}	$rgb \rightarrow rgb^3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$	n_{rgb}	$rgb \rightarrow rgb^3$	h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$												
648	1.0	0.0	0.0	30.0	54.76	75.39	25.5	729	1.0	1.0	1.0	0.0	55.9	73.21	357.0	810	1.0	1.0	1.0	0.0	55.9	73.21	357.0	891	1.0	1.0	1.0	0.0	55.9	73.21	357.0
649	1.0	0.0	0.125	23.4	54.94	72.81	19.2	730	0.875	1.0	210.0	80.92	41.93	217.0	811	0.875	0.875	1.0	270.0	61.94	54.83	271.8	892	1.0	0.875	1.0	0.0	55.9	73.21	357.0	
650	1.0	0.0	0.25	16.1	55.19	71.76	12.3	731	0.75	1.0	210.0	80.93	41.93	217.0	812	0.75	0.75	1.0	270.0	61.95	54.83	271.8	893	1.0	0.75	1.0	0.0	55.9	73.21	357.0	
651	1.0	0.0	0.375	8.2	55.5	71.73	6.25	732	0.625	1.0	210.0	80.93	41.93	217.0	813	0.625	0.625	1.0	270.0	61.96	54.83	271.8	894	1.0	0.625	1.0	0.0	55.9	73.21	357.0	
652	1.0	0.0	0.5	0.0	55.9	73.21	357.0	733	0.5	1.0	210.0	80.93	41.93	217.0	814	0.5	0.5	1.0	270.0	61.96	54.79	271.7	895	1.0	0.5	1.0	0.0	55.9	73.21	357.0	
653	1.0	0.0	0.625	351.8	56.44	76.66	349.3	734	0.375	1.0	210.0	80.93	41.93	217.0	815	0.375	0.375	1.0	270.0	61.96	54.79	271.7	896	1.0	0.375	1.0	0.0	55.9	73.21	357.0	
654	1.0	0.0	0.75	343.9	57.14	82.01	341.8	735	0.25	1.0	210.0	80.93	41.93	217.0	816	0.25	0.25	1.0	270.0	61.96	54.79	271.7	897	1.0	0.25	1.0	0.0	55.9	73.21	357.0	
655	1.0	0.0	0.875	336.6	58.19	89.82	334.9	736	0.125	1.0	210.0	80.93	41.93	217.0	817	0.125	0.125	1.0	270.0	61.96	54.79	271.7	898	1.0	0.125	1.0	0.0	55.9	73.21	357.0	
656	1.0	0.0	1.0	330.0	59.57	99.48	328.6	737	0.0	1.0	210.0	80.93	41.93	217.0	818	0.0	0.0	1.0	270.0	61.96	54.79	271.7	899	1.0	0.0	1.0	0.0	55.9	73.21	357.0	
657	1.0	0.125	0.0	36.6	54.57	79.42	32.8	738	1.0	0.875	0.875	30.0	54.76	75.38	25.5	819	1.0	1.0	0.875	90.0	83.94	81.75	92.3	900	0.875	1.0	0.875	150.0	86.0	60.9	162.2
658	1.0	0.125	0.125	30.0	54.76	75.39	25.5	739	0.875	0.875	0.875	0.0	55.9	73.21	357.0	820	0.875	0.875	0.875	0.0	55.9	73.21	357.0	901	0.875	0.875	0.875	0.0	55.9	73.21	357.0
659	1.0	0.125	0.25	22.4	54.97	76.46	18.3	740	0.75	0.875	0.875	210.0	80.92	41.93	217.0	821	0.75	0.75	0.875	270.0	61.94	54.83	271.8	902	0.875	0.75	0.875	330.0	59.57	99.48	328.6
660	1.0	0.125	0.375	13.9	55.26	71.52	10.2	741	0.625	0.875	0.875	210.0	80.93	41.93	217.0	822	0.625	0.625	0.875	270.0	61.95	54.83	271.8	903	0.875	0.625	0.875	330.0	59.57	99.48	328.6
661	1.0	0.125	0.5	4.7	55.66	72.14	1.5	742	0.5	0.875	0.875	210.0	80.93	41.93	217.0	823	0.5	0.5	0.875	270.0	61.96	54.83	271.8	904	0.875	0.5	0.875	330.0	59.57	99.48	328.6
662	1.0	0.125	0.625	355.3	56.19	74.97	352.6	743	0.375	0.875	0.875	210.0	80.93	41.93	217.0	824	0.375	0.375	0.875	270.0	61.96	54.79	271.7	905	0.875	0.375	0.875	330.0	59.57	99.48	328.6
663	1.0	0.125	0.75	346.1	56.89	80.07	343.9	744	0.25	0.875	0.875	210.0	80.93	41.93	217.0	825	0.25	0.25	0.875	270.0	61.96	54.79	271.7	906	0.875	0.25	0.875	330.0	59.57	99.48	328.6
664	1.0	0.125	0.875	337.6	57.98	88.35	335.8	745	0.125	0.875	0.875	210.0	80.93	41.93	217.0	826	0.125	0.125	0.875	270.0	61.96	54.79	271.7	907	0.875	0.125	0.875	330.0	59.57	99.48	328.6
665	1.0	0.125	1.0	330.0	59.57	99.48	328.6	746	0.0	0.875	0.875	210.0	80.93	41.93	217.0	827	0.0	0.0	0.875	270.0	61.96	54.79	271.7	908	0.875	0.0	0.875	330.0	59.57	99.48	328.6
666	1.0	0.25	0.0	43.9	57.72	76.2	41.0	747	1.0	0.75	0.75	30.0	54.76	75.39	25.5	828	1.0	1.0	0.75	90.0	83.97	81.78	92.3	909	0.75	1.0	0.75	150.0	86.01	60.89	162.2
667	1.0	0.25	0.125	37.6	54.55	80.2	33.9	748	0.875	0.75	0.75	30.0	54.76	75.38	25.5	829	0.875	0.875	0.75	90.0	83.94	81.75	92.3	910	0.75	0.875	0.75	150.0	86.0	60.9	162.2
668	1.0	0.25	0.25	30.0	54.76	75.39	25.5	749	0.75	0.75	0.75	0.0	55.9	73.21	357.0	830	0.75	0.75	0.75	0.0	55.9	73.21	357.0	911	0.75	0.75	0.75	0.0	55.9	73.21	357.0
669	1.0	0.25	0.375	21.0	55.02	72.31	17.0	750	0.625	0.75	0.75	210.0	80.92	41.93	217.0	831	0.625	0.625	0.75	270.0	61.94	54.83	271.8	912	0.75	0.625	0.75	330.0	59.57	99.48	328.6
670	1.0	0.25	0.5	10.9	55.38	71.42	7.4	751	0.5	0.75	0.75	210.0	80.93	41.93	217.0	832	0.5	0.5	0.75	270.0	61.95	54.83	271.8	913	0.75	0.5	0.75	330.0	59.57	99.48	328.6
671	1.0	0.25	0.625	0.0	55.9	73.21	357.0	752	0.375	0.75	0.75	210.0	80.93	41.93	217.0	833	0.375	0.375	0.75	270.0	61.96	54.83	271.8	914	0.75	0.375	0.75	330.0	59.57	99.48	328.6
672	1.0	0.25	0.75	349.1	56.65	78.27	346.7	753	0.25	0.75	0.75	210.0	80.93	41.93	217.0	834	0.25	0.25	0.75	270.0	61.96	54.79	271.7	915	0.75	0.25	0.75	330.0	59.57	99.48	328.6
673	1.0	0.25	0.875	339.0	57.72	86.52	337.1	754	0.125	0.75	0.75	210.0	80.93	41.93	217.0	835	0.125	0.125	0.75	270.0	61.96	54.79	271.7	916	0.75	0.125	0.75	330.0	59.57	99.48	328.6
674	1.0	0.25	1.0	330.0	59.57	99.47	328.6	755	0.0	0.75	0.75	210.0	80.93	41.93	217.0	836	0.0	0.0	0.75	270.0	61.96	54.79	271.7	917	0.75	0.0	0.75	330.0	59.57	99.48	328.6
675	1.0	0.375	0.0	51.8	61.81	72.09	49.7	756	1.0	0.625	0.625	30.0	54.76	75.39	25.5	837	1.0	1.0	0.625	90.0	83.97	81.79	92.3	918	0.625	1.0	0.625	150.0	86.01	60.89	162.2
676	1.0	0.375	0.125	46.1	58.91	74.64	43.4	757	0.875	0.625	0.625	30.0	54.76	75.39	25.5	838	0.875	0.875	0.625	90.0	83.97	81.78	92.3	919	0.625	0.875	0.625	150.0	86.01	60.89	162.2
677	1.0	0.375	0.25	38.9	55.0	79.93	35.4	758	0.75	0.625	0.625	30.0	54.76	75.38	25.5	839	0.75	0.75	0.625	90.0	83.94	81.75	92.3	920	0.625	0.75	0.625	150.0	86.0	60.9	162.2
678	1.0	0.375	0.375	30.0	54.76	75.39	25.5	759	0.625	0.625	0.625	0.0	55.9	73.21	357.0	840	0.625	0.625	0.625	0.0	55.9	73.21	357.0	921	0.625	0.625	0.625	0.0	55.9	73.21	357.0
679	1.0	0.375	0.5	19.1	55.08	72.09	15.1	760	0.5	0.625	0.625	210.0	80.92	41.93	217.0	841	0.5	0.5	0.625	270.0	61.94	54.83	271.8	922	0.625	0.5	0.625	330.0	59.57	99.48	328.6
680	1.0	0.375	0.625	6.6	55.57	71.92	3.3	761	0.375	0.625	0.625	210.0	80.93	41.93	217.0	842	0.375	0.375	0.625	270.0	61.95	54.83	271.8	923	0.625	0.375	0.625	330.0	59.57	99.48	328.6
681	1.0	0.375	0.75	353.4	56.31	75.68	350.8	762	0.25	0.625	0.625	210.0	80.93	41.93	217.0	843	0.25	0.25	0.625	270.0	61.96	54.83	271.8	924	0.625	0.25	0.625	330.0	59.57	99.48	328.6
682	1.0	0.375	0.875	340.9	57.49	84.75	338.9	763	0.125	0.625	0.625	210.0	80.93	41.93	217.0	844	0.125	0.125	0.625	270.0	61.96	54.79	271.7	925	0.625	0.125	0.625	330.0	59.57	99.48	328.6
683	1.0	0.375	1.0	330.0	59.57	99.47	328.6	764	0.0	0.625	0.625	210.0	80.93	41.93	217.0	845	0.0	0.0	0.625	270.0	61.96	54.79	271.7	926	0.625	0.0	0.625	330.0	59.57	99.48	328.6
684	1.0	0.5	0.0	60.0	65.93	70.17	58.9	765	1.0	0.5	0.5	30.0	54.76	75.39	25.5	846	1.0	1.0	0.5	90.0	83.98	81.83	92.3	927	0.5	1.0	0.5	150.0	86.01	60.89	162.2
685	1.0	0.5	0.125	55.3	63.58	70.97	53.6	766	0.875	0.5	0.5	30.0	54.76	75.39	25.5	847	0.875	0.875	0.5	90.0	83.97	81.79	92.3	928	0.5	0.875	0.5	150.0	86.01	60.89	162.2
686	1.0	0.5	0.25	49.1	60.45	73.26	46.8	767	0.75	0.5	0.5	30.0	54.76	75.39	25.5	848	0.75	0.75	0.5	90.0	83.97	81.78	92.3	929	0.5	0.75	0.5	150.0	86.01	60.89	162.2
687	1.0	0.5	0.375	40.9	56.1	78.33	37.6	768	0.625	0.5	0.5	30.0	54.76	75.38	25.5	849	0.625	0.625	0.5	90.0	83.94	81.75	92.3	930	0.5	0.625	0.5	150.0	86.0	60.9	162.2
688	1.0	0.5	0.5	30.0																											


application for measurement of printer or monitor systems

IOB material: code=rha4ta


KE650-7N, 23, table rgb→rgb*3 – LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb*3; display reflection L_r =5%; Page 19/

TUB-test chart KE65; 1080 *rgb** colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma


input: *rgb*->*rgb** *setrgbcolor*
output: *no change compared to input*



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




<http://130.149.60.45/~farbmetrik/KE65/KE65L0NA.TXT/.PS>; start output; Reflection; $L_r=5\%$
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), Page 24/40



TUB registration: 20100801-KE65/KE65L0NA.TXT/.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta



n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
972	0.0 0.0 0.0	0.0	55.9 73.21 357.0
973	0.125 0.125 0.125	0.0	55.9 73.21 357.0
974	0.25 0.25 0.25	0.0	55.9 73.21 357.0
975	0.375 0.375 0.375	0.0	55.9 73.21 357.0
976	0.5 0.5 0.5	0.0	55.9 73.21 357.0
977	0.625 0.625 0.625	0.0	55.9 73.21 357.0
978	0.75 0.75 0.75	0.0	55.9 73.21 357.0
979	0.875 0.875 0.875	0.0	55.9 73.21 357.0
980	1.0 1.0 1.0	0.0	55.9 73.21 357.0
981	0.0 0.0 0.0	0.0	55.9 73.21 357.0
982	0.125 0.125 0.125	0.0	55.9 73.21 357.0
983	0.25 0.25 0.25	0.0	55.9 73.21 357.0
984	0.375 0.375 0.375	0.0	55.9 73.21 357.0
985	0.5 0.5 0.5	0.0	55.9 73.21 357.0
986	0.625 0.625 0.625	0.0	55.9 73.21 357.0
987	0.75 0.75 0.75	0.0	55.9 73.21 357.0
988	0.875 0.875 0.875	0.0	55.9 73.21 357.0
989	1.0 1.0 1.0	0.0	55.9 73.21 357.0
990	0.0 0.0 0.0	0.0	55.9 73.21 357.0
991	0.125 0.125 0.125	0.0	55.9 73.21 357.0
992	0.25 0.25 0.25	0.0	55.9 73.21 357.0
993	0.375 0.375 0.375	0.0	55.9 73.21 357.0
994	0.5 0.5 0.5	0.0	55.9 73.21 357.0
995	0.625 0.625 0.625	0.0	55.9 73.21 357.0
996	0.75 0.75 0.75	0.0	55.9 73.21 357.0
997	0.875 0.875 0.875	0.0	55.9 73.21 357.0
998	1.0 1.0 1.0	0.0	55.9 73.21 357.0
999	0.0 0.0 0.0	0.0	55.9 73.21 357.0
1000	0.125 0.125 0.125	0.0	55.9 73.21 357.0
1001	0.25 0.25 0.25	0.0	55.9 73.21 357.0
1002	0.375 0.375 0.375	0.0	55.9 73.21 357.0
1003	0.5 0.5 0.5	0.0	55.9 73.21 357.0
1004	0.625 0.625 0.625	0.0	55.9 73.21 357.0
1005	0.75 0.75 0.75	0.0	55.9 73.21 357.0
1006	0.875 0.875 0.875	0.0	55.9 73.21 357.0
1007	1.0 1.0 1.0	0.0	55.9 73.21 357.0

KE650-7N, 24, table $rgb \rightarrow rgb^*$ - LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb^* ; display reflection $L_r=5\%$; Page 20/40

TUB-test chart KE65; 1080 rgb^* colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: $rgb \rightarrow rgb^* \text{ setrgbcolor}$
output: no change compared to input



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
1008	0.0 0.0 0.0	0.0	55.9 73.21 357.0
1009	0.066 0.066 0.066	0.0	55.9 73.21 357.0
1010	0.133 0.133 0.133	0.0	55.9 73.21 357.0
1011	0.2 0.2 0.2	0.0	55.9 73.21 357.0
1012	0.266 0.266 0.266	0.0	55.9 73.21 357.0
1013	0.333 0.333 0.333	0.0	55.9 73.21 357.0
1014	0.4 0.4 0.4	0.0	55.9 73.21 357.0
1015	0.466 0.466 0.466	0.0	55.9 73.21 357.0
1016	0.533 0.533 0.533	0.0	55.9 73.21 357.0
1017	0.6 0.6 0.6	0.0	55.9 73.21 357.0
1018	0.666 0.666 0.666	0.0	55.9 73.21 357.0
1019	0.734 0.734 0.734	0.0	55.9 73.21 357.0
1020	0.8 0.8 0.8	0.0	55.9 73.21 357.0
1021	0.866 0.866 0.866	0.0	55.9 73.21 357.0
1022	0.933 0.933 0.933	0.0	55.9 73.21 357.0
1023	1.0 1.0 1.0	0.0	55.9 73.21 357.0
1024	0.0 0.0 0.0	0.0	55.9 73.21 357.0
1025	0.066 0.066 0.066	0.0	55.9 73.21 357.0
1026	0.133 0.133 0.133	0.0	55.9 73.21 357.0
1027	0.2 0.2 0.2	0.0	55.9 73.21 357.0
1028	0.266 0.266 0.266	0.0	55.9 73.21 357.0
1029	0.333 0.333 0.333	0.0	55.9 73.21 357.0
1030	0.4 0.4 0.4	0.0	55.9 73.21 357.0
1031	0.466 0.466 0.466	0.0	55.9 73.21 357.0
1032	0.533 0.533 0.533	0.0	55.9 73.21 357.0
1033	0.6 0.6 0.6	0.0	55.9 73.21 357.0
1034	0.666 0.666 0.666	0.0	55.9 73.21 357.0
1035	0.734 0.734 0.734	0.0	55.9 73.21 357.0
1036	0.8 0.8 0.8	0.0	55.9 73.21 357.0
1037	0.866 0.866 0.866	0.0	55.9 73.21 357.0
1038	0.933 0.933 0.933	0.0	55.9 73.21 357.0
1039	1.0 1.0 1.0	0.0	55.9 73.21 357.0
1040	0.0 0.0 0.0	0.0	55.9 73.21 357.0
1041	0.066 0.066 0.066	0.0	55.9 73.21 357.0
1042	0.133 0.133 0.133	0.0	55.9 73.21 357.0
1043	0.2 0.2 0.2	0.0	55.9 73.21 357.0
1044	0.266 0.266 0.266	0.0	55.9 73.21 357.0
1045	0.333 0.333 0.333	0.0	55.9 73.21 357.0
1046	0.4 0.4 0.4	0.0	55.9 73.21 357.0
1047	0.466 0.466 0.466	0.0	55.9 73.21 357.0
1048	0.533 0.533 0.533	0.0	55.9 73.21 357.0
1049	0.6 0.6 0.6	0.0	55.9 73.21 357.0
1050	0.666 0.666 0.666	0.0	55.9 73.21 357.0
1051	0.734 0.734 0.734	0.0	55.9 73.21 357.0
1052	0.8 0.8 0.8	0.0	55.9 73.21 357.0
1053	0.866 0.866 0.866	0.0	55.9 73.21 357.0
1054	0.933 0.933 0.933	0.0	55.9 73.21 357.0
1055	1.0 1.0 1.0	0.0	55.9 73.21 357.0
1056	0.0 0.0 0.0	0.0	55.9 73.21 357.0
1057	0.066 0.066 0.066	0.0	55.9 73.21 357.0
1058	0.133 0.133 0.133	0.0	55.9 73.21 357.0
1059	0.2 0.2 0.2	0.0	55.9 73.21 357.0
1060	0.266 0.266 0.266	0.0	55.9 73.21 357.0
1061	0.333 0.333 0.333	0.0	55.9 73.21 357.0
1062	0.4 0.4 0.4	0.0	55.9 73.21 357.0
1063	0.466 0.466 0.466	0.0	55.9 73.21 357.0
1064	0.533 0.533 0.533	0.0	55.9 73.21 357.0
1065	0.6 0.6 0.6	0.0	55.9 73.21 357.0
1066	0.666 0.666 0.666	0.0	55.9 73.21 357.0
1067	0.734 0.734 0.734	0.0	55.9 73.21 357.0
1068	0.8 0.8 0.8	0.0	55.9 73.21 357.0
1069	0.866 0.866 0.866	0.0	55.9 73.21 357.0
1070	0.933 0.933 0.933	0.0	55.9 73.21 357.0
1071	1.0 1.0 1.0	0.0	55.9 73.21 357.0
1072	0.0 0.0 0.0	0.0	55.9 73.21 357.0
1073	1.0 1.0 1.0	0.0	55.9 73.21 357.0
1074	0.0 0.0 0.0	30.0	54.76 75.39 25.5
1075	0.0 1.0 1.0	210.0	80.93 41.93 217.0
1076	1.0 0.0 0.0	90.0	83.98 81.8 92.3
1077	0.0 0.0 1.0	270.0	61.96 54.79 271.7
1078	0.0 1.0 0.0	150.0	86.01 60.88 162.2
1079	1.0 0.0 0.0	330.0	59.57 99.48 328.6

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma_e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma_e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma_e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma_e}
0	0.0	0.0	59.64 64.44 357.0	81	0.125	0.0	0.0 30.0 58.61 65.19 25.5	162	0.25	0.0	0.0 30.0 58.61 65.19 25.5	243	0.375	0.0	0.0 30.0 58.61 65.2 25.5
1	0.0	0.125	64.81 50.05 271.8	82	0.125	0.0	0.125 330.0 62.72 88.84 328.6	163	0.25	0.0	0.125 0.0 59.64 64.44 357.0	244	0.375	0.0	0.125 10.9 59.18 62.56 7.4
2	0.0	0.25	64.82 50.03 271.8	83	0.125	0.0	0.25 300.0 46.31 93.27 300.2	164	0.25	0.0	0.25 330.0 62.72 88.86 328.6	245	0.375	0.0	0.25 349.1 60.28 69.18 346.7
3	0.0	0.375	64.82 50.02 271.8	84	0.125	0.0	0.375 289.1 54.84 70.64 289.9	165	0.25	0.0	0.375 310.9 52.82 91.32 310.5	246	0.375	0.0	0.375 330.0 62.73 88.86 328.6
4	0.0	0.5	64.82 50.02 271.7	85	0.125	0.0	0.5 283.9 58.04 63.4 284.9	166	0.25	0.0	0.5 300.0 46.3 93.27 300.2	247	0.375	0.0	0.5 316.1 56.03 91.01 315.4
5	0.0	0.625	64.83 50.02 271.7	86	0.125	0.0	0.625 280.9 59.79 59.6 282.1	167	0.25	0.0	0.625 293.4 51.8 78.19 293.9	248	0.375	0.0	0.625 306.6 50.19 91.74 306.4
6	0.0	0.75	64.83 50.02 271.7	87	0.125	0.0	0.75 279.0 60.82 57.46 280.2	168	0.25	0.0	0.75 289.1 54.84 70.63 289.9	249	0.375	0.0	0.75 300.0 46.3 93.27 300.2
7	0.0	0.875	64.83 50.01 271.7	88	0.125	0.0	0.875 277.6 61.43 56.33 278.9	169	0.25	0.0	0.875 286.1 56.76 66.17 287.0	250	0.375	0.0	0.875 295.3 50.25 82.27 295.7
8	0.0	1.0	64.83 50.01 271.7	89	0.125	0.0	1.0 276.6 61.88 55.5 278.0	170	0.25	0.0	1.0 283.9 58.04 63.39 284.9	251	0.375	0.0	1.0 291.8 52.95 75.33 292.4
9	0.0	0.125	0.0 150.0 86.62 55.84 162.2	90	0.125	0.125	0.0 90.0 84.57 69.43 92.3	171	0.25	0.125	0.0 60.0 69.49 57.53 58.9	252	0.375	0.125	0.0 49.1 65.01 59.41 46.7
10	0.0	0.125	0.125 210.0 82.09 38.67 217.0	91	0.125	0.125	0.125 0.0 59.64 64.44 357.0	172	0.25	0.125	0.125 30.0 58.61 65.19 25.5	253	0.375	0.125	0.125 30.0 58.61 65.19 25.5
11	0.0	0.125	0.25 240.0 74.03 39.24 244.4	92	0.125	0.125	0.25 270.0 64.81 50.05 271.8	173	0.25	0.125	0.25 330.0 62.72 88.84 328.6	254	0.375	0.125	0.25 0.0 59.64 64.44 357.0
12	0.0	0.125	0.375 250.9 71.17 41.12 254.3	93	0.125	0.125	0.375 270.0 64.82 50.03 271.8	174	0.25	0.125	0.375 300.0 46.31 93.27 300.2	255	0.375	0.125	0.375 330.0 62.72 88.86 328.6
13	0.0	0.125	0.5 256.1 69.51 43.27 259.1	94	0.125	0.125	0.5 270.0 64.82 50.02 271.7	175	0.25	0.125	0.5 289.1 54.84 70.64 289.9	256	0.375	0.125	0.5 310.9 52.82 91.32 310.5
14	0.0	0.125	0.625 259.1 68.53 44.63 261.8	95	0.125	0.125	0.625 270.0 64.82 50.02 271.7	176	0.25	0.125	0.625 283.9 58.04 63.4 284.9	257	0.375	0.125	0.625 300.0 46.3 93.27 300.2
15	0.0	0.125	0.75 261.1 67.89 45.52 263.6	96	0.125	0.125	0.75 270.0 64.83 50.02 271.7	177	0.25	0.125	0.75 280.9 59.79 59.6 282.1	258	0.375	0.125	0.75 293.4 51.8 78.19 293.9
16	0.0	0.125	0.875 262.4 67.44 46.14 264.8	97	0.125	0.125	0.875 270.0 64.83 50.02 271.7	178	0.25	0.125	0.875 279.0 60.82 57.46 280.2	259	0.375	0.125	0.875 289.1 54.84 70.63 289.9
17	0.0	0.125	1.0 263.4 67.11 46.59 265.7	98	0.125	0.125	1.0 270.0 64.83 50.01 271.7	179	0.25	0.125	1.0 277.6 61.43 56.33 278.9	260	0.375	0.125	1.0 286.1 56.76 66.17 287.0
18	0.0	0.25	0.0 150.0 86.62 55.83 162.2	99	0.125	0.25	0.0 120.0 87.31 89.61 127.2	180	0.25	0.25	0.0 90.0 84.59 69.47 92.3	261	0.375	0.25	0.0 70.9 74.14 58.73 71.0
19	0.0	0.25	0.125 180.0 87.78 43.7 189.6	100	0.125	0.25	0.125 150.0 86.62 55.84 162.2	181	0.25	0.25	0.125 90.0 84.57 69.43 92.3	262	0.375	0.25	0.125 60.9 69.47 57.53 58.9
20	0.0	0.25	0.25 210.0 82.09 38.67 217.0	101	0.125	0.25	0.25 210.0 82.09 38.67 217.0	182	0.25	0.25	0.25 0.0 59.64 64.44 357.0	263	0.375	0.25	0.25 30.0 58.61 65.19 25.5
21	0.0	0.25	0.375 229.1 76.9 37.36 234.4	102	0.125	0.25	0.375 240.0 74.03 39.24 244.4	183	0.25	0.25	0.375 270.0 64.81 50.05 271.8	264	0.375	0.25	0.375 330.0 62.72 88.84 328.6
22	0.0	0.25	0.5 240.0 74.04 39.24 244.4	103	0.125	0.25	0.5 250.9 71.17 41.12 254.3	184	0.25	0.25	0.5 270.0 64.82 50.03 271.8	265	0.375	0.25	0.5 300.0 46.31 93.27 300.2
23	0.0	0.25	0.625 246.6 72.3 40.38 250.4	104	0.125	0.25	0.625 256.1 69.51 43.27 259.1	185	0.25	0.25	0.625 270.0 64.82 50.02 271.8	266	0.375	0.25	0.625 289.1 54.84 70.64 289.9
24	0.0	0.25	0.75 250.9 71.17 41.12 254.3	105	0.125	0.25	0.75 259.1 68.53 44.63 261.8	186	0.25	0.25	0.75 270.0 64.82 50.02 271.7	267	0.375	0.25	0.75 283.9 58.04 63.4 284.9
25	0.0	0.25	0.875 253.9 70.24 42.26 257.0	106	0.125	0.25	0.875 261.1 67.89 45.52 263.6	187	0.25	0.25	0.875 270.0 64.83 50.02 271.7	268	0.375	0.25	0.875 280.9 59.79 59.6 282.1
26	0.0	0.25	1.0 256.1 69.52 43.26 259.1	107	0.125	0.25	1.0 262.4 67.44 46.14 264.8	188	0.25	0.25	1.0 270.0 64.83 50.02 271.7	269	0.375	0.25	1.0 279.0 60.82 57.46 280.2
27	0.0	0.375	0.0 150.0 86.62 55.83 162.2	108	0.125	0.375	0.0 130.9 85.63 86.52 139.9	189	0.25	0.375	0.0 109.1 90.22 83.67 114.6	270	0.375	0.375	0.0 90.0 84.6 69.48 92.3
28	0.0	0.375	0.125 169.1 87.37 46.97 179.7	109	0.125	0.375	0.125 150.0 86.62 55.83 162.2	190	0.25	0.375	0.125 120.0 87.31 89.62 127.2	271	0.375	0.375	0.125 90.0 84.59 69.47 92.3
29	0.0	0.375	0.25 190.9 87.32 40.94 199.5	110	0.125	0.375	0.25 180.0 87.78 43.7 189.6	191	0.25	0.375	0.25 150.0 86.62 55.84 162.2	272	0.375	0.375	0.25 90.0 84.57 69.43 92.3
30	0.0	0.375	0.375 210.0 82.09 38.67 217.0	111	0.125	0.375	0.375 210.0 82.09 38.67 217.0	192	0.25	0.375	0.375 210.0 82.09 38.67 217.0	273	0.375	0.375	0.375 0.0 59.64 64.44 357.0
31	0.0	0.375	0.5 223.9 78.29 37.03 229.7	112	0.125	0.375	0.5 229.1 76.9 37.36 234.4	193	0.25	0.375	0.5 240.0 74.03 39.24 244.4	274	0.375	0.375	0.5 270.0 64.81 50.05 271.8
32	0.0	0.375	0.625 233.4 75.77 38.1 238.4	113	0.125	0.375	0.625 240.0 74.04 39.24 244.4	194	0.25	0.375	0.625 250.9 71.17 41.12 254.3	275	0.375	0.375	0.625 270.0 64.82 50.03 271.8
33	0.0	0.375	0.75 240.0 74.04 39.24 244.4	114	0.125	0.375	0.75 246.6 72.3 40.38 250.4	195	0.25	0.375	0.75 256.1 69.51 43.27 259.1	276	0.375	0.375	0.75 270.0 64.82 50.02 271.8
34	0.0	0.375	0.875 244.7 72.8 40.05 248.7	115	0.125	0.375	0.875 250.9 71.17 41.12 254.3	196	0.25	0.375	0.875 259.1 68.53 44.63 261.8	277	0.375	0.375	0.875 270.0 64.82 50.02 271.7
35	0.0	0.375	1.0 248.2 71.88 40.66 251.9	116	0.125	0.375	1.0 253.9 70.24 42.26 257.0	197	0.25	0.375	1.0 261.1 67.89 45.52 263.6	278	0.375	0.375	1.0 270.0 64.83 50.02 271.7
36	0.0	0.5	0.0 150.0 86.62 55.83 162.2	117	0.125	0.5	0.0 136.1 85.91 75.13 146.0	198	0.25	0.5	0.0 120.0 87.31 89.63 127.3	279	0.375	0.5	0.0 103.9 91.76 82.97 108.5
37	0.0	0.5	0.125 163.9 87.17 48.53 174.9	118	0.125	0.5	0.125 150.0 86.62 55.83 162.2	199	0.25	0.5	0.125 130.9 85.63 86.52 139.9	280	0.375	0.5	0.125 109.1 90.22 83.67 114.6
38	0.0	0.5	0.25 180.0 87.78 43.7 189.6	119	0.125	0.5	0.25 169.1 87.37 46.97 179.7	200	0.25	0.5	0.25 150.0 86.62 55.83 162.2	281	0.375	0.5	0.25 120.0 87.31 89.61 127.2
39	0.0	0.5	0.375 196.1 85.9 40.32 204.3	120	0.125	0.5	0.375 190.9 87.32 40.94 199.5	201	0.25	0.5	0.375 180.0 87.78 43.7 189.6	282	0.375	0.5	0.375 150.0 86.62 55.84 162.2
40	0.0	0.5	0.5 210.0 82.09 38.67 217.0	121	0.125	0.5	0.5 210.0 82.09 38.67 217.0	202	0.25	0.5	0.5 210.0 82.09 38.67 217.0	283	0.375	0.5	0.5 210.0 82.09 38.67 217.0
41	0.0	0.5	0.625 220.9 79.11 37.38 226.9</												

59.01	62.71	12.3	406	0.625	0.0	0.125	19.1	58.91	62.86	15.1	487	0.75	0.0	0.125	21.0	58.85	62.96	17.0	568	0.875	0.0	0.125	22.4	58.81	63.29	18.3
59.24	64.44	357.0	407	0.625	0.0	0.25	6.6	59.35	63.12	3.3	488	0.75	0.0	0.25	10.9	59.18	62.56	7.4	569	0.875	0.0	0.25	13.9	59.08	62.6	10.2
60.7	72.66	341.8	408	0.625	0.0	0.375	353.4	60.0	66.81	350.8	489	0.75	0.0	0.375	0.0	59.64	64.44	357.0	570	0.875	0.0	0.375	4.7	59.43	63.37	1.5
62.73	88.86	328.6	409	0.625	0.0	0.5	340.9	60.99	75.18	338.9	490	0.75	0.0	0.5	349.1	60.28	69.19	346.7	571	0.875	0.0	0.5	355.3	59.89	66.1	352.6
57.95	91.25	318.3	410	0.625	0.0	0.625	330.0	62.73	88.87	328.6	491	0.75	0.0	0.625	339.0	61.19	76.8	337.1	572	0.875	0.0	0.625	346.1	60.49	70.84	343.9
52.82	91.32	310.5	411	0.625	0.0	0.75	321.1	59.19	91.44	320.1	492	0.75	0.0	0.75	330.0	62.73	88.87	328.6	573	0.875	0.0	0.75	337.6	61.4	78.48	335.8
49.05	92.12	304.6	412	0.625	0.0	0.875	313.9	54.66	91.14	313.4	493	0.75	0.0	0.875	322.4	60.06	91.69	321.4	574	0.875	0.0	0.875	330.0	62.73	88.87	328.6
46.3	93.27	300.2	413	0.625	0.0	1.0	308.2	51.19	91.43	308.0	494	0.75	0.0	1.0	316.1	56.03	91.01	315.4	575	0.875	0.0	1.0	323.4	60.71	91.87	322.4
62.81	61.4	40.9	414	0.625	0.125	0.0	40.9	61.48	62.99	37.6	495	0.75	0.125	0.0	38.9	60.59	64.2	35.4	576	0.875	0.125	0.0	37.6	59.97	65.04	33.9
58.6	65.2	25.5	415	0.625	0.125	0.125	30.0	58.6	65.2	25.5	496	0.75	0.125	0.125	30.0	58.6	65.2	25.5	577	0.875	0.125	0.125	30.0	58.6	65.2	25.5
59.18	62.56	7.4	416	0.625	0.125	0.25	16.1	59.01	62.71	12.3	497	0.75	0.125	0.25	19.1	58.91	62.86	15.1	578	0.875	0.125	0.25	21.0	58.85	62.96	17.0
60.28	69.18	346.7	417	0.625	0.125	0.375	360.0	59.64	64.44	357.0	498	0.75	0.125	0.375	6.6	59.35	63.12	3.3	579	0.875	0.125	0.375	10.9	59.18	62.56	7.4
62.73	88.86	328.6	418	0.625	0.125	0.5	343.9	60.7	72.66	341.8	499	0.75	0.125	0.5	353.4	60.0	66.81	350.8	580	0.875	0.125	0.5	0.0	59.64	64.44	357.0
56.03	91.01	315.4	419	0.625	0.125	0.625	330.0	62.73	88.86	328.6	500	0.75	0.125	0.625	340.9	60.99	75.18	338.9	581	0.875	0.125	0.625	349.1	60.28	69.19	346.7
50.19	91.74	306.4	420	0.625	0.125	0.75	319.1	57.95	91.25	318.3	501	0.75	0.125	0.75	330.0	62.73	88.87	328.6	582	0.875	0.125	0.75	339.0	61.19	76.8	337.1
46.3	93.27	300.2	421	0.625	0.125	0.875	310.9	52.82	91.32	310.5	502	0.75	0.125	0.875	321.1	59.19	91.44	320.1	583	0.875	0.125	0.875	330.0	62.73		

TUB registration: 20100801-KE65/KE65L0NA.TXT/.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

TUB-test chart KE65; 1080 *rgb** colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma


input: *rgb*->*rgb** *setrgbcolor*
output: *no change compared to input*

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb				n_rgb			
-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--	-------	--	--	--



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20100801-KE65/KE65L0NA.TXT/.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta



n_{rgb}	$rgb \rightarrow rgb^*$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$		
972	0.0	0.0	0.0	0.0	59.64	64.44	357.0
973	0.125	0.125	0.125	0.0	59.64	64.44	357.0
974	0.25	0.25	0.25	0.0	59.64	64.44	357.0
975	0.375	0.375	0.375	0.0	59.64	64.44	357.0
976	0.5	0.5	0.5	0.0	59.64	64.44	357.0
977	0.625	0.625	0.625	0.0	59.64	64.44	357.0
978	0.75	0.75	0.75	0.0	59.64	64.44	357.0
979	0.875	0.875	0.875	0.0	59.64	64.44	357.0
980	1.0	1.0	1.0	0.0	59.64	64.44	357.0
981	0.0	0.0	0.0	0.0	59.64	64.44	357.0
982	0.125	0.125	0.125	0.0	59.64	64.44	357.0
983	0.25	0.25	0.25	0.0	59.64	64.44	357.0
984	0.375	0.375	0.375	0.0	59.64	64.44	357.0
985	0.5	0.5	0.5	0.0	59.64	64.44	357.0
986	0.625	0.625	0.625	0.0	59.64	64.44	357.0
987	0.75	0.75	0.75	0.0	59.64	64.44	357.0
988	0.875	0.875	0.875	0.0	59.64	64.44	357.0
989	1.0	1.0	1.0	0.0	59.64	64.44	357.0
990	0.0	0.0	0.0	0.0	59.64	64.44	357.0
991	0.125	0.125	0.125	0.0	59.64	64.44	357.0
992	0.25	0.25	0.25	0.0	59.64	64.44	357.0
993	0.375	0.375	0.375	0.0	59.64	64.44	357.0
994	0.5	0.5	0.5	0.0	59.64	64.44	357.0
995	0.625	0.625	0.625	0.0	59.64	64.44	357.0
996	0.75	0.75	0.75	0.0	59.64	64.44	357.0
997	0.875	0.875	0.875	0.0	59.64	64.44	357.0
998	1.0	1.0	1.0	0.0	59.64	64.44	357.0
999	0.0	0.0	0.0	0.0	59.64	64.44	357.0
1000	0.125	0.125	0.125	0.0	59.64	64.44	357.0
1001	0.25	0.25	0.25	0.0	59.64	64.44	357.0
1002	0.375	0.375	0.375	0.0	59.64	64.44	357.0
1003	0.5	0.5	0.5	0.0	59.64	64.44	357.0
1004	0.625	0.625	0.625	0.0	59.64	64.44	357.0
1005	0.75	0.75	0.75	0.0	59.64	64.44	357.0
1006	0.875	0.875	0.875	0.0	59.64	64.44	357.0
1007	1.0	1.0	1.0	0.0	59.64	64.44	357.0



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb → rgb*	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}
1008	0.0 0.0 0.0	0.0	59.64 64.44 357.0
1009	0.066 0.066 0.066	0.0	59.64 64.44 357.0
1010	0.133 0.133 0.133	0.0	59.64 64.44 357.0
1011	0.2 0.2 0.2	0.0	59.64 64.44 357.0
1012	0.266 0.266 0.266	0.0	59.64 64.44 357.0
1013	0.333 0.333 0.333	0.0	59.64 64.44 357.0
1014	0.4 0.4 0.4	0.0	59.64 64.44 357.0
1015	0.466 0.466 0.466	0.0	59.64 64.44 357.0
1016	0.533 0.533 0.533	0.0	59.64 64.44 357.0
1017	0.6 0.6 0.6	0.0	59.64 64.44 357.0
1018	0.666 0.666 0.666	0.0	59.64 64.44 357.0
1019	0.734 0.734 0.734	0.0	59.64 64.44 357.0
1020	0.8 0.8 0.8	0.0	59.64 64.44 357.0
1021	0.866 0.866 0.866	0.0	59.64 64.44 357.0
1022	0.933 0.933 0.933	0.0	59.64 64.44 357.0
1023	1.0 1.0 1.0	0.0	59.64 64.44 357.0
1024	0.0 0.0 0.0	0.0	59.64 64.44 357.0
1025	0.066 0.066 0.066	0.0	59.64 64.44 357.0
1026	0.133 0.133 0.133	0.0	59.64 64.44 357.0
1027	0.2 0.2 0.2	0.0	59.64 64.44 357.0
1028	0.266 0.266 0.266	0.0	59.64 64.44 357.0
1029	0.333 0.333 0.333	0.0	59.64 64.44 357.0
1030	0.4 0.4 0.4	0.0	59.64 64.44 357.0
1031	0.466 0.466 0.466	0.0	59.64 64.44 357.0
1032	0.533 0.533 0.533	0.0	59.64 64.44 357.0
1033	0.6 0.6 0.6	0.0	59.64 64.44 357.0
1034	0.666 0.666 0.666	0.0	59.64 64.44 357.0
1035	0.734 0.734 0.734	0.0	59.64 64.44 357.0
1036	0.8 0.8 0.8	0.0	59.64 64.44 357.0
1037	0.866 0.866 0.866	0.0	59.64 64.44 357.0
1038	0.933 0.933 0.933	0.0	59.64 64.44 357.0
1039	1.0 1.0 1.0	0.0	59.64 64.44 357.0
1040	0.0 0.0 0.0	0.0	59.64 64.44 357.0
1041	0.066 0.066 0.066	0.0	59.64 64.44 357.0
1042	0.133 0.133 0.133	0.0	59.64 64.44 357.0
1043	0.2 0.2 0.2	0.0	59.64 64.44 357.0
1044	0.266 0.266 0.266	0.0	59.64 64.44 357.0
1045	0.333 0.333 0.333	0.0	59.64 64.44 357.0
1046	0.4 0.4 0.4	0.0	59.64 64.44 357.0
1047	0.466 0.466 0.466	0.0	59.64 64.44 357.0
1048	0.533 0.533 0.533	0.0	59.64 64.44 357.0
1049	0.6 0.6 0.6	0.0	59.64 64.44 357.0
1050	0.666 0.666 0.666	0.0	59.64 64.44 357.0
1051	0.734 0.734 0.734	0.0	59.64 64.44 357.0
1052	0.8 0.8 0.8	0.0	59.64 64.44 357.0
1053	0.866 0.866 0.866	0.0	59.64 64.44 357.0
1054	0.933 0.933 0.933	0.0	59.64 64.44 357.0
1055	1.0 1.0 1.0	0.0	59.64 64.44 357.0
1056	0.0 0.0 0.0	0.0	59.64 64.44 357.0
1057	0.066 0.066 0.066	0.0	59.64 64.44 357.0
1058	0.133 0.133 0.133	0.0	59.64 64.44 357.0
1059	0.2 0.2 0.2	0.0	59.64 64.44 357.0
1060	0.266 0.266 0.266	0.0	59.64 64.44 357.0
1061	0.333 0.333 0.333	0.0	59.64 64.44 357.0
1062	0.4 0.4 0.4	0.0	59.64 64.44 357.0
1063	0.466 0.466 0.466	0.0	59.64 64.44 357.0
1064	0.533 0.533 0.533	0.0	59.64 64.44 357.0
1065	0.6 0.6 0.6	0.0	59.64 64.44 357.0
1066	0.666 0.666 0.666	0.0	59.64 64.44 357.0
1067	0.734 0.734 0.734	0.0	59.64 64.44 357.0
1068	0.8 0.8 0.8	0.0	59.64 64.44 357.0
1069	0.866 0.866 0.866	0.0	59.64 64.44 357.0
1070	0.933 0.933 0.933	0.0	59.64 64.44 357.0
1071	1.0 1.0 1.0	0.0	59.64 64.44 357.0
1072	0.0 0.0 0.0	0.0	59.64 64.44 357.0
1073	1.0 1.0 1.0	0.0	59.64 64.44 357.0
1074	1.0 0.0 0.0	30.0	58.6 65.2 25.5
1075	0.0 1.0 0.0	210.0	82.09 38.68 217.0
1076	1.0 0.0 0.0	90.0	84.6 69.49 92.3
1077	0.0 0.0 1.0	270.0	64.83 50.01 271.7
1078	0.0 1.0 0.0	150.0	86.62 55.82 162.2
1079	1.0 0.0 0.0	330.0	62.73 88.87 328.6

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}
0	0.0	0.0	66.17 50.2 357.0	81	0.125 0.0	30.0	65.34 49.61 25.5	162	0.25 0.0	0.0	30.0	65.34 49.62 25.5	243	0.375 0.0	0.0	30.0	65.34 49.62 25.5		
1	0.0	0.125	70.02 41.4 271.8	82	0.125 0.0	0.125	330.0	163	0.25 0.0	0.125	0.0	66.17 50.2 357.0	244	0.375 0.0	0.125	10.9	65.81 48.35 7.4		
2	0.0	0.25	70.03 41.38 271.8	83	0.125 0.0	0.25	300.0	164	0.25 0.0	0.25	330.0	68.41 70.78 328.6	245	0.375 0.0	0.25	349.1	66.66 54.25 346.7		
3	0.0	0.375	70.03 41.38 271.8	84	0.125 0.0	0.375	310.9	165	0.25 0.0	0.375	310.9	68.18 70.78 328.6	246	0.375 0.0	0.375	330.0	67.12 52.06 330.0		
4	0.0	0.5	70.03 41.38 271.7	85	0.125 0.0	0.5	283.9	166	0.25 0.0	0.5	300.0	68.12 70.26 300.2	247	0.375 0.0	0.5	316.1	64.28 71.64 315.4		
5	0.0	0.625	70.03 41.38 271.7	86	0.125 0.0	0.625	280.9	167	0.25 0.0	0.625	293.4	58.99 65.07 293.9	248	0.375 0.0	0.625	306.6	60.54 70.3 306.4		
6	0.0	0.75	70.03 41.37 271.7	87	0.125 0.0	0.75	279.0	168	0.25 0.0	0.75	289.1	61.65 58.57 289.9	249	0.375 0.0	0.75	300.0	58.12 70.26 300.2		
7	0.0	0.875	70.03 41.37 271.7	88	0.125 0.0	0.875	277.6	169	0.25 0.0	0.875	286.1	63.34 54.55 287.0	250	0.375 0.0	0.875	295.3	57.71 68.3 295.7		
8	0.0	1.0	70.03 41.37 271.7	89	0.125 0.0	1.0	276.6	170	0.25 0.0	1.0	283.9	64.38 52.35 284.9	251	0.375 0.0	1.0	291.8	60.1 62.31 292.4		
9	0.125	0.0	150.0 87.84 46.48	90	0.125 0.125	0.0	90.0	171	0.25 0.125	0.0	60.0	74.71 42.2 58.9	252	0.375 0.125	0.0	49.1	71.4 42.98 46.7		
10	0.125	0.125	210.0 84.25 32.56	91	0.125 0.125	0.125	0.0	172	0.25 0.125	0.125	30.0	65.34 49.61 25.5	253	0.375 0.125	0.125	30.0	65.34 49.62 25.5		
11	0.125	0.25	240.0 77.6 32.62	92	0.125 0.25	0.25	270.0	173	0.25 0.125	0.25	330.0	68.4 70.76 328.6	254	0.375 0.125	0.25	0.0	66.17 50.2 357.0		
12	0.125	0.375	250.9 75.24 34.2	93	0.125 0.375	0.375	270.0	174	0.25 0.125	0.375	300.0	58.12 70.26 300.2	255	0.375 0.125	0.375	330.0	68.41 70.78 328.6		
13	0.125	0.5	256.1 73.92 35.78	94	0.125 0.5	0.5	270.0	175	0.25 0.125	0.5	289.1	61.64 58.58 289.9	256	0.375 0.125	0.5	310.9	62.18 70.83 310.5		
14	0.125	0.625	259.1 73.1 36.92	95	0.125 0.625	0.625	270.0	176	0.25 0.125	0.625	283.9	64.38 52.36 284.9	257	0.375 0.125	0.625	300.0	58.12 70.26 300.2		
15	0.125	0.75	261.1 72.57 37.65	96	0.125 0.75	0.75	270.0	177	0.25 0.125	0.75	280.9	65.8 49.38 282.1	258	0.375 0.125	0.75	293.4	58.99 65.07 293.9		
16	0.125	0.875	262.4 72.2 38.16	97	0.125 0.875	0.875	270.0	178	0.25 0.125	0.875	279.0	66.72 47.45 280.2	259	0.375 0.125	0.875	289.1	61.65 58.57 289.9		
17	0.125	1.0	263.4 71.93 38.54	98	0.125 1.0	1.0	270.0	179	0.25 0.125	1.0	277.6	67.24 46.49 278.9	260	0.375 0.125	1.0	286.1	63.34 54.55 287.0		
18	0.25	0.0	150.0 87.84 46.47	99	0.125 0.25	0.0	120.0	180	0.25 0.25	0.0	90.0	85.95 52.2 92.3	261	0.375 0.25	0.0	70.9	78.19 43.5 71.0		
19	0.25	0.125	169.1 88.47 39.39	100	0.125 0.25	0.125	150.0	181	0.25 0.25	0.125	90.0	85.94 52.17 92.3	262	0.375 0.25	0.125	60.0	74.71 42.2 58.9		
20	0.25	0.25	210.0 84.25 32.57	101	0.125 0.25	0.25	210.0	182	0.25 0.25	0.25	0.0	66.17 50.2 357.0	263	0.375 0.25	0.25	30.0	65.34 49.61 25.5		
21	0.25	0.375	229.1 79.97 31.04	102	0.125 0.375	0.375	240.0	183	0.25 0.25	0.375	270.0	70.02 41.4 271.8	264	0.375 0.25	0.375	330.0	68.4 70.76 328.6		
22	0.25	0.5	240.0 77.61 32.62	103	0.125 0.5	0.5	250.9	184	0.25 0.25	0.5	270.0	70.03 41.38 271.8	265	0.375 0.25	0.5	300.0	58.12 70.26 300.2		
23	0.25	0.625	246.6 76.18 33.58	104	0.125 0.625	0.625	256.1	185	0.25 0.25	0.625	270.0	70.03 41.38 271.8	266	0.375 0.25	0.625	289.1	61.64 58.58 289.9		
24	0.25	0.75	250.9 75.24 34.2	105	0.125 0.75	0.75	259.1	186	0.25 0.25	0.75	270.0	70.03 41.38 271.7	267	0.375 0.25	0.75	283.9	64.38 52.36 284.9		
25	0.25	0.875	253.9 74.52 34.95	106	0.125 0.875	0.875	261.1	187	0.25 0.25	0.875	270.0	70.03 41.38 271.7	268	0.375 0.25	0.875	280.9	58.99 65.07 289.9		
26	0.25	1.0	256.1 73.92 35.78	107	0.125 1.0	1.0	262.4	188	0.25 0.25	1.0	270.0	70.03 41.37 271.7	269	0.375 0.25	1.0	279.0	66.72 47.45 280.2		
27	0.375	0.0	150.0 87.84 46.47	108	0.125 0.375	0.0	130.9	189	0.25 0.375	0.0	109.1	91.32 65.3 114.6	270	0.375 0.375	0.0	90.0	85.96 52.21 92.3		
28	0.375	0.125	169.1 88.47 39.39	109	0.125 0.375	0.125	150.0	190	0.25 0.375	0.125	120.0	88.88 69.65 127.2	271	0.375 0.375	0.125	90.0	85.95 52.2 92.3		
29	0.375	0.25	190.9 88.55 34.59	110	0.125 0.375	0.25	180.0	191	0.25 0.375	0.25	150.0	87.84 46.48 162.2	272	0.375 0.375	0.25	90.0	85.94 52.17 92.3		
30	0.375	0.375	210.0 84.25 32.57	111	0.125 0.375	0.375	210.0	192	0.25 0.375	0.375	210.0	84.25 32.56 217.0	273	0.375 0.375	0.375	0.0	66.17 50.2 357.0		
31	0.375	0.5	223.9 81.12 31.09	112	0.125 0.375	0.5	229.1	193	0.25 0.375	0.5	240.0	77.6 32.62 244.4	274	0.375 0.375	0.5	270.0	70.02 41.4 271.8		
32	0.375	0.625	233.4 79.03 31.67	113	0.125 0.375	0.625	240.0	194	0.25 0.375	0.625	250.9	75.24 34.2 254.3	275	0.375 0.375	0.625	270.0	70.03 41.38 271.8		
33	0.375	0.75	240.0 77.61 32.62	114	0.125 0.375	0.75	246.6	195	0.25 0.375	0.75	256.1	73.92 35.78 259.1	276	0.375 0.375	0.75	270.0	70.03 41.38 271.8		
34	0.375	0.875	244.7 76.58 33.3	115	0.125 0.375	0.875	250.9	196	0.25 0.375	0.875	259.1	73.1 36.92 261.8	277	0.375 0.375	0.875	270.0	70.03 41.38 271.7		
35	0.375	1.0	248.2 75.83 33.81	116	0.125 0.375	1.0	253.9	197	0.25 0.375	1.0	261.1	72.57 37.65 263.6	278	0.375 0.375	1.0	270.0	70.03 41.38 271.7		
36	0.5	0.0	150.0 87.84 46.47	117	0.125 0.5	0.0	136.1	198	0.25 0.5	0.0	120.0	88.88 69.66 127.3	279	0.375 0.5	0.0	103.9	92.62 65.06 108.5		
37	0.5	0.125	163.9 88.31 40.61	118	0.125 0.5	0.125	150.0	199	0.25 0.5	0.125	130.9	86.92 72.51 139.9	280	0.375 0.5	0.125	109.1	91.32 65.3 114.6		
38	0.5	0.25	180.0 88.81 36.84	119	0.125 0.5	0.25	169.1	200	0.25 0.5	0.25	150.0	87.84 46.47 162.2	281	0.375 0.5	0.25	120.0	88.88 69.65 127.2		
39	0.5	0.375	196.1 87.38 34.04	120	0.125 0.5	0.375	190.9	201	0.25 0.5	0.375	180.0	88.81 36.84 189.6	282	0.375 0.5	0.375	150.0	87.84 46.48 162.2		
40	0.5	0.5	210.0 84.25 32.57	121	0.125 0.5	0.5	210.0	202	0.25 0.5	0.5	210.0	84.25 32.57 217.0	283	0.375 0.5	0.5	210.0	84.25 32.56 217.0		
41	0.5	0.625	220.9 81.8 31.41	122	0.125 0.5	0.625	223.9	203	0.25 0.5	0.625	229.1	79.97 31.04 234.4	284	0.375 0.5	0.625	240.0	77.6 32.62 244.4		
42	0.5	0.75	229.1 79.97 31.04	123	0.125 0.5														

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma _e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma _e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma _e															
324	0.5	0.0	0.0	30.0	65.34	49.62	25.5	405	0.625	0.0	0.0	30.0	65.34	49.62	25.5	486	0.75	0.0	0.0	30.0	65.34	49.62	25.5	567	0.875	0.0	0.0	30.0	65.34	49.62	25.5	648	0.75	0.0	0.0	30.0	65.34	49.62	25.5	729	0.875	0.0	0.0	30.0	65.34	49.62	25.5
325	0.5	0.0	0.125	16.1	65.67	48.28	12.3	406	0.625	0.0	0.125	19.1	65.59	48.23	15.1	487	0.75	0.0	0.125	21.0	65.54	48.41	17.0	568	0.875	0.0	0.125	22.4	65.51	48.58	18.3	649	0.75	0.0	0.125	24.3	65.46	48.75	19.5	730	0.875	0.0	0.125	25.7	65.41	48.92	20.7
326	0.5	0.0	0.25	0.0	66.17	50.2	357.0	407	0.625	0.0	0.25	6.6	65.95	48.94	3.3	488	0.75	0.0	0.25	10.9	65.81	48.35	7.4	569	0.875	0.0	0.25	13.9	65.73	48.31	10.2	650	0.75	0.0	0.25	17.8	65.59	47.72	14.1	731	0.875	0.0	0.25	21.7	65.45	47.09	16.0
327	0.5	0.0	0.375	343.9	66.96	57.18	341.8	408	0.625	0.0	0.375	353.4	66.44	52.28	350.8	489	0.75	0.0	0.375	0.0	66.17	50.2	357.0	570	0.875	0.0	0.375	4.7	66.01	49.2	1.5	651	0.75	0.0	0.375	8.6	65.87	48.68	5.5	732	0.875	0.0	0.375	12.5	65.73	48.31	10.2
328	0.5	0.0	0.5	330.0	68.41	70.78	328.6	409	0.625	0.0	0.5	340.9	67.17	59.26	338.9	490	0.75	0.0	0.5	349.1	66.66	54.25	346.7	571	0.875	0.0	0.5	355.3	66.36	51.63	346.7	652	0.75	0.0	0.5	361.5	66.22	49.01	357.0	733	0.875	0.0	0.5	367.7	66.08	48.29	357.0
329	0.5	0.0	0.625	319.1	65.54	72.36	318.3	410	0.625	0.0	0.625	330.0	68.41	70.78	328.6	491	0.75	0.0	0.625	339.0	67.31	60.61	337.1	572	0.875	0.0	0.625	346.1	66.81	55.66	343.9	653	0.75	0.0	0.625	353.1	66.47	52.92	357.0	734	0.875	0.0	0.625	360.1	66.33	51.63	356.7
330	0.5	0.0	0.75	310.9	62.18	70.83	310.5	411	0.625	0.0	0.75	321.1	66.4	72.97	320.1	492	0.75	0.0	0.75	330.0	68.41	70.78	328.6	573	0.875	0.0	0.75	337.6	67.46	61.99	335.8	654	0.75	0.0	0.75	344.6	67.12	59.80	335.8	735	0.875	0.0	0.75	351.6	66.93	57.57	335.8
331	0.5	0.0	0.875	304.7	59.83	70.18	304.6	412	0.625	0.0	0.875	313.9	63.36	71.16	313.4	493	0.75	0.0	0.875	322.4	67.0	73.41	321.4	574	0.875	0.0	0.875	330.0	68.41	70.78	328.6	655	0.75	0.0	0.875	337.6	68.07	72.97	328.6	736	0.875	0.0	0.875	345.2	67.73	70.83	328.6
332	0.5	0.0	1.0	300.0	58.12	70.26	300.2	413	0.625	0.0	1.0	308.2	61.15	70.51	308.0	494	0.75	0.0	1.0	316.4	64.28	71.64	315.4	575	0.875	0.0	1.0	323.4	67.44	73.73	322.4	656	0.75	0.0	1.0	331.0	68.19	74.71	322.4	737	0.875	0.0	1.0	338.6	67.80	75.79	322.4
333	0.5	0.125	0.0	43.9	69.77	44.16	40.9	414	0.625	0.125	0.0	40.9	68.81	45.09	37.6	495	0.75	0.125	0.0	38.9	68.19	45.69	35.4	576	0.875	0.125	0.0	37.6	67.71	46.35	33.9	657	0.75	0.125	0.0	36.4	67.33	46.95	33.9	738	0.875	0.125	0.0	35.2	66.95	47.55	33.9
334	0.5	0.125	0.125	30.0	65.34	49.62	25.5	415	0.625	0.125	0.125	30.0	65.34	49.62	25.5	496	0.75	0.125	0.125	30.0	65.34	49.62	25.5	577	0.875	0.125	0.125	30.0	65.34	49.62	25.5	658	0.75	0.125	0.125	30.0	65.34	49.62	25.5	739	0.875	0.125	0.125	30.0	65.34	49.62	25.5
335	0.5	0.125	0.25	10.9	66.81	48.35	7.4	416	0.625	0.125	0.25	16.1	65.67	48.28	12.3	497	0.75	0.125	0.25	19.1	65.59	48.23	15.1	578	0.875	0.125	0.25	21.0	65.54	48.41	17.0	659	0.75	0.125	0.25	24.9	65.46	48.75	19.5	740	0.875	0.125	0.25	28.8	65.31	48.02	19.5
336	0.5	0.125	0.375	349.1	66.96	54.25	346.7	417	0.625	0.125	0.375	360.0	66.17	50.2	357.0	498	0.75	0.125	0.375	6.6	65.95	48.94	3.3	579	0.875	0.125	0.375	10.5	65.81	48.35	7.4	660	0.75	0.125	0.375	14.4	65.67	47.72	14.1	741	0.875	0.125	0.375	18.3	65.53	47.09	14.1
337	0.5	0.125	0.5	330.0	68.41	70.78	328.6	418	0.625	0.125	0.5	343.9	66.96	57.18	341.8	499	0.75	0.125	0.5	353.4	66.44	52.28	350.8	580	0.875	0.125	0.5	360.1	66.17	50.2	357.0	661	0.75	0.125	0.5	368.0	66.08	48.29	357.0	742	0.875	0.125	0.5	375.9	65.89	47.56	357.0
338	0.5	0.125	0.625	316.1	64.28	71.64	315.4	419	0.625	0.125	0.625	330.0	68.41	70.78	328.6	500	0.75	0.125	0.625	340.9	67.17	59.26	338.9	581	0.875	0.125	0.625	347.6	66.96	54.25	346.7	662	0.75	0.125	0.625	355.5	66.77	52.92	357.0	743	0.875	0.125	0.625	363.4	66.58	51.63	356.7
339	0.5	0.125	0.75	306.6	60.54	70.3	306.4	420	0.625	0.125	0.75	319.1	62.18	70.83	318.3	501	0.75	0.125	0.75	330.0	68.41	70.78	328.6	582	0.875	0.125	0.75	339.0	67.31	60.61	337.1	663	0.75	0.125	0.75	347.6	67.01	73.41	328.6	744	0.875	0.125	0.75	355.5	66.81	70.78	328.6
340	0.5	0.125	0.875	300.0	58.12	70.26	300.2	421	0.625	0.125	0.875	310.9	62.18	70.83	310.5	502	0.75	0.125	0.875	321.1	66.4	72.97	320.1	583	0.875	0.125	0.875	328.6	68.41	70.78	328.6	664	0.75	0.125	0.875	336.5	68.22	72.97	328.6	745	0.875	0.125	0.875	344.4	68.03	72.97	328.6
341	0.5	0.125	1.0	295.3	57.71	68.3	295.7	422	0.625	0.125	1.0	304.7	59.83	70.18	304.6	503	0.75	0.125	1.0	313.9	63.36	71.16	313.4	584	0.875	0.125	1.0	322.4	67.0	73.41	321.4	665	0.75	0.125	1.0	322.4	67.0	73.41	321.4	746	0.875	0.125	1.0	331.0	68.19	74.71	321.4
342	0.5	0.25	0.0	60.0	74.71	42.2	58.9	423	0.625	0.25	0.0	53.4	72.71	42.43	51.5	504	0.75	0.25	0.0	49.1	71.4	42.98	46.8	585	0.875	0.25	0.0	46.1	70.48	43.48	43.4	666	0.75	0.25	0.0	42.9	69.44	45.69	43.4	747	0.875	0.25	0.0	40.9	68.81	45.09	43.4
343	0.5	0.25	0.125	49.1	71.4	42.98	46.7	424	0.625	0.25	0.125	43.9	69.77	44.16	40.9	505	0.75	0.25	0.125	40.9	68.81	45.09	37.6	586	0.875	0.25	0.125	38.9	68.19	45.69	35.4	667	0.75	0.25	0.125	37.6	67.33	46.95	35.4	748	0.875	0.25	0.125	36.4	67.01	46.35	35.4
344	0.5	0.25	0.25	30.0	65.34	49.62	25.5	425	0.625	0.25	0.25	30.0	65.34	49.62	25.5	506	0.75	0.25	0.25	30.0	65.34	49.62	25.5	587	0.875	0.25	0.25	30.0	65.34	49.62	25.5	668	0.75	0.25	0.25	30.0	65.34	49.62	25.5	749	0.875	0.25	0.25	30.0	65.34	49.62	25.5
345	0.5	0.25	0.375	360.0	66.17	50.2	357.0	426	0.625	0.25	0.375	10.9	65.81	48.35	7.4	507	0.75	0.25	0.375	16.1	65.67	48.28	12.3	588	0.875	0.25	0.375	19.1	65.59	48.23	15.1	669	0.75	0.25	0.375	23.0	65.54	48.41	17.0	750	0.875	0.25	0.375	26.9	65.46	48.75	19.5
346	0.5	0.25	0.5	330.0	68.41	70.78	328.6	427	0.625	0.25	0.5	349.1	66.66	54.25	346.7	508	0.75	0.25	0.5	0.0	66.17	50.2	357.0	589	0.875	0.25	0.5	6.6	65.95	48.94	3.3	670	0.75	0.25	0.5	0.0	66.17	50.2	357.0	751	0.875	0.25	0.5	6.6			

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> / .PS
Technical information: <http://www.ps.ban.de> or <http://130.149.60.45/~fabdmetrik>


n_rgb	rgb -> rgb3	h_rgb	[L*, C*ab, hab]Mae	n_rgb	rgb -> rgb3	h_rgb	[L*, C*ab, hab]Mae	n_rgb	rgb -> rgb3	h_rgb	[L*, C*ab, hab]Mae	n_rgb	rgb -> rgb3	h_rgb	[L*, C*ab, hab]Mae	n_rgb	rgb -> rgb3	h_rgb	[L*, C*ab, hab]Mae													
648	1.0	0.0	0.0	30.0	65.34	49.62	25.5	729	1.0	1.0	1.0	0.0	66.17	50.2	357.0	810	1.0	1.0	1.0	0.0	66.17	50.2	357.0	891	1.0	1.0	1.0	0.0	66.17	50.2	357.0	
649	1.0	0.0	0.125	23.4	65.49	48.67	19.2	730	0.875	1.0	1.0	210.0	84.25	32.56	217.0	811	0.875	0.875	1.0	270.0	70.02	41.4	271.8	892	1.0	1.0	0.875	1.0	330.0	68.4	70.76	328.6
650	1.0	0.0	0.25	16.1	65.67	48.28	12.3	731	0.75	1.0	1.0	210.0	84.25	32.57	217.0	812	0.75	0.75	1.0	270.0	70.03	41.38	271.8	893	1.0	1.0	0.75	1.0	330.0	68.4	70.78	328.6
651	1.0	0.0	0.375	8.2	65.89	48.71	4.2	732	0.625	1.0	1.0	210.0	84.25	32.57	217.0	813	0.625	0.625	1.0	270.0	70.03	41.38	271.7	894	1.0	1.0	0.625	1.0	330.0	68.4	70.78	328.6
652	1.0	0.0	0.5	0.0	66.17	50.2	357.0	733	0.5	1.0	1.0	210.0	84.25	32.57	217.0	814	0.5	0.5	1.0	270.0	70.03	41.38	271.7	895	1.0	1.0	0.5	1.0	330.0	68.4	70.78	328.6
653	1.0	0.0	0.625	351.8	66.52	53.02	349.3	734	0.375	1.0	1.0	210.0	84.25	32.57	217.0	815	0.375	0.375	1.0	270.0	70.03	41.38	271.7	896	1.0	1.0	0.375	1.0	330.0	68.4	70.78	328.6
654	1.0	0.0	0.75	343.9	66.96	57.18	341.8	735	0.25	1.0	1.0	210.0	84.25	32.57	217.0	816	0.25	0.25	1.0	270.0	70.03	41.37	271.7	897	1.0	1.0	0.25	1.0	330.0	68.4	70.78	328.6
655	1.0	0.0	0.875	336.6	67.58	63.15	334.9	736	0.125	1.0	1.0	210.0	84.25	32.57	217.0	817	0.125	0.125	1.0	270.0	70.03	41.37	271.7	898	1.0	1.0	0.125	1.0	330.0	68.4	70.78	328.6
656	1.0	0.0	1.0	330.0	68.41	70.79	328.6	737	0.0	1.0	1.0	210.0	84.25	32.57	217.0	818	0.0	0.0	1.0	270.0	70.03	41.37	271.7	899	1.0	1.0	0.0	1.0	330.0	68.4	70.79	328.6
657	1.0	0.125	0.0	36.6	67.36	46.84	32.8	738	1.0	0.875	0.875	30.0	65.34	49.61	25.5	819	1.0	1.0	0.875	90.0	85.94	52.17	92.3	900	0.875	1.0	0.875	150.0	87.84	46.48	162.2	
658	1.0	0.125	0.125	30.0	65.34	49.62	25.5	739	0.875	0.875	0.875	0.0	66.17	50.2	357.0	820	0.875	0.875	0.875	0.0	66.17	50.2	357.0	901	0.875	0.875	0.875	0.0	66.17	50.2	357.0	
659	1.0	0.125	0.25	22.4	65.51	48.56	18.3	740	0.75	0.875	0.875	210.0	84.25	32.56	217.0	821	0.75	0.75	0.875	270.0	70.02	41.4	271.8	902	0.875	0.75	0.875	330.0	68.4	70.76	328.6	
660	1.0	0.125	0.375	13.9	65.73	48.31	10.2	741	0.625	0.875	0.875	210.0	84.25	32.57	217.0	822	0.625	0.625	0.875	270.0	70.03	41.38	271.8	903	0.875	0.625	0.875	330.0	68.4	70.78	328.6	
661	1.0	0.125	0.5	4.7	66.01	49.2	1.5	742	0.5	0.875	0.875	210.0	84.25	32.57	217.0	823	0.5	0.5	0.875	270.0	70.03	41.38	271.8	904	0.875	0.5	0.875	330.0	68.4	70.78	328.6	
662	1.0	0.125	0.625	355.3	66.36	51.63	352.6	743	0.375	0.875	0.875	210.0	84.25	32.57	217.0	824	0.375	0.375	0.875	270.0	70.03	41.38	271.7	905	0.875	0.375	0.875	330.0	68.4	70.78	328.6	
663	1.0	0.125	0.75	346.1	66.81	55.66	343.9	744	0.25	0.875	0.875	210.0	84.25	32.57	217.0	825	0.25	0.25	0.875	270.0	70.03	41.38	271.7	906	0.875	0.25	0.875	330.0	68.4	70.78	328.6	
664	1.0	0.125	0.875	337.6	67.46	61.99	335.8	745	0.125	0.875	0.875	210.0	84.25	32.57	217.0	826	0.125	0.125	0.875	270.0	70.03	41.37	271.7	907	0.875	0.125	0.875	330.0	68.4	70.78	328.6	
665	1.0	0.125	1.0	330.0	68.41	70.78	328.6	746	0.0	0.875	0.875	210.0	84.25	32.57	217.0	827	0.0	0.0	0.875	270.0	70.03	41.37	271.7	908	0.875	0.0	0.875	330.0	68.41	70.78	328.6	
666	1.0	0.25	0.0	43.9	69.77	44.16	41.0	747	1.0	0.75	0.75	30.0	65.34	49.62	25.5	828	1.0	1.0	0.75	90.0	85.95	52.2	92.3	909	0.75	1.0	0.75	150.0	87.84	46.47	162.2	
667	1.0	0.25	0.125	37.6	67.71	46.35	33.9	748	0.875	0.75	0.75	30.0	65.34	49.61	25.5	829	0.875	0.875	0.75	90.0	85.94	52.17	92.3	910	0.75	0.875	0.75	150.0	87.84	46.48	162.2	
668	1.0	0.25	0.25	30.0	65.34	49.62	25.5	749	0.75	0.75	0.75	0.0	66.17	50.2	357.0	830	0.75	0.75	0.75	0.0	66.17	50.2	357.0	911	0.75	0.75	0.75	0.0	66.17	50.2	357.0	
669	1.0	0.25	0.375	21.0	65.54	48.41	17.0	750	0.625	0.75	0.75	210.0	84.25	32.56	217.0	831	0.625	0.625	0.75	270.0	70.02	41.4	271.8	912	0.75	0.625	0.75	330.0	68.4	70.76	328.6	
670	1.0	0.25	0.5	10.9	65.81	48.35	7.4	751	0.5	0.75	0.75	210.0	84.25	32.57	217.0	832	0.5	0.5	0.75	270.0	70.03	41.38	271.8	913	0.75	0.5	0.75	330.0	68.4	70.78	328.6	
671	1.0	0.25	0.625	0.0	66.17	50.2	357.0	752	0.375	0.75	0.75	210.0	84.25	32.57	217.0	833	0.375	0.375	0.75	270.0	70.03	41.38	271.8	914	0.75	0.375	0.75	330.0	68.4	70.78	328.6	
672	1.0	0.25	0.75	349.1	66.66	54.25	346.7	753	0.25	0.75	0.75	210.0	84.25	32.57	217.0	834	0.25	0.25	0.75	270.0	70.03	41.38	271.7	915	0.75	0.25	0.75	330.0	68.4	70.78	328.6	
673	1.0	0.25	0.875	339.0	67.31	60.61	337.1	754	0.125	0.75	0.75	210.0	84.25	32.57	217.0	835	0.125	0.125	0.75	270.0	70.03	41.38	271.7	916	0.75	0.125	0.75	330.0	68.4	70.78	328.6	
674	1.0	0.25	1.0	330.0	68.41	70.78	328.6	755	0.0	0.75	0.75	210.0	84.25	32.57	217.0	836	0.0	0.0	0.75	270.0	70.03	41.37	271.7	917	0.75	0.0	0.75	330.0	68.41	70.78	328.6	
675	1.0	0.375	0.0	51.8	72.21	42.64	49.7	756	1.0	0.625	0.625	30.0	65.34	49.62	25.5	837	1.0	1.0	0.625	90.0	85.96	52.21	92.3	918	0.625	1.0	0.625	150.0	87.84	46.47	162.2	
676	1.0	0.375	0.125	46.1	70.48	43.48	43.4	757	0.875	0.625	0.625	30.0	65.34	49.62	25.5	838	0.875	0.875	0.625	90.0	85.95	52.2	92.3	919	0.625	0.875	0.625	150.0	87.84	46.47	162.2	
677	1.0	0.375	0.25	38.9	68.19	45.69	35.4	758	0.75	0.625	0.625	30.0	65.34	49.61	25.5	839	0.75	0.75	0.625	90.0	85.94	52.17	92.3	920	0.625	0.75	0.625	150.0	87.84	46.48	162.2	
678	1.0	0.375	0.375	30.0	65.34	49.62	25.5	759	0.625	0.625	0.625	0.0	66.17	50.2	357.0	840	0.625	0.625	0.625	0.0	66.17	50.2	357.0	921	0.625	0.625	0.625	0.0	66.17	50.2	357.0	
679	1.0	0.375	0.5	19.1	65.59	48.23	15.1	760	0.5	0.625	0.625	210.0	84.25	32.56	217.0	841	0.5	0.5	0.625	270.0	70.02	41.4	271.8	922	0.625	0.5	0.625	330.0	68.4	70.76	328.6	
680	1.0	0.375	0.625	6.6	65.95	48.94	3.3	761	0.375	0.625	0.625	210.0	84.25	32.57	217.0	842	0.375	0.375	0.625	270.0	70.03	41.38	271.8	923	0.625	0.375	0.625	330.0	68.4	70.78	328.6	
681	1.0	0.375	0.75	353.4	66.44	52.28	350.8	762	0.25	0.625	0.625	210.0	84.25	32.57	217.0	843	0.25	0.25	0.625	270.0	70.03	41.38	271.8	924	0.625	0.25	0.625	330.0	68.4	70.78	328.6	
682	1.0	0.375	0.875	340.9	67.17	59.26	338.9	763	0.125	0.625	0.625	210.0	84.25	32.57	217.0	844	0.125	0.125	0.625	270.0	70.03	41.38	271.7	925	0.625	0.125	0.625	330.0	68.4	70.78	328.6	
683	1.0	0.375	1.0	330.0	68.41	70.78	328.6	764	0.0	0.625	0.625	210.0	84.25	32.57	217.0	845	0.0	0.0	0.625	270.0	70.03	41.38	271.7	926	0.625	0.0	0.625	330.0	68.41	70.78	328.6	
684	1.0	0.5	0.0	60.0	74.72	42.2	58.9	765	1.0	0.5	0.5	30.0	65.34	49.62	25.5	846	1.0	1.0	0.5	90.0	85.96	52.21	92.3	927	0.5	1.0	0.5	150.0	87.84	46.47	162.2	
685	1.0	0.5	0.125	55.3	73.28	42.19	53.6	766	0.875	0.5	0.5	30.0	65.34	49.62	25.5	847	0.875	0.875	0.5	90.0	85.96	52.21	92.3	928	0.5	0.875	0.5	150.0	87.84	46.47	162.2	
686	1.0	0.5	0.25	49.1	71.4	42.98	46.8	767	0.75	0.5	0.5	30.0	65.34	49.62	25.5	848	0.75	0.75	0.5	90.0	85.95	52.2	92.3	929	0.5	0.75	0.5	150.0	87.84	46.47	162.2	
687	1.0	0.5	0.375	40.9	68.81	45.09	37.6	768	0.625	0.5	0.5	30.0	65.34	49.61	25.5	849	0.625	0.625	0.5	90.0	85.94	52.17	92.3	930	0.5	0.625	0.5	150.0	87.84	46.48	162.2	
688	1.0	0.5	0.5	30.0	65.34	49.62	25.5	769	0.5	0.5	0.5	0.0																				

application for measurement of printer or monitor systems



IUB material: code=rna4ta

TUB-test chart KE65; 1080 *rgb** colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma


input: *rgb*->*rgb** *setrgbcolor*
output: *no change compared to input*



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
972	0.0 0.0 0.0	0.0	66.17 50.2 357.0
973	0.125 0.125 0.125	0.0	66.17 50.2 357.0
974	0.25 0.25 0.25	0.0	66.17 50.2 357.0
975	0.375 0.375 0.375	0.0	66.17 50.2 357.0
976	0.5 0.5 0.5	0.0	66.17 50.2 357.0
977	0.625 0.625 0.625	0.0	66.17 50.2 357.0
978	0.75 0.75 0.75	0.0	66.17 50.2 357.0
979	0.875 0.875 0.875	0.0	66.17 50.2 357.0
980	1.0 1.0 1.0	0.0	66.17 50.2 357.0
981	0.0 0.0 0.0	0.0	66.17 50.2 357.0
982	0.125 0.125 0.125	0.0	66.17 50.2 357.0
983	0.25 0.25 0.25	0.0	66.17 50.2 357.0
984	0.375 0.375 0.375	0.0	66.17 50.2 357.0
985	0.5 0.5 0.5	0.0	66.17 50.2 357.0
986	0.625 0.625 0.625	0.0	66.17 50.2 357.0
987	0.75 0.75 0.75	0.0	66.17 50.2 357.0
988	0.875 0.875 0.875	0.0	66.17 50.2 357.0
989	1.0 1.0 1.0	0.0	66.17 50.2 357.0
990	0.0 0.0 0.0	0.0	66.17 50.2 357.0
991	0.125 0.125 0.125	0.0	66.17 50.2 357.0
992	0.25 0.25 0.25	0.0	66.17 50.2 357.0
993	0.375 0.375 0.375	0.0	66.17 50.2 357.0
994	0.5 0.5 0.5	0.0	66.17 50.2 357.0
995	0.625 0.625 0.625	0.0	66.17 50.2 357.0
996	0.75 0.75 0.75	0.0	66.17 50.2 357.0
997	0.875 0.875 0.875	0.0	66.17 50.2 357.0
998	1.0 1.0 1.0	0.0	66.17 50.2 357.0
999	0.0 0.0 0.0	0.0	66.17 50.2 357.0
1000	0.125 0.125 0.125	0.0	66.17 50.2 357.0
1001	0.25 0.25 0.25	0.0	66.17 50.2 357.0
1002	0.375 0.375 0.375	0.0	66.17 50.2 357.0
1003	0.5 0.5 0.5	0.0	66.17 50.2 357.0
1004	0.625 0.625 0.625	0.0	66.17 50.2 357.0
1005	0.75 0.75 0.75	0.0	66.17 50.2 357.0
1006	0.875 0.875 0.875	0.0	66.17 50.2 357.0
1007	1.0 1.0 1.0	0.0	66.17 50.2 357.0



TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
1008	0.0 0.0 0.0	0.0	66.17 50.2 357.0
1009	0.066 0.066 0.066	0.0	66.17 50.2 357.0
1010	0.133 0.133 0.133	0.0	66.17 50.2 357.0
1011	0.2 0.2 0.2	0.0	66.17 50.2 357.0
1012	0.266 0.266 0.266	0.0	66.17 50.2 357.0
1013	0.333 0.333 0.333	0.0	66.17 50.2 357.0
1014	0.4 0.4 0.4	0.0	66.17 50.2 357.0
1015	0.466 0.466 0.466	0.0	66.17 50.2 357.0
1016	0.533 0.533 0.533	0.0	66.17 50.2 357.0
1017	0.6 0.6 0.6	0.0	66.17 50.2 357.0
1018	0.666 0.666 0.666	0.0	66.17 50.2 357.0
1019	0.734 0.734 0.734	0.0	66.17 50.2 357.0
1020	0.8 0.8 0.8	0.0	66.17 50.2 357.0
1021	0.866 0.866 0.866	0.0	66.17 50.2 357.0
1022	0.933 0.933 0.933	0.0	66.17 50.2 357.0
1023	1.0 1.0 1.0	0.0	66.17 50.2 357.0
1024	0.0 0.0 0.0	0.0	66.17 50.2 357.0
1025	0.066 0.066 0.066	0.0	66.17 50.2 357.0
1026	0.133 0.133 0.133	0.0	66.17 50.2 357.0
1027	0.2 0.2 0.2	0.0	66.17 50.2 357.0
1028	0.266 0.266 0.266	0.0	66.17 50.2 357.0
1029	0.333 0.333 0.333	0.0	66.17 50.2 357.0
1030	0.4 0.4 0.4	0.0	66.17 50.2 357.0
1031	0.466 0.466 0.466	0.0	66.17 50.2 357.0
1032	0.533 0.533 0.533	0.0	66.17 50.2 357.0
1033	0.6 0.6 0.6	0.0	66.17 50.2 357.0
1034	0.666 0.666 0.666	0.0	66.17 50.2 357.0
1035	0.734 0.734 0.734	0.0	66.17 50.2 357.0
1036	0.8 0.8 0.8	0.0	66.17 50.2 357.0
1037	0.866 0.866 0.866	0.0	66.17 50.2 357.0
1038	0.933 0.933 0.933	0.0	66.17 50.2 357.0
1039	1.0 1.0 1.0	0.0	66.17 50.2 357.0
1040	0.0 0.0 0.0	0.0	66.17 50.2 357.0
1041	0.066 0.066 0.066	0.0	66.17 50.2 357.0
1042	0.133 0.133 0.133	0.0	66.17 50.2 357.0
1043	0.2 0.2 0.2	0.0	66.17 50.2 357.0
1044	0.266 0.266 0.266	0.0	66.17 50.2 357.0
1045	0.333 0.333 0.333	0.0	66.17 50.2 357.0
1046	0.4 0.4 0.4	0.0	66.17 50.2 357.0
1047	0.466 0.466 0.466	0.0	66.17 50.2 357.0
1048	0.533 0.533 0.533	0.0	66.17 50.2 357.0
1049	0.6 0.6 0.6	0.0	66.17 50.2 357.0
1050	0.666 0.666 0.666	0.0	66.17 50.2 357.0
1051	0.734 0.734 0.734	0.0	66.17 50.2 357.0
1052	0.8 0.8 0.8	0.0	66.17 50.2 357.0
1053	0.866 0.866 0.866	0.0	66.17 50.2 357.0
1054	0.933 0.933 0.933	0.0	66.17 50.2 357.0
1055	1.0 1.0 1.0	0.0	66.17 50.2 357.0
1056	0.0 0.0 0.0	0.0	66.17 50.2 357.0
1057	0.066 0.066 0.066	0.0	66.17 50.2 357.0
1058	0.133 0.133 0.133	0.0	66.17 50.2 357.0
1059	0.2 0.2 0.2	0.0	66.17 50.2 357.0
1060	0.266 0.266 0.266	0.0	66.17 50.2 357.0
1061	0.333 0.333 0.333	0.0	66.17 50.2 357.0
1062	0.4 0.4 0.4	0.0	66.17 50.2 357.0
1063	0.466 0.466 0.466	0.0	66.17 50.2 357.0
1064	0.533 0.533 0.533	0.0	66.17 50.2 357.0
1065	0.6 0.6 0.6	0.0	66.17 50.2 357.0
1066	0.666 0.666 0.666	0.0	66.17 50.2 357.0
1067	0.734 0.734 0.734	0.0	66.17 50.2 357.0
1068	0.8 0.8 0.8	0.0	66.17 50.2 357.0
1069	0.866 0.866 0.866	0.0	66.17 50.2 357.0
1070	0.933 0.933 0.933	0.0	66.17 50.2 357.0
1071	1.0 1.0 1.0	0.0	66.17 50.2 357.0
1072	0.0 0.0 0.0	0.0	66.17 50.2 357.0
1073	1.0 1.0 1.0	0.0	66.17 50.2 357.0
1074	0.0 0.0 0.0	30.0	65.34 49.62 25.5
1075	0.0 1.0 1.0	210.0	84.25 32.57 217.0
1076	1.0 1.0 0.0	90.0	85.96 52.22 92.3
1077	0.0 0.0 1.0	270.0	70.03 41.37 271.7
1078	0.0 1.0 0.0	150.0	87.84 46.46 162.2
1079	1.0 0.0 0.0	330.0	68.41 70.79 328.6

TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
 Technical information: <http://www.ps.ban.de> or <http://130.149.60.45/~fabmetrik>

application for measurement of printer or monitor systems

IOB material: code=rha4ta

[illegible]

KE650-7N, 36, table rgb→rgb*3 – LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb*3; display reflection $L_r = 40\%$; Page 29/4

TUB-test chart KE65; 1080 *rgb** colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: *rgb*->*rgb** *setrgbcolor*
output: *no change compared to input*

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta


n _{rgb} rgb -> rgb%					h _{rgb}					[L*, C* _{ab} , h _{ab}]Ma _e					n _{rgb} rgb -> rgb%					h _{rgb}					[L*, C* _{ab} , h _{ab}]Ma _e					n _{rgb} rgb -> rgb%					h _{rgb}					[L*, C* _{ab} , h _{ab}]Ma _e																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
324	0.5	0.0	0.0	30.0	76.78	27.5	25.5	405	0.625	0.0	0.0	30.0	76.78	27.5	25.5	486	0.75	0.0	0.0	30.0	76.78	27.5	25.5	567	0.875	0.0	0.0	30.0	76.78	27.5	25.5	648	1.0	0.0	0.0	30.0	76.78	27.5	25.5	729	1.125	0.0	0.0	30.0	76.78	27.5	25.5	810	1.25	0.0	0.0	30.0	76.78	27.5	25.5	891	1.375	0.0	0.0	30.0	76.78	27.5	25.5	972	1.5	0.0	0.0	30.0	76.78	27.5	25.5	1053	1.625	0.0	0.0	30.0	76.78	27.5	25.5	1134	1.75	0.0	0.0	30.0	76.78	27.5	25.5	1215	1.875	0.0	0.0	30.0	76.78	27.5	25.5	1296	2.0	0.0	0.0	30.0	76.78	27.5	25.5	1377	2.125	0.0	0.0	30.0	76.78	27.5	25.5	1458	2.25	0.0	0.0	30.0	76.78	27.5	25.5	1539	2.375	0.0	0.0	30.0	76.78	27.5	25.5	1620	2.5	0.0	0.0	30.0	76.78	27.5	25.5	1701	2.625	0.0	0.0	30.0	76.78	27.5	25.5	1782	2.75	0.0	0.0	30.0	76.78	27.5	25.5	1863	2.875	0.0	0.0	30.0	76.78	27.5	25.5	1944	3.0	0.0	0.0	30.0	76.78	27.5	25.5	2025	3.125	0.0	0.0	30.0	76.78	27.5	25.5	2106	3.25	0.0	0.0	30.0	76.78	27.5	25.5	2187	3.375	0.0	0.0	30.0	76.78	27.5	25.5	2268	3.5	0.0	0.0	30.0	76.78	27.5	25.5	2349	3.625	0.0	0.0	30.0	76.78	27.5	25.5	2430	3.75	0.0	0.0	30.0	76.78	27.5	25.5	2511	3.875	0.0	0.0	30.0	76.78	27.5	25.5	2592	4.0	0.0	0.0	30.0	76.78	27.5	25.5	2673	4.125	0.0	0.0	30.0	76.78	27.5	25.5	2754	4.25	0.0	0.0	30.0	76.78	27.5	25.5	2835	4.375	0.0	0.0	30.0	76.78	27.5	25.5	2916	4.5	0.0	0.0	30.0	76.78	27.5	25.5	2997	4.625	0.0	0.0	30.0	76.78	27.5	25.5	3078	4.75	0.0	0.0	30.0	76.78	27.5	25.5	3159	4.875	0.0	0.0	30.0	76.78	27.5	25.5	3240	5.0	0.0	0.0	30.0	76.78	27.5	25.5	3321	5.125	0.0	0.0	30.0	76.78	27.5	25.5	3402	5.25	0.0	0.0	30.0	76.78	27.5	25.5	3483	5.375	0.0	0.0	30.0	76.78	27.5	25.5	3564	5.5	0.0	0.0	30.0	76.78	27.5	25.5	3645	5.625	0.0	0.0	30.0	76.78	27.5	25.5	3726	5.75	0.0	0.0	30.0	76.78	27.5	25.5	3807	5.875	0.0	0.0	30.0	76.78	27.5	25.5	3888	6.0	0.0	0.0	30.0	76.78	27.5	25.5	3969	6.125	0.0	0.0	30.0	76.78	27.5	25.5	4050	6.25	0.0	0.0	30.0	76.78	27.5	25.5	4131	6.375	0.0	0.0	30.0	76.78	27.5	25.5	4212	6.5	0.0	0.0	30.0	76.78	27.5	25.5	4293	6.625	0.0	0.0	30.0	76.78	27.5	25.5	4374	6.75	0.0	0.0	30.0	76.78	27.5	25.5	4455	6.875	0.0	0.0	30.0	76.78	27.5	25.5	4536	7.0	0.0	0.0	30.0	76.78	27.5	25.5	4617	7.125	0.0	0.0	30.0	76.78	27.5	25.5	4698	7.25	0.0	0.0	30.0	76.78	27.5	25.5	4779	7.375	0.0	0.0	30.0	76.78	27.5	25.5	4860	7.5	0.0	0.0	30.0	76.78	27.5	25.5	4941	7.625	0.0	0.0	30.0	76.78	27.5	25.5	5022	7.75	0.0	0.0	30.0	76.78	27.5	25.5	5103	7.875	0.0	0.0	30.0	76.78	27.5	25.5	5184	8.0	0.0	0.0	30.0	76.78	27.5	25.5	5265	8.125	0.0	0.0	30.0	76.78	27.5	25.5	5346	8.25	0.0	0.0	30.0	76.78	27.5	25.5	5427	8.375	0.0	0.0	30.0	76.78	27.5	25.5	5508	8.5	0.0	0.0	30.0	76.78	27.5	25.5	5589	8.625	0.0	0.0	30.0	76.78	27.5	25.5	5670	8.75	0.0	0.0	30.0	76.78	27.5	25.5	5751	8.875	0.0	0.0	30.0	76.78	27.5	25.5	5832	9.0	0.0	0.0	30.0	76.78	27.5	25.5	5913	9.125	0.0	0.0	30.0	76.78	27.5	25.5	5994	9.25	0.0	0.0	30.0	76.78	27.5	25.5	6075	9.375	0.0	0.0	30.0	76.78	27.5	25.5	6156	9.5	0.0	0.0	30.0	76.78	27.5	25.5	6237	9.625	0.0	0.0	30.0	76.78	27.5	25.5	6318	9.75	0.0	0.0	30.0	76.78	27.5	25.5	6399	9.875	0.0	0.0	30.0	76.78	27.5	25.5	6480	10.0	0.0	0.0	30.0	76.78	27.5	25.5	6561	10.125	0.0	0.0	30.0	76.78	27.5	25.5	6642	10.25	0.0	0.0	30.0	76.78	27.5	25.5	6723	10.375	0.0	0.0	30.0	76.78	27.5	25.5	6804	10.5	0.0	0.0	30.0	76.78	27.5	25.5	6885	10.625	0.0	0.0	30.0	76.78	27.5	25.5	6966	10.75	0.0	0.0	30.0	76.78	27.5	25.5	7047	10.875	0.0	0.0	30.0	76.78	27.5	25.5	7128	11.0	0.0	0.0	30.0	76.78	27.5	25.5	7209	11.125	0.0	0.0	30.0	76.78	27.5	25.5	7290	11.25	0.0	0.0	30.0	76.78	27.5	25.5	7371	11.375	0.0	0.0	30.0	76.78	27.5	25.5	7452	11.5	0.0	0.0	30.0	76.78	27.5	25.5	7533	11.625	0.0	0.0	30.0	76.78	27.5	25.5	7614	11.75	0.0	0.0	30.0	76.78	27.5	25.5	7695	11.875	0.0	0.0	30.0	76.78	27.5	25.5	7776	12.0	0.0	0.0	30.0	76.78	27.5	25.5	7857	12.125	0.0	0.0	30.0	76.78	27.5	25.5	7938	12.25	0.0	0.0	30.0	76.78	27.5	25.5	8019	12.375	0.0	0.0	30.0	76.78	27.5	25.5	8100	12.5	0.0	0.0	30.0	76.78	27.5	25.5	8181	12.625	0.0	0.0	30.0	76.78	27.5	25.5	8262	12.75	0.0	0.0	30.0	76.78	27.5	25.5	8343	12.875	0.0	0.0	30.0	76.78	27.5	25.5	8424	13.0	0.0	0.0	30.0	76.78	27.5	25.5	8505	13.125	0.0	0.0	30.0	76.78	27.5	25.5	8586	13.25	0.0	0.0	30.0	76.78	27.5	25.5	8667	13.375	0.0	0.0	30.0	76.78	27.5	25.5	8748	13.5	0.0	0.0	30.0	76.78	27.5	25.5	8829	13.625	0.0	0.0	30.0	76.78	27.5	25.5	8910	13.75	0.0	0.0	30.0	76.78	27.5	25.5	8991	13.875	0.0	0.0	30.0	76.78	27.5	25.5	9072	14.0	0.0	0.0	30.0	76.78	27.5	25.5	9153	14.125	0.0	0.0	30.0	76.78	27.5	25.5	9234	14.25	0.0	0.0	30.0	76.78	27.5	25.5	9315	14.375	0.0	0.0	30.0	76.78	27.5	25.5	9396	14.5	0.0	0.0	30.0	76.78	27.5	25.5	9477	14.625	0.0	0.0	30.0	76.78	27.5	25.5	9558	14.75	0.0	0.0	30.0	76.78	27.5	25.5	9639	14.875	0.0	0.0	30.0	76.78	27.5	25.5	9720	15.0	0.0	0.0	30.0	76.78	27.5	25.5	9801	15.125	0.0	0.0	30.0	76.78	27.5	25.5	9882	15.25	0.0	0.0	30.0	76.78	27.5	25.5	9963	15.375	0.0	0.0	30.0	76.78	27.5	25.5	10044	15.5	0.0	0.0	30.0	76.78	27.5	25.5	10125	15.625	0.0	0.0	30.0	76.78	27.5	25.5	10206	15.75	0.0	0.0	30.0	76.78	27.5	25.5	10287	15.875	0.0	0.0	30.0	76.78	27.5	25.5	10368	16.0	0.0	0.0	30.0	76.78	27.5	25.5	10449	16.125	0.0	0.0	30.0	76.78	27.5	25.5	10530	16.25	0.0	0.0	30.0	76.78	27.5	25.5	10611	16.375	0.0	0.0	30.0	76.78	27.5	25.5	10692	16.5	0.0	0.0	30.0	76.78	27.5	25.5	10773	16.625	0.0	0.0	30.0	76.78	27.5	25.5	10854	16.75	0.0	0.0	30.0	76.78	27.5	25.5	10935	16.875	0.0	0.0	30.0	76.78	27.5	25.5	11016	17.0	0.0	0.0	30.0	76.78	27.5	25.5	11097	17.125	0.0	0.0	30.0	76.78	27.5	25.5	11178	17.25	0.0	0.0	30.0	76.78	27.5	25.5	11259	17.375	0.0	0.0	30.0	76.78	27.5	25.5	11340	17.5	0.0	0.0	30.0	76.78	27.5	25.5	11421	17.625	0.0	0.0	30.0	76.78	27.5	25.5	11502	17.75	0.0	0.0	30.0	76.78	27.5	25.5	11583	17.875	0.0	0.0	30.0	76.78	27.5	25.5	11664	18.0	0.0	0.0	30.0	76.78	27.5	25.5	11745	18.125	0.0	0.0	30.0	76.78	27.5	25.5	11826	18.25	0.0	0.0	30.0	76.78	27.5	25.5	11907	18.375	0

See original or copy: <http://web.me.com/klau.s.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta


n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}	n _{rgb}	rgb -> rgb ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}
648	1.0	0.0	0.0	30.0	76.78	27.5	25.5	729	1.0	1.0	1.0	0.0	76.79	29.66	357.0	810	1.0	1.0	1.0	0.0	76.79	29.66	357.0	891	1.0	1.0	1.0	0.0	76.79	29.66	357.0
649	1.0	0.0	0.125	23.4	76.37	28.03	19.2	730	0.875	1.0	1.0	210.0	88.05	21.62	217.0	811	0.875	0.875	1.0	270.0	78.92	26.74	271.8	892	1.0	0.875	1.0	330.0	77.98	43.02	328.6
650	1.0	0.0	0.25	16.1	76.49	28.05	12.3	731	0.75	1.0	1.0	210.0	88.05	21.62	217.0	812	0.75	0.75	1.0	270.0	78.93	26.73	271.8	893	1.0	0.75	1.0	330.0	77.98	43.02	328.6
651	1.0	0.0	0.375	8.2	76.62	28.55	4.8	732	0.625	1.0	1.0	210.0	88.05	21.62	217.0	813	0.625	0.625	1.0	270.0	78.93	26.73	271.8	894	1.0	0.625	1.0	330.0	77.98	43.03	328.6
652	1.0	0.0	0.5	0.0	76.79	29.66	357.0	733	0.5	1.0	1.0	210.0	88.05	21.62	217.0	814	0.5	0.5	1.0	270.0	78.93	26.73	271.8	895	1.0	0.5	1.0	330.0	77.98	43.03	328.6
653	1.0	0.0	0.625	351.8	76.99	31.56	349.3	734	0.375	1.0	1.0	210.0	88.05	21.62	217.0	815	0.375	0.375	1.0	270.0	78.93	26.73	271.7	896	1.0	0.375	1.0	330.0	77.98	43.03	328.6
654	1.0	0.0	0.75	343.9	77.23	34.25	341.8	735	0.25	1.0	1.0	210.0	88.05	21.62	217.0	816	0.25	0.25	1.0	270.0	78.93	26.73	271.7	897	1.0	0.25	1.0	330.0	77.98	43.03	328.6
655	1.0	0.0	0.875	336.6	77.56	38.05	334.9	736	0.125	1.0	1.0	210.0	88.05	21.62	217.0	817	0.125	0.125	1.0	270.0	78.93	26.73	271.7	898	1.0	0.125	1.0	330.0	77.98	43.03	328.6
656	1.0	0.0	1.0	330.0	77.98	43.03	328.6	737	0.0	1.0	1.0	210.0	88.05	21.62	217.0	818	0.0	0.0	1.0	270.0	78.93	26.73	271.7	899	1.0	0.0	1.0	330.0	77.98	43.03	328.6
657	1.0	0.125	0.0	36.6	78.14	25.7	32.8	738	1.0	0.875	0.875	30.0	76.78	27.5	25.5	819	1.0	1.0	0.875	90.0	88.79	30.03	92.3	900	0.875	1.0	0.875	150.0	90.19	30.19	162.2
658	1.0	0.125	0.125	30.0	76.78	27.5	25.5	739	0.875	0.875	0.875	0.0	76.79	29.66	357.0	820	0.875	0.875	0.875	0.0	76.79	29.66	357.0	901	0.875	0.875	0.875	0.0	76.79	29.66	357.0
659	1.0	0.125	0.25	22.4	76.39	28.02	18.3	740	0.75	0.875	0.875	210.0	88.05	21.62	217.0	821	0.75	0.75	0.875	270.0	78.92	26.74	271.8	902	0.875	0.75	0.875	330.0	77.98	43.02	328.6
660	1.0	0.125	0.375	13.9	76.52	28.16	10.2	741	0.625	0.875	0.875	210.0	88.05	21.62	217.0	822	0.625	0.625	0.875	270.0	78.93	26.73	271.8	903	0.875	0.625	0.875	330.0	77.98	43.02	328.6
661	1.0	0.125	0.5	4.7	76.69	28.94	1.5	742	0.5	0.875	0.875	210.0	88.05	21.62	217.0	823	0.5	0.5	0.875	270.0	78.93	26.73	271.8	904	0.875	0.5	0.875	330.0	77.98	43.03	328.6
662	1.0	0.125	0.625	355.3	76.9	30.62	352.6	743	0.375	0.875	0.875	210.0	88.05	21.62	217.0	824	0.375	0.375	0.875	270.0	78.93	26.73	271.7	905	0.875	0.375	0.875	330.0	77.98	43.03	328.6
663	1.0	0.125	0.75	346.1	77.15	32.38	343.9	744	0.25	0.875	0.875	210.0	88.05	21.62	217.0	825	0.25	0.25	0.875	270.0	78.93	26.73	271.7	906	0.875	0.25	0.875	330.0	77.98	43.03	328.6
664	1.0	0.125	0.875	337.6	77.49	37.29	335.8	745	0.125	0.875	0.875	210.0	88.05	21.62	217.0	826	0.125	0.125	0.875	270.0	78.93	26.73	271.7	907	0.875	0.125	0.875	330.0	77.98	43.03	328.6
665	1.0	0.125	1.0	330.0	77.98	43.03	328.6	746	0.0	0.875	0.875	210.0	88.05	21.62	217.0	827	0.0	0.0	0.875	270.0	78.93	26.73	271.7	908	0.875	0.0	0.875	330.0	77.98	43.03	328.6
666	1.0	0.25	0.0	43.9	79.51	24.42	41.0	747	1.0	0.75	0.75	30.0	76.78	27.5	25.5	828	1.0	1.0	0.75	90.0	88.8	30.04	92.3	909	0.75	1.0	0.75	150.0	90.19	30.18	162.2
667	1.0	0.25	0.125	37.6	78.33	25.51	33.9	748	0.875	0.75	0.75	30.0	76.78	27.5	25.5	829	0.875	0.875	0.75	90.0	88.79	30.03	92.3	910	0.75	0.875	0.75	150.0	90.19	30.19	162.2
668	1.0	0.25	0.25	30.0	76.78	27.5	25.5	749	0.75	0.75	0.75	0.0	76.79	29.66	357.0	830	0.75	0.75	0.75	0.0	76.79	29.66	357.0	911	0.75	0.75	0.75	0.0	76.79	29.66	357.0
669	1.0	0.25	0.375	21.0	76.41	28.01	17.0	750	0.625	0.75	0.75	210.0	88.05	21.62	217.0	831	0.625	0.625	0.75	270.0	78.92	26.74	271.8	912	0.75	0.625	0.75	330.0	77.98	43.02	328.6
670	1.0	0.25	0.5	10.9	76.57	28.3	7.4	751	0.5	0.75	0.75	210.0	88.05	21.62	217.0	832	0.5	0.5	0.75	270.0	78.93	26.73	271.8	913	0.75	0.5	0.75	330.0	77.98	43.02	328.6
671	1.0	0.25	0.625	0.0	76.79	29.66	357.0	752	0.375	0.75	0.75	210.0	88.05	21.62	217.0	833	0.375	0.375	0.75	270.0	78.93	26.73	271.8	914	0.75	0.375	0.75	330.0	77.98	43.03	328.6
672	1.0	0.25	0.75	349.1	77.06	32.34	346.7	753	0.25	0.75	0.75	210.0	88.05	21.62	217.0	834	0.25	0.25	0.75	270.0	78.93	26.73	271.7	915	0.75	0.25	0.75	330.0	77.98	43.03	328.6
673	1.0	0.25	0.875	339.0	77.42	36.42	337.1	754	0.125	0.75	0.75	210.0	88.05	21.62	217.0	835	0.125	0.125	0.75	270.0	78.93	26.73	271.7	916	0.75	0.125	0.75	330.0	77.98	43.03	328.6
674	1.0	0.25	1.0	330.0	77.98	43.03	328.6	755	0.0	0.75	0.75	210.0	88.05	21.62	217.0	836	0.0	0.0	0.75	270.0	78.93	26.73	271.7	917	0.75	0.0	0.75	330.0	77.98	43.03	328.6
675	1.0	0.375	0.0	51.8	80.9	23.74	49.7	756	1.0	0.625	0.625	30.0	76.78	27.5	25.5	837	1.0	1.0	0.625	90.0	88.8	30.05	92.3	918	0.625	1.0	0.625	150.0	90.19	30.18	162.2
676	1.0	0.375	0.125	46.1	79.9	24.23	43.4	757	0.875	0.625	0.625	30.0	76.78	27.5	25.5	838	0.875	0.875	0.625	90.0	88.8	30.04	92.3	919	0.625	0.875	0.625	150.0	90.19	30.18	162.2
677	1.0	0.375	0.25	38.9	78.59	25.26	35.4	758	0.75	0.625	0.625	30.0	76.78	27.5	25.5	839	0.75	0.75	0.625	90.0	88.79	30.03	92.3	920	0.625	0.75	0.625	150.0	90.19	30.19	162.2
678	1.0	0.375	0.375	30.0	76.78	27.5	25.5	759	0.625	0.625	0.625	0.0	76.79	29.66	357.0	840	0.625	0.625	0.625	0.0	76.79	29.66	357.0	921	0.625	0.625	0.625	0.0	76.79	29.66	357.0
679	1.0	0.375	0.5	19.1	76.44	27.99	15.1	760	0.5	0.625	0.625	210.0	88.05	21.62	217.0	841	0.5	0.5	0.625	270.0	78.92	26.74	271.8	922	0.625	0.5	0.625	330.0	77.98	43.02	328.6
680	1.0	0.375	0.625																												



See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT/.PS>
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




<http://130.149.60.45/~farbmetrik/KE65/KE65L0NA.TXT> /.PS; start output; Reflection; $L_r=40\%$
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), Page 39/40



TUB registration: 20100801-KE65/KE65L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta



n_{rgb}	$rgb \rightarrow rgb^*$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$		
972	0.0	0.0	0.0	0.0	76.79	29.66	357.0
973	0.125	0.125	0.125	0.0	76.79	29.66	357.0
974	0.25	0.25	0.25	0.0	76.79	29.66	357.0
975	0.375	0.375	0.375	0.0	76.79	29.66	357.0
976	0.5	0.5	0.5	0.0	76.79	29.66	357.0
977	0.625	0.625	0.625	0.0	76.79	29.66	357.0
978	0.75	0.75	0.75	0.0	76.79	29.66	357.0
979	0.875	0.875	0.875	0.0	76.79	29.66	357.0
980	1.0	1.0	1.0	0.0	76.79	29.66	357.0
981	0.0	0.0	0.0	0.0	76.79	29.66	357.0
982	0.125	0.125	0.125	0.0	76.79	29.66	357.0
983	0.25	0.25	0.25	0.0	76.79	29.66	357.0
984	0.375	0.375	0.375	0.0	76.79	29.66	357.0
985	0.5	0.5	0.5	0.0	76.79	29.66	357.0
986	0.625	0.625	0.625	0.0	76.79	29.66	357.0
987	0.75	0.75	0.75	0.0	76.79	29.66	357.0
988	0.875	0.875	0.875	0.0	76.79	29.66	357.0
989	1.0	1.0	1.0	0.0	76.79	29.66	357.0
990	0.0	0.0	0.0	0.0	76.79	29.66	357.0
991	0.125	0.125	0.125	0.0	76.79	29.66	357.0
992	0.25	0.25	0.25	0.0	76.79	29.66	357.0
993	0.375	0.375	0.375	0.0	76.79	29.66	357.0
994	0.5	0.5	0.5	0.0	76.79	29.66	357.0
995	0.625	0.625	0.625	0.0	76.79	29.66	357.0
996	0.75	0.75	0.75	0.0	76.79	29.66	357.0
997	0.875	0.875	0.875	0.0	76.79	29.66	357.0
998	1.0	1.0	1.0	0.0	76.79	29.66	357.0
999	0.0	0.0	0.0	0.0	76.79	29.66	357.0
1000	0.125	0.125	0.125	0.0	76.79	29.66	357.0
1001	0.25	0.25	0.25	0.0	76.79	29.66	357.0
1002	0.375	0.375	0.375	0.0	76.79	29.66	357.0
1003	0.5	0.5	0.5	0.0	76.79	29.66	357.0
1004	0.625	0.625	0.625	0.0	76.79	29.66	357.0
1005	0.75	0.75	0.75	0.0	76.79	29.66	357.0
1006	0.875	0.875	0.875	0.0	76.79	29.66	357.0
1007	1.0	1.0	1.0	0.0	76.79	29.66	357.0

KE650-7N, 39, table $rgb \rightarrow rgb^*$ - LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb^* ; display reflection $L_r=40\%$; Page 32/40

TUB-test chart KE65; 1080 rgb^* colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: $rgb \rightarrow rgb^* \text{ setrgbcolor}$
output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/KE65/KE65L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$rgb \rightarrow rgb^*$	h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$
1008	0.0 0.0 0.0	0.0	76.79 29.66 357.0
1009	0.066 0.066 0.066	0.0	76.79 29.66 357.0
1010	0.133 0.133 0.133	0.0	76.79 29.66 357.0
1011	0.2 0.2 0.2	0.0	76.79 29.66 357.0
1012	0.266 0.266 0.266	0.0	76.79 29.66 357.0
1013	0.333 0.333 0.333	0.0	76.79 29.66 357.0
1014	0.4 0.4 0.4	0.0	76.79 29.66 357.0
1015	0.466 0.466 0.466	0.0	76.79 29.66 357.0
1016	0.533 0.533 0.533	0.0	76.79 29.66 357.0
1017	0.6 0.6 0.6	0.0	76.79 29.66 357.0
1018	0.666 0.666 0.666	0.0	76.79 29.66 357.0
1019	0.734 0.734 0.734	0.0	76.79 29.66 357.0
1020	0.8 0.8 0.8	0.0	76.79 29.66 357.0
1021	0.866 0.866 0.866	0.0	76.79 29.66 357.0
1022	0.933 0.933 0.933	0.0	76.79 29.66 357.0
1023	1.0 1.0 1.0	0.0	76.79 29.66 357.0
1024	0.0 0.0 0.0	0.0	76.79 29.66 357.0
1025	0.066 0.066 0.066	0.0	76.79 29.66 357.0
1026	0.133 0.133 0.133	0.0	76.79 29.66 357.0
1027	0.2 0.2 0.2	0.0	76.79 29.66 357.0
1028	0.266 0.266 0.266	0.0	76.79 29.66 357.0
1029	0.333 0.333 0.333	0.0	76.79 29.66 357.0
1030	0.4 0.4 0.4	0.0	76.79 29.66 357.0
1031	0.466 0.466 0.466	0.0	76.79 29.66 357.0
1032	0.533 0.533 0.533	0.0	76.79 29.66 357.0
1033	0.6 0.6 0.6	0.0	76.79 29.66 357.0
1034	0.666 0.666 0.666	0.0	76.79 29.66 357.0
1035	0.734 0.734 0.734	0.0	76.79 29.66 357.0
1036	0.8 0.8 0.8	0.0	76.79 29.66 357.0
1037	0.866 0.866 0.866	0.0	76.79 29.66 357.0
1038	0.933 0.933 0.933	0.0	76.79 29.66 357.0
1039	1.0 1.0 1.0	0.0	76.79 29.66 357.0
1040	0.0 0.0 0.0	0.0	76.79 29.66 357.0
1041	0.066 0.066 0.066	0.0	76.79 29.66 357.0
1042	0.133 0.133 0.133	0.0	76.79 29.66 357.0
1043	0.2 0.2 0.2	0.0	76.79 29.66 357.0
1044	0.266 0.266 0.266	0.0	76.79 29.66 357.0
1045	0.333 0.333 0.333	0.0	76.79 29.66 357.0
1046	0.4 0.4 0.4	0.0	76.79 29.66 357.0
1047	0.466 0.466 0.466	0.0	76.79 29.66 357.0
1048	0.533 0.533 0.533	0.0	76.79 29.66 357.0
1049	0.6 0.6 0.6	0.0	76.79 29.66 357.0
1050	0.666 0.666 0.666	0.0	76.79 29.66 357.0
1051	0.734 0.734 0.734	0.0	76.79 29.66 357.0
1052	0.8 0.8 0.8	0.0	76.79 29.66 357.0
1053	0.866 0.866 0.866	0.0	76.79 29.66 357.0
1054	0.933 0.933 0.933	0.0	76.79 29.66 357.0
1055	1.0 1.0 1.0	0.0	76.79 29.66 357.0
1056	0.0 0.0 0.0	0.0	76.79 29.66 357.0
1057	0.066 0.066 0.066	0.0	76.79 29.66 357.0
1058	0.133 0.133 0.133	0.0	76.79 29.66 357.0
1059	0.2 0.2 0.2	0.0	76.79 29.66 357.0
1060	0.266 0.266 0.266	0.0	76.79 29.66 357.0
1061	0.333 0.333 0.333	0.0	76.79 29.66 357.0
1062	0.4 0.4 0.4	0.0	76.79 29.66 357.0
1063	0.466 0.466 0.466	0.0	76.79 29.66 357.0
1064	0.533 0.533 0.533	0.0	76.79 29.66 357.0
1065	0.6 0.6 0.6	0.0	76.79 29.66 357.0
1066	0.666 0.666 0.666	0.0	76.79 29.66 357.0
1067	0.734 0.734 0.734	0.0	76.79 29.66 357.0
1068	0.8 0.8 0.8	0.0	76.79 29.66 357.0
1069	0.866 0.866 0.866	0.0	76.79 29.66 357.0
1070	0.933 0.933 0.933	0.0	76.79 29.66 357.0
1071	1.0 1.0 1.0	0.0	76.79 29.66 357.0
1072	0.0 0.0 0.0	0.0	76.79 29.66 357.0
1073	1.0 1.0 1.0	0.0	76.79 29.66 357.0
1074	1.0 0.0 0.0	30.0	76.78 27.5 25.5
1075	0.0 1.0 0.0	210.0	88.05 21.62 217.0
1076	1.0 0.0 0.0	90.0	88.8 30.06 92.3
1077	0.0 1.0 0.0	270.0	78.93 26.73 271.7
1078	0.0 0.0 1.0	150.0	90.19 30.18 162.2
1079	1.0 0.0 0.0	330.0	77.98 43.03 328.6

TUB registration: 20100801-KE65/KE65L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta