

See original or copy: <http://web.me.com/klau.s.richter/KE66/KE66L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}					
0	0.0	0.0	0.0	52.52	106.33	35.8	81	0.125	0.0	0.0	30.0	162	0.25	0.0	0.0	30.0	243	0.375	0.0	0.0	30.0	52.52	106.33	35.8
1	0.0	0.0	0.125	270.0	52.52	106.33	35.8	82	0.125	0.0	0.125	330.0	163	0.25	0.0	0.125	0.0	0.0	0.125	10.9	52.52	106.33	35.8	
2	0.0	0.0	0.25	270.0	52.52	106.33	35.8	83	0.125	0.0	0.25	300.0	164	0.25	0.0	0.25	0.0	0.25	349.1	52.52	106.33	35.8		
3	0.0	0.0	0.375	270.0	52.52	106.33	35.8	84	0.125	0.0	0.375	289.1	165	0.25	0.0	0.375	0.0	0.375	330.0	52.52	106.33	35.8		
4	0.0	0.0	0.5	270.0	52.52	106.33	35.8	85	0.125	0.0	0.5	283.9	166	0.25	0.0	0.5	0.0	0.5	316.1	52.52	106.33	35.8		
5	0.0	0.0	0.625	270.0	52.52	106.33	35.8	86	0.125	0.0	0.625	280.9	167	0.25	0.0	0.625	0.0	0.625	306.6	52.52	106.33	35.8		
6	0.0	0.0	0.75	270.0	52.52	106.33	35.8	87	0.125	0.0	0.75	279.0	168	0.25	0.0	0.75	0.0	0.75	300.0	52.52	106.33	35.8		
7	0.0	0.0	0.875	270.0	52.52	106.33	35.8	88	0.125	0.0	0.875	277.6	169	0.25	0.0	0.875	0.0	0.875	295.3	52.52	106.33	35.8		
8	0.0	0.0	1.0	270.0	52.52	106.33	35.8	89	0.125	0.0	1.0	276.6	170	0.25	0.0	1.0	0.0	1.0	291.8	52.52	106.33	35.8		
9	0.0	0.125	0.0	150.0	52.52	106.33	35.8	90	0.125	0.125	0.0	90.0	171	0.25	0.125	0.0	0.0	0.125	49.1	52.52	106.33	35.8		
10	0.0	0.125	0.125	210.0	52.52	106.33	35.8	91	0.125	0.125	0.125	0.0	172	0.25	0.125	0.125	0.0	0.125	30.0	52.52	106.33	35.8		
11	0.0	0.125	0.25	240.0	52.52	106.33	35.8	92	0.125	0.125	0.25	270.0	173	0.25	0.125	0.25	0.0	0.25	0.0	52.52	106.33	35.8		
12	0.0	0.125	0.375	250.9	52.52	106.33	35.8	93	0.125	0.125	0.375	270.0	174	0.25	0.125	0.375	0.0	0.375	0.0	52.52	106.33	35.8		
13	0.0	0.125	0.5	256.1	52.52	106.33	35.8	94	0.125	0.125	0.5	270.0	175	0.25	0.125	0.5	0.0	0.5	310.9	52.52	106.33	35.8		
14	0.0	0.125	0.625	259.1	52.52	106.33	35.8	95	0.125	0.125	0.625	270.0	176	0.25	0.125	0.625	0.0	0.625	300.0	52.52	106.33	35.8		
15	0.0	0.125	0.75	261.1	52.52	106.33	35.8	96	0.125	0.125	0.75	270.0	177	0.25	0.125	0.75	0.0	0.75	293.4	52.52	106.33	35.8		
16	0.0	0.125	0.875	262.4	52.52	106.33	35.8	97	0.125	0.125	0.875	270.0	178	0.25	0.125	0.875	0.0	0.875	289.1	52.52	106.33	35.8		
17	0.0	0.125	1.0	263.4	52.52	106.33	35.8	98	0.125	0.125	1.0	270.0	179	0.25	0.125	1.0	0.0	1.0	286.1	52.52	106.33	35.8		
18	0.0	0.25	0.0	150.0	52.52	106.33	35.8	99	0.125	0.25	0.0	120.0	180	0.25	0.25	0.0	0.0	0.25	70.9	52.52	106.33	35.8		
19	0.0	0.25	0.125	180.0	52.52	106.33	35.8	100	0.125	0.25	0.125	150.0	181	0.25	0.25	0.125	0.0	0.125	60.0	52.52	106.33	35.8		
20	0.0	0.25	0.25	210.0	52.52	106.33	35.8	101	0.125	0.25	0.25	210.0	182	0.25	0.25	0.25	0.0	0.25	30.0	52.52	106.33	35.8		
21	0.0	0.25	0.375	229.1	52.52	106.33	35.8	102	0.125	0.25	0.375	240.0	183	0.25	0.25	0.375	0.0	0.375	330.0	52.52	106.33	35.8		
22	0.0	0.25	0.5	240.0	52.52	106.33	35.8	103	0.125	0.25	0.5	250.9	184	0.25	0.25	0.5	0.0	0.5	300.0	52.52	106.33	35.8		
23	0.0	0.25	0.625	246.6	52.52	106.33	35.8	104	0.125	0.25	0.625	256.1	185	0.25	0.25	0.625	0.0	0.625	289.1	52.52	106.33	35.8		
24	0.0	0.25	0.75	250.9	52.52	106.33	35.8	105	0.125	0.25	0.75	259.1	186	0.25	0.25	0.75	0.0	0.75	283.9	52.52	106.33	35.8		
25	0.0	0.25	0.875	253.9	52.52	106.33	35.8	106	0.125	0.25	0.875	261.1	187	0.25	0.25	0.875	0.0	0.875	280.9	52.52	106.33	35.8		
26	0.0	0.25	1.0	256.1	52.52	106.33	35.8	107	0.125	0.25	1.0	262.4	188	0.25	0.25	1.0	0.0	1.0	279.0	52.52	106.33	35.8		
27	0.0	0.375	0.0	150.0	52.52	106.33	35.8	108	0.125	0.375	0.0	130.9	189	0.25	0.375	0.0	0.0	0.375	90.0	52.52	106.33	35.8		
28	0.0	0.375	0.125	169.1	52.52	106.33	35.8	109	0.125	0.375	0.125	150.0	190	0.25	0.375	0.125	0.0	0.125	90.0	52.52	106.33	35.8		
29	0.0	0.375	0.25	190.9	52.52	106.33	35.8	110	0.125	0.375	0.25	180.0	191	0.25	0.375	0.25	0.0	0.25	90.0	52.52	106.33	35.8		
30	0.0	0.375	0.375	210.0	52.52	106.33	35.8	111	0.125	0.375	0.375	210.0	192	0.25	0.375	0.375	0.0	0.375	0.0	52.52	106.33	35.8		
31	0.0	0.375	0.5	223.9	52.52	106.33	35.8	112	0.125	0.375	0.5	229.1	193	0.25	0.375	0.5	0.0	0.5	270.0	52.52	106.33	35.8		
32	0.0	0.375	0.625	233.4	52.52	106.33	35.8	113	0.125	0.375	0.625	240.0	194	0.25	0.375	0.625	0.0	0.625	270.0	52.52	106.33	35.8		
33	0.0	0.375	0.75	240.0	52.52	106.33	35.8	114	0.125	0.375	0.75	246.6	195	0.25	0.375	0.75	0.0	0.75	270.0	52.52	106.33	35.8		
34	0.0	0.375	0.875	244.7	52.52	106.33	35.8	115	0.125	0.375	0.875	250.9	196	0.25	0.375	0.875	0.0	0.875	270.0	52.52	106.33	35.8		
35	0.0	0.375	1.0	248.2	52.52	106.33	35.8	116	0.125	0.375	1.0	253.9	197	0.25	0.375	1.0	0.0	1.0	270.0	52.52	106.33	35.8		
36	0.0	0.5	0.0	150.0	52.52	106.33	35.8	117	0.125	0.5	0.0	136.1	198	0.25	0.5	0.0	0.0	0.5	103.9	52.52	106.33	35.8		
37	0.0	0.5	0.125	163.9	52.52	106.33	35.8	118	0.125	0.5	0.125	150.0	199	0.25	0.5	0.125	0.0	0.125	109.1	52.52	106.33	35.8		
38	0.0	0.5	0.25	180.0	52.52	106.33	35.8	119	0.125	0.5	0.25	169.1	200	0.25	0.5	0.25	0.0	0.25	120.0	52.52	106.33	35.8		
39	0.0	0.5	0.375	196.1	52.52	106.33	35.8	120	0.125	0.5	0.375	190.9	201	0.25	0.5	0.375	0.0	0.375	150.0	52.52	106.33	35.8		
40	0.0	0.5	0.5	210.0	52.52	106.33	35.8	121	0.125	0.5	0.5	210.0	202	0.25	0.5	0.5	0.0	0.5	210.0	52.52	106.33	35.8		
41	0.0	0.5	0.625	220.9	52.52	106.33	35.8	122	0.125	0.5	0.625	223.9	203	0.25	0.5	0.625	0.0	0.625	240.0	52.52	106.33	35.8		
42	0.0	0.5	0.75	229.1	52.52	106.33	35.8	123	0.125	0.5	0.75	233.4	204	0.25	0.5	0.75	0.0	0.75	250.9	52.52	106.33	35.8		
43	0.0	0.5	0.875	235.3	52.52	106.33	35.8	124	0.125	0.5	0.875	240.0	205	0.25	0.5	0.875	0.0	0.875	256.1	52.52	106.33	35.8		
44	0.0	0.5	1.0	240.0	52.52	106.33	35.8	125	0.125	0.5	1.0	24												

See original or copy: <http://web.me.com/klau.s.richter/KE66/KE66L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb} rgb -> olv*3				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				n _{rgb} rgb -> olv*3				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				n _{rgb} rgb -> olv*3				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
324	0.5	0.0	0.0	30.0	52.52	106.33	35.8	405	0.625	0.0	0.0	30.0	52.52	106.33	35.8	486	0.75	0.0	0.0	30.0	52.52	106.33	35.8	567	0.875	0.0	0.0	30.0	52.52	106.33	35.8	648	0.875	0.0	0.0	30.0	52.52	106.33	35.8	729	0.875	0.0	0.0	30.0	52.52	106.33	35.8	810	0.875	0.0	0.0	30.0	52.52	106.33	35.8	891	0.875	0.0	0.0	30.0	52.52	106.33	35.8	972	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1053	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1134	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1215	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1296	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1377	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1458	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1539	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1620	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1701	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1782	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1863	0.875	0.0	0.0	30.0	52.52	106.33	35.8	1944	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2025	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2106	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2187	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2268	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2349	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2430	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2511	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2592	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2673	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2754	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2835	0.875	0.0	0.0	30.0	52.52	106.33	35.8	2916	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3000	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3084	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3168	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3252	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3336	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3420	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3504	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3588	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3672	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3756	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3840	0.875	0.0	0.0	30.0	52.52	106.33	35.8	3924	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4008	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4092	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4176	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4260	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4344	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4428	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4512	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4596	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4680	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4764	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4848	0.875	0.0	0.0	30.0	52.52	106.33	35.8	4932	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5016	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5100	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5184	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5268	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5352	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5436	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5520	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5604	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5688	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5772	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5856	0.875	0.0	0.0	30.0	52.52	106.33	35.8	5940	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6024	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6108	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6192	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6276	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6360	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6444	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6528	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6612	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6696	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6780	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6864	0.875	0.0	0.0	30.0	52.52	106.33	35.8	6948	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7032	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7116	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7200	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7284	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7368	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7452	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7536	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7620	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7704	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7788	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7872	0.875	0.0	0.0	30.0	52.52	106.33	35.8	7956	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8040	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8124	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8208	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8292	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8376	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8460	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8544	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8628	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8712	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8796	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8880	0.875	0.0	0.0	30.0	52.52	106.33	35.8	8964	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9048	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9132	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9216	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9300	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9384	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9468	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9552	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9636	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9720	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9804	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9888	0.875	0.0	0.0	30.0	52.52	106.33	35.8	9972	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10056	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10140	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10224	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10308	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10392	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10476	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10560	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10644	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10728	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10812	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10896	0.875	0.0	0.0	30.0	52.52	106.33	35.8	10980	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11064	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11148	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11232	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11316	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11400	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11484	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11568	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11652	0.875	0.0	0.0	30.0	52.52	106.33	35.8	11736	0.875	0.0	0.0	30.0

n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C*, h _{ab}] _{Ma,d}	n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C*, h _{ab}] _{Ma,d}	n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C*, h _{ab}] _{Ma,d}	n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C*, h _{ab}] _{Ma,d}																
648	1.0	0.0	0.0	30.0	52.52	106.33	35.8	729	1.0	1.0	0.0	52.52	106.33	35.8	810	1.0	1.0	0.0	52.52	106.33	35.8	891	1.0	1.0	0.0	52.52	106.33	35.8			
649	1.0	0.0	0.125	23.4	52.52	106.33	35.8	730	0.875	1.0	1.0	52.52	106.33	35.8	811	0.875	0.875	1.0	52.52	106.33	35.8	892	1.0	0.875	1.0	52.52	106.33	35.8			
650	1.0	0.0	0.25	16.1	52.52	106.33	35.8	731	0.75	1.0	210.0	52.52	106.33	35.8	812	0.75	0.75	1.0	52.52	106.33	35.8	893	1.0	0.375	1.0	52.52	106.33	35.8			
651	1.0	0.0	0.375	8.2	52.52	106.33	35.8	732	0.625	1.0	210.0	52.52	106.33	35.8	813	0.625	0.625	1.0	52.52	106.33	35.8	894	1.0	0.625	1.0	52.52	106.33	35.8			
652	1.0	0.0	0.5	0.0	52.52	106.33	35.8	733	0.5	1.0	210.0	52.52	106.33	35.8	814	0.5	0.5	1.0	52.52	106.33	35.8	895	1.0	0.5	1.0	52.52	106.33	35.8			
653	1.0	0.0	0.625	351.8	52.52	106.33	35.8	734	0.375	1.0	210.0	52.52	106.33	35.8	815	0.375	0.375	1.0	52.52	106.33	35.8	896	1.0	0.375	1.0	52.52	106.33	35.8			
654	1.0	0.0	0.75	343.9	52.52	106.33	35.8	735	0.25	1.0	210.0	52.52	106.33	35.8	816	0.25	0.25	1.0	52.52	106.33	35.8	897	1.0	0.25	1.0	52.52	106.33	35.8			
655	1.0	0.0	0.875	336.6	52.52	106.33	35.8	736	0.125	1.0	210.0	52.52	106.33	35.8	817	0.125	0.125	1.0	52.52	106.33	35.8	898	1.0	0.125	1.0	52.52	106.33	35.8			
656	1.0	0.0	1.0	330.0	52.52	106.33	35.8	737	0.0	1.0	210.0	52.52	106.33	35.8	818	0.0	0.0	1.0	52.52	106.33	35.8	899	1.0	0.0	1.0	52.52	106.33	35.8			
657	1.0	0.125	0.0	36.6	52.52	106.33	35.8	738	1.0	0.875	0.875	30.0	52.52	106.33	35.8	819	1.0	1.0	0.875	90.0	52.52	106.33	35.8	900	0.875	1.0	0.875	150.0	52.52	106.33	35.8
658	1.0	0.125	0.125	30.0	52.52	106.33	35.8	739	0.875	0.875	0.875	0.0	52.52	106.33	35.8	820	0.875	0.875	0.875	0.0	52.52	106.33	35.8	901	0.875	0.875	0.875	0.0	52.52	106.33	35.8
659	1.0	0.125	0.25	22.4	52.52	106.33	35.8	740	0.75	0.875	0.875	210.0	52.52	106.33	35.8	821	0.75	0.75	0.875	270.0	52.52	106.33	35.8	902	0.875	0.75	0.875	330.0	52.52	106.33	35.8
660	1.0	0.125	0.375	13.9	52.52	106.33	35.8	741	0.625	0.875	0.875	210.0	52.52	106.33	35.8	822	0.625	0.625	0.875	270.0	52.52	106.33	35.8	903	0.875	0.625	0.875	330.0	52.52	106.33	35.8
661	1.0	0.125	0.5	4.7	52.52	106.33	35.8	742	0.5	0.875	0.875	210.0	52.52	106.33	35.8	823	0.5	0.5	0.875	270.0	52.52	106.33	35.8	904	0.875	0.5	0.875	330.0	52.52	106.33	35.8
662	1.0	0.125	0.625	355.3	52.52	106.33	35.8	743	0.375	0.875	0.875	210.0	52.52	106.33	35.8	824	0.375	0.375	0.875	270.0	52.52	106.33	35.8	905	0.875	0.375	0.875	330.0	52.52	106.33	35.8
663	1.0	0.125	0.75	346.1	52.52	106.33	35.8	744	0.25	0.875	0.875	210.0	52.52	106.33	35.8	825	0.25	0.25	0.875	270.0	52.52	106.33	35.8	906	0.875	0.25	0.875	330.0	52.52	106.33	35.8
664	1.0	0.125	0.875	337.6	52.52	106.33	35.8	745	0.125	0.875	0.875	210.0	52.52	106.33	35.8	826	0.125	0.125	0.875	270.0	52.52	106.33	35.8	907	0.875	0.125	0.875	330.0	52.52	106.33	35.8
665	1.0	0.125	1.0	330.0	52.52	106.33	35.8	746	0.0	0.875	0.875	210.0	52.52	106.33	35.8	827	0.0	0.0	0.875	270.0	52.52	106.33	35.8	908	0.875	0.0	0.875	330.0	52.52	106.33	35.8
666	1.0	0.25	0.0	43.9	52.52	106.33	35.8	747	1.0	0.75	0.75	30.0	52.52	106.33	35.8	828	1.0	1.0	0.75	90.0	52.52	106.33	35.8	909	0.75	1.0	0.75	150.0	52.52	106.33	35.8
667	1.0	0.25	0.125	37.6	52.52	106.33	35.8	748	0.875	0.75	0.75	30.0	52.52	106.33	35.8	829	0.875	0.875	0.75	90.0	52.52	106.33	35.8	910	0.75	0.875	0.75	150.0	52.52	106.33	35.8
668	1.0	0.25	0.25	30.0	52.52	106.33	35.8	749	0.75	0.75	0.75	0.0	52.52	106.33	35.8	830	0.75	0.75	0.75	0.0	52.52	106.33	35.8	911	0.75	0.75	0.75	0.0	52.52	106.33	35.8
669	1.0	0.25	0.375	21.0	52.52	106.33	35.8	750	0.625	0.75	0.75	210.0	52.52	106.33	35.8	831	0.625	0.625	0.75	270.0	52.52	106.33	35.8	912	0.75	0.625	0.75	330.0	52.52	106.33	35.8
670	1.0	0.25	0.5	10.9	52.52	106.33	35.8	751	0.5	0.75	0.75	210.0	52.52	106.33	35.8	832	0.5	0.5	0.75	270.0	52.52	106.33	35.8	913	0.75	0.5	0.75	330.0	52.52	106.33	35.8
671	1.0	0.25	0.625	0.0	52.52	106.33	35.8	752	0.375	0.75	0.75	210.0	52.52	106.33	35.8	833	0.375	0.375	0.75	270.0	52.52	106.33	35.8	914	0.75	0.375	0.75	330.0	52.52	106.33	35.8
672	1.0	0.25	0.75	349.1	52.52	106.33	35.8	753	0.25	0.75	0.75	210.0	52.52	106.33	35.8	834	0.25	0.25	0.75	270.0	52.52	106.33	35.8	915	0.75	0.25	0.75	330.0	52.52	106.33	35.8
673	1.0	0.25	0.875	339.0	52.52	106.33	35.8	754	0.125	0.75	0.75	210.0	52.52	106.33	35.8	835	0.125	0.125	0.75	270.0	52.52	106.33	35.8	916	0.75	0.125	0.75	330.0	52.52	106.33	35.8
674	1.0	0.25	1.0	330.0	52.52	106.33	35.8	755	0.0	0.75	0.75	210.0	52.52	106.33	35.8	836	0.0	0.0	0.75	270.0	52.52	106.33	35.8	917	0.75	0.0	0.75	330.0	52.52	106.33	35.8
675	1.0	0.375	0.0	51.8	52.52	106.33	35.8	756	1.0	0.625	0.625	30.0	52.52	106.33	35.8	837	1.0	1.0	0.625	90.0	52.52	106.33	35.8	918	0.625	1.0	0.625	150.0	52.52	106.33	35.8
676	1.0	0.375	0.125	46.1	52.52	106.33	35.8	757	0.875	0.625	0.625	30.0	52.52	106.33	35.8	838	0.875	0.875	0.625	90.0	52.52	106.33	35.8	919	0.625	0.875	0.625	150.0	52.52	106.33	35.8
677	1.0	0.375	0.25	38.9	52.52	106.33	35.8	758	0.75	0.625	0.625	30.0	52.52	106.33	35.8	839	0.75	0.75	0.625	90.0	52.52	106.33	35.8	920	0.625	0.75	0.625	150.0	52.52	106.33	35.8
678	1.0	0.375	0.375	30.0	52.52	106.33	35.8	759	0.625	0.625	0.625	0.0	52.52	106.33	35.8	840	0.625	0.625	0.625	0.0	52.52	106.33	35.8	921	0.625	0.625	0.625	0.0	52.52	106.33	35.8
679	1.0	0.375	0.5	19.1	52.52	106.33	35.8	760	0.5	0.625	0.625	210.0	52.52	106.33	35.8	841	0.5	0.5	0.625	270.0	52.52	106.33	35.8	922	0.625	0.5	0.625	330.0	52.52	106.33	35.8
680	1.0	0.375	0.625	6.6	52.52	106.33	35.8	761	0.375	0.625	0.625	210.0	52.52	106.33	35.8	842	0.375	0.375	0.625	270.0	52.52	106.33	35.8	923	0.625	0.375	0.625	330.0	52.52	106.33	35.8
681	1.0	0.375	0.75	353.4	52.52	106.33	35.8	762	0.25	0.625	0.625	210.0	52.52	106.33	35.8	843	0.25	0.25	0.625	270.0	52.52	106.33	35.8	924	0.625	0.25	0.625	330.0	52.52	106.33	35.8
682	1.0	0.375	0.875	340.9	52.52	106.33	35.8	763	0.125	0.625	0.625	210.0	52.52	106.33	35.8	844	0.125	0.125	0.625	270.0	52.52	106.33	35.8	925	0.625	0.125	0.625	330.0	52.52	106.33	35.8
683	1.0	0.375	1.0	330.0	52.52	106.33	35.8	764	0.0	0.625	0.625	210.0	52.52	106.33	35.8	845	0.0	0.0	0.625	270.0	52.52	106.33	35.8	926	0.625	0.0	0.625	330.0	52.52	106.33	35.8
684	1.0	0.5	0.0	60.0	52.52	106.33	35.8	765	1.0	0.5	0.5	30.0	52.52	106.33	35.8	846	1.0	1.0	0.5	90.0	52.52	106.33	35.8	927	0.5	1.0	0.5	150.0	52.52	106.33	35.8
685	1.0	0.5	0.125	55.3	52.52	106.33	35.8	766	0.875	0.5	0.5	30.0	52.52	106.33	35.8	847	0.875	0.875	0.5	90.0	52.52	106.33	35.8	928	0.5	0.875	0.5	150.0	52.52	106.33	35.8
686	1.0	0.5	0.25	49.1	52.52	106.33	35.8	767	0.75	0.5	0.5	30.0	52.52	106.33	35.8	848	0.75	0.75	0.5	90.0	52.52	106.33	35.8	929	0.5	0.75	0.5	150.0	52.52	106.33	35.8
687	1.0	0.5	0.375	40.9	52.52	106.33	35.8	768	0.625	0.5	0.5	30.0	52.52	106.33	35.8	849	0.625	0.625	0.5	90.0	52.52	106.33	35.8	930	0.5	0.625	0.5	150.0	52.52	106.33	35.8
688	1.0	0.5	0.5	30.0	52.52	106.33	35.8	769	0.5	0.5	0.5	0.0	52.52	106.33	35.8	850	0.5	0.5	0.5	0.0	52.52	106.33	35.8	931	0.5	0.5	0.5	0.0	52.52	106.33	

TUB-test chart KE66; 1080 *olv** colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: *rgb*->*olv** *setrgbcolor*
output: *no change compared to input*

TUB registration: 20100801-KE66/KE66L0NP.PDF /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klaus.richter/KE66/KE66L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb -> olv*			h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,d		
972	0.0	0.0	0.0	0.0	52.52	106.33	35.8
973	0.125	0.125	0.125	0.0	52.52	106.33	35.8
974	0.25	0.25	0.25	0.0	52.52	106.33	35.8
975	0.375	0.375	0.375	0.0	52.52	106.33	35.8
976	0.5	0.5	0.5	0.0	52.52	106.33	35.8
977	0.625	0.625	0.625	0.0	52.52	106.33	35.8
978	0.75	0.75	0.75	0.0	52.52	106.33	35.8
979	0.875	0.875	0.875	0.0	52.52	106.33	35.8
980	1.0	1.0	1.0	0.0	52.52	106.33	35.8
981	0.0	0.0	0.0	0.0	52.52	106.33	35.8
982	0.125	0.125	0.125	0.0	52.52	106.33	35.8
983	0.25	0.25	0.25	0.0	52.52	106.33	35.8
984	0.375	0.375	0.375	0.0	52.52	106.33	35.8
985	0.5	0.5	0.5	0.0	52.52	106.33	35.8
986	0.625	0.625	0.625	0.0	52.52	106.33	35.8
987	0.75	0.75	0.75	0.0	52.52	106.33	35.8
988	0.875	0.875	0.875	0.0	52.52	106.33	35.8
989	1.0	1.0	1.0	0.0	52.52	106.33	35.8
990	0.0	0.0	0.0	0.0	52.52	106.33	35.8
991	0.125	0.125	0.125	0.0	52.52	106.33	35.8
992	0.25	0.25	0.25	0.0	52.52	106.33	35.8
993	0.375	0.375	0.375	0.0	52.52	106.33	35.8
994	0.5	0.5	0.5	0.0	52.52	106.33	35.8
995	0.625	0.625	0.625	0.0	52.52	106.33	35.8
996	0.75	0.75	0.75	0.0	52.52	106.33	35.8
997	0.875	0.875	0.875	0.0	52.52	106.33	35.8
998	1.0	1.0	1.0	0.0	52.52	106.33	35.8
999	0.0	0.0	0.0	0.0	52.52	106.33	35.8
1000	0.125	0.125	0.125	0.0	52.52	106.33	35.8
1001	0.25	0.25	0.25	0.0	52.52	106.33	35.8
1002	0.375	0.375	0.375	0.0	52.52	106.33	35.8
1003	0.5	0.5	0.5	0.0	52.52	106.33	35.8
1004	0.625	0.625	0.625	0.0	52.52	106.33	35.8
1005	0.75	0.75	0.75	0.0	52.52	106.33	35.8
1006	0.875	0.875	0.875	0.0	52.52	106.33	35.8
1007	1.0	1.0	1.0	0.0	52.52	106.33	35.8

TUB registration: 20100801-KE66/KE66L0NP.PDF /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klaus.richter/KE66/KE66L0NP.PDF> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb -> olv*	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}
1008	0.0 0.0 0.0	0.0	52.52 106.33 35.8
1009	0.066 0.066 0.066	0.0	52.52 106.33 35.8
1010	0.133 0.133 0.133	0.0	52.52 106.33 35.8
1011	0.2 0.2 0.2	0.0	52.52 106.33 35.8
1012	0.266 0.266 0.266	0.0	52.52 106.33 35.8
1013	0.333 0.333 0.333	0.0	52.52 106.33 35.8
1014	0.4 0.4 0.4	0.0	52.52 106.33 35.8
1015	0.466 0.466 0.466	0.0	52.52 106.33 35.8
1016	0.533 0.533 0.533	0.0	52.52 106.33 35.8
1017	0.6 0.6 0.6	0.0	52.52 106.33 35.8
1018	0.666 0.666 0.666	0.0	52.52 106.33 35.8
1019	0.734 0.734 0.734	0.0	52.52 106.33 35.8
1020	0.8 0.8 0.8	0.0	52.52 106.33 35.8
1021	0.866 0.866 0.866	0.0	52.52 106.33 35.8
1022	0.933 0.933 0.933	0.0	52.52 106.33 35.8
1023	1.0 1.0 1.0	0.0	52.52 106.33 35.8
1024	0.0 0.0 0.0	0.0	52.52 106.33 35.8
1025	0.066 0.066 0.066	0.0	52.52 106.33 35.8
1026	0.133 0.133 0.133	0.0	52.52 106.33 35.8
1027	0.2 0.2 0.2	0.0	52.52 106.33 35.8
1028	0.266 0.266 0.266	0.0	52.52 106.33 35.8
1029	0.333 0.333 0.333	0.0	52.52 106.33 35.8
1030	0.4 0.4 0.4	0.0	52.52 106.33 35.8
1031	0.466 0.466 0.466	0.0	52.52 106.33 35.8
1032	0.533 0.533 0.533	0.0	52.52 106.33 35.8
1033	0.6 0.6 0.6	0.0	52.52 106.33 35.8
1034	0.666 0.666 0.666	0.0	52.52 106.33 35.8
1035	0.734 0.734 0.734	0.0	52.52 106.33 35.8
1036	0.8 0.8 0.8	0.0	52.52 106.33 35.8
1037	0.866 0.866 0.866	0.0	52.52 106.33 35.8
1038	0.933 0.933 0.933	0.0	52.52 106.33 35.8
1039	1.0 1.0 1.0	0.0	52.52 106.33 35.8
1040	0.0 0.0 0.0	0.0	52.52 106.33 35.8
1041	0.066 0.066 0.066	0.0	52.52 106.33 35.8
1042	0.133 0.133 0.133	0.0	52.52 106.33 35.8
1043	0.2 0.2 0.2	0.0	52.52 106.33 35.8
1044	0.266 0.266 0.266	0.0	52.52 106.33 35.8
1045	0.333 0.333 0.333	0.0	52.52 106.33 35.8
1046	0.4 0.4 0.4	0.0	52.52 106.33 35.8
1047	0.466 0.466 0.466	0.0	52.52 106.33 35.8
1048	0.533 0.533 0.533	0.0	52.52 106.33 35.8
1049	0.6 0.6 0.6	0.0	52.52 106.33 35.8
1050	0.666 0.666 0.666	0.0	52.52 106.33 35.8
1051	0.734 0.734 0.734	0.0	52.52 106.33 35.8
1052	0.8 0.8 0.8	0.0	52.52 106.33 35.8
1053	0.866 0.866 0.866	0.0	52.52 106.33 35.8
1054	0.933 0.933 0.933	0.0	52.52 106.33 35.8
1055	1.0 1.0 1.0	0.0	52.52 106.33 35.8
1056	0.0 0.0 0.0	0.0	52.52 106.33 35.8
1057	0.066 0.066 0.066	0.0	52.52 106.33 35.8
1058	0.133 0.133 0.133	0.0	52.52 106.33 35.8
1059	0.2 0.2 0.2	0.0	52.52 106.33 35.8
1060	0.266 0.266 0.266	0.0	52.52 106.33 35.8
1061	0.333 0.333 0.333	0.0	52.52 106.33 35.8
1062	0.4 0.4 0.4	0.0	52.52 106.33 35.8
1063	0.466 0.466 0.466	0.0	52.52 106.33 35.8
1064	0.533 0.533 0.533	0.0	52.52 106.33 35.8
1065	0.6 0.6 0.6	0.0	52.52 106.33 35.8
1066	0.666 0.666 0.666	0.0	52.52 106.33 35.8
1067	0.734 0.734 0.734	0.0	52.52 106.33 35.8
1068	0.8 0.8 0.8	0.0	52.52 106.33 35.8
1069	0.866 0.866 0.866	0.0	52.52 106.33 35.8
1070	0.933 0.933 0.933	0.0	52.52 106.33 35.8
1071	1.0 1.0 1.0	0.0	52.52 106.33 35.8
1072	0.0 0.0 0.0	0.0	52.52 106.33 35.8
1073	1.0 1.0 1.0	0.0	52.52 106.33 35.8
1074	1.0 0.0 0.0	30.0	52.52 106.33 35.8
1075	0.0 1.0 0.0	210.0	52.52 106.33 35.8
1076	1.0 1.0 0.0	90.0	52.52 106.33 35.8
1077	0.0 0.0 1.0	270.0	52.52 106.33 35.8
1078	0.0 1.0 0.0	150.0	52.52 106.33 35.8
1079	1.0 0.0 1.0	330.0	52.52 106.33 35.8

TUB registration: 20100801-KE66/KE66L0NP.PDF /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta