

n _{rgb}	rgb -> olv*	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,d	[L*, C* _{ab} , h _{ab}]Fa,d	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}	n _{rgb}	rgb -> olv*	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,d	[L*, C* _{ab} , h _{ab}]Fa,d	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}										
0	0.0	0.0	52.52	106.33	35.8	0.0	0.0	35.8	1.0	0.0	r15j	m87o	81	0.125	0.0	0.0	30.0	52.52	106.33	35.8	6.56	13.29	35.8	0.875	0.125	r15j	m87o
1	0.0	0.0	52.52	106.33	35.8	6.56	13.29	35.8	0.875	0.125	r15j	m87o	82	0.125	0.0	0.125	330.0	52.52	106.33	35.8	6.56	13.29	35.8	0.875	0.125	r15j	m87o
2	0.0	0.0	52.52	106.33	35.8	13.13	26.58	35.8	0.75	0.25	r15j	m87o	83	0.125	0.0	0.25	300.0	52.52	106.33	35.8	13.13	26.58	35.8	0.75	0.25	r15j	m87o
3	0.0	0.0	52.52	106.33	35.8	19.69	39.87	35.8	0.625	0.375	r15j	m87o	84	0.125	0.0	0.375	289.1	52.52	106.33	35.8	19.69	39.87	35.8	0.625	0.375	r15j	m87o
4	0.0	0.0	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o	85	0.125	0.0	0.5	283.9	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o
5	0.0	0.0	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	86	0.125	0.0	0.625	280.9	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o
6	0.0	0.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	87	0.125	0.0	0.75	279.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o
7	0.0	0.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	88	0.125	0.0	0.875	277.6	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
8	0.0	0.0	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o	89	0.125	0.0	1.0	276.6	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o
9	0.0	0.125	0.0	150.0	52.52	6.56	13.29	35.8	0.875	0.125	r15j	m87o	90	0.125	0.125	0.0	90.0	52.52	106.33	35.8	6.56	13.29	35.8	0.875	0.125	r15j	m87o
10	0.0	0.125	0.125	210.0	52.52	6.56	13.29	35.8	0.875	0.125	r15j	m87o	91	0.125	0.125	0.125	0.0	52.52	106.33	35.8	11.93	0.0	35.8	0.875	0.0	r15j	m87o
11	0.0	0.125	0.25	240.0	52.52	13.13	26.58	35.8	0.75	0.25	r15j	m87o	92	0.125	0.125	0.25	270.0	52.52	106.33	35.8	18.49	13.29	35.8	0.75	0.125	r15j	m87o
12	0.0	0.125	0.375	250.9	52.52	19.69	39.87	35.8	0.625	0.375	r15j	m87o	93	0.125	0.125	0.375	270.0	52.52	106.33	35.8	25.06	26.58	35.8	0.625	0.25	r15j	m87o
13	0.0	0.125	0.5	256.1	52.52	26.26	53.16	35.8	0.5	0.5	r15j	m87o	94	0.125	0.125	0.5	270.0	52.52	106.33	35.8	31.62	39.87	35.8	0.5	0.375	r15j	m87o
14	0.0	0.125	0.625	259.1	52.52	32.82	66.45	35.8	0.375	0.625	r15j	m87o	95	0.125	0.125	0.625	270.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
15	0.0	0.125	0.75	261.1	52.52	39.39	79.75	35.8	0.25	0.75	r15j	m87o	96	0.125	0.125	0.75	270.0	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o
16	0.0	0.125	0.875	262.4	52.52	45.95	93.04	35.8	0.125	0.875	r15j	m87o	97	0.125	0.125	0.875	270.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
17	0.0	0.125	1.0	263.4	52.52	52.52	106.33	35.8	0.0	1.0	r15j	m87o	98	0.125	0.125	1.0	270.0	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o
18	0.0	0.25	0.0	150.0	52.52	13.13	26.58	35.8	0.75	0.25	r15j	m87o	99	0.125	0.25	0.0	120.0	52.52	106.33	35.8	13.13	26.58	35.8	0.75	0.25	r15j	m87o
19	0.0	0.25	0.125	180.0	52.52	13.13	26.58	35.8	0.75	0.25	r15j	m87o	100	0.125	0.25	0.125	150.0	52.52	106.33	35.8	18.49	13.29	35.8	0.75	0.125	r15j	m87o
20	0.0	0.25	0.25	210.0	52.52	13.13	26.58	35.8	0.75	0.25	r15j	m87o	101	0.125	0.25	0.25	210.0	52.52	106.33	35.8	18.49	13.29	35.8	0.75	0.125	r15j	m87o
21	0.0	0.25	0.375	229.1	52.52	19.69	39.87	35.8	0.625	0.375	r15j	m87o	102	0.125	0.25	0.375	240.0	52.52	106.33	35.8	25.06	26.58	35.8	0.625	0.25	r15j	m87o
22	0.0	0.25	0.5	240.0	52.52	26.26	53.16	35.8	0.5	0.5	r15j	m87o	103	0.125	0.25	0.5	250.9	52.52	106.33	35.8	31.62	39.87	35.8	0.5	0.375	r15j	m87o
23	0.0	0.25	0.625	246.6	52.52	32.82	66.45	35.8	0.375	0.625	r15j	m87o	104	0.125	0.25	0.625	256.1	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
24	0.0	0.25	0.75	250.9	52.52	39.39	79.75	35.8	0.25	0.75	r15j	m87o	105	0.125	0.25	0.75	259.1	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o
25	0.0	0.25	0.875	253.9	52.52	45.95	93.04	35.8	0.125	0.875	r15j	m87o	106	0.125	0.25	0.875	261.1	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
26	0.0	0.25	1.0	256.1	52.52	52.52	106.33	35.8	0.0	1.0	r15j	m87o	107	0.125	0.25	1.0	262.4	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o
27	0.0	0.375	0.0	150.0	52.52	19.69	39.87	35.8	0.625	0.375	r15j	m87o	108	0.125	0.375	0.0	130.9	52.52	106.33	35.8	19.69	39.87	35.8	0.625	0.375	r15j	m87o
28	0.0	0.375	0.125	169.1	52.52	19.69	39.87	35.8	0.625	0.375	r15j	m87o	109	0.125	0.375	0.125	150.0	52.52	106.33	35.8	25.06	26.58	35.8	0.625	0.25	r15j	m87o
29	0.0	0.375	0.25	190.9	52.52	19.69	39.87	35.8	0.625	0.375	r15j	m87o	110	0.125	0.375	0.25	180.0	52.52	106.33	35.8	25.06	26.58	35.8	0.625	0.25	r15j	m87o
30	0.0	0.375	0.375	210.0	52.52	19.69	39.87	35.8	0.625	0.375	r15j	m87o	111	0.125	0.375	0.375	210.0	52.52	106.33	35.8	25.06	26.58	35.8	0.625	0.25	r15j	m87o
31	0.0	0.375	0.5	223.9	52.52	26.26	53.16	35.8	0.5	0.5	r15j	m87o	112	0.125	0.375	0.5	229.1	52.52	106.33	35.8	31.62	39.87	35.8	0.5	0.375	r15j	m87o
32	0.0	0.375	0.625	233.4	52.52	32.82	66.45	35.8	0.375	0.625	r15j	m87o	113	0.125	0.375	0.625	240.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
33	0.0	0.375	0.75	240.0	52.52	39.39	79.75	35.8	0.25	0.75	r15j	m87o	114	0.125	0.375	0.75	246.6	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o
34	0.0	0.375	0.875	244.7	52.52	45.95	93.04	35.8	0.125	0.875	r15j	m87o	115	0.125	0.375	0.875	250.9	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
35	0.0	0.375	1.0	248.2	52.52	52.52	106.33	35.8	0.0	1.0	r15j	m87o	116	0.125	0.375	1.0	253.9	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o
36	0.0	0.5	0.0	150.0	52.52	26.26	53.16	35.8	0.5	0.5	r15j	m87o	117	0.125	0.5	0.0	136.1	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o
37	0.0	0.5	0.125	163.9	52.52	26.26	53.16	35.8	0.5	0.5	r15j	m87o	118	0.125	0.5	0.125	150.0	52.52	106.33	35.8	31.62	39.87	35.8	0.5			

n _{rgb}	rgb → olv*	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,d	[L*, C* _{ab} , h _{ab}]Fa,d	n _{Fa}	C _{Fa}	u _{Fa}	d _{Fa}	n _{rgb}	rgb → olv*	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,d	[L*, C* _{ab} , h _{ab}]Fa,d	n _{Fa}	C _{Fa}	u _{Fa}	d _{Fa}
162	0.25 0.0 0.0	30.0	52.52 106.33 35.8	13.13 26.58 35.8	0.75	0.25	r15j	m87o	243	0.375 0.0 0.0	30.0	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o
163	0.25 0.0 0.125	0.0	52.52 106.33 35.8	13.13 26.58 35.8	0.75	0.25	r15j	m87o	244	0.375 0.0 0.125	10.9	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o
164	0.25 0.0 0.25	330.0	52.52 106.33 35.8	13.13 26.58 35.8	0.75	0.25	r15j	m87o	245	0.375 0.0 0.25	349.1	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o
165	0.25 0.0 0.375	310.9	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o	246	0.375 0.0 0.375	330.0	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o
166	0.25 0.0 0.5	300.0	52.52 106.33 35.8	26.26 53.16 35.8	0.5	0.5	r15j	m87o	247	0.375 0.0 0.5	316.1	52.52 106.33 35.8	26.26 53.16 35.8	0.5	0.5	r15j	m87o
167	0.25 0.0 0.625	293.4	52.52 106.33 35.8	32.82 66.45 35.8	0.375	0.625	r15j	m87o	248	0.375 0.0 0.625	306.6	52.52 106.33 35.8	32.82 66.45 35.8	0.375	0.625	r15j	m87o
168	0.25 0.0 0.75	289.1	52.52 106.33 35.8	39.39 79.75 35.8	0.25	0.75	r15j	m87o	249	0.375 0.0 0.75	300.0	52.52 106.33 35.8	39.39 79.75 35.8	0.25	0.75	r15j	m87o
169	0.25 0.0 0.875	286.1	52.52 106.33 35.8	45.95 93.04 35.8	0.125	0.875	r15j	m87o	250	0.375 0.0 0.875	295.3	52.52 106.33 35.8	45.95 93.04 35.8	0.125	0.875	r15j	m87o
170	0.25 0.0 1.0	283.9	52.52 106.33 35.8	52.52 106.33 35.8	0.0	1.0	r15j	m87o	251	0.375 0.0 1.0	291.8	52.52 106.33 35.8	52.52 106.33 35.8	0.0	1.0	r15j	m87o
171	0.25 0.125 0.0	60.0	52.52 106.33 35.8	13.13 26.58 35.8	0.75	0.25	r15j	m87o	252	0.375 0.125 0.0	49.1	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o
172	0.25 0.125 0.125	30.0	52.52 106.33 35.8	18.49 13.29 35.8	0.75	0.125	r15j	m87o	253	0.375 0.125 0.125	30.0	52.52 106.33 35.8	25.06 26.58 35.8	0.625	0.25	r15j	m87o
173	0.25 0.125 0.25	330.0	52.52 106.33 35.8	18.49 13.29 35.8	0.75	0.125	r15j	m87o	254	0.375 0.125 0.25	0.0	52.52 106.33 35.8	25.06 26.58 35.8	0.625	0.25	r15j	m87o
174	0.25 0.125 0.375	300.0	52.52 106.33 35.8	25.06 26.58 35.8	0.625	0.25	r15j	m87o	255	0.375 0.125 0.375	330.0	52.52 106.33 35.8	25.06 26.58 35.8	0.625	0.25	r15j	m87o
175	0.25 0.125 0.5	289.1	52.52 106.33 35.8	31.62 39.87 35.8	0.5	0.375	r15j	m87o	256	0.375 0.125 0.5	310.9	52.52 106.33 35.8	31.62 39.87 35.8	0.5	0.375	r15j	m87o
176	0.25 0.125 0.625	283.9	52.52 106.33 35.8	38.19 53.16 35.8	0.375	0.5	r15j	m87o	257	0.375 0.125 0.625	300.0	52.52 106.33 35.8	38.19 53.16 35.8	0.375	0.5	r15j	m87o
177	0.25 0.125 0.75	280.9	52.52 106.33 35.8	44.75 66.45 35.8	0.25	0.625	r15j	m87o	258	0.375 0.125 0.75	293.4	52.52 106.33 35.8	44.75 66.45 35.8	0.25	0.625	r15j	m87o
178	0.25 0.125 0.875	279.0	52.52 106.33 35.8	51.32 79.75 35.8	0.125	0.75	r15j	m87o	259	0.375 0.125 0.875	289.1	52.52 106.33 35.8	51.32 79.75 35.8	0.125	0.75	r15j	m87o
179	0.25 0.125 1.0	277.6	52.52 106.33 35.8	57.88 93.04 35.8	0.0	0.875	r15j	m87o	260	0.375 0.125 1.0	286.1	52.52 106.33 35.8	57.88 93.04 35.8	0.0	0.875	r15j	m87o
180	0.25 0.25 0.0	90.0	52.52 106.33 35.8	13.13 26.58 35.8	0.75	0.25	r15j	m87o	261	0.375 0.25 0.0	70.9	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o
181	0.25 0.25 0.125	0.0	52.52 106.33 35.8	18.49 13.29 35.8	0.75	0.125	r15j	m87o	262	0.375 0.25 0.125	60.0	52.52 106.33 35.8	25.06 26.58 35.8	0.625	0.25	r15j	m87o
182	0.25 0.25 0.25	0.0	52.52 106.33 35.8	20.42 13.29 35.8	0.625	0.25	r15j	m87o	263	0.375 0.25 0.25	30.0	52.52 106.33 35.8	30.42 13.29 35.8	0.625	0.125	r15j	m87o
183	0.25 0.25 0.375	270.0	52.52 106.33 35.8	30.42 13.29 35.8	0.625	0.125	r15j	m87o	264	0.375 0.25 0.375	330.0	52.52 106.33 35.8	30.42 13.29 35.8	0.625	0.125	r15j	m87o
184	0.25 0.25 0.5	270.0	52.52 106.33 35.8	36.98 26.58 35.8	0.5	0.25	r15j	m87o	265	0.375 0.25 0.5	300.0	52.52 106.33 35.8	36.98 26.58 35.8	0.5	0.25	r15j	m87o
185	0.25 0.25 0.625	270.0	52.52 106.33 35.8	43.55 39.87 35.8	0.375	0.375	r15j	m87o	266	0.375 0.25 0.625	289.1	52.52 106.33 35.8	43.55 39.87 35.8	0.375	0.375	r15j	m87o
186	0.25 0.25 0.75	270.0	52.52 106.33 35.8	50.11 53.16 35.8	0.25	0.5	r15j	m87o	267	0.375 0.25 0.75	283.9	52.52 106.33 35.8	50.11 53.16 35.8	0.25	0.5	r15j	m87o
187	0.25 0.25 0.875	270.0	52.52 106.33 35.8	56.68 66.45 35.8	0.125	0.625	r15j	m87o	268	0.375 0.25 0.875	280.9	52.52 106.33 35.8	56.68 66.45 35.8	0.125	0.625	r15j	m87o
188	0.25 0.25 1.0	270.0	52.52 106.33 35.8	63.24 79.75 35.8	0.0	0.75	r15j	m87o	269	0.375 0.25 1.0	279.0	52.52 106.33 35.8	63.24 79.75 35.8	0.0	0.75	r15j	m87o
189	0.25 0.375 0.0	109.1	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o	270	0.375 0.375 0.0	90.0	52.52 106.33 35.8	19.69 39.87 35.8	0.625	0.375	r15j	m87o
190	0.25 0.375 0.125	120.0	52.52 106.33 35.8	25.06 26.58 35.8	0.625	0.25	r15j	m87o	271	0.375 0.375 0.125	90.0	52.52 106.33 35.8	25.06 26.58 35.8	0.625	0.25	r15j	m87o
191	0.25 0.375 0.25	150.0	52.52 106.33 35.8	30.42 13.29 35.8	0.625	0.125	r15j	m87o	272	0.375 0.375 0.25	90.0	52.52 106.33 35.8	30.42 13.29 35.8	0.625	0.125	r15j	m87o
192	0.25 0.375 0.375	210.0	52.52 106.33 35.8	30.42 13.29 35.8	0.625	0.125	r15j	m87o	273	0.375 0.375 0.375	0.0	52.52 106.33 35.8	35.78 0.0 35.8	0.625	0.0	r15j	m87o
193	0.25 0.375 0.5	240.0	52.52 106.33 35.8	36.98 26.58 35.8	0.5	0.25	r15j	m87o	274	0.375 0.375 0.5	270.0	52.52 106.33 35.8	42.34 13.29 35.8	0.5	0.125	r15j	m87o
194	0.25 0.375 0.625	250.9	52.52 106.33 35.8	43.55 39.87 35.8	0.375	0.375	r15j	m87o	275	0.375 0.375 0.625	270.0	52.52 106.33 35.8	48.91 26.58 35.8	0.375	0.25	r15j	m87o
195	0.25 0.375 0.75	256.1	52.52 106.33 35.8	50.11 53.16 35.8	0.25	0.5	r15j	m87o	276	0.375 0.375 0.75	270.0	52.52 106.33 35.8	55.47 39.87 35.8	0.25	0.375	r15j	m87o
196	0.25 0.375 0.875	259.1	52.52 106.33 35.8	56.68 66.45 35.8	0.125	0.625	r15j	m87o	277	0.375 0.375 0.875	270.0	52.52 106.33 35.8	62.04 53.16 35.8	0.125	0.5	r15j	m87o
197	0.25 0.375 1.0	261.1	52.52 106.33 35.8	63.24 79.75 35.8	0.0	0.75	r15j	m87o	278	0.375 0.375 1.0	270.0	52.52 106.33 35.8	68.6 66.45 35.8	0.0	0.625	r15j	m87o
198	0.25 0.5 0.0	120.0	52.52 106.33 35.8	26.26 53.16 35.8	0.5	0.5	r15j	m87o	279	0.375 0.5 0.0	103.9	52.52 106.33 35.8	26.26 53.16 35.8	0.5	0.5	r15j	m87o
199	0.25 0.5 0.125	130.9	52.52 106.33 35.8	31.62 39.87 35.8	0.5	0.375	r15j	m87o	280	0.375 0.5 0.125	109.1	52.52 106.33 35.8	31.62 39.87 35.8	0.5	0.375	r15j	m87o
200	0.25 0.5 0.25	150.0	52.52 106.33 35.8	36.98 26.58 35.8	0.5	0.25	r15j	m87o	281	0.375 0.5 0.25	120.0	52.52 106.33 35.8	36.98 26.58 35.8	0.5	0.25	r15j	m87o
201	0.25 0.5 0.375	180.0	52.52 106.33 35.8	36.98 26.58 35.8	0.5	0.25	r15j	m87o	282	0.375 0.5 0.375	150.0	52.52 106.33 35.8	42.34 13.29 35.8	0.5	0.125	r15j	m87o
202	0.25 0.5 0.5	210.0	52.52 106.33 35.8	36.98 26.58 35.8	0.5	0.25	r15j	m87o	283	0.375 0.5 0.5	210.0	52.52 106.33 35.8	42.34 13.29 35.8	0.5	0.125	r15j	m87o
203	0.25 0.5 0.625	229.1	52.52 106.33 35.8	43.55 39.87 35.8	0.375	0.375	r15j	m87o	284	0.375 0.5 0.625	240.0	52.52 106.33 35.8	48.91 26.58 35.8	0.375	0.25	r15j	m87o
204	0.25 0.5 0.																

See original or copy: <http://web.me.com/klaus.richter/KE70/KE70L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE70/KE70L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb} rgb -> olv ₃				h _{rgb}				[L*, C* _{ab} , h _{ab}] Ma,d				[L*, C* _{ab} , h _{ab}] Fa,d				n _{Fa} c _{Fa} u _{Fa} d _{Fa}				n _{rgb} rgb -> olv ₃				h _{rgb}				[L*, C* _{ab} , h _{ab}] Ma,d				[L*, C* _{ab} , h _{ab}] Fa,d				n _{Fa} c _{Fa} u _{Fa} d _{Fa}								
324	0.5	0.0	0.0	30.0	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o	405	0.625	0.0	0.0	30.0	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	406	0.625	0.0	0.125	19.1	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o
325	0.5	0.0	0.125	16.1	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o	406	0.625	0.0	0.125	19.1	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	407	0.625	0.0	0.25	6.6	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o
326	0.5	0.0	0.25	0.0	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o	407	0.625	0.0	0.25	6.6	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	408	0.625	0.0	0.375	353.4	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o
327	0.5	0.0	0.375	343.9	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o	408	0.625	0.0	0.375	353.4	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	409	0.625	0.0	0.5	340.9	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o
328	0.5	0.0	0.5	330.0	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o	409	0.625	0.0	0.5	340.9	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	410	0.625	0.0	0.625	330.0	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o
329	0.5	0.0	0.625	319.1	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	410	0.625	0.0	0.625	330.0	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	411	0.625	0.0	0.75	321.1	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o
330	0.5	0.0	0.75	310.9	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	411	0.625	0.0	0.75	321.1	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	412	0.625	0.0	0.875	313.9	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
331	0.5	0.0	0.875	304.7	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	412	0.625	0.0	0.875	313.9	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	413	0.625	0.0	1.0	308.2	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o
332	0.5	0.0	1.0	300.0	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o	413	0.625	0.0	1.0	308.2	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o	414	0.625	0.125	0.0	40.9	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o
333	0.5	0.125	0.0	43.9	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o	414	0.625	0.125	0.0	40.9	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	415	0.625	0.125	0.125	30.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
334	0.5	0.125	0.125	30.0	52.52	106.33	35.8	31.62	39.87	35.8	0.5	0.375	r15j	m87o	415	0.625	0.125	0.125	30.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o	416	0.625	0.125	0.25	16.1	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
335	0.5	0.125	0.25	10.9	52.52	106.33	35.8	31.62	39.87	35.8	0.5	0.375	r15j	m87o	416	0.625	0.125	0.25	16.1	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o	417	0.625	0.125	0.375	360.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
336	0.5	0.125	0.375	349.1	52.52	106.33	35.8	31.62	39.87	35.8	0.5	0.375	r15j	m87o	417	0.625	0.125	0.375	360.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o	418	0.625	0.125	0.5	343.9	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
337	0.5	0.125	0.5	330.0	52.52	106.33	35.8	31.62	39.87	35.8	0.5	0.375	r15j	m87o	418	0.625	0.125	0.5	343.9	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o	419	0.625	0.125	0.625	330.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
338	0.5	0.125	0.625	316.1	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o	419	0.625	0.125	0.625	330.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o	420	0.625	0.125	0.75	319.1	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o
339	0.5	0.125	0.75	306.6	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	420	0.625	0.125	0.75	319.1	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	421	0.625	0.125	0.875	310.9	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
340	0.5	0.125	0.875	300.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	421	0.625	0.125	0.875	310.9	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	422	0.625	0.125	1.0	304.7	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o
341	0.5	0.125	1.0	295.3	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o	422	0.625	0.125	1.0	304.7	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o	423	0.625	0.25	0.0	53.4	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o
342	0.5	0.25	0.0	60.0	52.52	106.33	35.8	26.26	53.16	35.8	0.5	0.5	r15j	m87o	423	0.625	0.25	0.0	53.4	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o	424	0.625	0.25	0.125	43.9	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o
343	0.5	0.25	0.125	49.1	52.52	106.33	35.8	31.62	39.87	35.8	0.5	0.375	r15j	m87o	424	0.625	0.25	0.125	43.9	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o	425	0.625	0.25	0.25	30.0	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o
344	0.5	0.25	0.25	30.0	52.52	106.33	35.8	36.98	26.58	35.8	0.5	0.25	r15j	m87o	425	0.625	0.25	0.25	30.0	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o	426	0.625	0.25	0.375	10.9	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o
345	0.5	0.25	0.375	360.0	52.52	106.33	35.8	36.98	26.58	35.8	0.5	0.25	r15j	m87o	426	0.625	0.25	0.375	10.9	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o	427	0.625	0.25	0.5	349.1	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o
346	0.5	0.25	0.5	330.0	52.52	106.33	35.8	36.98	26.58	35.8	0.5	0.25	r15j	m87o	427	0.625	0.25	0.5	349.1	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o	428	0.625	0.25	0.625	330.0	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o
347	0.5	0.25	0.625	310.9	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o	428	0.625	0.25	0.625	330.0	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o	429	0.625	0.25	0.75	316.1	52.52	106.33	35.8	50.11	53.16	35.8	0.25	0.5	r15j	m87o
348	0.5	0.25</																																										

See original or copy: <http://web.me.com/klaus.richter/KE70/KE70L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE70/KE70L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb} rgb -> olv*3				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				[L*, C* _{ab} , h _{ab}]Fa,d				n _{Fa} c _{Fa} u _{Fa} d _{Fa}				n _{rgb} rgb -> olv*3				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				[L*, C* _{ab} , h _{ab}]Fa,d				n _{Fa} c _{Fa} u _{Fa} d _{Fa}								
486	0.75	0.0	0.0	30.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	567	0.875	0.0	0.0	30.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	567	0.875	0.0	0.0	30.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
487	0.75	0.0	0.125	21.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	568	0.875	0.0	0.125	22.4	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	568	0.875	0.0	0.125	22.4	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
488	0.75	0.0	0.25	10.9	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	569	0.875	0.0	0.25	13.9	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	569	0.875	0.0	0.25	13.9	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
489	0.75	0.0	0.375	0.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	570	0.875	0.0	0.375	4.7	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	570	0.875	0.0	0.375	4.7	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
490	0.75	0.0	0.5	349.1	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	571	0.875	0.0	0.5	355.3	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	571	0.875	0.0	0.5	355.3	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
491	0.75	0.0	0.625	339.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	572	0.875	0.0	0.625	346.1	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	572	0.875	0.0	0.625	346.1	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
492	0.75	0.0	0.75	330.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	573	0.875	0.0	0.75	337.6	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	573	0.875	0.0	0.75	337.6	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
493	0.75	0.0	0.875	322.4	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	574	0.875	0.0	0.875	330.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	574	0.875	0.0	0.875	330.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
494	0.75	0.0	1.0	316.1	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o	575	0.875	0.0	1.0	323.4	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o	575	0.875	0.0	1.0	323.4	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o
495	0.75	0.125	0.0	38.9	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	576	0.875	0.125	0.0	37.6	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	576	0.875	0.125	0.0	37.6	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
496	0.75	0.125	0.125	30.0	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	577	0.875	0.125	0.125	30.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	577	0.875	0.125	0.125	30.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
497	0.75	0.125	0.25	19.1	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	578	0.875	0.125	0.25	21.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	578	0.875	0.125	0.25	21.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
498	0.75	0.125	0.375	6.6	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	579	0.875	0.125	0.375	10.9	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	579	0.875	0.125	0.375	10.9	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
499	0.75	0.125	0.5	353.4	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	580	0.875	0.125	0.5	0.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	580	0.875	0.125	0.5	0.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
500	0.75	0.125	0.625	340.9	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	581	0.875	0.125	0.625	349.1	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	581	0.875	0.125	0.625	349.1	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
501	0.75	0.125	0.75	330.0	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	582	0.875	0.125	0.75	339.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	582	0.875	0.125	0.75	339.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
502	0.75	0.125	0.875	321.1	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	583	0.875	0.125	0.875	330.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	583	0.875	0.125	0.875	330.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
503	0.75	0.125	1.0	313.9	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o	584	0.875	0.125	1.0	322.4	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o	584	0.875	0.125	1.0	322.4	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o
504	0.75	0.25	0.0	49.1	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o	585	0.875	0.25	0.0	46.1	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	585	0.875	0.25	0.0	46.1	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
505	0.75	0.25	0.125	40.9	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o	586	0.875	0.25	0.125	38.9	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	586	0.875	0.25	0.125	38.9	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
506	0.75	0.25	0.25	30.0	52.52	106.33	35.8	50.11	53.16	35.8	0.25	0.5	r15j	m87o	587	0.875	0.25	0.25	30.0	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o	587	0.875	0.25	0.25	30.0	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o
507	0.75	0.25	0.375	16.1	52.52	106.33	35.8	50.11	53.16	35.8	0.25	0.5	r15j	m87o	588	0.875	0.25	0.375	19.1	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o	588	0.875	0.25	0.375	19.1	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o
508	0.75	0.25	0.5	0.0	52.52	106.33	35.8	50.11	53.16	35.8	0.25	0.5	r15j	m87o	589	0.875	0.25	0.5	6.6	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o	589	0.875	0.25	0.5	6.6	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o
509	0.75	0.25	0.625	343.9	52.52	106.33	35.8	50.11	53.16	35.8	0.25	0.5	r15j	m87o	590	0.875	0.25	0.625	353.4	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o	590	0.875	0.25	0.625	353.4	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o

See original or copy: <http://web.me.com/klaus.richter/KE70/KE70L0NA.TXT/.PS>
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~fabdmetrik>

n _{rgb}	rgb -> olv ₃	h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				[L*, C* _{ab} , h _{ab}]Fa,d				n _{Fa}	C _{Fa}	u _{Fa}	d _{Fa}	n _{rgb}	rgb -> olv ₃	h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				[L*, C* _{ab} , h _{ab}]Fa,d				n _{Fa}	C _{Fa}	u _{Fa}	d _{Fa}
648	1.0	0.0	0.0	0.0	30.0	52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		729	1.0	1.0	1.0	0.0	52.52	106.33	35.8	95.41	0.0	35.8	0.0	0.0	r15j	m87o			
649	1.0	0.0	0.125	23.4		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		730	0.875	1.0	1.0	210.0	52.52	106.33	35.8	90.05	13.29	35.8	0.0	0.125	r15j	m87o			
650	1.0	0.0	0.25	16.1		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		731	0.75	1.0	1.0	210.0	52.52	106.33	35.8	84.68	26.58	35.8	0.0	0.25	r15j	m87o			
651	1.0	0.0	0.375	8.2		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		732	0.625	1.0	1.0	210.0	52.52	106.33	35.8	79.33	39.87	35.8	0.0	0.375	r15j	m87o			
652	1.0	0.0	0.5	0.0		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		733	0.5	1.0	1.0	210.0	52.52	106.33	35.8	73.96	53.16	35.8	0.0	0.5	r15j	m87o			
653	1.0	0.0	0.625	351.8		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		734	0.375	1.0	1.0	210.0	52.52	106.33	35.8	68.6	66.45	35.8	0.0	0.625	r15j	m87o			
654	1.0	0.0	0.75	343.9		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		735	0.25	1.0	1.0	210.0	52.52	106.33	35.8	63.24	79.75	35.8	0.0	0.75	r15j	m87o			
655	1.0	0.0	0.875	336.6		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		736	0.125	1.0	1.0	210.0	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o			
656	1.0	0.0	1.0	330.0		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		737	0.0	1.0	1.0	210.0	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o			
657	1.0	0.125	0.0	36.6		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		738	1.0	0.875	0.875	30.0	52.52	106.33	35.8	90.05	13.29	35.8	0.0	0.125	r15j	m87o			
658	1.0	0.125	0.125	30.0		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		739	0.875	0.875	0.875	0.0	52.52	106.33	35.8	83.48	0.0	35.8	0.125	0.0	r15j	m87o			
659	1.0	0.125	0.25	22.4		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		740	0.75	0.875	0.875	210.0	52.52	106.33	35.8	78.12	13.29	35.8	0.125	0.125	r15j	m87o			
660	1.0	0.125	0.375	13.9		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		741	0.625	0.875	0.875	210.0	52.52	106.33	35.8	72.76	26.58	35.8	0.125	0.25	r15j	m87o			
661	1.0	0.125	0.5	4.7		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		742	0.5	0.875	0.875	210.0	52.52	106.33	35.8	67.4	39.87	35.8	0.125	0.375	r15j	m87o			
662	1.0	0.125	0.625	355.3		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		743	0.375	0.875	0.875	210.0	52.52	106.33	35.8	62.04	53.16	35.8	0.125	0.5	r15j	m87o			
663	1.0	0.125	0.75	346.1		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		744	0.25	0.875	0.875	210.0	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o			
664	1.0	0.125	0.875	337.6		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		745	0.125	0.875	0.875	210.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o			
665	1.0	0.125	1.0	330.0		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		746	0.0	0.875	0.875	210.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o			
666	1.0	0.25	0.0	43.9		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		747	1.0	0.75	0.75	30.0	52.52	106.33	35.8	84.69	26.58	35.8	0.0	0.25	r15j	m87o			
667	1.0	0.25	0.125	37.6		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		748	0.875	0.75	0.75	30.0	52.52	106.33	35.8	78.12	13.29	35.8	0.125	0.125	r15j	m87o			
668	1.0	0.25	0.25	30.0		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		749	0.75	0.75	0.75	0.0	52.52	106.33	35.8	71.56	0.0	35.8	0.25	0.0	r15j	m87o			
669	1.0	0.25	0.375	21.0		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		750	0.625	0.75	0.75	210.0	52.52	106.33	35.8	66.2	13.29	35.8	0.25	0.125	r15j	m87o			
670	1.0	0.25	0.5	10.9		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		751	0.5	0.75	0.75	210.0	52.52	106.33	35.8	60.83	26.58	35.8	0.25	0.25	r15j	m87o			
671	1.0	0.25	0.625	0.0		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		752	0.375	0.75	0.75	210.0	52.52	106.33	35.8	55.47	39.87	35.8	0.25	0.375	r15j	m87o			
672	1.0	0.25	0.75	349.1		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		753	0.25	0.75	0.75	210.0	52.52	106.33	35.8	50.11	53.16	35.8	0.25	0.5	r15j	m87o			
673	1.0	0.25	0.875	339.0		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		754	0.125	0.75	0.75	210.0	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o			
674	1.0	0.25	1.0	330.0		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		755	0.0	0.75	0.75	210.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o			
675	1.0	0.375	0.0	51.8		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		756	1.0	0.625	0.625	30.0	52.52	106.33	35.8	79.33	39.87	35.8	0.0	0.375	r15j	m87o			
676	1.0	0.375	0.125	46.1		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		757	0.875	0.625	0.625	30.0	52.52	106.33	35.8	72.76	26.58	35.8	0.125	0.25	r15j	m87o			
677	1.0	0.375	0.25	38.9		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		758	0.75	0.625	0.625	30.0	52.52	106.33	35.8	66.2	13.29	35.8	0.25	0.125	r15j	m87o			
678	1.0	0.375	0.375	30.0		52.52	106.33	35.8		68.6	66.45	35.8	0.0	0.625	r15j	m87o		759	0.625	0.625	0.625	0.0	52.52	106.33	35.8	59.63	0.0	35.8	0.375	0.0	r15j	m87o			
679	1.0	0.375	0.5	19.1		52.52	106.33	35.8		68.6	66.45	35.8	0.0	0.625	r15j	m87o		760	0.5	0.625	0.625	210.0	52.52	106.33	35.8	54.27	13.29	35.8	0.375	0.125	r15j	m87o			
680	1.0	0.375	0.625	6.6		52.52	106.33	35.8		68.6	66.45	35.8	0.0	0.625	r15j	m87o		761	0.375	0.625	0.625	210.0	52.52	106.33	35.8	48.91	26.58	35.8	0.375	0.25	r15j	m87o			
681	1.0	0.375	0.75	353.4		52.52	106.33	35.8		68.6	66.45	35.8	0.0	0.625	r15j	m87o		762	0.25	0.625	0.625	210.0	52.52	106.33	35.8	43.55	39.87	35.8	0.375	0.375	r15j	m87o			
682	1.0	0.375	0.875	340.9		52.52	106.33	35.8		68.6	66.45	35.8	0.0	0.625	r15j	m87o		763	0.125	0.625	0.625	210.0	52.52	106.33	35.8	38.19	53.16	35.8	0.375	0.5	r15j	m87o			
683	1.0	0.375	1.0	330.0		52.52	106.33	35.8		68.6	66.45	35.8	0.0	0.625	r15j	m87o		764	0.0	0.625	0.625	210.0	52.52	106.33	35.8	32.82	66.45	35.8	0.375	0.625	r15j	m87o			
684	1.0	0.5	0.0	60.0		52.52	106.33	35.8		52.52	106.33	35.8	0.0	1.0	r15j	m87o		765	1.0	0.5	0.5	30.0	52.52	106.33	35.8	73.96	53.16	35.8	0.0	0.5	r15j	m87o			
685	1.0	0.5	0.125	55.3		52.52	106.33	35.8		57.88	93.04	35.8	0.0	0.875	r15j	m87o		766	0.875	0.5	0.5	30.0	52.52	106.33	35.8	67.4	39.87	35.8	0.125	0.375	r15j	m87o			
686	1.0	0.5	0.25	49.1		52.52	106.33	35.8		63.24	79.75	35.8	0.0	0.75	r15j	m87o		767	0.75	0.5	0.5	30.0	52.52	106.33	35.8	60.83	26.58	35.8	0.25	0.25	r15j	m87o			
687	1.0	0.5	0.375	40.9		52.52	106.33	35.8		68.6	66.45	35.8	0.0	0.625	r15j	m87o		768	0.625	0.5	0.5	30.0	52.52	106.33	35.8	54.27	13.29	35.8	0.375	0.125	r15j	m87o			
688	1.0	0.5	0.5	30.0		52.52	106.33	35.8		73.96	53.16	35.8	0.0	0.5	r15j	m87o		769	0.5	0.5	0.5	0.0	52.52	106.33	35.8	47.7	0.0	35.8	0.5	0.0	r15j	m87o			
689	1.0	0.5	0.625	16.1																															

TUB registration: 20100801-KE70/KE70L0NA.TXT / PS application for measurement of printer or monitor systems

TUB material: code=rha4ta

TUB-test chart KE70; 1080 *olv** colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma and Fa

input: *rgb->olv** *setrgbcolor*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE70/KE70L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE70/KE70L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb} rgb -> olv ₃				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				[L*, C* _{ab} , h _{ab}]Fa,d				n _{Fa} c _{Fa} u _{Fa} d _{Fa}				n _{rgb} rgb -> olv ₃				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,d				[L*, C* _{ab} , h _{ab}]Fa,d				n _{Fa} c _{Fa} u _{Fa} d _{Fa}								
810	1.0	1.0	1.0	0.0	52.52	106.33	35.8	95.41	0.0	35.8	0.0	0.0	r15j	m87o	891	1.0	1.0	1.0	0.0	52.52	106.33	35.8	95.41	0.0	35.8	0.0	0.0	r15j	m87o	900	0.875	1.0	0.875	150.0	52.52	106.33	35.8	90.05	13.29	35.8	0.0	0.125	r15j	m87o
811	0.875	0.875	1.0	270.0	52.52	106.33	35.8	90.05	13.29	35.8	0.0	0.125	r15j	m87o	892	1.0	0.875	1.0	330.0	52.52	106.33	35.8	90.05	13.29	35.8	0.0	0.125	r15j	m87o	901	0.875	0.875	0.875	0.0	52.52	106.33	35.8	83.48	0.0	35.8	0.125	0.0	r15j	m87o
812	0.75	0.75	1.0	270.0	52.52	106.33	35.8	84.69	26.58	35.8	0.0	0.25	r15j	m87o	893	1.0	0.75	1.0	330.0	52.52	106.33	35.8	84.69	26.58	35.8	0.0	0.25	r15j	m87o	902	0.875	0.75	0.875	330.0	52.52	106.33	35.8	78.12	13.29	35.8	0.125	0.125	r15j	m87o
813	0.625	0.625	1.0	270.0	52.52	106.33	35.8	79.33	39.87	35.8	0.0	0.375	r15j	m87o	894	1.0	0.625	1.0	330.0	52.52	106.33	35.8	79.33	39.87	35.8	0.0	0.375	r15j	m87o	903	0.875	0.625	0.875	330.0	52.52	106.33	35.8	72.76	26.58	35.8	0.125	0.25	r15j	m87o
814	0.5	0.5	1.0	270.0	52.52	106.33	35.8	73.96	53.16	35.8	0.0	0.5	r15j	m87o	895	1.0	0.5	1.0	330.0	52.52	106.33	35.8	73.96	53.16	35.8	0.0	0.5	r15j	m87o	904	0.875	0.5	0.875	330.0	52.52	106.33	35.8	67.4	39.87	35.8	0.125	0.375	r15j	m87o
815	0.375	0.375	1.0	270.0	52.52	106.33	35.8	68.6	66.45	35.8	0.0	0.625	r15j	m87o	896	1.0	0.375	1.0	330.0	52.52	106.33	35.8	68.6	66.45	35.8	0.0	0.625	r15j	m87o	905	0.875	0.375	0.875	330.0	52.52	106.33	35.8	62.04	53.16	35.8	0.125	0.5	r15j	m87o
816	0.25	0.25	1.0	270.0	52.52	106.33	35.8	63.24	79.75	35.8	0.0	0.75	r15j	m87o	897	1.0	0.25	1.0	330.0	52.52	106.33	35.8	63.24	79.75	35.8	0.0	0.75	r15j	m87o	906	0.875	0.25	0.875	330.0	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o
817	0.125	0.125	1.0	270.0	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o	898	1.0	0.125	1.0	330.0	52.52	106.33	35.8	57.88	93.04	35.8	0.0	0.875	r15j	m87o	907	0.875	0.125	0.875	330.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o
818	0.0	0.0	1.0	270.0	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o	899	1.0	0.0	1.0	330.0	52.52	106.33	35.8	52.52	106.33	35.8	0.0	1.0	r15j	m87o	908	0.875	0.0	0.875	330.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o
819	1.0	1.0	0.875	90.0	52.52	106.33	35.8	90.05	13.29	35.8	0.0	0.125	r15j	m87o	900	0.875	1.0	0.875	150.0	52.52	106.33	35.8	90.05	13.29	35.8	0.0	0.125	r15j	m87o	909	0.75	1.0	0.75	150.0	52.52	106.33	35.8	84.69	26.58	35.8	0.0	0.25	r15j	m87o
820	0.875	0.875	0.875	0.0	52.52	106.33	35.8	83.48	0.0	35.8	0.125	0.0	r15j	m87o	901	0.875	0.875	0.875	0.0	52.52	106.33	35.8	83.48	0.0	35.8	0.125	0.0	r15j	m87o	910	0.75	0.875	0.75	150.0	52.52	106.33	35.8	78.12	13.29	35.8	0.125	0.125	r15j	m87o
821	0.75	0.75	0.875	270.0	52.52	106.33	35.8	78.12	13.29	35.8	0.125	0.125	r15j	m87o	902	0.875	0.75	0.875	330.0	52.52	106.33	35.8	78.12	13.29	35.8	0.125	0.125	r15j	m87o	911	0.75	0.75	0.75	150.0	52.52	106.33	35.8	71.56	0.0	35.8	0.25	0.0	r15j	m87o
822	0.625	0.625	0.875	270.0	52.52	106.33	35.8	72.76	26.58	35.8	0.125	0.25	r15j	m87o	903	0.875	0.625	0.875	330.0	52.52	106.33	35.8	72.76	26.58	35.8	0.125	0.25	r15j	m87o	912	0.75	0.625	0.75	330.0	52.52	106.33	35.8	66.2	13.29	35.8	0.25	0.125	r15j	m87o
823	0.5	0.5	0.875	270.0	52.52	106.33	35.8	67.4	39.87	35.8	0.125	0.375	r15j	m87o	904	0.875	0.5	0.875	330.0	52.52	106.33	35.8	67.4	39.87	35.8	0.125	0.375	r15j	m87o	913	0.75	0.5	0.75	330.0	52.52	106.33	35.8	60.83	26.58	35.8	0.25	0.25	r15j	m87o
824	0.375	0.375	0.875	270.0	52.52	106.33	35.8	62.04	53.16	35.8	0.125	0.5	r15j	m87o	905	0.875	0.375	0.875	330.0	52.52	106.33	35.8	62.04	53.16	35.8	0.125	0.5	r15j	m87o	914	0.75	0.375	0.75	330.0	52.52	106.33	35.8	55.47	39.87	35.8	0.25	0.375	r15j	m87o
825	0.25	0.25	0.875	270.0	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o	906	0.875	0.25	0.875	330.0	52.52	106.33	35.8	56.68	66.45	35.8	0.125	0.625	r15j	m87o	915	0.75	0.25	0.75	330.0	52.52	106.33	35.8	50.11	53.16	35.8	0.25	0.5	r15j	m87o
826	0.125	0.125	0.875	270.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	907	0.875	0.125	0.875	330.0	52.52	106.33	35.8	51.32	79.75	35.8	0.125	0.75	r15j	m87o	916	0.75	0.125	0.75	330.0	52.52	106.33	35.8	44.75	66.45	35.8	0.25	0.625	r15j	m87o
827	0.0	0.0	0.875	270.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	908	0.875	0.0	0.875	330.0	52.52	106.33	35.8	45.95	93.04	35.8	0.125	0.875	r15j	m87o	917	0.75	0.0	0.75	330.0	52.52	106.33	35.8	39.39	79.75	35.8	0.25	0.75	r15j	m87o
828	1.0	1.0	0.75	90.0	52.52	106.33	35.8	84.69	26.58	35.8	0.0	0.25	r15j	m87o	909	0.75	1.0	0.75	150.0	52.52	106.33	35.8	84.69	26.58	35.8	0.0	0.25	r15j	m87o	918	0.625	1.0	0.625	150.0	52.52	106.33	35.8	79.33	39.87	35.8	0.0	0.375	r15j	m87o
829	0.875	0.875	0.75	90.0	52.52	106.33	35.8	78.12	13.29	35.8	0.125	0.125	r15j	m87o	910	0.75	0.875	0.75	150.0	52.52	106.33	35.8	78.12	13.29	35.8	0.125	0.125	r15j	m87o	919	0.625	0.875	0.625	150.0	52.52	106.33	35.8	72.76	26.58	35.8	0.125	0.25	r15j	m87o
830	0.75	0.75	0.75	0.0	52.52	106.33	35.8	71.56	0.0	35.8	0.25	0.0	r15j	m87o	911	0.75	0.75	0.75	150.0	52.52	106.33	35.8	71.56	0.0	35.8	0.25	0.0	r15j	m87o	920	0.625	0.75	0.625	150.0	52.52	106.33	35.8	66.2	13.29	35.8	0.25	0.125	r15j	m87o
831	0.625	0.625	0.75	270.0	52.52	106.33	35.8	66.2	13.29	35.8	0.25	0.125	r15j	m87o	912	0.75	0.625	0.75	330.0	52.52	106.33	35.8	66.2	13.29	35.8	0.25	0.125	r15j	m87o	921	0.625	0.625	0.625	0.0	52.52	106.33	35.8	59.63	0.0	35.8	0.375	0.0	r15j	m87o
832	0.5	0.5	0.75	270.0	52.52	106.33	35.8	60.83	26.58	35.8	0.25	0.25	r15j	m87o	913	0.75	0.5	0.75	330.0	52.52	106.33	35.8	60.83	26.58	35.8	0.25	0.25	r15j	m87o	922	0.625	0.5	0.625	330.0	52.52	106.33	35.8	54.27	13.29	35.8	0.375	0.125	r15j	m87o
833	0.375	0.375	0.75	270.0	52.52	106.33	35.8	55.47	39.87	35.8	0.25	0.375	r15j	m87o	914	0.75	0.375	0.75	330.0	52.52	106.33	35.8	55.47	39.87	35.8	0.25	0.375	r15j	m87o	923	0.625	0.375	0.625	330.0	52.52	106.33	35.8	48.91	26.58	35.8	0.375	0.25	r15j	m87o
834	0.25	0.25	0.75	270.0																																								

See original or copy: <http://web.me.com/klaus.richter/KE70/KE70L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb -> olv*	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	[L*, C* _{ab} , h _{ab}] _{Fa,d}	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}
972	0.0	0.0	0.0	52.52 106.33 35.8	0.0	0.0	35.8	1.0 0.0 r15j m87o
973	0.125	0.125	0.125	52.52 106.33 35.8	11.93	0.0	35.8	0.875 0.0 r15j m87o
974	0.25	0.25	0.25	52.52 106.33 35.8	23.85	0.0	35.8	0.75 0.0 r15j m87o
975	0.375	0.375	0.375	52.52 106.33 35.8	35.78	0.0	35.8	0.625 0.0 r15j m87o
976	0.5	0.5	0.5	52.52 106.33 35.8	47.7	0.0	35.8	0.5 0.0 r15j m87o
977	0.625	0.625	0.625	52.52 106.33 35.8	59.63	0.0	35.8	0.375 0.0 r15j m87o
978	0.75	0.75	0.75	52.52 106.33 35.8	71.56	0.0	35.8	0.25 0.0 r15j m87o
979	0.875	0.875	0.875	52.52 106.33 35.8	83.48	0.0	35.8	0.125 0.0 r15j m87o
980	1.0	1.0	1.0	52.52 106.33 35.8	95.41	0.0	35.8	0.0 0.0 r15j m87o
981	0.0	0.0	0.0	52.52 106.33 35.8	0.0	0.0	35.8	1.0 0.0 r15j m87o
982	0.125	0.125	0.125	52.52 106.33 35.8	11.93	0.0	35.8	0.875 0.0 r15j m87o
983	0.25	0.25	0.25	52.52 106.33 35.8	23.85	0.0	35.8	0.75 0.0 r15j m87o
984	0.375	0.375	0.375	52.52 106.33 35.8	35.78	0.0	35.8	0.625 0.0 r15j m87o
985	0.5	0.5	0.5	52.52 106.33 35.8	47.7	0.0	35.8	0.5 0.0 r15j m87o
986	0.625	0.625	0.625	52.52 106.33 35.8	59.63	0.0	35.8	0.375 0.0 r15j m87o
987	0.75	0.75	0.75	52.52 106.33 35.8	71.56	0.0	35.8	0.25 0.0 r15j m87o
988	0.875	0.875	0.875	52.52 106.33 35.8	83.48	0.0	35.8	0.125 0.0 r15j m87o
989	1.0	1.0	1.0	52.52 106.33 35.8	95.41	0.0	35.8	0.0 0.0 r15j m87o
990	0.0	0.0	0.0	52.52 106.33 35.8	0.0	0.0	35.8	1.0 0.0 r15j m87o
991	0.125	0.125	0.125	52.52 106.33 35.8	11.93	0.0	35.8	0.875 0.0 r15j m87o
992	0.25	0.25	0.25	52.52 106.33 35.8	23.85	0.0	35.8	0.75 0.0 r15j m87o
993	0.375	0.375	0.375	52.52 106.33 35.8	35.78	0.0	35.8	0.625 0.0 r15j m87o
994	0.5	0.5	0.5	52.52 106.33 35.8	47.7	0.0	35.8	0.5 0.0 r15j m87o
995	0.625	0.625	0.625	52.52 106.33 35.8	59.63	0.0	35.8	0.375 0.0 r15j m87o
996	0.75	0.75	0.75	52.52 106.33 35.8	71.56	0.0	35.8	0.25 0.0 r15j m87o
997	0.875	0.875	0.875	52.52 106.33 35.8	83.48	0.0	35.8	0.125 0.0 r15j m87o
998	1.0	1.0	1.0	52.52 106.33 35.8	95.41	0.0	35.8	0.0 0.0 r15j m87o
999	0.0	0.0	0.0	52.52 106.33 35.8	0.0	0.0	35.8	1.0 0.0 r15j m87o
1000	0.125	0.125	0.125	52.52 106.33 35.8	11.93	0.0	35.8	0.875 0.0 r15j m87o
1001	0.25	0.25	0.25	52.52 106.33 35.8	23.85	0.0	35.8	0.75 0.0 r15j m87o
1002	0.375	0.375	0.375	52.52 106.33 35.8	35.78	0.0	35.8	0.625 0.0 r15j m87o
1003	0.5	0.5	0.5	52.52 106.33 35.8	47.7	0.0	35.8	0.5 0.0 r15j m87o
1004	0.625	0.625	0.625	52.52 106.33 35.8	59.63	0.0	35.8	0.375 0.0 r15j m87o
1005	0.75	0.75	0.75	52.52 106.33 35.8	71.56	0.0	35.8	0.25 0.0 r15j m87o
1006	0.875	0.875	0.875	52.52 106.33 35.8	83.48	0.0	35.8	0.125 0.0 r15j m87o
1007	1.0	1.0	1.0	52.52 106.33 35.8	95.41	0.0	35.8	0.0 0.0 r15j m87o

TUB registration: 20100801-KE70/KE70L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klaus.richter/KE70/KE70L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE70/KE70L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb}	rgb -> olv ₃	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,d}	[L*, C* _{ab} , h _{ab}] _{Fa,d}	n _{Fa}	c _{Fa}	u _{Fa}	d _{Fa}								
1008	0.0	0.0	0.0	0.0	52.52	106.33	35.8	0.0	0.0	35.8	1.0	0.0	r15j	m87o		
1009	0.066	0.066	0.066	0.0	52.52	106.33	35.8	6.3	0.0	35.8	0.934	0.0	r15j	m87o		
1010	0.133	0.133	0.133	0.0	52.52	106.33	35.8	12.69	0.0	35.8	0.867	0.0	r15j	m87o		
1011	0.2	0.2	0.2	0.0	52.52	106.33	35.8	19.08	0.0	35.8	0.8	0.0	r15j	m87o		
1012	0.266	0.266	0.266	0.0	52.52	106.33	35.8	25.38	0.0	35.8	0.734	0.0	r15j	m87o		
1013	0.333	0.333	0.333	0.0	52.52	106.33	35.8	31.77	0.0	35.8	0.667	0.0	r15j	m87o		
1014	0.4	0.4	0.4	0.0	52.52	106.33	35.8	38.16	0.0	35.8	0.6	0.0	r15j	m87o		
1015	0.466	0.466	0.466	0.0	52.52	106.33	35.8	44.46	0.0	35.8	0.534	0.0	r15j	m87o		
1016	0.533	0.533	0.533	0.0	52.52	106.33	35.8	50.85	0.0	35.8	0.467	0.0	r15j	m87o		
1017	0.6	0.6	0.6	0.0	52.52	106.33	35.8	57.25	0.0	35.8	0.4	0.0	r15j	m87o		
1018	0.666	0.666	0.666	0.0	52.52	106.33	35.8	63.54	0.0	35.8	0.334	0.0	r15j	m87o		
1019	0.734	0.734	0.734	0.0	52.52	106.33	35.8	70.03	0.0	35.8	0.266	0.0	r15j	m87o		
1020	0.8	0.8	0.8	0.0	52.52	106.33	35.8	76.33	0.0	35.8	0.2	0.0	r15j	m87o		
1021	0.866	0.866	0.866	0.0	52.52	106.33	35.8	82.62	0.0	35.8	0.134	0.0	r15j	m87o		
1022	0.933	0.933	0.933	0.0	52.52	106.33	35.8	89.02	0.0	35.8	0.067	0.0	r15j	m87o		
1023	1.0	1.0	1.0	0.0	52.52	106.33	35.8	95.41	0.0	35.8	0.0	0.0	r15j	m87o		
1024	0.0	0.0	0.0	0.0	52.52	106.33	35.8	0.0	0.0	35.8	1.0	0.0	r15j	m87o		
1025	0.066	0.066	0.066	0.0	52.52	106.33	35.8	6.3	0.0	35.8	0.934	0.0	r15j	m87o		
1026	0.133	0.133	0.133	0.0	52.52	106.33	35.8	12.69	0.0	35.8	0.867	0.0	r15j	m87o		
1027	0.2	0.2	0.2	0.0	52.52	106.33	35.8	19.08	0.0	35.8	0.8	0.0	r15j	m87o		
1028	0.266	0.266	0.266	0.0	52.52	106.33	35.8	25.38	0.0	35.8	0.734	0.0	r15j	m87o		
1029	0.333	0.333	0.333	0.0	52.52	106.33	35.8	31.77	0.0	35.8	0.667	0.0	r15j	m87o		
1030	0.4	0.4	0.4	0.0	52.52	106.33	35.8	38.16	0.0	35.8	0.6	0.0	r15j	m87o		
1031	0.466	0.466	0.466	0.0	52.52	106.33	35.8	44.46	0.0	35.8	0.534	0.0	r15j	m87o		
1032	0.533	0.533	0.533	0.0	52.52	106.33	35.8	50.85	0.0	35.8	0.467	0.0	r15j	m87o		
1033	0.6	0.6	0.6	0.0	52.52	106.33	35.8	57.25	0.0	35.8	0.4	0.0	r15j	m87o		
1034	0.666	0.666	0.666	0.0	52.52	106.33	35.8	63.54	0.0	35.8	0.334	0.0	r15j	m87o		
1035	0.734	0.734	0.734	0.0	52.52	106.33	35.8	70.03	0.0	35.8	0.266	0.0	r15j	m87o		
1036	0.8	0.8	0.8	0.0	52.52	106.33	35.8	76.33	0.0	35.8	0.2	0.0	r15j	m87o		
1037	0.866	0.866	0.866	0.0	52.52	106.33	35.8	82.62	0.0	35.8	0.134	0.0	r15j	m87o		
1038	0.933	0.933	0.933	0.0	52.52	106.33	35.8	89.02	0.0	35.8	0.067	0.0	r15j	m87o		
1039	1.0	1.0	1.0	0.0	52.52	106.33	35.8	95.41	0.0	35.8	0.0	0.0	r15j	m87o		
1040	0.0	0.0	0.0	0.0	52.52	106.33	35.8	0.0	0.0	35.8	1.0	0.0	r15j	m87o		
1041	0.066	0.066	0.066	0.0	52.52	106.33	35.8	6.3	0.0	35.8	0.934	0.0	r15j	m87o		
1042	0.133	0.133	0.133	0.0	52.52	106.33	35.8	12.69	0.0	35.8	0.867	0.0	r15j	m87o		
1043	0.2	0.2	0.2	0.0	52.52	106.33	35.8	19.08	0.0	35.8	0.8	0.0	r15j	m87o		
1044	0.266	0.266	0.266	0.0	52.52	106.33	35.8	25.38	0.0	35.8	0.734	0.0	r15j	m87o		
1045	0.333	0.333	0.333	0.0	52.52	106.33	35.8	31.77	0.0	35.8	0.667	0.0	r15j	m87o		
1046	0.4	0.4	0.4	0.0	52.52	106.33	35.8	38.16	0.0	35.8	0.6	0.0	r15j	m87o		
1047	0.466	0.466	0.466	0.0	52.52	106.33	35.8	44.46	0.0	35.8	0.534	0.0	r15j	m87o		
1048	0.533	0.533	0.533	0.0	52.52	106.33	35.8	50.85	0.0	35.8	0.467	0.0	r15j	m87o		
1049	0.6	0.6	0.6	0.0	52.52	106.33	35.8	57.25	0.0	35.8	0.4	0.0	r15j	m87o		
1050	0.666	0.666	0.666	0.0	52.52	106.33	35.8	63.54	0.0	35.8	0.334	0.0	r15j	m87o		
1051	0.734	0.734	0.734	0.0	52.52	106.33	35.8	70.03	0.0	35.8	0.266	0.0	r15j	m87o		
1052	0.8	0.8	0.8	0.0	52.52	106.33	35.8	76.33	0.0	35.8	0.2	0.0	r15j	m87o		
1053	0.866	0.866	0.866	0.0	52.52	106.33	35.8	82.62	0.0	35.8	0.134	0.0	r15j	m87o		
1054	0.933	0.933	0.933	0.0	52.52	106.33	35.8	89.02	0.0	35.8	0.067	0.0	r15j	m87o		
1055	1.0	1.0	1.0	0.0	52.52	106.33	35.8	95.41	0.0	35.8	0.0	0.0	r15j	m87o		
1056	0.0	0.0	0.0	0.0	52.52	106.33	35.8	0.0	0.0	35.8	1.0	0.0	r15j	m87o		
1057	0.066	0.066	0.066	0.0	52.52	106.33	35.8	6.3	0.0	35.8	0.934	0.0	r15j	m87o		
1058	0.133	0.133	0.133	0.0	52.52	106.33	35.8	12.69	0.0	35.8	0.867	0.0	r15j	m87o		
1059	0.2	0.2	0.2	0.0	52.52	106.33	35.8	19.08	0.0	35.8	0.8	0.0	r15j	m87o		
1060	0.266	0.266	0.266	0.0	52.52	106.33	35.8	25.38	0.0	35.8	0.734	0.0	r15j	m87o		
1061	0.333	0.333	0.333	0.0	52.52	106.33	35.8	31.77	0.0	35.8	0.667	0.0	r15j	m87o		
1062	0.4	0.4	0.4	0.0	52.52	106.33	35.8	38.16	0.0	35.8	0.6	0.0	r15j	m87o		
1063	0.466	0.466	0.466	0.0	52.52	106.33	35.8	44.46	0.0	35.8	0.534	0.0	r15j	m87o		
1064	0.533	0.533	0.533	0.0	52.52	106.33	35.8	50.85	0.0	35.8	0.467	0.0	r15j	m87o		
1065	0.6	0.6	0.6	0.0	52.52	106.33	35.8	57.25	0.0	35.8	0.4	0.0	r15j	m87o		
1066	0.666	0.666	0.666	0.0	52.52	106.33	35.8	63.54	0.0	35.8	0.334	0.0	r15j	m87o		
1067	0.734	0.734	0.734	0.0	52.52	106.33	35.8	70.03	0.0	35.8	0.266	0.0	r15j	m87o		
1068	0.8	0.8	0.8	0.0	52.52	106.33	35.8	76.33	0.0	35.8	0.2	0.0	r15j	m87o		
1069	0.866	0.866	0.866	0.0	52.52	106.33	35.8	82.62	0.0	35.8	0.134	0.0	r15j	m87o		
1070	0.933	0.933	0.933	0.0	52.52	106.33	35.8	89.02	0.0	35.8	0.067	0.0	r15j	m87o		
1071	1.0	1.0	1.0	0.0	52.52	106.33	35.8	95.41	0.0	35.8	0.0	0.0	r15j	m87o		
1072	0.0	0.0	0.0	0.0	52.52	106.33	35.8	0.0	0.0	35.8	1.0	0.0	r15j	m87o		
1073	1.0	1.0	1.0	0.0	81.54	98.27	82.8	95.41	0.0	82.8	0.0	0.0	r85j	o67y		
1074	1.0	0.0	0.0	30.0	81.54	98.27	82.8	81.54	98.27	82.8	0.0	1.0	r85j	o67y		
1075	0.0	1.0	0.0	210.0	81.54	98.27	82.8	81.54	98.27	82.8	0.0	1.0	r85j	o67y		
1076	1.0	1.0	0.0	90.0	81.54	98.27	82.8	81.54	98.27	82.8	0.0	1.0	r85j	o67y		
1077	0.0	0.0	1.0	270.0	81.54	98.27	82.8	81.54	98.27	82.8	0.0	1.0	r85j	o67y		
1078	0.0	1.0	0.0	150.0	81.54	98.27	82.8	81.54	98.27	82.8	0.0	1.0	r85j	o67y		
1079	1.0	0.0	1.0	330.0	81.54	98.27	82.8	81.54	98.27	82.8	0.0	1.0	r85j	o67y		
R/Ohab08	0r	0o	1r	1o	2r	2o	3r	3o	4r	4o	5r	5o	6r	6o	7r	7o
25.5	46.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
92.3	101.2	0.154	0.871	0.857	0.666	0.857	0.666	0.857	0.666	0.857	0.666	0.857	0.666	0.857	0.666	0.857
162.2	131.0															
217.0	196.6	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
271.7	306.1	35.8	35.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8	82.8
328.6	326.8	326.8	25.5	46.0	25.5	46.0	25.5	46.0	25.5	46.0	25.5	46.0	25.5	46.0	25.5	46.0
385.5	406.0	406.0	92.3	101.2	92.3	101.2	92.3	101.2	92.3	101.2	92.3	101.2	92.3	101.2	92.3	101.2

KE700-7N, 8, table rgb->olv*3 - LCH*a of 1090 colours with 9x9x9 (729) colour grid; device colour coordinates olv*3; display reflection Lr = 0%; Page 8/8

TUB-test chart KE70; 1080 olv* colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma and Fa

input: *rgb->olv* setrgbcolor*
output: *no change compared to input*