

See original or copy: <http://web.me.com/klaus.richter/KE79/KE79L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$\text{rgb} \rightarrow \text{rgb}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$			n_{rgb}	$\text{rgb} \rightarrow \text{olv}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,d}}$		
0	0.0	0.0	0.0	0.0	51.73	83.56	357.0	0	0.0	0.0	0.0	0.0	51.19	82.08	6.4
1	0.0	0.0	0.125	270.0	58.86	59.98	271.8	1	0.0	0.0	0.125	270.0	29.43	135.26	306.2
2	0.0	0.0	0.25	270.0	58.87	59.96	271.8	2	0.0	0.0	0.25	270.0	29.41	135.28	306.2
3	0.0	0.0	0.375	270.0	58.87	59.95	271.8	3	0.0	0.0	0.375	270.0	29.41	135.29	306.2
4	0.0	0.0	0.5	270.0	58.88	59.95	271.7	4	0.0	0.0	0.5	270.0	29.41	135.29	306.1
5	0.0	0.0	0.625	270.0	58.88	59.95	271.7	5	0.0	0.0	0.625	270.0	29.4	135.29	306.1
6	0.0	0.0	0.75	270.0	58.88	59.94	271.7	6	0.0	0.0	0.75	270.0	29.4	135.3	306.1
7	0.0	0.0	0.875	270.0	58.88	59.94	271.7	7	0.0	0.0	0.875	270.0	29.4	135.3	306.1
8	0.0	0.0	1.0	270.0	58.88	59.94	271.7	8	0.0	0.0	1.0	270.0	29.4	135.3	306.1
729	1.0	1.0	1.0	0.0	51.73	83.56	357.0	729	1.0	1.0	1.0	0.0	51.19	82.08	6.4
730	0.875	1.0	1.0	210.0	79.69	45.34	217.0	730	0.875	1.0	1.0	210.0	87.05	48.17	196.6
731	0.75	1.0	1.0	210.0	79.7	45.34	217.0	731	0.75	1.0	1.0	210.0	87.05	48.17	196.6
732	0.625	1.0	1.0	210.0	79.7	45.34	217.0	732	0.625	1.0	1.0	210.0	87.06	48.17	196.6
733	0.5	1.0	1.0	210.0	79.7	45.34	217.0	733	0.5	1.0	1.0	210.0	87.06	48.17	196.6
734	0.375	1.0	1.0	210.0	79.7	45.34	217.0	734	0.375	1.0	1.0	210.0	87.06	48.17	196.6
735	0.25	1.0	1.0	210.0	79.7	45.34	217.0	735	0.25	1.0	1.0	210.0	87.06	48.17	196.6
736	0.125	1.0	1.0	210.0	79.7	45.34	217.0	736	0.125	1.0	1.0	210.0	87.06	48.17	196.6
737	0.0	1.0	1.0	210.0	79.7	45.34	217.0	737	0.0	1.0	1.0	210.0	87.06	48.17	196.6
972	0.0	0.0	0.0	0.0	51.73	83.56	357.0	972	0.0	0.0	0.0	0.0	51.19	82.08	6.4
973	0.125	0.125	0.125	0.0	51.73	83.56	357.0	973	0.125	0.125	0.125	0.0	51.19	82.08	6.4
974	0.25	0.25	0.25	0.0	51.73	83.56	357.0	974	0.25	0.25	0.25	0.0	51.19	82.08	6.4
975	0.375	0.375	0.375	0.0	51.73	83.56	357.0	975	0.375	0.375	0.375	0.0	51.19	82.08	6.4
976	0.5	0.5	0.5	0.0	51.73	83.56	357.0	976	0.5	0.5	0.5	0.0	51.19	82.08	6.4
977	0.625	0.625	0.625	0.0	51.73	83.56	357.0	977	0.625	0.625	0.625	0.0	51.19	82.08	6.4
978	0.75	0.75	0.75	0.0	51.73	83.56	357.0	978	0.75	0.75	0.75	0.0	51.19	82.08	6.4
979	0.875	0.875	0.875	0.0	51.73	83.56	357.0	979	0.875	0.875	0.875	0.0	51.19	82.08	6.4
980	1.0	1.0	1.0	0.0	51.73	83.56	357.0	980	1.0	1.0	1.0	0.0	51.19	82.08	6.4
1072	0.0	0.0	0.0	0.0	51.73	83.56	357.0	1072	0.0	0.0	0.0	0.0	51.19	82.08	6.4
1073	1.0	1.0	1.0	0.0	51.73	83.56	357.0	1073	1.0	1.0	1.0	0.0	51.19	82.08	6.4
1074	1.0	0.0	0.0	30.0	50.49	87.9	25.5	1074	1.0	0.0	0.0	30.0	50.09	110.31	46.0
1075	0.0	1.0	1.0	210.0	79.7	45.34	217.0	1075	0.0	1.0	1.0	210.0	87.06	48.17	196.6
1076	1.0	1.0	0.0	90.0	83.47	100.08	92.3	1076	1.0	1.0	0.0	90.0	92.89	110.78	101.2
1077	0.0	0.0	1.0	270.0	58.88	59.94	271.7	1077	0.0	0.0	1.0	270.0	29.4	135.3	306.1
1078	0.0	1.0	0.0	150.0	85.38	66.23	162.2	1078	0.0	1.0	0.0	150.0	84.0	127.23	131.0
1079	1.0	0.0	1.0	330.0	56.15	111.45	328.6	1079	1.0	0.0	1.0	330.0	56.62	114.34	326.8

KE790-7N, 1, Series $\text{rgb}^*_3/\text{olv}^*_3$: N-B/V, W-C'/C, N-W, 8 elementary/device colours; display reflection $L_r=0\%$; Page 1/8

TUB-test chart KE79; 35 example $\text{rgb}^*/\text{olv}^*$ colours of 9x9x9
LECD display: CIELAB data of colours Ma

input: $\text{rgb}^*/\text{olv}^*$ *setrgbcOLOR*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE79/KE79L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$\text{rgb} \rightarrow \text{rgb}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$			n_{rgb}	$\text{rgb} \rightarrow \text{olv}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,d}}$		
0	0.0	0.0	0.0	0.0	52.28	82.17	357.0	0	0.0	0.0	0.0	0.0	51.82	80.8	5.0
1	0.0	0.0	0.125	270.0	59.26	59.31	271.8	1	0.0	0.0	0.125	270.0	30.86	131.31	305.6
2	0.0	0.0	0.25	270.0	59.27	59.29	271.8	2	0.0	0.0	0.25	270.0	30.85	131.33	305.6
3	0.0	0.0	0.375	270.0	59.28	59.28	271.8	3	0.0	0.0	0.375	270.0	30.84	131.34	305.6
4	0.0	0.0	0.5	270.0	59.28	59.28	271.7	4	0.0	0.0	0.5	270.0	30.84	131.34	305.6
5	0.0	0.0	0.625	270.0	59.28	59.28	271.7	5	0.0	0.0	0.625	270.0	30.84	131.34	305.6
6	0.0	0.0	0.75	270.0	59.28	59.27	271.7	6	0.0	0.0	0.75	270.0	30.84	131.34	305.6
7	0.0	0.0	0.875	270.0	59.28	59.27	271.7	7	0.0	0.0	0.875	270.0	30.84	131.34	305.6
8	0.0	0.0	1.0	270.0	59.28	59.27	271.7	8	0.0	0.0	1.0	270.0	30.84	131.34	305.6
729	1.0	1.0	1.0	0.0	52.28	82.17	357.0	729	1.0	1.0	1.0	0.0	51.82	80.8	5.0
730	0.875	1.0	1.0	210.0	79.85	44.9	217.0	730	0.875	1.0	1.0	210.0	87.11	47.72	196.7
731	0.75	1.0	1.0	210.0	79.86	44.91	217.0	731	0.75	1.0	1.0	210.0	87.12	47.72	196.6
732	0.625	1.0	1.0	210.0	79.86	44.91	217.0	732	0.625	1.0	1.0	210.0	87.12	47.72	196.6
733	0.5	1.0	1.0	210.0	79.86	44.91	217.0	733	0.5	1.0	1.0	210.0	87.12	47.72	196.6
734	0.375	1.0	1.0	210.0	79.86	44.91	217.0	734	0.375	1.0	1.0	210.0	87.12	47.72	196.6
735	0.25	1.0	1.0	210.0	79.86	44.91	217.0	735	0.25	1.0	1.0	210.0	87.12	47.72	196.6
736	0.125	1.0	1.0	210.0	79.86	44.91	217.0	736	0.125	1.0	1.0	210.0	87.12	47.72	196.6
737	0.0	1.0	1.0	210.0	79.86	44.91	217.0	737	0.0	1.0	1.0	210.0	87.12	47.72	196.6
972	0.0	0.0	0.0	0.0	52.28	82.17	357.0	972	0.0	0.0	0.0	0.0	51.82	80.8	5.0
973	0.125	0.125	0.125	0.0	52.28	82.17	357.0	973	0.125	0.125	0.125	0.0	51.82	80.8	5.0
974	0.25	0.25	0.25	0.0	52.28	82.17	357.0	974	0.25	0.25	0.25	0.0	51.82	80.8	5.0
975	0.375	0.375	0.375	0.0	52.28	82.17	357.0	975	0.375	0.375	0.375	0.0	51.82	80.8	5.0
976	0.5	0.5	0.5	0.0	52.28	82.17	357.0	976	0.5	0.5	0.5	0.0	51.82	80.8	5.0
977	0.625	0.625	0.625	0.0	52.28	82.17	357.0	977	0.625	0.625	0.625	0.0	51.82	80.8	5.0
978	0.75	0.75	0.75	0.0	52.28	82.17	357.0	978	0.75	0.75	0.75	0.0	51.82	80.8	5.0
979	0.875	0.875	0.875	0.0	52.28	82.17	357.0	979	0.875	0.875	0.875	0.0	51.82	80.8	5.0
980	1.0	1.0	1.0	0.0	52.28	82.17	357.0	980	1.0	1.0	1.0	0.0	51.82	80.8	5.0
1072	0.0	0.0	0.0	0.0	52.28	82.17	357.0	1072	0.0	0.0	0.0	0.0	51.82	80.8	5.0
1073	1.0	1.0	1.0	0.0	52.28	82.17	357.0	1073	1.0	1.0	1.0	0.0	51.82	80.8	5.0
1074	1.0	0.0	0.0	30.0	51.05	86.19	25.5	1074	1.0	0.0	0.0	30.0	50.68	103.3	43.3
1075	0.0	1.0	1.0	210.0	79.86	44.91	217.0	1075	0.0	1.0	1.0	210.0	87.12	47.72	196.6
1076	1.0	1.0	0.0	90.0	83.52	97.21	92.3	1076	1.0	1.0	0.0	90.0	92.9	108.4	101.4
1077	0.0	0.0	1.0	270.0	59.28	59.27	271.7	1077	0.0	0.0	1.0	270.0	30.84	131.34	305.6
1078	0.0	1.0	0.0	150.0	85.46	65.54	162.2	1078	0.0	1.0	0.0	150.0	84.09	124.75	131.4
1079	1.0	0.0	1.0	330.0	56.59	109.88	328.6	1079	1.0	0.0	1.0	330.0	57.07	112.85	326.8

KE790-7N, 2, Series $\text{rgb}^*_3/\text{olv}^*_3$: N-B/V, W-C'/C, N-W, 8 elementary/device colours; display reflection $L_r=0,6\%$; Page 2/8

TUB-test chart KE79; 35 example $\text{rgb}^*/\text{olv}^*$ colours of 9x9x9
LECD display: CIELAB data of colours Ma

input: $\text{rgb}^*/\text{olv}^*$ *setrgbcOLOR*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE79/KE79L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$\text{rgb} \rightarrow \text{rgb}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$			n_{rgb}	$\text{rgb} \rightarrow \text{olv}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,d}}$		
0	0.0	0.0	0.0	0.0	52.82	80.8	357.0	0	0.0	0.0	0.0	0.0	52.42	79.52	3.9
1	0.0	0.0	0.125	270.0	59.66	58.65	271.8	1	0.0	0.0	0.125	270.0	32.21	127.64	305.1
2	0.0	0.0	0.25	270.0	59.67	58.63	271.8	2	0.0	0.0	0.25	270.0	32.2	127.65	305.0
3	0.0	0.0	0.375	270.0	59.67	58.62	271.8	3	0.0	0.0	0.375	270.0	32.2	127.66	305.0
4	0.0	0.0	0.5	270.0	59.67	58.62	271.7	4	0.0	0.0	0.5	270.0	32.2	127.66	305.0
5	0.0	0.0	0.625	270.0	59.68	58.62	271.7	5	0.0	0.0	0.625	270.0	32.19	127.66	305.0
6	0.0	0.0	0.75	270.0	59.68	58.61	271.7	6	0.0	0.0	0.75	270.0	32.19	127.66	305.0
7	0.0	0.0	0.875	270.0	59.68	58.61	271.7	7	0.0	0.0	0.875	270.0	32.19	127.66	305.0
8	0.0	0.0	1.0	270.0	59.68	58.61	271.7	8	0.0	0.0	1.0	270.0	32.19	127.66	305.0
729	1.0	1.0	1.0	0.0	52.82	80.8	357.0	729	1.0	1.0	1.0	0.0	52.42	79.52	3.9
730	0.875	1.0	1.0	210.0	80.01	44.47	217.0	730	0.875	1.0	1.0	210.0	87.18	47.28	196.7
731	0.75	1.0	1.0	210.0	80.01	44.47	217.0	731	0.75	1.0	1.0	210.0	87.18	47.28	196.7
732	0.625	1.0	1.0	210.0	80.01	44.47	217.0	732	0.625	1.0	1.0	210.0	87.18	47.28	196.7
733	0.5	1.0	1.0	210.0	80.02	44.47	217.0	733	0.5	1.0	1.0	210.0	87.19	47.28	196.7
734	0.375	1.0	1.0	210.0	80.02	44.47	217.0	734	0.375	1.0	1.0	210.0	87.19	47.28	196.7
735	0.25	1.0	1.0	210.0	80.02	44.47	217.0	735	0.25	1.0	1.0	210.0	87.19	47.28	196.7
736	0.125	1.0	1.0	210.0	80.02	44.47	217.0	736	0.125	1.0	1.0	210.0	87.19	47.28	196.7
737	0.0	1.0	1.0	210.0	80.02	44.47	217.0	737	0.0	1.0	1.0	210.0	87.19	47.28	196.7
972	0.0	0.0	0.0	0.0	52.82	80.8	357.0	972	0.0	0.0	0.0	0.0	52.42	79.52	3.9
973	0.125	0.125	0.125	0.0	52.82	80.8	357.0	973	0.125	0.125	0.125	0.0	52.42	79.52	3.9
974	0.25	0.25	0.25	0.0	52.82	80.8	357.0	974	0.25	0.25	0.25	0.0	52.42	79.52	3.9
975	0.375	0.375	0.375	0.0	52.82	80.8	357.0	975	0.375	0.375	0.375	0.0	52.42	79.52	3.9
976	0.5	0.5	0.5	0.0	52.82	80.8	357.0	976	0.5	0.5	0.5	0.0	52.42	79.52	3.9
977	0.625	0.625	0.625	0.0	52.82	80.8	357.0	977	0.625	0.625	0.625	0.0	52.42	79.52	3.9
978	0.75	0.75	0.75	0.0	52.82	80.8	357.0	978	0.75	0.75	0.75	0.0	52.42	79.52	3.9
979	0.875	0.875	0.875	0.0	52.82	80.8	357.0	979	0.875	0.875	0.875	0.0	52.42	79.52	3.9
980	1.0	1.0	1.0	0.0	52.82	80.8	357.0	980	1.0	1.0	1.0	0.0	52.42	79.52	3.9
1072	0.0	0.0	0.0	0.0	52.82	80.8	357.0	1072	0.0	0.0	0.0	0.0	52.42	79.52	3.9
1073	1.0	1.0	1.0	0.0	52.82	80.8	357.0	1073	1.0	1.0	1.0	0.0	52.42	79.52	3.9
1074	1.0	0.0	0.0	30.0	51.6	84.51	25.5	1074	1.0	0.0	0.0	30.0	51.26	98.06	41.1
1075	0.0	1.0	1.0	210.0	80.02	44.47	217.0	1075	0.0	1.0	1.0	210.0	87.19	47.28	196.7
1076	1.0	1.0	0.0	90.0	83.58	94.56	92.3	1076	1.0	1.0	0.0	90.0	92.92	106.15	101.5
1077	0.0	0.0	1.0	270.0	59.68	58.61	271.7	1077	0.0	0.0	1.0	270.0	32.19	127.66	305.0
1078	0.0	1.0	0.0	150.0	85.54	64.86	162.2	1078	0.0	1.0	0.0	150.0	84.18	122.42	131.8
1079	1.0	0.0	1.0	330.0	57.03	108.32	328.6	1079	1.0	0.0	1.0	330.0	57.51	111.36	326.7

KE790-7N, 3, Series $\text{rgb}^*_3/\text{olv}^*_3$: N-B/V, W-C'/C, N-W, 8 elementary/device colours; display reflection $L_r = 1,2\%$; Page 3/8

TUB-test chart KE79; 35 example $\text{rgb}^*/\text{olv}^*$ colours of 9x9x9
LECD display: CIELAB data of colours Ma

input: $\text{rgb}^*/\text{olv}^*$ *setrgbcolor*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE79/KE79L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$\text{rgb} \rightarrow \text{rgb}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$			n_{rgb}	$\text{rgb} \rightarrow \text{olv}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,d}}$		
0	0.0	0.0	0.0	0.0	53.88	78.16	357.0	0	0.0	0.0	0.0	0.0	53.57	77.01	2.4
1	0.0	0.0	0.125	270.0	60.43	57.35	271.8	1	0.0	0.0	0.125	270.0	34.71	121.03	304.1
2	0.0	0.0	0.25	270.0	60.44	57.33	271.8	2	0.0	0.0	0.25	270.0	34.7	121.04	304.1
3	0.0	0.0	0.375	270.0	60.45	57.32	271.8	3	0.0	0.0	0.375	270.0	34.7	121.04	304.1
4	0.0	0.0	0.5	270.0	60.45	57.32	271.7	4	0.0	0.0	0.5	270.0	34.69	121.04	304.1
5	0.0	0.0	0.625	270.0	60.45	57.32	271.7	5	0.0	0.0	0.625	270.0	34.69	121.04	304.1
6	0.0	0.0	0.75	270.0	60.45	57.31	271.7	6	0.0	0.0	0.75	270.0	34.69	121.05	304.1
7	0.0	0.0	0.875	270.0	60.45	57.31	271.7	7	0.0	0.0	0.875	270.0	34.69	121.05	304.1
8	0.0	0.0	1.0	270.0	60.45	57.31	271.7	8	0.0	0.0	1.0	270.0	34.69	121.05	304.1
729	1.0	1.0	1.0	0.0	53.88	78.16	357.0	729	1.0	1.0	1.0	0.0	53.57	77.01	2.4
730	0.875	1.0	1.0	210.0	80.32	43.61	217.0	730	0.875	1.0	1.0	210.0	87.3	46.39	196.7
731	0.75	1.0	1.0	210.0	80.32	43.61	217.0	731	0.75	1.0	1.0	210.0	87.31	46.4	196.7
732	0.625	1.0	1.0	210.0	80.32	43.62	217.0	732	0.625	1.0	1.0	210.0	87.31	46.4	196.7
733	0.5	1.0	1.0	210.0	80.32	43.62	217.0	733	0.5	1.0	1.0	210.0	87.31	46.4	196.7
734	0.375	1.0	1.0	210.0	80.32	43.62	217.0	734	0.375	1.0	1.0	210.0	87.32	46.4	196.7
735	0.25	1.0	1.0	210.0	80.32	43.62	217.0	735	0.25	1.0	1.0	210.0	87.32	46.4	196.7
736	0.125	1.0	1.0	210.0	80.32	43.62	217.0	736	0.125	1.0	1.0	210.0	87.32	46.4	196.7
737	0.0	1.0	1.0	210.0	80.32	43.62	217.0	737	0.0	1.0	1.0	210.0	87.32	46.4	196.7
972	0.0	0.0	0.0	0.0	53.88	78.16	357.0	972	0.0	0.0	0.0	0.0	53.57	77.01	2.4
973	0.125	0.125	0.125	0.0	53.88	78.16	357.0	973	0.125	0.125	0.125	0.0	53.57	77.01	2.4
974	0.25	0.25	0.25	0.0	53.88	78.16	357.0	974	0.25	0.25	0.25	0.0	53.57	77.01	2.4
975	0.375	0.375	0.375	0.0	53.88	78.16	357.0	975	0.375	0.375	0.375	0.0	53.57	77.01	2.4
976	0.5	0.5	0.5	0.0	53.88	78.16	357.0	976	0.5	0.5	0.5	0.0	53.57	77.01	2.4
977	0.625	0.625	0.625	0.0	53.88	78.16	357.0	977	0.625	0.625	0.625	0.0	53.57	77.01	2.4
978	0.75	0.75	0.75	0.0	53.88	78.16	357.0	978	0.75	0.75	0.75	0.0	53.57	77.01	2.4
979	0.875	0.875	0.875	0.0	53.88	78.16	357.0	979	0.875	0.875	0.875	0.0	53.57	77.01	2.4
980	1.0	1.0	1.0	0.0	53.88	78.16	357.0	980	1.0	1.0	1.0	0.0	53.57	77.01	2.4
1072	0.0	0.0	0.0	0.0	53.88	78.16	357.0	1072	0.0	0.0	0.0	0.0	53.57	77.01	2.4
1073	1.0	1.0	1.0	0.0	53.88	78.16	357.0	1073	1.0	1.0	1.0	0.0	53.57	77.01	2.4
1074	1.0	0.0	0.0	30.0	52.69	81.3	25.5	1074	1.0	0.0	0.0	30.0	52.39	90.66	38.2
1075	0.0	1.0	1.0	210.0	80.32	43.62	217.0	1075	0.0	1.0	1.0	210.0	87.32	46.4	196.7
1076	1.0	1.0	0.0	90.0	83.7	89.8	92.3	1076	1.0	1.0	0.0	90.0	92.96	101.99	101.8
1077	0.0	0.0	1.0	270.0	60.45	57.31	271.7	1077	0.0	0.0	1.0	270.0	34.69	121.05	304.1
1078	0.0	1.0	0.0	150.0	85.69	63.52	162.2	1078	0.0	1.0	0.0	150.0	84.36	118.07	132.5
1079	1.0	0.0	1.0	330.0	57.9	105.28	328.6	1079	1.0	0.0	1.0	330.0	58.38	108.44	326.6

KE790-7N, 4, Series $\text{rgb}^*_3/\text{olv}^*_3$: N-B/V, W-C'/C, N-W, 8 elementary/device colours; display reflection $L_r=2,5\%$; Page 4/8

TUB-test chart KE79; 35 example $\text{rgb}^*/\text{olv}^*$ colours of 9x9x9
LECD display: CIELAB data of colours Ma

input: $\text{rgb}^*/\text{olv}^*$ *setrgbcOLOR*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE79/KE79L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$\text{rgb} \rightarrow \text{rgb}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$			n_{rgb}	$\text{rgb} \rightarrow \text{olv}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,d}}$		
0	0.0	0.0	0.0	0.0	55.9	73.21	357.0	0	0.0	0.0	0.0	0.0	55.71	72.27	0.5
1	0.0	0.0	0.125	270.0	61.94	54.83	271.8	1	0.0	0.0	0.125	270.0	39.08	110.01	302.4
2	0.0	0.0	0.25	270.0	61.95	54.8	271.8	2	0.0	0.0	0.25	270.0	39.07	110.02	302.4
3	0.0	0.0	0.375	270.0	61.96	54.8	271.8	3	0.0	0.0	0.375	270.0	39.06	110.02	302.4
4	0.0	0.0	0.5	270.0	61.96	54.79	271.7	4	0.0	0.0	0.5	270.0	39.06	110.02	302.4
5	0.0	0.0	0.625	270.0	61.96	54.79	271.7	5	0.0	0.0	0.625	270.0	39.06	110.02	302.4
6	0.0	0.0	0.75	270.0	61.96	54.79	271.7	6	0.0	0.0	0.75	270.0	39.06	110.02	302.4
7	0.0	0.0	0.875	270.0	61.96	54.79	271.7	7	0.0	0.0	0.875	270.0	39.06	110.02	302.4
8	0.0	0.0	1.0	270.0	61.96	54.79	271.7	8	0.0	0.0	1.0	270.0	39.06	110.02	302.4
729	1.0	1.0	1.0	0.0	55.9	73.21	357.0	729	1.0	1.0	1.0	0.0	55.71	72.27	0.5
730	0.875	1.0	1.0	210.0	80.92	41.93	217.0	730	0.875	1.0	1.0	210.0	87.56	44.65	196.8
731	0.75	1.0	1.0	210.0	80.93	41.93	217.0	731	0.75	1.0	1.0	210.0	87.57	44.65	196.8
732	0.625	1.0	1.0	210.0	80.93	41.93	217.0	732	0.625	1.0	1.0	210.0	87.57	44.65	196.8
733	0.5	1.0	1.0	210.0	80.93	41.93	217.0	733	0.5	1.0	1.0	210.0	87.57	44.66	196.8
734	0.375	1.0	1.0	210.0	80.93	41.93	217.0	734	0.375	1.0	1.0	210.0	87.57	44.66	196.8
735	0.25	1.0	1.0	210.0	80.93	41.93	217.0	735	0.25	1.0	1.0	210.0	87.57	44.66	196.8
736	0.125	1.0	1.0	210.0	80.93	41.93	217.0	736	0.125	1.0	1.0	210.0	87.57	44.66	196.8
737	0.0	1.0	1.0	210.0	80.93	41.93	217.0	737	0.0	1.0	1.0	210.0	87.57	44.66	196.8
972	0.0	0.0	0.0	0.0	55.9	73.21	357.0	972	0.0	0.0	0.0	0.0	55.71	72.27	0.5
973	0.125	0.125	0.125	0.0	55.9	73.21	357.0	973	0.125	0.125	0.125	0.0	55.71	72.27	0.5
974	0.25	0.25	0.25	0.0	55.9	73.21	357.0	974	0.25	0.25	0.25	0.0	55.71	72.27	0.5
975	0.375	0.375	0.375	0.0	55.9	73.21	357.0	975	0.375	0.375	0.375	0.0	55.71	72.27	0.5
976	0.5	0.5	0.5	0.0	55.9	73.21	357.0	976	0.5	0.5	0.5	0.0	55.71	72.27	0.5
977	0.625	0.625	0.625	0.0	55.9	73.21	357.0	977	0.625	0.625	0.625	0.0	55.71	72.27	0.5
978	0.75	0.75	0.75	0.0	55.9	73.21	357.0	978	0.75	0.75	0.75	0.0	55.71	72.27	0.5
979	0.875	0.875	0.875	0.0	55.9	73.21	357.0	979	0.875	0.875	0.875	0.0	55.71	72.27	0.5
980	1.0	1.0	1.0	0.0	55.9	73.21	357.0	980	1.0	1.0	1.0	0.0	55.71	72.27	0.5
1072	0.0	0.0	0.0	0.0	55.9	73.21	357.0	1072	0.0	0.0	0.0	0.0	55.71	72.27	0.5
1073	1.0	1.0	1.0	0.0	55.9	73.21	357.0	1073	1.0	1.0	1.0	0.0	55.71	72.27	0.5
1074	1.0	0.0	0.0	30.0	54.76	75.39	25.5	1074	1.0	0.0	0.0	30.0	54.54	80.63	34.5
1075	0.0	1.0	1.0	210.0	80.93	41.93	217.0	1075	0.0	1.0	1.0	210.0	87.57	44.66	196.8
1076	1.0	1.0	0.0	90.0	83.98	81.8	92.3	1076	1.0	1.0	0.0	90.0	93.03	94.72	102.3
1077	0.0	0.0	1.0	270.0	61.96	54.79	271.7	1077	0.0	0.0	1.0	270.0	39.06	110.02	302.4
1078	0.0	1.0	0.0	150.0	86.01	60.88	162.2	1078	0.0	1.0	0.0	150.0	84.72	110.36	133.6
1079	1.0	0.0	1.0	330.0	59.57	99.48	328.6	1079	1.0	0.0	1.0	330.0	60.05	102.86	326.4

KE790-7N, 5, Series $\text{rgb}^*_3/\text{olv}^*_3$: N-B/V, W-C'/C, N-W, 8 elementary/device colours; display reflection $L_r=5\%$; Page 5/8

TUB-test chart KE79; 35 example $\text{rgb}^*/\text{olv}^*$ colours of 9x9x9
LECD display: CIELAB data of colours Ma

input: $\text{rgb}^*/\text{olv}^*$ *setrgbcolor*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE79/KE79L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$\text{rgb} \rightarrow \text{rgb}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$			n_{rgb}	$\text{rgb} \rightarrow \text{olv}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,d}}$		
0	0.0	0.0	0.0	0.0	59.64	64.44	357.0	0	0.0	0.0	0.0	0.0	59.58	63.99	358.3
1	0.0	0.0	0.125	270.0	64.81	50.05	271.8	1	0.0	0.0	0.125	270.0	46.18	93.34	300.0
2	0.0	0.0	0.25	270.0	64.82	50.03	271.8	2	0.0	0.0	0.25	270.0	46.17	93.34	300.0
3	0.0	0.0	0.375	270.0	64.82	50.02	271.8	3	0.0	0.0	0.375	270.0	46.17	93.35	300.0
4	0.0	0.0	0.5	270.0	64.82	50.02	271.7	4	0.0	0.0	0.5	270.0	46.17	93.35	300.0
5	0.0	0.0	0.625	270.0	64.83	50.02	271.7	5	0.0	0.0	0.625	270.0	46.17	93.35	300.0
6	0.0	0.0	0.75	270.0	64.83	50.02	271.7	6	0.0	0.0	0.75	270.0	46.17	93.35	300.0
7	0.0	0.0	0.875	270.0	64.83	50.01	271.7	7	0.0	0.0	0.875	270.0	46.17	93.35	300.0
8	0.0	0.0	1.0	270.0	64.83	50.01	271.7	8	0.0	0.0	1.0	270.0	46.17	93.35	300.0
729	1.0	1.0	1.0	0.0	59.64	64.44	357.0	729	1.0	1.0	1.0	0.0	59.58	63.99	358.3
730	0.875	1.0	1.0	210.0	82.09	38.67	217.0	730	0.875	1.0	1.0	210.0	88.07	41.26	197.1
731	0.75	1.0	1.0	210.0	82.09	38.67	217.0	731	0.75	1.0	1.0	210.0	88.07	41.26	197.0
732	0.625	1.0	1.0	210.0	82.09	38.67	217.0	732	0.625	1.0	1.0	210.0	88.08	41.27	197.0
733	0.5	1.0	1.0	210.0	82.09	38.67	217.0	733	0.5	1.0	1.0	210.0	88.08	41.27	197.0
734	0.375	1.0	1.0	210.0	82.09	38.67	217.0	734	0.375	1.0	1.0	210.0	88.08	41.27	197.0
735	0.25	1.0	1.0	210.0	82.09	38.67	217.0	735	0.25	1.0	1.0	210.0	88.08	41.27	197.0
736	0.125	1.0	1.0	210.0	82.09	38.68	217.0	736	0.125	1.0	1.0	210.0	88.08	41.27	197.0
737	0.0	1.0	1.0	210.0	82.09	38.68	217.0	737	0.0	1.0	1.0	210.0	88.08	41.27	197.0
972	0.0	0.0	0.0	0.0	59.64	64.44	357.0	972	0.0	0.0	0.0	0.0	59.58	63.99	358.3
973	0.125	0.125	0.125	0.0	59.64	64.44	357.0	973	0.125	0.125	0.125	0.0	59.58	63.99	358.3
974	0.25	0.25	0.25	0.0	59.64	64.44	357.0	974	0.25	0.25	0.25	0.0	59.58	63.99	358.3
975	0.375	0.375	0.375	0.0	59.64	64.44	357.0	975	0.375	0.375	0.375	0.0	59.58	63.99	358.3
976	0.5	0.5	0.5	0.0	59.64	64.44	357.0	976	0.5	0.5	0.5	0.0	59.58	63.99	358.3
977	0.625	0.625	0.625	0.0	59.64	64.44	357.0	977	0.625	0.625	0.625	0.0	59.58	63.99	358.3
978	0.75	0.75	0.75	0.0	59.64	64.44	357.0	978	0.75	0.75	0.75	0.0	59.58	63.99	358.3
979	0.875	0.875	0.875	0.0	59.64	64.44	357.0	979	0.875	0.875	0.875	0.0	59.58	63.99	358.3
980	1.0	1.0	1.0	0.0	59.64	64.44	357.0	980	1.0	1.0	1.0	0.0	59.58	63.99	358.3
1072	0.0	0.0	0.0	0.0	59.64	64.44	357.0	1072	0.0	0.0	0.0	0.0	59.58	63.99	358.3
1073	1.0	1.0	1.0	0.0	59.64	64.44	357.0	1073	1.0	1.0	1.0	0.0	59.58	63.99	358.3
1074	1.0	0.0	0.0	30.0	58.6	65.2	25.5	1074	1.0	0.0	0.0	30.0	58.48	67.28	30.5
1075	0.0	1.0	1.0	210.0	82.09	38.68	217.0	1075	0.0	1.0	1.0	210.0	88.08	41.27	197.0
1076	1.0	1.0	0.0	90.0	84.6	69.49	92.3	1076	1.0	1.0	0.0	90.0	93.18	82.85	103.2
1077	0.0	0.0	1.0	270.0	64.83	50.01	271.7	1077	0.0	0.0	1.0	270.0	46.17	93.35	300.0
1078	0.0	1.0	0.0	150.0	86.62	55.82	162.2	1078	0.0	1.0	0.0	150.0	85.43	97.47	135.3
1079	1.0	0.0	1.0	330.0	62.73	88.87	328.6	1079	1.0	0.0	1.0	330.0	63.2	92.57	326.0

KE790-7N, 6, Series $\text{rgb}^*_3/\text{olv}^*_3$: N-B/V, W-C'/C, N-W, 8 elementary/device colours; display reflection $L_r=10\%$; Page 6/8

TUB-test chart KE79; 35 example $\text{rgb}^*/\text{olv}^*$ colours of 9x9x9
LECD display: CIELAB data of colours Ma

input: $\text{rgb}^*/\text{olv}^*$ *setrgbcolor*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE79/KE79L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$\text{rgb} \rightarrow \text{rgb}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$			n_{rgb}	$\text{rgb} \rightarrow \text{olv}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,d}}$		
0	0.0	0.0	0.0	0.0	66.17	50.2	357.0	0	0.0	0.0	0.0	0.0	66.22	50.55	355.9
1	0.0	0.0	0.125	270.0	70.02	41.4	271.8	1	0.0	0.0	0.125	270.0	56.88	70.48	296.8
2	0.0	0.0	0.25	270.0	70.03	41.38	271.8	2	0.0	0.0	0.25	270.0	56.87	70.48	296.7
3	0.0	0.0	0.375	270.0	70.03	41.38	271.8	3	0.0	0.0	0.375	270.0	56.87	70.48	296.7
4	0.0	0.0	0.5	270.0	70.03	41.38	271.7	4	0.0	0.0	0.5	270.0	56.87	70.48	296.7
5	0.0	0.0	0.625	270.0	70.03	41.38	271.7	5	0.0	0.0	0.625	270.0	56.87	70.48	296.7
6	0.0	0.0	0.75	270.0	70.03	41.37	271.7	6	0.0	0.0	0.75	270.0	56.87	70.48	296.7
7	0.0	0.0	0.875	270.0	70.03	41.37	271.7	7	0.0	0.0	0.875	270.0	56.87	70.48	296.7
8	0.0	0.0	1.0	270.0	70.03	41.37	271.7	8	0.0	0.0	1.0	270.0	56.87	70.48	296.7
729	1.0	1.0	1.0	0.0	66.17	50.2	357.0	729	1.0	1.0	1.0	0.0	66.22	50.55	355.9
730	0.875	1.0	1.0	210.0	84.25	32.56	217.0	730	0.875	1.0	1.0	210.0	89.07	34.83	197.4
731	0.75	1.0	1.0	210.0	84.25	32.57	217.0	731	0.75	1.0	1.0	210.0	89.07	34.83	197.4
732	0.625	1.0	1.0	210.0	84.25	32.57	217.0	732	0.625	1.0	1.0	210.0	89.08	34.84	197.4
733	0.5	1.0	1.0	210.0	84.25	32.57	217.0	733	0.5	1.0	1.0	210.0	89.08	34.84	197.4
734	0.375	1.0	1.0	210.0	84.25	32.57	217.0	734	0.375	1.0	1.0	210.0	89.08	34.84	197.4
735	0.25	1.0	1.0	210.0	84.25	32.57	217.0	735	0.25	1.0	1.0	210.0	89.08	34.84	197.4
736	0.125	1.0	1.0	210.0	84.25	32.57	217.0	736	0.125	1.0	1.0	210.0	89.08	34.84	197.4
737	0.0	1.0	1.0	210.0	84.25	32.57	217.0	737	0.0	1.0	1.0	210.0	89.08	34.84	197.4
972	0.0	0.0	0.0	0.0	66.17	50.2	357.0	972	0.0	0.0	0.0	0.0	66.22	50.55	355.9
973	0.125	0.125	0.125	0.0	66.17	50.2	357.0	973	0.125	0.125	0.125	0.0	66.22	50.55	355.9
974	0.25	0.25	0.25	0.0	66.17	50.2	357.0	974	0.25	0.25	0.25	0.0	66.22	50.55	355.9
975	0.375	0.375	0.375	0.0	66.17	50.2	357.0	975	0.375	0.375	0.375	0.0	66.22	50.55	355.9
976	0.5	0.5	0.5	0.0	66.17	50.2	357.0	976	0.5	0.5	0.5	0.0	66.22	50.55	355.9
977	0.625	0.625	0.625	0.0	66.17	50.2	357.0	977	0.625	0.625	0.625	0.0	66.22	50.55	355.9
978	0.75	0.75	0.75	0.0	66.17	50.2	357.0	978	0.75	0.75	0.75	0.0	66.22	50.55	355.9
979	0.875	0.875	0.875	0.0	66.17	50.2	357.0	979	0.875	0.875	0.875	0.0	66.22	50.55	355.9
980	1.0	1.0	1.0	0.0	66.17	50.2	357.0	980	1.0	1.0	1.0	0.0	66.22	50.55	355.9
1072	0.0	0.0	0.0	0.0	66.17	50.2	357.0	1072	0.0	0.0	0.0	0.0	66.22	50.55	355.9
1073	1.0	1.0	1.0	0.0	66.17	50.2	357.0	1073	1.0	1.0	1.0	0.0	66.22	50.55	355.9
1074	1.0	0.0	0.0	30.0	65.34	49.62	25.5	1074	1.0	0.0	0.0	30.0	65.32	49.85	26.5
1075	0.0	1.0	1.0	210.0	84.25	32.57	217.0	1075	0.0	1.0	1.0	210.0	89.08	34.84	197.4
1076	1.0	1.0	0.0	90.0	85.96	52.22	92.3	1076	1.0	1.0	0.0	90.0	93.47	64.92	104.5
1077	0.0	0.0	1.0	270.0	70.03	41.37	271.7	1077	0.0	0.0	1.0	270.0	56.87	70.48	296.7
1078	0.0	1.0	0.0	150.0	87.84	46.46	162.2	1078	0.0	1.0	0.0	150.0	86.82	77.24	137.5
1079	1.0	0.0	1.0	330.0	68.41	70.79	328.6	1079	1.0	0.0	1.0	330.0	68.83	74.76	325.4

KE790-7N, 7, Series $\text{rgb}^*_3/\text{olv}^*_3$: N-B/V, W-C'/C, N-W, 8 elementary/device colours; display reflection $L_r=20\%$; Page 7/8

TUB-test chart KE79; 35 example $\text{rgb}^*/\text{olv}^*$ colours of 9x9x9
LECD display: CIELAB data of colours Ma

input: $\text{rgb}^*/\text{olv}^*$ *setrgbcOLOR*
output: *no change compared to input*

See original or copy: <http://web.me.com/klaus.richter/KE79/KE79L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n_{rgb}	$\text{rgb} \rightarrow \text{rgb}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,e}}$			n_{rgb}	$\text{rgb} \rightarrow \text{olv}^*_3$			h_{rgb}	$[L^*, C^*_{\text{ab}}, h_{\text{ab}}]_{\text{Ma,d}}$		
0	0.0	0.0	0.0	0.0	76.79	29.66	357.0	0	0.0	0.0	0.0	0.0	76.87	30.38	353.7
1	0.0	0.0	0.125	270.0	78.92	26.74	271.8	1	0.0	0.0	0.125	270.0	71.95	41.32	293.2
2	0.0	0.0	0.25	270.0	78.93	26.73	271.8	2	0.0	0.0	0.25	270.0	71.95	41.32	293.2
3	0.0	0.0	0.375	270.0	78.93	26.73	271.8	3	0.0	0.0	0.375	270.0	71.95	41.32	293.2
4	0.0	0.0	0.5	270.0	78.93	26.73	271.7	4	0.0	0.0	0.5	270.0	71.95	41.32	293.2
5	0.0	0.0	0.625	270.0	78.93	26.73	271.7	5	0.0	0.0	0.625	270.0	71.95	41.32	293.2
6	0.0	0.0	0.75	270.0	78.93	26.73	271.7	6	0.0	0.0	0.75	270.0	71.95	41.32	293.2
7	0.0	0.0	0.875	270.0	78.93	26.73	271.7	7	0.0	0.0	0.875	270.0	71.95	41.32	293.2
8	0.0	0.0	1.0	270.0	78.93	26.73	271.7	8	0.0	0.0	1.0	270.0	71.95	41.32	293.2
729	1.0	1.0	1.0	0.0	76.79	29.66	357.0	729	1.0	1.0	1.0	0.0	76.87	30.38	353.7
730	0.875	1.0	1.0	210.0	88.05	21.62	217.0	730	0.875	1.0	1.0	210.0	91.02	23.17	198.2
731	0.75	1.0	1.0	210.0	88.05	21.62	217.0	731	0.75	1.0	1.0	210.0	91.02	23.17	198.2
732	0.625	1.0	1.0	210.0	88.05	21.62	217.0	732	0.625	1.0	1.0	210.0	91.02	23.17	198.2
733	0.5	1.0	1.0	210.0	88.05	21.62	217.0	733	0.5	1.0	1.0	210.0	91.02	23.17	198.2
734	0.375	1.0	1.0	210.0	88.05	21.62	217.0	734	0.375	1.0	1.0	210.0	91.02	23.17	198.2
735	0.25	1.0	1.0	210.0	88.05	21.62	217.0	735	0.25	1.0	1.0	210.0	91.02	23.17	198.2
736	0.125	1.0	1.0	210.0	88.05	21.62	217.0	736	0.125	1.0	1.0	210.0	91.02	23.17	198.2
737	0.0	1.0	1.0	210.0	88.05	21.62	217.0	737	0.0	1.0	1.0	210.0	91.02	23.17	198.2
972	0.0	0.0	0.0	0.0	76.79	29.66	357.0	972	0.0	0.0	0.0	0.0	76.87	30.38	353.7
973	0.125	0.125	0.125	0.0	76.79	29.66	357.0	973	0.125	0.125	0.125	0.0	76.87	30.38	353.7
974	0.25	0.25	0.25	0.0	76.79	29.66	357.0	974	0.25	0.25	0.25	0.0	76.87	30.38	353.7
975	0.375	0.375	0.375	0.0	76.79	29.66	357.0	975	0.375	0.375	0.375	0.0	76.87	30.38	353.7
976	0.5	0.5	0.5	0.0	76.79	29.66	357.0	976	0.5	0.5	0.5	0.0	76.87	30.38	353.7
977	0.625	0.625	0.625	0.0	76.79	29.66	357.0	977	0.625	0.625	0.625	0.0	76.87	30.38	353.7
978	0.75	0.75	0.75	0.0	76.79	29.66	357.0	978	0.75	0.75	0.75	0.0	76.87	30.38	353.7
979	0.875	0.875	0.875	0.0	76.79	29.66	357.0	979	0.875	0.875	0.875	0.0	76.87	30.38	353.7
980	1.0	1.0	1.0	0.0	76.79	29.66	357.0	980	1.0	1.0	1.0	0.0	76.87	30.38	353.7
1072	0.0	0.0	0.0	0.0	76.79	29.66	357.0	1072	0.0	0.0	0.0	0.0	76.87	30.38	353.7
1073	1.0	1.0	1.0	0.0	76.79	29.66	357.0	1073	1.0	1.0	1.0	0.0	76.87	30.38	353.7
1074	1.0	0.0	0.0	30.0	76.78	27.5	25.5	1074	1.0	0.0	0.0	30.0	76.31	28.2	23.2
1075	0.0	1.0	1.0	210.0	88.05	21.62	217.0	1075	0.0	1.0	1.0	210.0	91.02	23.17	198.2
1076	1.0	1.0	0.0	90.0	88.8	30.06	92.3	1076	1.0	1.0	0.0	90.0	94.05	39.6	106.5
1077	0.0	0.0	1.0	270.0	78.93	26.73	271.7	1077	0.0	0.0	1.0	270.0	71.95	41.32	293.2
1078	0.0	1.0	0.0	150.0	90.19	30.18	162.2	1078	0.0	1.0	0.0	150.0	89.5	47.41	139.9
1079	1.0	0.0	1.0	330.0	77.98	43.03	328.6	1079	1.0	0.0	1.0	330.0	78.28	46.53	324.2

KE790-7N, 8, Series $\text{rgb}^*_3/\text{olv}^*_3$: N-B/V, W-C'/C, N-W, 8 elementary/device colours; display reflection $L_r=40\%$; Page 8/8

TUB-test chart KE79; 35 example $\text{rgb}^*/\text{olv}^*$ colours of 9x9x9
LECD display: CIELAB data of colours Ma

input: $\text{rgb}^*/\text{olv}^*$ *setrgbcOLOR*
output: *no change compared to input*