

Siehe Original/Kopie: <http://web.me.com/klaus.richter/KG56/KG56L0NA.TXT> /.PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb -> rgb%	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb -> rgb%	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb -> rgb%	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb -> rgb%	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e	n _{rgb}	rgb -> rgb%	h _{rgb}	[L*, C* _{ab} , h _{ab}]Ma,e		
0	0.0	0.0	51.73	83.56	357.0	81	0.125	0.0	0.0	30.0	50.49	87.88	25.5	162	0.25	0.0	0.0	30.0	50.49	87.88	25.5
1	0.0	0.125	58.86	59.98	271.8	82	0.125	0.125	0.125	330.0	56.14	111.42	328.6	163	0.25	0.0	0.125	0.0	51.73	83.56	357.0
2	0.0	0.25	58.87	59.96	271.8	83	0.125	0.25	0.25	300.0	37.1	111.66	300.2	164	0.25	0.0	0.25	0.0	56.15	111.44	328.6
3	0.0	0.375	58.87	59.95	271.8	84	0.125	0.375	0.375	289.1	47.13	84.48	289.9	165	0.25	0.0	0.375	0.0	36.97	126.32	310.5
4	0.0	0.5	58.88	59.95	271.7	85	0.125	0.5	0.5	283.9	50.87	75.96	284.9	166	0.25	0.0	0.5	0.0	37.11	111.63	300.2
5	0.0	0.625	58.88	59.95	271.7	86	0.125	0.625	0.625	280.9	53.0	71.13	282.1	167	0.25	0.0	0.625	0.0	43.52	93.77	293.9
6	0.0	0.75	58.88	59.94	271.7	87	0.125	0.75	0.75	279.0	54.05	69.13	280.2	168	0.25	0.0	0.75	0.0	289.1	47.13	84.48
7	0.0	0.875	58.88	59.94	271.7	88	0.125	0.875	0.875	277.6	54.78	67.74	278.9	169	0.25	0.0	0.875	0.0	286.1	49.29	79.55
8	0.0	1.0	58.88	59.94	271.7	89	0.125	1.0	1.0	276.6	55.32	66.71	278.0	170	0.25	0.0	1.0	0.0	283.9	50.87	75.96
9	0.125	0.0	150.0	85.38	66.25	162.2	90	0.125	0.125	0.0	90.0	83.42	100.03	92.3	171	0.25	0.125	0.0	60.0	59.6	96.48
10	0.125	0.125	210.0	79.69	45.34	217.0	91	0.125	0.125	0.125	0.0	51.73	83.56	357.0	172	0.25	0.125	0.125	0.0	50.49	87.88
11	0.125	0.25	240.0	70.01	46.71	244.4	92	0.125	0.25	0.25	270.0	58.86	59.98	271.8	173	0.25	0.25	0.25	0.0	56.14	111.42
12	0.125	0.375	250.9	66.53	49.04	254.3	93	0.125	0.375	0.375	270.0	58.87	59.96	271.8	174	0.25	0.375	0.375	0.0	37.1	111.66
13	0.125	0.5	256.1	64.49	51.87	259.1	94	0.125	0.5	0.5	270.0	58.87	59.95	271.8	175	0.25	0.5	0.5	0.0	289.1	47.13
14	0.125	0.625	259.1	63.31	53.5	261.8	95	0.125	0.625	0.625	270.0	58.88	59.95	271.7	176	0.25	0.625	0.625	0.0	50.87	75.96
15	0.125	0.75	261.1	62.54	54.56	263.6	96	0.125	0.75	0.75	270.0	58.88	59.95	271.7	177	0.25	0.75	0.75	0.0	53.0	71.13
16	0.125	0.875	262.4	62.01	55.3	264.8	97	0.125	0.875	0.875	270.0	58.88	59.94	271.7	178	0.25	0.875	0.875	0.0	54.05	69.13
17	0.125	1.0	263.4	61.61	55.84	265.7	98	0.125	1.0	1.0	270.0	58.88	59.94	271.7	179	0.25	1.0	1.0	0.0	54.78	67.74
18	0.25	0.0	150.0	85.38	66.24	162.2	99	0.125	0.25	0.0	120.0	85.02	122.25	127.2	180	0.25	0.25	0.0	90.0	83.45	100.06
19	0.25	0.125	180.0	86.72	51.09	189.6	100	0.125	0.25	0.125	150.0	85.38	66.25	162.2	181	0.25	0.25	0.125	0.0	83.42	100.03
20	0.25	0.25	210.0	79.7	45.34	217.0	101	0.125	0.25	0.25	210.0	79.69	45.34	217.0	182	0.25	0.25	0.25	0.0	51.73	83.56
21	0.25	0.375	229.1	73.46	44.48	234.4	102	0.125	0.25	0.375	240.0	70.01	46.71	244.4	183	0.25	0.25	0.375	0.0	58.86	59.98
22	0.25	0.5	240.0	70.01	46.71	244.4	103	0.125	0.25	0.5	250.9	66.53	49.04	254.3	184	0.25	0.25	0.5	0.0	58.87	59.96
23	0.25	0.625	246.6	67.92	48.06	250.4	104	0.125	0.25	0.625	256.1	64.49	51.87	259.1	185	0.25	0.25	0.625	0.0	58.87	59.95
24	0.25	0.75	250.9	66.54	49.03	254.3	105	0.125	0.25	0.75	259.1	63.31	53.5	261.8	186	0.25	0.25	0.75	0.0	58.88	59.95
25	0.25	0.875	253.9	65.36	50.67	257.0	106	0.125	0.25	0.875	261.1	62.54	54.56	263.6	187	0.25	0.25	0.875	0.0	58.88	59.95
26	0.25	1.0	256.1	64.49	51.87	259.1	107	0.125	0.25	1.0	262.4	62.01	55.3	264.8	188	0.25	0.25	1.0	0.0	58.88	59.94
27	0.375	0.0	150.0	85.38	66.24	162.2	108	0.125	0.375	0.0	130.9	84.32	102.2	139.9	189	0.25	0.375	0.0	109.1	88.53	112.38
28	0.375	0.125	169.1	86.24	55.24	179.7	109	0.125	0.375	0.125	150.0	85.38	66.24	162.2	190	0.25	0.375	0.125	0.0	85.02	122.25
29	0.375	0.25	190.9	86.0	47.76	199.5	110	0.125	0.375	0.25	180.0	86.72	51.09	189.6	191	0.25	0.375	0.25	0.0	85.38	66.25
30	0.375	0.375	210.0	79.7	45.34	217.0	111	0.125	0.375	0.375	210.0	79.7	45.34	217.0	192	0.25	0.375	0.375	0.0	79.69	45.34
31	0.375	0.5	223.9	75.12	43.58	229.7	112	0.125	0.375	0.5	229.1	73.46	44.48	234.4	193	0.25	0.375	0.5	0.0	70.01	46.71
32	0.375	0.625	233.4	72.1	45.36	238.4	113	0.125	0.375	0.625	240.0	70.01	46.71	244.4	194	0.25	0.375	0.625	0.0	66.53	49.04
33	0.375	0.75	240.0	70.01	46.71	244.4	114	0.125	0.375	0.75	246.6	67.92	48.06	250.4	195	0.25	0.375	0.75	0.0	51.87	259.1
34	0.375	0.875	244.7	68.52	47.67	248.7	115	0.125	0.375	0.875	250.9	66.54	49.03	254.3	196	0.25	0.375	0.875	0.0	52.0	71.13
35	0.375	1.0	248.2	67.41	48.39	251.9	116	0.125	0.375	1.0	253.9	65.36	50.67	257.0	197	0.25	0.375	1.0	0.0	261.1	62.54
36	0.5	0.0	150.0	85.38	66.23	162.2	117	0.125	0.5	0.0	136.1	84.59	89.06	146.0	198	0.25	0.5	0.0	120.0	85.02	122.27
37	0.5	0.125	163.9	86.01	57.22	174.9	118	0.125	0.5	0.125	150.0	85.38	66.24	162.2	199	0.25	0.5	0.125	0.0	84.32	102.2
38	0.5	0.25	180.0	86.72	51.09	189.6	119	0.125	0.5	0.25	169.1	86.24	55.24	179.7	200	0.25	0.5	0.25	0.0	85.38	66.24
39	0.5	0.375	196.1	84.28	47.1	204.3	120	0.125	0.5	0.375	190.9	86.0	47.76	199.5	201	0.25	0.5	0.375	0.0	79.69	45.34
40	0.5	0.5	210.0	79.7	45.34	217.0	121	0.125	0.5	0.5	210.0	79.7	45.34	217.0	202	0.25	0.5	0.5	0.0	79.7	45.34
41	0.5	0.625	220.9	76.11	43.96	226.9	122	0.125	0.5	0.625	223.9	75.12	43.58	229.7	203	0.25	0.5	0.625	0.0	73.46	44.48
42	0.5	0.75	229.1	73.46	44.48	234.4	123	0.125	0.5	0.75	233.4	72.1	45.36	238.4	204	0.25	0.5	0.75	0.0	70.01	46.71
43	0.5	0.875	235.3	71.5	45.74	240.1	124	0.125	0.5	0.875	240.0	70.01	46.71	244.4	205	0.25	0.5	0.875	0.0	246.6	67.92
44	0.5	1.0	240.0	70.01	46.71	244.4	125	0.125	0.5	1.0	244.7	68.52	47.67	248.7	206	0.25	0.5	1.0	0.0	250.9	66.54
45	0.625	0.0	150.0	85.38	66.23	162.2	126	0.125	0.625	0.0	139.1	84.76	82.74	149.5	207	0.25	0.625	0.0	126.6	84.12	115.52
46	0.625	0.125	160.9	85.88	58.36	172.2	127	0.													

Siehe Original/Kopie: <http://web.me.com/klaus.richter/KG56/KG56L0NA.TXT> /.PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

V										L										O										Y										M										C										
n _{rgb} rgb -> rgb%										h _{rgb}										[L*, C* _{ab} , h _{ab}]Ma,e										n _{rgb} rgb -> rgb%										h _{rgb}										[L*, C* _{ab} , h _{ab}]Ma,e										
324	0.5	0.0	0.0	0.125	30.0	50.49	87.89	25.5	324	0.5	0.0	0.0	0.125	30.0	50.49	87.89	25.5	486	0.75	0.0	0.0	0.125	30.0	50.49	87.89	25.5	567	0.875	0.0	0.0	0.125	30.0	50.49	87.89	25.5	567	0.875	0.0	0.0	0.125	30.0	50.49	87.89	25.5																
325	0.5	0.0	0.125	16.1	50.92	82.59	12.3	406	0.625	0.0	0.125	19.1	50.82	83.22	15.1	487	0.75	0.0	0.125	21.0	50.75	83.63	17.0	568	0.875	0.0	0.125	22.4	50.7	83.92	18.3	568	0.875	0.0	0.125	22.4	50.7	83.92	18.3	568	0.875	0.0	0.125	22.4	50.7	83.92	18.3													
326	0.5	0.0	0.25	0.0	51.73	83.56	357.0	407	0.625	0.0	0.25	6.6	51.35	82.38	3.3	488	0.75	0.0	0.25	10.9	51.14	82.0	7.4	569	0.875	0.0	0.25	13.9	51.0	82.12	10.2	569	0.875	0.0	0.25	13.9	51.0	82.12	10.2	569	0.875	0.0	0.25	13.9	51.0	82.12	10.2													
327	0.5	0.0	0.375	343.9	53.19	92.86	341.8	408	0.625	0.0	0.375	353.4	52.2	86.12	350.8	489	0.75	0.0	0.375	0.0	51.73	83.56	357.0	570	0.875	0.0	0.375	47	51.45	82.54	1.5	570	0.875	0.0	0.375	47	51.45	82.54	1.5	570	0.875	0.0	0.375	47	51.45	82.54	1.5													
328	0.5	0.0	0.5	330.0	56.15	111.45	328.6	409	0.625	0.0	0.5	340.9	53.62	95.81	338.9	490	0.75	0.0	0.5	349.1	52.61	88.87	346.7	571	0.875	0.0	0.5	355.3	52.07	85.39	352.6	571	0.875	0.0	0.5	355.3	52.07	85.39	352.6	571	0.875	0.0	0.5	355.3	52.07	85.39	352.6													
329	0.5	0.0	0.625	319.1	47.25	117.97	318.3	410	0.625	0.0	0.625	330.0	56.15	111.45	328.6	491	0.75	0.0	0.625	339.0	53.9	97.72	337.1	572	0.875	0.0	0.625	346.1	52.89	90.81	343.9	572	0.875	0.0	0.625	346.1	52.89	90.81	343.9	572	0.875	0.0	0.625	346.1	52.89	90.81	343.9													
330	0.5	0.0	0.75	310.9	36.96	126.33	310.5	411	0.625	0.0	0.75	321.1	49.4	116.86	320.1	492	0.75	0.0	0.75	330.0	56.15	111.45	328.6	573	0.875	0.0	0.75	337.6	54.22	99.69	335.8	573	0.875	0.0	0.75	337.6	54.22	99.69	335.8	573	0.875	0.0	0.75	337.6	54.22	99.69	335.8													
331	0.5	0.0	0.875	304.7	31.55	128.41	304.6	412	0.625	0.0	0.875	313.9	41.06	122.56	313.4	493	0.75	0.0	0.875	322.4	50.88	116.12	321.4	574	0.875	0.0	0.875	330.0	56.15	111.45	328.6	574	0.875	0.0	0.875	330.0	56.15	111.45	328.6	574	0.875	0.0	0.875	330.0	56.15	111.45	328.6													
332	0.5	0.0	1.0	300.0	37.12	111.61	300.2	413	0.625	0.0	1.0	308.2	32.8	131.03	308.0	494	0.75	0.0	1.0	316.1	43.77	120.44	315.4	575	0.875	0.0	1.0	323.4	51.89	115.81	322.4	575	0.875	0.0	1.0	323.4	51.89	115.81	322.4	575	0.875	0.0	1.0	323.4	51.89	115.81	322.4													
333	0.5	0.125	0.0	43.9	50.16	102.85	40.9	414	0.625	0.125	0.0	40.9	50.21	97.94	37.6	495	0.75	0.125	0.0	38.9	50.24	95.02	35.4	576	0.875	0.125	0.0	37.6	50.28	93.94	33.9	576	0.875	0.125	0.0	37.6	50.28	93.94	33.9	576	0.875	0.125	0.0	37.6	50.28	93.94	33.9													
334	0.5	0.125	0.125	30.0	50.49	87.89	25.5	415	0.625	0.125	0.125	30.0	50.49	87.89	25.5	496	0.75	0.125	0.125	30.0	50.49	87.89	25.5	577	0.875	0.125	0.125	30.0	50.49	87.89	25.5	577	0.875	0.125	0.125	30.0	50.49	87.89	25.5	577	0.875	0.125	0.125	30.0	50.49	87.89	25.5													
335	0.5	0.125	0.25	10.9	51.14	82.0	7.4	416	0.625	0.125	0.25	16.1	50.92	82.59	12.3	497	0.75	0.125	0.25	19.1	50.82	83.22	15.1	578	0.875	0.125	0.25	21.0	50.75	83.63	17.0	578	0.875	0.125	0.25	21.0	50.75	83.63	17.0	578	0.875	0.125	0.25	21.0	50.75	83.63	17.0													
336	0.5	0.125	0.375	349.1	52.61	88.87	346.7	417	0.625	0.125	0.375	0.0	51.73	83.56	357.0	498	0.75	0.125	0.375	6.6	51.35	82.38	3.3	579	0.875	0.125	0.375	10.9	51.14	82.0	7.4	579	0.875	0.125	0.375	10.9	51.14	82.0	7.4	579	0.875	0.125	0.375	10.9	51.14	82.0	7.4													
337	0.5	0.125	0.5	330.0	56.15	111.44	328.6	418	0.625	0.125	0.5	343.9	53.19	92.86	341.8	499	0.75	0.125	0.5	353.4	52.2	86.12	350.8	580	0.875	0.125	0.5	0.0	51.73	83.56	357.0	580	0.875	0.125	0.5	0.0	51.73	83.56	357.0	580	0.875	0.125	0.5	0.0	51.73	83.56	357.0													
338	0.5	0.125	0.625	316.1	43.78	120.43	315.4	419	0.625	0.125	0.625	330.0	56.15	111.45	328.6	500	0.75	0.125	0.625	340.9	53.62	95.81	338.9	581	0.875	0.125	0.625	349.1	52.61	88.87	346.7	581	0.875	0.125	0.625	349.1	52.61	88.87	346.7	581	0.875	0.125	0.625	349.1	52.61	88.87	346.7													
339	0.5	0.125	0.75	306.6	29.92	134.6	306.4	420	0.625	0.125	0.75	319.1	47.25	117.97	318.3	501	0.75	0.125	0.75	330.0	56.15	111.45	328.6	582	0.875	0.125	0.75	339.0	53.9	97.72	337.1	582	0.875	0.125	0.75	339.0	53.9	97.72	337.1	582	0.875	0.125	0.75	339.0	53.9	97.72	337.1													
340	0.5	0.125	0.875	300.0	37.12	111.61	300.2	421	0.625	0.125	0.875	310.9	36.96	126.33	310.5	502	0.75	0.125	0.875	321.1	49.4	116.86	320.1	583	0.875	0.125	0.875	330.0	56.15	111.45	328.6	583	0.875	0.125	0.875	330.0	56.15	111.45	328.6	583	0.875	0.125	0.875	330.0	56.15	111.45	328.6													
341	0.5	0.125	1.0	295.3	41.84	98.27	295.7	422	0.625	0.125	1.0	304.7	31.55	128.41	304.6	503	0.75	0.125	1.0	313.9	41.06	122.56	313.4	584	0.875	0.125	1.0	322.4	50.88	116.12	321.4	584	0.875	0.125	1.0	322.4	50.88	116.12	321.4	584	0.875	0.125	1.0	322.4	50.88	116.12	321.4													
342	0.5	0.25	0.0	60.0	59.61	96.47	58.9	423	0.625	0.25	0.0	53.4	54.34	103.35	51.5	504	0.75	0.25	0.0	49.1	50.65	109.38	46.8	585	0.875	0.25	0.0	46.1	50.13	106.47	43.4	585	0.875	0.25	0.0	46.1	50.13	106.47	43.4	585	0.875	0.25	0.0	46.1	50.13	106.47	43.4													
343	0.5	0.25	0.125	49.1	59.65	96.47	46.7	424	0.625	0.25	0.125	43.9	50.16	102.85	40.9	505	0.75	0.25	0.125	40.9	50.75	97.94	37.6	586	0.875	0.25	0.125	38.9	50.24	95.02	35.4	586	0.875	0.25	0.125	38.9	50.24	95.02	35.4	586	0.875	0.25	0.125	38.9	50.24	95.02	35.4													
344	0.5	0.25	0.25	30.0	50.49	87.89	25.5	425	0.625	0.25	0.25	30.0	50.49	87.89	25.5	506	0.75	0.25	0.25	30.0	50.49	87.89	25.5	587	0.875	0.25	0.25	30.0	50.49	87.89	25.5	587	0.875	0.25	0.25	30.0	50.49	87.89	25.5	587	0.875	0.25	0.25	30.0	50.49	87.89	25.5													
345	0.5	0.25	0.375	0.0	51.73	83.56	357.0	426	0.625	0.25	0.375	10.9	51.14	82.0	7.4	507	0.75	0.25	0.375	16.1	50.92	82.59	12.3	588	0.875	0.25	0.375	19.1	50.82	83.22	15.1	588	0.875	0.25	0.375	19.1	50.82	83.22	15.1	588	0.875	0.25	0.375	19.1	50.82	83.22	15.1													
346	0.5	0.25	0.5	330.0	56.15	111.44	328.6	427	0.625	0.25	0.5	349.1	52.61	88.87	346.7	508	0.75	0.25	0.5	0.0	51.73	83.56	357.0	589	0.875	0.25	0.5	6.6	51.35	82.38	3.3	589	0.875	0.25	0.5	6.6	51.35	82.38	3.3	589	0.875	0.25	0.5	6.6	51.35	82.38	3.3													
347	0.5	0.25	0.625	310.9	36.97	126.32	310.5	428	0.625	0.25	0.625	330.0	56.15	111.44	328.6	509	0.75	0.25	0.625	343.9	53.19	92.86	341.8	590	0.875	0.25	0.625	353.4	52.2	86.12	350.8	590	0.875	0.25																										

Siehe Original/Kopie: <http://web.me.com/klaus.richter/KG56/KG56L0NA.TXT> /.PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb	->	rgb*	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}
648	1.0	0.0	0.0	30.0	50.49 87.9 25.5
649	1.0	0.0	0.125	23.4	50.66 84.13 19.2
650	1.0	0.0	0.25	16.1	50.92 82.59 12.3
651	1.0	0.0	0.375	8.2	51.27 82.23 4.8
652	1.0	0.0	0.5	0.0	51.73 83.56 357.0
653	1.0	0.0	0.625	351.8	52.35 87.13 349.3
654	1.0	0.0	0.75	343.9	53.19 92.86 341.8
655	1.0	0.0	0.875	336.6	54.47 101.24 334.9
656	1.0	0.0	1.0	330.0	56.15 111.45 328.6
657	1.0	0.125	0.0	36.6	50.3 93.14 32.8
658	1.0	0.125	0.125	30.0	50.49 87.89 25.5
659	1.0	0.125	0.25	22.4	50.7 83.92 18.3
660	1.0	0.125	0.375	13.9	51.0 82.12 10.2
661	1.0	0.125	0.5	4.7	51.45 82.54 1.5
662	1.0	0.125	0.625	355.3	52.07 85.39 352.6
663	1.0	0.125	0.75	346.1	52.89 90.81 343.9
664	1.0	0.125	0.875	337.6	54.22 99.69 335.8
665	1.0	0.125	1.0	330.0	56.15 111.45 328.6
666	1.0	0.25	0.0	43.9	50.16 102.86 41.0
667	1.0	0.25	0.125	37.6	50.28 93.94 33.9
668	1.0	0.25	0.25	30.0	50.49 87.89 25.5
669	1.0	0.25	0.375	21.0	50.75 83.63 17.0
670	1.0	0.25	0.5	10.9	51.14 82.0 7.4
671	1.0	0.25	0.625	0.0	51.73 83.56 357.0
672	1.0	0.25	0.75	349.1	52.61 88.87 346.7
673	1.0	0.25	0.875	339.0	53.9 97.72 337.1
674	1.0	0.25	1.0	330.0	56.15 111.45 328.6
675	1.0	0.375	0.0	51.8	52.96 105.62 49.7
676	1.0	0.375	0.125	46.1	50.13 106.47 43.4
677	1.0	0.375	0.25	38.9	50.24 95.02 35.4
678	1.0	0.375	0.375	30.0	50.49 87.89 25.5
679	1.0	0.375	0.5	19.1	50.82 83.22 15.1
680	1.0	0.375	0.625	6.6	51.35 82.38 3.3
681	1.0	0.375	0.75	353.4	52.2 86.12 350.8
682	1.0	0.375	0.875	340.9	53.62 95.81 338.9
683	1.0	0.375	1.0	330.0	56.15 111.45 328.6
684	1.0	0.5	0.0	60.0	59.61 96.46 58.9
685	1.0	0.5	0.125	55.3	55.9 100.99 53.6
686	1.0	0.5	0.25	49.1	50.65 109.38 46.8
687	1.0	0.5	0.375	40.9	50.21 97.94 37.6
688	1.0	0.5	0.5	30.0	50.49 87.89 25.5
689	1.0	0.5	0.625	16.1	50.92 82.59 12.3
690	1.0	0.5	0.75	0.0	51.73 83.56 357.0
691	1.0	0.5	0.875	343.9	53.19 92.86 341.8
692	1.0	0.5	1.0	330.0	56.15 111.45 328.6
693	1.0	0.625	0.0	68.2	65.64 92.73 68.0
694	1.0	0.625	0.125	64.7	63.08 94.01 64.1
695	1.0	0.625	0.25	60.0	59.61 96.46 58.9
696	1.0	0.625	0.375	53.4	54.34 103.35 51.5
697	1.0	0.625	0.5	43.9	50.16 102.85 40.9
698	1.0	0.625	0.625	30.0	50.49 87.89 25.5
699	1.0	0.625	0.75	10.9	51.14 82.0 7.4
700	1.0	0.625	0.875	349.1	52.61 88.87 346.7
701	1.0	0.625	1.0	330.0	56.15 111.44 328.6
702	1.0	0.75	0.0	76.1	71.47 92.42 76.8
703	1.0	0.75	0.125	73.9	69.77 91.9 74.4
704	1.0	0.75	0.25	70.9	67.59 92.33 71.0
705	1.0	0.75	0.375	66.6	64.45 93.08 66.2
706	1.0	0.75	0.5	60.0	59.61 96.47 58.9
707	1.0	0.75	0.625	49.1	50.65 109.39 46.7
708	1.0	0.75	0.75	30.0	50.49 87.89 25.5
709	1.0	0.75	0.875	0.0	51.73 83.56 357.0
710	1.0	0.75	1.0	330.0	56.15 111.44 328.6
711	1.0	0.875	0.0	83.4	77.34 95.05 85.0
712	1.0	0.875	0.125	82.4	76.44 94.36 83.9
713	1.0	0.875	0.25	81.0	75.26 93.6 82.3
714	1.0	0.875	0.375	79.1	73.77 93.13 80.2
715	1.0	0.875	0.5	76.1	71.46 92.42 76.8
716	1.0	0.875	0.625	70.9	67.58 92.33 71.0
717	1.0	0.875	0.75	60.0	59.6 96.48 58.9
718	1.0	0.875	0.875	30.0	50.49 87.88 25.5
719	1.0	0.875	1.0	330.0	56.14 111.42 328.6
720	1.0	1.0	0.0	90.0	83.47 100.08 92.3
721	1.0	1.0	0.125	90.0	83.47 100.08 92.3
722	1.0	1.0	0.25	90.0	83.46 100.08 92.3
723	1.0	1.0	0.375	90.0	83.46 100.08 92.3
724	1.0	1.0	0.5	90.0	83.46 100.07 92.3
725	1.0	1.0	0.625	90.0	83.46 100.07 92.3
726	1.0	1.0	0.75	90.0	83.45 100.06 92.3
727	1.0	1.0	0.875	90.0	83.42 100.03 92.3
728	1.0	1.0	1.0	0.0	51.73 83.56 357.0

KG560-7N, 1, Tabelle rgb->rgb*3 - LCH*a von 729 Farben des 9x9x9 (=729) Farbgritters; Elementar-Farbkoordinaten rgb*3; Display-Reflexion Lr =0%; Seite 3/3

TUB-Prüfvorlage KG56; 729 rgb*-Farben von 9x9x9 Gitter
LECD-Display: CIELAB-Daten von Farben Ma

input: *rgb->rgb* setrgbcolor*
output: *no change compared to input*