

















See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 1/16; display type: sRGB_IEC_61966_2_1

TUB-test chart LE41; 1080 colours of sRGB display; $Lr=0\%$; Fadin
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

















input: *rgb setrgbcolor*
 output: no change



See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4t4



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 2/16; display type: sRGB_IEC_61966_2_1

TUB-test chart LE41; 1080 colours of sRGB display; $L_r=0\%$; Fadit
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

















input: `rgb setrgbcolor`
 output: no change



See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4t4



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 3/16; display type: sRGB_IEC_61966_2_1

TUB-test chart LE41; 1080 colours of sRGB display; $L_r=0,6\%$; Fadin
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

















input: *rgb setrgbcolor*
 output: no change



See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4t4



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_m=89$, Page 4/16; display type: sRGB_IEC_61966_2_1

% LE41_sRGB display 0,6%_Fadit

















TUB-test chart LE41; 1080 colours of sRGB display; $L_r=0,6\%$; Fadit
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_m = 89$, Page 5/16; display type: sRGB_IEC_61966_2_1

% LE41_sRGB display 1.2%_Fadin

















TUB-test chart LE41; 1080 colours of sRGB display; $L_r = 1,2\%$; Fadin
 CIELAB diagrams $L^* - C^*$ for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 6/16; display type: sRGB_IEC_61966_2_1

% LE41_sRGB display 1,2%_Fadit

















TUB-test chart LE41; 1080 colours of sRGB display; $Lr=1,2\%$; Fadit
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 7/16; display type: sRGB_IEC_61966_2_1

















TUB-test chart LE41; 1080 colours of sRGB display; $Lr=2,5\%$; Fadin
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 8/16; display type: sRGB_IEC_61966_2_1

% LE41_sRGB display 2,5%_Fadit

















TUB-test chart LE41; 1080 colours of sRGB display; $Lr=2,5\%$; Fadit
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_m=89$, Page 9/16; display type: sRGB_IEC_61966_2_1

% LE41_sRGB display 5%_Fadin

















TUB-test chart LE41; 1080 colours of sRGB display; $Lr=5\%$; Fadin
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems



TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 10/16; display type: sRGB_IEC_61966_2_1

TUB-test chart LE41; 1080 colours of sRGB display; $L_r=5\%$; Fadit
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

















input: *rgb setrgbcolor*
 output: no change



See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems


TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 11/16; display type: sRGB_IEC_61966_2_1

TUB-test chart LE41; 1080 colours of sRGB display; $L_r=10\%$; Fadin
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

















input: *rgb setrgbcolor*
 output: no change



See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 12/16; display type: sRGB_IEC_61966_2_1

% LE41_sRGB display 10%_Fadit

















TUB-test chart LE41; 1080 colours of sRGB display; $L_r=10\%$; Fadit
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 13/16; display type: sRGB_IEC_61966_2_1

















TUB-test chart LE41; 1080 colours of sRGB display; $L_r=20\%$; Fadin
 CIE LAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Yn=Yw=89, Page 14/16; display type: sRGB_IEC_61966_2_1

% LE41_sRGB display 20%_Fadit

















TUB-test chart LE41; 1080 colours of sRGB display; Lr=20%; Fadit
 CIELAB diagrams L*-C* for input and intended output (Fadin, Fadit)

input: rgb setrgbcolor
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 15/16; display type: sRGB_IEC_61966_2_1

















TUB-test chart LE41; 1080 colours of sRGB display; $L_r=40\%$; Fadin
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change



See original or copy: <http://web.me.com/klaus.richter/LE41/LE41LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE41/LE41LONA.TXT /PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta



% LE410-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 16/16; display type: sRGB_IEC_61966_2_1

TUB-test chart LE41; 1080 colours of sRGB display; $L_r=40\%$; Fadit
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change