

*influence parameters
on color reproduction*

*quality of the
reproduction row:*

color original ->

color film ->

multicolor printing



mode of taking light and exposure
(3200 / 6500 / 9000 K; -3 / 0 / +3 DIN)

color film material
(Agfa, Fuji, Kodak, Konika, 3M)

properties of color scan signal
(spectral and absolute sensitivity)

reproduction model and printing inks
(signal processing, CIE colour scale)

*influence parameters
on color reproduction*

*quality of the
reproduction row:*

color original ->

color film ->

multicolor printing



*mode of taking light and exposure
(3200 / 6500 / 9000 K; -3 / 0 / +3 DIN)*

*color film material
(Agfa, Fuji, Kodak, Konika, 3M)*

*properties of color scan signal
(spectral and absolute sensitivity)*

*reproduction model and printing inks
(signal processing, CIE colour scale)*

*influence parameters
on color reproduction*

*quality of the
reproduction row:*

color original ->

color film ->

multicolor printing



*mode of taking light and exposure
(3200 / 6500 / 9000 K; -3 / 0 / +3 DIN)*

*color film material
(Agfa, Fuji, Kodak, Konika, 3M)*

*properties of color scan signal
(spectral and absolute sensitivity)*

*reproduction model and printing inks
(signal processing, CIE colour scale)*

*influence parameters
on color reproduction*

*quality of the
reproduction row:*

color original ->

color film ->

multicolor printing



*mode of taking light and exposure
(3200 / 6500 / 9000 K; -3 / 0 / +3 DIN)*

*color film material
(Agfa, Fuji, Kodak, Konika, 3M)*

*properties of color scan signal
(spectral and absolute sensitivity)*

*reproduction model and printing inks
(signal processing, CIE colour scale)*