

















<http://130.149.60.45/~farbmetrik/ME04/ME04L0NA.TXT> /PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/ME04/ME04L0NA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-ME04/ME04L0NA.TXT /PS
application for measurement of display output

TUB material: code=rha4ta



















TUB-test chart ME04; Computer graphics and colorimetry
Image series ME04, 3D=0, de=0

input: rgb/cmyk -> rgb/cmyk
output: no change

http://130.149.60.45/~farbmetrik/ME04/ME04L0NA.TXT / PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/ME04/ME04L0NA.TXT> / PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



















TUB-test chart ME04; Computer graphics and colorimetry
Image series ME04, 3D=0, de=0, sRGB

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

http://130.149.60.45/~farbmetrik/ME04/ME04L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/ME04/ME04L0NA.TXT> /PS; start output
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



















TUB-test chart ME04; Computer graphics and colorimetry
Image series ME04, 3D=0, de=1

input: rgb/cmyk -> rgb/cmyk
output: no change

<http://130.149.60.45/~farbmetrik/ME04/ME04L0NA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/ME04/ME04L0NA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB-test chart ME04; Computer graphics and colorimetry
Image series ME04, 3D=0, de=1, sRGB

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e