

















<http://130.149.60.45/~farbmeterik/ME07/ME07L0NP.PDF> /PS; start output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmeterik/ME07/ME07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20130201-ME07/ME07L0NP.PDF /PS
application for measurement of display output

TUB material: code=rha4ta



















TUB-test chart ME07; Computer graphics and colorimetry
Image series ME07, 3D=0, de=0

input: *rgb/cmyk* → *rgb/cmyk*
output: no change

see similar files: <http://130.149.60.45/~farbmetrik/ME07/ME07.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-ME07/ME07L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta



















<http://130.149.60.45/~farbmeterik/ME07/ME07L0NP.PDF> /.PS; start output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmeterik/ME07/ME07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20130201-ME07/ME07L0NP.PDF /.PS
application for measurement of display output

TUB material: code=rha4ta



TUB-test chart ME07; Computer graphics and colorimetry
Image series ME07, 3D=0, de=1

input: *rgb/cmyk* → *rgb/cmyk*
output: no change

