

















http://130.149.60.45/~farbmetrik/ME09/ME09L0NA.TXT /PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/ME09/ME09.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

ME09s0s

TUB registration: 20130201-ME09/ME09L0NA.TXT /PS
application for measurement of display output

TUB material: code=rha4ta



















TUB-test chart ME09; Computer graphics and colorimetry
Image series ME09, 3D=0, de=0

input: rgb/cmyk -> rgb/cmyk
output: no change

http://130.149.60.45/~farbmetrik/ME09/ME09L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/ME09/ME09L0NA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



















TUB-test chart ME09; Computer graphics and colorimetry
Image series ME09, 3D=0, de=0, sRGB

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

http://130.149.60.45/~farbmetrik/ME09/ME09L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/ME09/ME09L0NA.TXT> /PS; start output
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



















TUB-test chart ME09; Computer graphics and colorimetry
Image series ME09, 3D=0, de=1

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

http://130.149.60.45/~farbmetrik/ME09/ME09L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: http://130.149.60.45/~farbmetrik/ME09/ME09.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB-test chart ME09; Computer graphics and colorimetry
Image series ME09, 3D=0, de=1, sRGB

input: rgb/cmyk -> rgb_e
output: transfer to rgb_e