


















http://130.149.60.45/~farbmetrik/ME49/ME49L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmeterik/ME49/ME49.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>




TUB-test chart ME49; Computer graphics and colorimetry
Image series ME49, 3D=0, de=0

input: *rgb/cmyk* $\rightarrow$ *rgb/cmyk*
output: no change

spectral masks for the creation
of complementary optimal colours















1-003130-L0

















ME490-10, B2_35

spectral masks for the creation
of complementary optimal colours

1-003130-L0

ME490-20, B2_35

BRGY-I-impluses/s for surface colours
-2Q[1,0c(x_r+x_p)]BW-I-impluses/s for blue surface colours
-2Q[1,0c(x_r+x_p)]relative sensitivity
 $\log V = [c \cdot \lambda - c \cdot 555]^2$ $\log P = [c \cdot \lambda - c \cdot 570]^2$
...experimental-CIE $\log D = [c \cdot \lambda - c \cdot 540]^2$
 P, G, T, V, V' $\log T = [c \cdot \lambda - c \cdot 450]^2$ log (relative sensitivity)
 $\log V = [c \cdot \lambda - c \cdot 555]^2$ $\log P = [c \cdot \lambda - c \cdot 570]^2$
...experimental-CIE $\log D = [c \cdot \lambda - c \cdot 540]^2$
 $\log [P, V, D, V', T]$ $\log T = [c \cdot \lambda - c \cdot 450]^2$ 




<http://130.149.60.45/~farbmatrik/ME49/ME49L0NP.PDF> /PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2


see similar files: <http://130.149.60.45/~farbmatrik/ME49/ME49L0NP.PDF> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB registration: 20130201-ME49/ME49L0NP.PDF /PS
application for measurement of display output, no separation















TUB material: code=rha4ta



1-013130-L0 ME490-11, B2_35



1-013130-L0 ME490-21, B2_35



TUB-test chart ME49; Computer graphics and colorimetry
Image series ME49, 3D=0, de=1, sRGB

input: rgb/cmyk $\rightarrow$ rgb_e
output: transfer to rgb_e