

















http://farbe.li.tu-berlin.de/ME53/ME53L0FP.PDF /PS; start output
F: 3D-linearization ME53/ME53LE30FP.DAT in file (F), page 1/2

see similar files: <http://farbe.li.tu-berlin.de/ME53/ME53.HTM>
<http://130.149.60.45/~farbmertik> or <http://farbe.li.tu-berlin.de>

TUB registration: 20190801-ME53/ME53L0FP.PDF /PS
application for measurement of display output

TUB material: code=rha4ta



TUB-test chart ME53; Computer graphics and colorimetry
Image series ME53, 3D=1, de=0

input: rgb/cmyk -> rgb/cmyk
output: no change




















http://farbe.li.tu-berlin.de/ME53/ME53L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization ME53/ME53LE30FP.DAT in file (F), page 2/2

TUB-test chart ME53; Computer graphics and colorimetry
Image series ME53, 3D=1, de=0, $L-cmy_n6^*$

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *rgb^{*}_{dd}*



see similar files: <http://farbe.li.tu-berlin.de/ME53/ME53.HTM>
<http://130.149.60.45/~farbmetrik> or <http://farbe.li.tu-berlin.de>



















http://farbe.li.tu-berlin.de/ME53/ME53L0FP.PDF /.PS; start output
F: 3D-linearization ME53/ME53LE30FP.DAT in file (F), page 1/2

see similar files: <http://farbe.li.tu-berlin.de/ME53/ME53.HTM>
<http://130.149.60.45/~farbmeterik> or <http://farbe.li.tu-berlin.de>

TUB registration: 20190801-ME53/ME53L0FP.PDF /.PS
application for measurement of display output

TUB material: code=rha4ta



















TUB-test chart ME53; Computer graphics and colorimetry
Image series ME53, 3D=1, de=1

input: rgb/cmyk -> rgb/cmyk
output: no change



http://farbe.li.tu-berlin.de/ME53/ME53L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization ME53/ME53LE30FP.DAT in file (F), page 2/2

see similar files: <http://farbe.li.tu-berlin.de/ME53/ME53.HTM>
<http://130.149.60.45/~farbmetrik> or <http://farbe.li.tu-berlin.de>



TUB-test chart ME53; Computer graphics and colorimetry
Image series ME53, 3D=1, de=1, $L-cmy$ n6*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}