

















<http://farbe.li.tu-berlin.de/ME57/ME57L0NP.PDF> /PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://farbe.li.tu-berlin.de/ME57/ME57.HTM>
<http://130.149.60.45/~farbmeterik> or <http://farbe.li.tu-berlin.de>

TUB registration: 20190801-ME57/ME57L0NP.PDF /PS
application for measurement of display output

TUB material: code=rha4ta



















TUB-test chart ME57; Computer graphics and colorimetry
Image series ME57, 3D=0, de=0

input: rgb/cmyk → rgb/cmyk
output: no change

see similar files: <http://farbe.li.tu-berlin.de/ME57/ME57.HTM>
<http://130.149.60.45/~farbmeterik> or <http://farbe.li.tu-berlin.de>

TUB registration: 20190801-ME57/ME57L0NP.PDF /PS
 application for measurement of display output, no separation

TUB material: code=rha4ta



















<http://farbe.li.tu-berlin.de/ME57/ME57L0NP.PDF> /PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://farbe.li.tu-berlin.de/ME57/ME57.HTM>
<http://130.149.60.45/~farbmeterik> or <http://farbe.li.tu-berlin.de>

TUB registration: 20190801-ME57/ME57L0NP.PDF /PS
application for measurement of display output

TUB material: code=rha4ta



TUB-test chart ME57; Computer graphics and colorimetry
Image series ME57, 3D=0, de=1

input: *rgb/cmyk* → *rgb/cmyk*
output: no change

see similar files: <http://farbe.li.tu-berlin.de/ME57/ME57.HTM>
<http://130.149.60.45/~farbmeterik> or <http://farbe.li.tu-berlin.de>

TUB registration: 20190801-ME57/ME57L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta

