




http://farbe.li-tu-berlin.de/ME97/ME97L0NP.PDF /.PS; start output  
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/1


see similar files: <http://farbe.li-tu-berlin.de/ME97/ME97L0NP.PDF> /  
<http://130.149.60.45/~farbmeterik> or <http://farbe.li-tu-berlin.de>




1-003000-L0 ME970-1N, BTe01




1-003000-L0 ME970-2N, BTe02




1-003000-L0 ME970-3N, BTe03




1-003000-L0 ME970-5N, BTe05




1-003000-L0 ME970-7N, BTe06.2




1-003000-L0 ME970-4N, BTe04




1-003000-L0 ME970-6N, BTe06.1



1-003000-L0 ME970-8N, BTe06.3



1-003000-L0 ME971-1N, BTe07




1-003000-L0 ME971-2N, BTe09




1-003000-L0 ME971-5N, BTe11




1-003000-L0 ME971-7N, BTe13




1-003000-L0 ME971-2N, BTe08



1-003000-L0 ME971-4N, BTe10



1-003000-L0 ME971-6N, BTe12



1-003000-L0 ME971-1N, BTe14

TUB-test chart ME97; Computer graphics and colorimetry  
Image series ME97, 3D=0, de=0

input: rgb/cmyk -> rgb/cmyk  
output: no change

TUB registration: 20190801-ME97/ME97L0NP.PDF /.PS  
application for measurement of display output

TUB material: code=rha4ta

