


log (sensibilità relativa)

$$\log V = [c \cdot \lambda - c \cdot 555]^2 \quad \log P = [c \cdot \lambda - c \cdot 570]^2$$

$$\dots \text{ sperimentali CIE} \quad \log D = [c \cdot \lambda - c \cdot 540]^2$$

$$\log [P, V, D, V', T] \quad \log T = [c \cdot \lambda - c \cdot 450]^2$$

T V' D V P modello λ




log (sensibilità relativa)

$$\log V = [c \cdot \lambda - c \cdot 555]^2 \quad \log P = [c \cdot \lambda - c \cdot 570]^2$$

$$\dots \text{ sperimentali CIE} \quad \log D = [c \cdot \lambda - c \cdot 540]^2$$

$$\log [P, V, D, V', T] \quad \log T = [c \cdot \lambda - c \cdot 450]^2$$

T V' D V P modello λ




log (sensibilità relativa)

$$\log V = [c \cdot \lambda - c \cdot 555]^2 \quad \log P = [c \cdot \lambda - c \cdot 570]^2$$

$$\dots \text{ sperimentali CIE} \quad \log D = [c \cdot \lambda - c \cdot 540]^2$$

$$\log [P, V, D, V', T] \quad \log T = [c \cdot \lambda - c \cdot 450]^2$$

T V' D V P modello λ



log (sensibilità relativa)

$$\log V = [c \cdot \lambda - c \cdot 555]^2 \quad \log P = [c \cdot \lambda - c \cdot 570]^2$$

$$\dots \text{ sperimentali CIE} \quad \log D = [c \cdot \lambda - c \cdot 540]^2$$

$$\log [P, V, D, V', T] \quad \log T = [c \cdot \lambda - c \cdot 450]^2$$

T V' D V P modello λ

