

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 38/360 = 0.105$


$lab^*tch$  and  $lab^*nch$

D65: hue O

LCH\*Ma: 48 83 38

olv\*Ma: 1.0 0.0 0.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



De120-7N, 5 step scales for constant CIELAB hue 38/360 = 0.105 (left)

Test chart 1 according to DIN 33872-2, Hue O, Page 1/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 38/360 = 0.105$


$lab^*tch$  and  $lab^*nch$

D65: hue O

LCH\*Ma: 48 83 38

olv\*Ma: 1.0 0.0 0.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

input:  $rgb$  ( $\rightarrow olv^*$ )  $setrgbcolor$

output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*tch$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



De120-7N, 5 step scales for constant CIELAB hue 96/360 = 0.268 (left)

Test chart 1 according to DIN 33872-2, Hue Y, Page 2/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*tch$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

input:  $rgb$  ( $\rightarrow olv^*$ )  $setrgbcolor$

output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 151/360 = 0.419$


$lab^*tch$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



De120-7N, 5 step scales for constant CIELAB hue 151/360 = 0.419 (left)

Test chart 1 according to DIN 33872-2, Hue L, Page 3/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 151/360 = 0.419$


$lab^*tch$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

input:  $rgb$  ( $\rightarrow olv^*$ )  $setrgbcolor$   
output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 236/360 = 0.656$


$lab^*tch$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



De120-7N, 5 step scales for constant CIELAB hue 236/360 = 0.656 (left)

Test chart 1 according to DIN 33872-2, Hue C, Page 4/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 236/360 = 0.656$


$lab^*tch$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

input:  $rgb$  ( $\rightarrow olv^*$ )  $setrgbcolor$   
output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 305/360 = 0.847$


$lab^*tch$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



De120-7N, 5 step scales for constant CIELAB hue 305/360 = 0.847 (left)

Test chart 1 according to DIN 33872-2, Hue V, Page 5/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 305/360 = 0.847$


$lab^*tch$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

input:  $rgb$  ( $\rightarrow olv^*$ )  $setrgbcolor$   
output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 354/360 = 0.982$


$lab^*tch$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



De120-7N, 5 step scales for constant CIELAB hue 354/360 = 0.982 (left)

Test chart 1 according to DIN 33872-2, Hue M, Page 6/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 354/360 = 0.982$


$lab^*tch$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

input:  $rgb$  ( $\rightarrow olv^*$ )  $setrgbcolor$   
output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 25/360 = 0.069$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



De120-7N, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

Test chart 1 according to DIN 33872-2, Hue R, Page 7/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 25/360 = 0.069$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

input:  $rgb$  ( $\rightarrow rgb^*$ )  $setrgbcolor$   
output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 92/360 = 0.255$


$lab^*tch$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



De120-7N, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)

Test chart 1 according to DIN 33872-2, Hue J, Page 8/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 92/360 = 0.255$


$lab^*tch$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

input:  $rgb$  ( $\rightarrow rgb^*$ )  $setrgbcolor$   
output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 164/360 = 0.457$


$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



De120-7N, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

Test chart 1 according to DIN 33872-2, Hue G, Page 9/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 164/360 = 0.457$


$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25

triangle lightness  $t^*$



% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |



16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

input:  $rgb$  ( $\rightarrow rgb^*$ )  $setrgbcolor$   
output: no change compared to input

Input: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 271/360 = 0.754$


$lab^*tch$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



De120-7N, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)

Test chart 1 according to DIN 33872-2, Hue B, Page 10/11  
Discrimination of 5 and 16 step colour scales, ORS18a

Output: Colorimetric Offset Reflective System ORS18a

for hue  $h^* = lab^*h = 271/360 = 0.754$


$lab^*tch$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0

triangle lightness  $t^*$



ORS18a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 47.94       | 65.39   | 50.52   | 82.63        | 38           |
| Y <sub>Ma</sub>  | 90.37       | -10.26  | 91.75   | 92.32        | 96           |
| L <sub>Ma</sub>  | 50.9        | -62.83  | 34.96   | 71.91        | 151          |
| C <sub>Ma</sub>  | 58.62       | -30.34  | -45.01  | 54.3         | 236          |
| V <sub>Ma</sub>  | 25.72       | 31.1    | -44.4   | 54.22        | 305          |
| M <sub>Ma</sub>  | 48.13       | 75.28   | -8.36   | 75.74        | 354          |
| N <sub>Ma</sub>  | 18.01       | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.66   | 26.98   | 64.57        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.16   | 67.76   | 67.79        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.25  | 11.76   | 43.87        | 164          |
| B <sub>CIE</sub> | 30.57       | 1.15    | -46.84  | 46.86        | 271          |


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$




16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

input:  $rgb$  ( $\rightarrow rgb^*$ )  $setrgbcolor$   
output: no change compared to input

### Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:  
Black N, White W and Chromatic X.  
Ten pages include 10 hue planes  
X = OYLCVM and RJGB.  
There are at maximum 12 distinguishable steps.

All steps of the three series N-W, W-X and X-N should be distinguishable on **all** pages.

**Are the three 5step series distinguishable on all pages?**

**underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distinguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

- Page 1: Yes/No, if No ../12 step differences are distinguishable of O = Orange Red  
Page 2: Yes/No, if No ../12 step differences are distinguishable of Y = Yellow  
Page 3: Yes/No, if No ../12 step differences are distinguishable of L = Leaf green  
Page 4: Yes/No, if No ../12 step differences are distinguishable of C = Cyan blue  
Page 5: Yes/No, if No ../12 step differences are distinguishable of V = Violet blue  
Page 6: Yes/No, if No ../12 step differences are distinguishable of M = Magenta Red  
Page 7: Yes/No, if No ../12 step differences are distinguishable of R = Elementary Red  
Page 8: Yes/No, if No ../12 step differences are distinguishable of J = Elementary yellow  
Page 9: Yes/No, if No ../12 step differences are distinguishable of G = Elementary Green  
Page 10: Yes/No, if No ../12 step differences are distinguishable of B = Elementary blue

Sum: ../10 Yes-Pages and ../120 step differences are distinguishable

Part 1

De120-3

### Documentation of file format, hardware and software for this test:

**PDF-File:** either www.ps.bam.de/De12/10L/L12e00NP.PDF **underline Yes/No**  
or www.ps.bam.de/De12/10P/P12e00NP.PDF **or underline Yes/No**  
**PS-File:** either www.ps.bam.de/De12/10L/L12e00NA.PS **or underline Yes/No**  
or www.ps.bam.de/De12/10P/P12e00NA.PS **or underline Yes/No**

#### Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:** **underline monitor/data projector/printer**

Device model, driver and version:.....

**Device output with PDF/PS-file:** **underline PDF/PS-file**

#### For device output with PDF-file (L/P)12e00NP.PDF:

- either PDF-file transfer "download, copy" to PDF device.....  
or with computer system interpretation by "Display-PDF":.....  
or with software. e. g. Adobe-Reader-/Acrobat and version:.....  
or with software e. g. Ghostscript and version:.....

#### For device output with PS-file (L/P)12e00NA.PS:

- either PS-file transfer "download, copy" to PS device.....  
or with computer system interpretation by "Display-PS":.....  
or with software e. g. Ghostscript and version:.....  
or with software e. g. Mac-Yap and version:.....

Special remarks, e. g. output of Landscape (L) file L12e00NA.PS was cutted,  
Portrait (P) file P12e00NA.PS was used:.....


Part 3

De120-5

Form A for test chart 1 according to DIN 33872-2, Page 11/11  
Discriminability of colour scales (Yes/No decision)

### Discriminability of 16 step colour series (Yes/No decision)

Layout example: three 16 step colour series



There are three basic colours on each page:  
Black N, White W and Chromatic X.  
Ten pages include 10 hue planes  
X = OYLCVM and RJGB.  
There are at maximum 45 distinguishable steps.

All steps of the three series N-W, W-X and X-N should be distinguishable on **all** pages.

**Are the three 16step series distinguishable on all pages?**

**underline: Yes/No**

only in case of No: Are the three 16 step series on Page x of 10 pages distinguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

- Page 1: Yes/No, if No ../45 step differences are distinguishable of O = Orange Red  
Page 2: Yes/No, if No ../45 step differences are distinguishable of Y = Yellow  
Page 3: Yes/No, if No ../45 step differences are distinguishable of L = Leaf green  
Page 4: Yes/No, if No ../45 step differences are distinguishable of C = Cyan blue  
Page 5: Yes/No, if No ../45 step differences are distinguishable of V = Violet blue  
Page 6: Yes/No, if No ../45 step differences are distinguishable of M = Magenta Red  
Page 7: Yes/No, if No ../45 step differences are distinguishable of R = Elementary Red  
Page 8: Yes/No, if No ../45 step differences are distinguishable of J = Elementary yellow  
Page 9: Yes/No, if No ../45 step differences are distinguishable of G = Elementary Green  
Page 10: Yes/No, if No ../45 step differences are distinguishable of B = Elementary blue

Sum: ../10 Yes-Pages and ../450 step differences are distinguishable

Part 2

De121-3

### Documentation of assessor colour vision properties for visual assessment

The assessor has **normal** colour vision according to one test:

- either according to DIN 6160:1996 with Anomaloskop of Nagel **underline Yes/No**  
or with test charts using colour points according to Ishihara **underline Yes/unknown**  
or tested with, please specify: ..... **underline Yes/unknown**

#### Only for display (monitor, data projector) output:

- Office workplace illumination is daylight (clouded/north sky) **underline Yes/No**  
PDF-file output with www.ps.bam.de/De13/10L/L13e00NP.PDF **underline Yes/No**  
Comparison of contrast range of 16 steps F to 0 with test chart no. 3 of DIN 33866-1:2000  
give contrast range: (>F:0) (F:0) (E:0) (D:0) (C:0) (A:0) (9:0) (7:0) (5:0) (3:0) (<3:0)

*Remark: In daylighted offices the contrast range is in many cases:*

*on paper between: >F:0 (highly glossy), F:0 (silk glossy) and E:0 (matte)*  
*on display between: >F:0 and E:0 (monitor), D:0 and 3:0 (data projector)*

#### Only for optional colorimetric specification with PDF/PS file output

**PDF-File:** either www.ps.bam.de/De11/10L/L11e00NP.PDF **underline Yes/No**  
or www.ps.bam.de/De11/10P/P11e00NP.PDF **or underline Yes/No**  
**PS-File:** either www.ps.bam.de/De11/10L/L11e00NA.PS **or underline Yes/No**  
or www.ps.bam.de/De11/10P/P11e00NA.PS **or underline Yes/No**

#### colour measurement and specification for:

CIE standard illuminant D65, 2 degree observer, CIE 45/0 geometry: **underline Yes/No**  
If No, please give other parameters: .....

#### Colorimetric specification with PS file for colours in the columns A to T

Exchange of CIELAB data in file www.ps.bam.de/De17/10L/L17e00NP.PS and transfer  
of the PS-file L17e00NP.PS in PDF-file L17e00NP.PDF **underline Yes/No**  
If No, please describe other method: .....

Part 4

De121-5

input: *rgb (->olv\*) setrgbcOLOR*  
output: no change compared to input