



Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a*_d, b*_d), (a*_s, b*_s), (a*_e, b*_e)**
- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \tag{1}$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s: $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{2}$$
$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{3}$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e: $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{4}$$
$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{5}$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd} 50M			LAB* _{dd} 50Mx (x=LabCh)			rgb* _{ds} 50M			LAB* _{ds} 50Mx (x=LabCh)			rgb* _s 50M			rgb* _{de} 50M			LAB* _{de} 50Mx (x=LabCh)			rgb* _e 50M			rgb* _{dd} rgb* _{ds} rgb* _{de}								
31.9	30.0	25.5	1.0	0.0	0.0	46.0	62.0	38.6	73.0	31.9	1.0	0.0	0.072	45.9	61.8	35.7	71.4	30	1.0	0.0	0.0	1.0	0.0	0.205	45.3	62.1	28.9	68.5	25	1.0	0.0	0.0			
43.3	37.5	33.8	1.0	0.125	0.0	52.1	56.9	53.5	78.1	43.3	1.0	0.067	0.0	49.3	59.7	46.6	75.8	38	1.0	0.125	0.0	1.0	0.023	0.0	47.2	61.3	41.4	74.0	34	1.0	0.125	0.0			
55.6	45.0	42.2	1.0	0.25	0.0	60.1	41.1	60.0	72.7	55.6	1.0	0.143	0.0	53.3	54.7	54.7	77.3	45	1.0	0.25	0.0	1.0	0.111	0.0	51.5	57.6	51.9	77.5	42	1.0	0.25	0.0			
65.8	52.5	50.5	1.0	0.375	0.0	66.1	29.7	66.0	72.3	65.8	1.0	0.223	0.0	58.4	44.5	59.0	73.9	53	1.0	0.375	0.0	1.0	0.203	0.0	57.1	47.0	58.1	74.7	51	1.0	0.375	0.0			
74.8	60.0	58.9	1.0	0.5	0.0	71.6	19.2	71.0	73.6	74.8	1.0	0.304	0.0	62.7	36.3	62.8	72.6	60	1.0	0.5	0.0	1.0	0.292	0.0	62.1	37.4	62.2	72.6	59	1.0	0.5	0.0			
80.8	67.5	67.2	1.0	0.625	0.0	75.6	12.2	75.2	76.2	80.8	1.0	0.406	0.0	67.5	27.2	67.3	72.6	68	1.0	0.625	0.0	1.0	0.392	0.0	66.9	28.3	66.7	72.5	67	1.0	0.625	0.0			
89.5	75.0	75.6	1.0	0.75	0.0	82.3	0.7	78.2	78.2	89.5	1.0	0.503	0.0	71.7	19.1	71.1	73.6	75	1.0	0.75	0.0	1.0	0.524	0.0	72.4	17.9	71.9	74.1	76	1.0	0.75	0.0			
94.7	82.5	84.0	1.0	0.875	0.0	87.0	-6.0	74.0	74.2	94.7	1.0	0.657	0.0	77.3	9.3	76.1	76.7	83	1.0	0.875	0.0	1.0	0.672	0.0	78.1	8.0	76.5	77.0	84	1.0	0.875	0.0			
99.3	90.0	92.3	1.0	1.0	0.0	91.4	-13.8	84.8	85.9	99.3	1.0	0.763	0.0	82.8	0.0	77.8	77.8	90	1.0	1.0	0.0	1.0	0.811	0.0	84.6	-2.6	76.3	76.3	92	1.0	1.0	0.0			
100.7	97.5	101.1	0.875	1.0	0.0	93.5	-17.6	93.6	95.2	100.7	1.0	0.964	0.0	90.1	-11.4	81.7	82.5	98	0.875	1.0	0.0	0.866	1.0	0.0	93.1	-18.0	93.1	94.9	101	0.875	1.0	0.0			
105.0	105.0	109.8	0.75	1.0	0.0	88.5	-23.3	87.3	90.4	105.0	0.75	1.0	0.0	88.5	-23.3	87.3	90.4	105	0.75	1.0	0.0	0.678	1.0	0.0	83.7	-28.5	78.6	83.6	110	0.75	1.0	0.0			
113.7	112.5	118.5	0.625	1.0	0.0	80.2	-31.5	71.9	78.6	113.7	0.635	1.0	0.0	80.9	-31.0	73.2	79.5	113	0.625	1.0	0.0	0.542	1.0	0.0	75.9	-36.5	66.0	75.4	119	0.625	1.0	0.0			
121.7	120.0	127.3	0.5	1.0	0.0	73.7	-38.7	62.8	73.8	121.7	0.527	1.0	0.0	75.1	-37.3	64.8	74.8	120	0.5	1.0	0.0	0.406	1.0	0.0	70.1	-43.2	57.5	72.0	127	0.5	1.0	0.0			
128.8	127.5	136.0	0.375	1.0	0.0	68.9	-44.6	55.7	71.4	128.8	0.389	1.0	0.0	69.4	-44.0	56.5	71.6	128	0.375	1.0	0.0	0.279	1.0	0.0	64.9	-51.3	49.6	71.5	136	0.375	1.0	0.0			
138.2	135.0	144.7	0.25	1.0	0.0	63.7	-53.2	47.7	71.5	138.2	0.292	1.0	0.0	65.5	-50.4	50.5	71.4	135	0.25	1.0	0.0	0.139	1.0	0.0	60.5	-58.0	40.7	70.9	145	0.25	1.0	0.0			
145.8	142.5	153.5	0.125	1.0	0.0	60.1	-58.6	39.8	70.9	145.8	0.171	1.0	0.0	61.4	-56.7	42.8	71.1	143	0.125	1.0	0.0	0.0	1.0	0.026	56.7	-64.6	33.0	72.6	153	0.125	1.0	0.0			
151.6	150.0	162.2	0.0	1.0	0.0	56.7	-64.9	35.1	73.8	151.6	0.035	1.0	0.0	57.7	-63.1	36.5	73.0	150	0.0	1.0	0.0	0.0	1.0	0.183	56.4	-60.9	19.8	64.1	162	0.0	1.0	0.0			
158.2	157.5	169.1	0.0	1.0	0.125	56.3	-62.8	25.2	67.8	158.2	0.0	1.0	0.121	56.3	-62.9	25.5	68.0	158	0.0	1.0	0.125	0.0	1.0	0.289	56.7	-57.2	11.1	58.4	169	0.0	1.0	0.125			
166.3	165.0	175.9	0.0	1.0	0.25	56.6	-58.2	14.2	60.0	166.3	0.0	1.0	0.229	56.5	-59.1	15.9	61.2	165	0.0	1.0	0.25	0.0	1.0	0.391	56.9	-54.3	3.8	54.5	176	0.0	1.0	0.25			
174.8	172.5	182.8	0.0	1.0	0.375	56.9	-54.7	5.0	55.1	174.8	0.0	1.0	0.348	56.8	-55.6	6.8	56.1	173	0.0	1.0	0.375	0.0	1.0	0.486	57.2	-50.9	-2.6	51.1	183	0.0	1.0	0.375			
184.0	180.0	189.6	0.0	1.0	0.5	57.2	-50.4	-3.4	50.6	184.0	0.0	1.0	0.445	57.1	-52.4	0.0	52.5	180	0.0	1.0	0.5	0.0	1.0	0.573	57.3	-47.9	-8.4	48.7	190	0.0	1.0	0.5			
194.3	187.5	196.4	0.0	1.0	0.625	57.4	-45.9	-11.6	47.4	194.3	0.0	1.0	0.549	57.3	-48.8	-6.8	49.4	188	0.0	1.0	0.625	0.0	1.0	0.649	57.3	-45.3	-12.9	47.2	196	0.0	1.0	0.625			
203.4	195.0	203.3	0.0	1.0	0.75	56.9	-42.4	-18.3	46.3	203.4	0.0	1.0	0.635	57.4	-45.6	-12.2	47.3	195	0.0	1.0	0.75	0.0	1.0	0.745	56.9	-42.6	-18.0	46.4	203	0.0	1.0	0.75			
213.4	202.5	210.1	0.0	1.0	0.875	55.2	-39.8	-26.2	47.8	213.4	0.0	1.0	0.745	56.9	-42.6	-18.0	46.4	203	0.0	1.0	0.875	0.0	1.0	0.832	55.8	-40.8	-23.5	47.3	210	0.0	1.0	0.875			
229.0	210.0	217.0	0.0	1.0	1.0	51.7	-33.9	-39.0	51.8	229.0	0.0	1.0	0.832	55.8	-40.8	-23.5	47.3	210	0.0	1.0	1.0	0.0	1.0	0.904	54.4	-38.8	-29.2	48.7	217	0.0	1.0	1.0			
232.3	217.5	223.8	0.0	0.875	1.0	51.4	-32.0	-41.3	52.4	232.3	0.0	1.0	0.912	54.2	-38.5	-30.0	48.9	218	0.0	0.875	1.0	0.0	1.0	0.96	52.8	-36.2	-35.0	50.5	224	0.0	0.875	1.0			

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																								
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{b*}dd361Mi$			$LAB^*_{b*}dd361Mix(x=LabCh)$					R_d	$rgb^*_{b*}ds361Mi$			$LAB^*_{b*}ds361Mix(x=LabCh)$					R_s	$rgb^*_{b*}s50M$			$rgb^*_{b*}de361Mi$					$LAB^*_{b*}de361Mix(x=LabCh)$					$rgb^*_{b*}e50M$			R_e	rgb^*_d	rgb^*_s	rgb^*_e
31	30	25	1.0	0.0	0.034	46.0	61.9	37.2	72.2	31		1.0	0.0	0.072	45.9	61.8	35.7	71.4	30	1.0	0.0	0.000		1.0	0.0	0.205	45.3	62.1	28.9	68.5	25	1.0	0.0	0.000						
32	31	27	1.0	0.001	0.0	46.1	62.0	38.7	73.1	32		1.0	0.0	0.034	46.0	61.9	37.2	72.2	31	1.0	0.017	0.0		1.0	0.0	0.16	45.6	61.9	31.5	69.4	27	1.0	0.017	0.0						
33	32	28	1.0	0.012	0.0	46.6	61.7	40.0	73.5	33		1.0	0.001	0.0	46.1	62.0	38.7	73.1	32	1.0	0.033	0.0		1.0	0.0	0.138	45.8	61.7	32.8	69.9	28	1.0	0.033	0.0						
34	33	29	1.0	0.023	0.0	47.2	61.3	41.4	74.0	34		1.0	0.012	0.0	46.6	61.7	40.0	73.5	33	1.0	0.05	0.0		1.0	0.0	0.11	45.9	61.7	34.2	70.5	29	1.0	0.05	0.0						
35	34	30	1.0	0.034	0.0	47.7	61.0	42.7	74.4	35		1.0	0.023	0.0	47.2	61.3	41.4	74.0	34	1.0	0.067	0.0		1.0	0.0	0.072	45.9	61.8	35.7	71.4	30	1.0	0.067	0.0						
36	35	31	1.0	0.045	0.0	48.2	60.6	44.0	74.9	36		1.0	0.034	0.0	47.7	61.0	42.7	74.4	35	1.0	0.083	0.0		1.0	0.0	0.034	46.0	61.9	37.2	72.2	31	1.0	0.083	0.0						
37	36	32	1.0	0.056	0.0	48.8	60.1	45.3	75.3	37		1.0	0.045	0.0	48.2	60.6	44.0	74.9	36	1.0	0.1	0.0		1.0	0.001	0.0	46.1	62.0	38.7	73.1	32	1.0	0.1	0.0						
38	37	33	1.0	0.067	0.0	49.3	59.7	46.6	75.8	38		1.0	0.056	0.0	48.8	60.1	45.3	75.3	37	1.0	0.117	0.0		1.0	0.012	0.0	46.6	61.7	40.0	73.5	33	1.0	0.117	0.0						
39	38	34	1.0	0.078	0.0	49.8	59.2	48.0	76.2	39		1.0	0.067	0.0	49.3	59.7	46.6	75.8	38	1.0	0.133	0.0		1.0	0.023	0.0	47.2	61.3	41.4	74.0	34	1.0	0.133	0.0						
40	39	36	1.0	0.089	0.0	50.4	58.7	49.3	76.6	40		1.0	0.078	0.0	49.8	59.2	48.0	76.2	39	1.0	0.15	0.0		1.0	0.045	0.0	48.2	60.6	44.0	74.9	36	1.0	0.15	0.0						
41	40	37	1.0	0.1	0.0	50.9	58.2	50.6	77.1	41		1.0	0.089	0.0	50.4	58.7	49.3	76.6	40	1.0	0.167	0.0		1.0	0.056	0.0	48.8	60.1	45.3	75.3	37	1.0	0.167	0.0						
42	41	38	1.0	0.111	0.0	51.5	57.6	51.9	77.5	42		1.0	0.1	0.0	50.9	58.2	50.6	77.1	41	1.0	0.183	0.0		1.0	0.067	0.0	49.3	59.7	46.6	75.8	38	1.0	0.183	0.0						
43	42	39	1.0	0.122	0.0	52.0	57.0	53.2	78.0	43		1.0	0.111	0.0	51.5	57.6	51.9	77.5	42	1.0	0.2	0.0		1.0	0.078	0.0	49.8	59.2	48.0	76.2	39	1.0	0.2	0.0						
44	43	40	1.0	0.133	0.0	52.6	56.0	54.0	77.8	44		1.0	0.122	0.0	52.0	57.0	53.2	78.0	43	1.0	0.217	0.0		1.0	0.089	0.0	50.4	58.7	49.3	76.6	40	1.0	0.217	0.0						
45	44	41	1.0	0.143	0.0	53.3	54.7	54.7	77.3	45		1.0	0.133	0.0	52.6	56.0	54.0	77.8	44	1.0	0.233	0.0		1.0	0.1	0.0	50.9	58.2	50.6	77.1	41	1.0	0.233	0.0						
46	45	42	1.0	0.153	0.0	53.9	53.4	55.3	76.9	46		1.0	0.143	0.0	53.3	54.7	54.7	77.3	45	1.0	0.25	0.0		1.0	0.111	0.0	51.5	57.6	51.9	77.5	42	1.0	0.25	0.0						
47	46	43	1.0	0.163	0.0	54.5	52.2	55.9	76.5	47		1.0	0.153	0.0	53.9	53.4	55.3	76.9	46	1.0	0.267	0.0		1.0	0.122	0.0	52.0	57.0	53.2	78.0	43	1.0	0.267	0.0						
48	47	44	1.0	0.173	0.0	55.2	50.9	56.5	76.0	48		1.0	0.163	0.0	54.5	52.2	55.9	76.5	47	1.0	0.283	0.0		1.0	0.133	0.0	52.6	56.0	54.0	77.8	44	1.0	0.283	0.0						
49	48	46	1.0	0.183	0.0	55.8	49.6	57.1	75.6	49		1.0	0.173	0.0	55.2	50.9	56.5	76.0	48	1.0	0.3	0.0		1.0	0.153	0.0	53.9	53.4	55.3	76.9	46	1.0	0.3	0.0						
50	49	47	1.0	0.193	0.0	56.5	48.3	57.6	75.2	50		1.0	0.183	0.0	55.8	49.6	57.1	75.6	49	1.0	0.317	0.0		1.0	0.163	0.0	54.5	52.2	55.9	76.5	47	1.0	0.317	0.0						
51	50	48	1.0	0.203	0.0	57.1	47.0	58.1	74.7	51		1.0	0.193	0.0	56.5	48.3	57.6	75.2	50	1.0	0.333	0.0		1.0	0.173	0.0	55.2	50.9	56.5	76.0	48	1.0	0.333	0.0						
52	51	49	1.0	0.213	0.0	57.8	45.7	58.6	74.3	52		1.0	0.203	0.0	57.1	47.0	58.1	74.7	51	1.0	0.35	0.0		1.0	0.183	0.0	55.8	49.6	57.1	75.6	49	1.0	0.35	0.0						
53	52	50	1.0	0.223	0.0	58.4	44.5	59.0	73.9	53		1.0	0.213	0.0	57.8	45.7	58.6	74.3	52	1.0	0.367	0.0		1.0	0.193	0.0	56.5	48.3	57.6	75.2	50	1.0	0.367	0.0						
54	53	51	1.0	0.234	0.0	59.1	43.2	59.4	73.4	54		1.0	0.223	0.0	58.4	44.5	59.0	73.9	53	1.0	0.383	0.0		1.0	0.203	0.0	57.1	47.0	58.1	74.7	51	1.0	0.383	0.0						
55	54	52	1.0	0.244	0.0	59.7	41.9	59.8	73.0	55		1.0	0.234	0.0	59.1	43.2	59.4	73.4	54	1.0	0.4	0.0		1.0	0.213	0.0	57.8	45.7	58.6	74.3	52	1.0	0.4	0.0						
56	55	53	1.0	0.255	0.0	60.3	40.7	60.3	72.7	56		1.0	0.244	0.0	59.7	41.9	59.8	73.0	55	1.0	0.417	0.0		1.0	0.223	0.0	58.4	44.5	59.0	73.9	53	1.0	0.417	0.0						
57	56	54	1.0	0.267	0.0	60.9	39.6	60.9	72.7	57		1.0	0.255	0.0	60.3	40.7	60.3	72.7	56	1.0	0.433	0.0		1.0	0.234	0.0	59.1	43.2	59.4	73.4	54	1.0	0.433	0.0						
58	57	56	1.0	0.279	0.0	61.5	38.5	61.6	72.6	58		1.0	0.267	0.0	60.9	39.6	60.9	72.7	57	1.0	0.45	0.0		1.0	0.255	0.0	60.3	40.7	60.3	72.7	56	1.0	0.45	0.0						
59	58	57	1.0	0.292	0.0	62.1	37.4	62.2	72.6	59		1.0	0.279	0.0	61.5	38.5	61.6	72.6	58	1.0	0.467	0.0		1.0	0.267	0.0	60.9	39.6	60.9	72.7	57	1.0	0.467	0.0						
60	59	58	1.0	0.304	0.0	62.7	36.3	62.8	72.6	60		1.0	0.292	0.0	62.1	37.4	62.2	72.6	59	1.0	0.483	0.0		1.0	0.279	0.0	61.5	38.5	61.6	72.6	58	1.0	0.483	0.0						
61	60	59	1.0	0.316	0.0	63.3	35.2	63.4	72.5	61		1.0	0.304	0.0	62.7	36.3	62.8	72.6	60	1.0	0.5	0.0		1.0	0.292	0.0	62.1	37.4	62.2	72.6	59	1.0	0.5	0.0						
62	61	60	1.0	0.329	0.0	63.9	34.0	64.0	72.5																															

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$				$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$				rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$				rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e			
76	75	76	1.0	0.524	0.0	72.4	17.9	71.9	74.1	76	1.0	0.503	0.0	71.7	19.1	71.1	73.6	75	1.0	0.75	0.0	1.0	0.524	0.0	72.4	17.9	71.9	74.1	76	1.0	0.75	0.0			
77	76	77	1.0	0.546	0.0	73.1	16.8	72.6	74.5	77	1.0	0.524	0.0	72.4	17.9	71.9	74.1	76	1.0	0.767	0.0	1.0	0.546	0.0	73.1	16.8	72.6	74.5	77	1.0	0.767	0.0			
78	77	78	1.0	0.567	0.0	73.7	15.6	73.3	75.0	78	1.0	0.546	0.0	73.1	16.8	72.6	74.5	77	1.0	0.783	0.0	1.0	0.567	0.0	73.7	15.6	73.3	75.0	78	1.0	0.783	0.0			
79	78	79	1.0	0.588	0.0	74.4	14.4	74.0	75.4	79	1.0	0.567	0.0	73.7	15.6	73.3	75.0	78	1.0	0.8	0.0	1.0	0.588	0.0	74.4	14.4	74.0	75.4	79	1.0	0.8	0.0			
80	79	80	1.0	0.609	0.0	75.0	13.2	74.7	75.8	80	1.0	0.588	0.0	74.4	14.4	74.0	75.4	79	1.0	0.817	0.0	1.0	0.609	0.0	75.0	13.2	74.7	75.8	80	1.0	0.817	0.0			
81	80	81	1.0	0.628	0.0	75.7	11.9	75.3	76.2	81	1.0	0.609	0.0	75.0	13.2	74.7	75.8	80	1.0	0.833	0.0	1.0	0.628	0.0	75.7	11.9	75.3	76.2	81	1.0	0.833	0.0			
82	81	82	1.0	0.643	0.0	76.5	10.6	75.7	76.5	82	1.0	0.628	0.0	75.7	11.9	75.3	76.2	81	1.0	0.85	0.0	1.0	0.643	0.0	76.5	10.6	75.7	76.5	82	1.0	0.85	0.0			
83	82	83	1.0	0.657	0.0	77.3	9.3	76.1	76.7	83	1.0	0.643	0.0	76.5	10.6	75.7	76.5	82	1.0	0.867	0.0	1.0	0.657	0.0	77.3	9.3	76.1	76.7	83	1.0	0.867	0.0			
84	83	85	1.0	0.672	0.0	78.1	8.0	76.5	77.0	84	1.0	0.657	0.0	77.3	9.3	76.1	76.7	83	1.0	0.883	0.0	1.0	0.686	0.0	78.8	6.7	76.9	77.2	85	1.0	0.883	0.0			
85	84	86	1.0	0.686	0.0	78.8	6.7	76.9	77.2	85	1.0	0.672	0.0	78.1	8.0	76.5	77.0	84	1.0	0.9	0.0	1.0	0.7	0.0	79.6	5.4	77.2	77.4	86	1.0	0.9	0.0			
86	85	87	1.0	0.7	0.0	79.6	5.4	77.2	77.4	86	1.0	0.686	0.0	78.8	6.7	76.9	77.2	85	1.0	0.917	0.0	1.0	0.715	0.0	80.4	4.1	77.6	77.7	87	1.0	0.917	0.0			
87	86	88	1.0	0.715	0.0	80.4	4.1	77.6	77.7	87	1.0	0.7	0.0	79.6	5.4	77.2	77.4	86	1.0	0.933	0.0	1.0	0.729	0.0	81.2	2.7	77.9	77.9	88	1.0	0.933	0.0			
88	87	89	1.0	0.729	0.0	81.2	2.7	77.9	77.9	88	1.0	0.715	0.0	80.4	4.1	77.6	77.7	87	1.0	0.95	0.0	1.0	0.743	0.0	81.9	1.4	78.1	78.1	89	1.0	0.95	0.0			
89	88	90	1.0	0.743	0.0	81.9	1.4	78.1	78.1	89	1.0	0.729	0.0	81.2	2.7	77.9	77.9	88	1.0	0.967	0.0	1.0	0.763	0.0	82.8	0.0	77.8	77.8	90	1.0	0.967	0.0			
90	89	91	1.0	0.763	0.0	82.8	0.0	77.8	77.8	90	1.0	0.743	0.0	81.9	1.4	78.1	78.1	89	1.0	0.983	0.0	1.0	0.787	0.0	83.7	-1.2	77.1	77.1	91	1.0	0.983	0.0			
91	90	92	1.0	0.787	0.0	83.7	-1.2	77.1	77.1	91	1.0	0.763	0.0	82.8	0.0	77.8	77.8	90	1.0	1.0	0.0	1.0	0.811	0.0	84.6	-2.6	76.3	76.3	92	1.0	1.0	0.0			
92	91	93	1.0	0.811	0.0	84.6	-2.6	76.3	76.3	92	1.0	0.787	0.0	83.7	-1.2	77.1	77.1	91	0.983	1.0	0.0	1.0	0.834	0.0	85.5	-3.9	75.4	75.5	93	0.983	1.0	0.0			
93	92	95	1.0	0.834	0.0	85.5	-3.9	75.4	75.5	93	1.0	0.811	0.0	84.6	-2.6	76.3	76.3	92	0.967	1.0	0.0	1.0	0.883	0.0	87.3	-6.4	74.7	75.0	95	0.967	1.0	0.0			
94	93	96	1.0	0.858	0.0	86.3	-5.1	74.6	74.8	94	1.0	0.834	0.0	85.5	-3.9	75.4	75.5	93	0.95	1.0	0.0	1.0	0.91	0.0	88.2	-8.0	77.1	77.5	96	0.95	1.0	0.0			
95	94	97	1.0	0.883	0.0	87.3	-6.4	74.7	75.0	95	1.0	0.858	0.0	86.3	-5.1	74.6	74.8	94	0.933	1.0	0.0	1.0	0.937	0.0	89.1	-9.7	79.4	80.0	97	0.933	1.0	0.0			
96	95	98	1.0	0.91	0.0	88.2	-8.0	77.1	77.5	96	1.0	0.883	0.0	87.3	-6.4	74.7	75.0	95	0.917	1.0	0.0	1.0	0.964	0.0	90.1	-11.4	81.7	82.5	98	0.917	1.0	0.0			
97	96	99	1.0	0.937	0.0	89.1	-9.7	79.4	80.0	97	1.0	0.91	0.0	88.2	-8.0	77.1	77.5	96	0.9	1.0	0.0	1.0	0.991	0.0	91.0	-13.2	84.0	85.0	99	0.9	1.0	0.0			
98	97	100	1.0	0.964	0.0	90.1	-11.4	81.7	82.5	98	1.0	0.937	0.0	89.1	-9.7	79.4	80.0	97	0.883	1.0	0.0	0.939	1.0	0.0	92.4	-15.6	89.1	90.5	100	0.883	1.0	0.0			
99	98	102	1.0	0.991	0.0	91.0	-13.2	84.0	85.0	99	1.0	0.964	0.0	90.1	-11.4	81.7	82.5	98	0.867	1.0	0.0	0.837	1.0	0.0	92.0	-19.4	91.7	93.8	102	0.867	1.0	0.0			
100	99	103	0.939	1.0	0.0	92.4	-15.6	89.1	90.5	100	1.0	0.991	0.0	91.0	-13.2	84.0	85.0	99	0.85	1.0	0.0	0.808	1.0	0.0	90.8	-20.7	90.3	92.6	103	0.85	1.0	0.0			
101	100	104	0.866	1.0	0.0	93.1	-18.0	93.1	94.9	101	0.939	1.0	0.0	92.4	-15.6	89.1	90.5	100	0.833	1.0	0.0	0.779	1.0	0.0	89.6	-22.0	88.8	91.5	104	0.833	1.0	0.0			
102	101	105	0.837	1.0	0.0	92.0	-19.4	91.7	93.8	102	0.866	1.0	0.0	93.1	-18.0	93.1	94.9	101	0.817	1.0	0.0	0.75	1.0	0.0	88.5	-23.3	87.3	90.4	105	0.817	1.0	0.0			
103	102	106	0.808	1.0	0.0	90.8	-20.7	90.3	92.6	103	0.837	1.0	0.0	92.0	-19.4	91.7	93.8	102	0.8	1.0	0.0	0.735	1.0	0.0	87.5	-24.4	85.6	89.0	106	0.8	1.0	0.0			
104	103	107	0.779	1.0	0.0	89.6	-22.0	88.8	91.5	104	0.808	1.0	0.0	90.8	-20.7	90.3	92.6	103	0.783	1.0	0.0	0.721	1.0	0.0	86.6	-25.5	83.8	87.7	107	0.783	1.0	0.0			
105	104	109	0.75	1.0	0.0	88.5	-23.3	87.3	90.4	105	0.779	1.0	0.0	89.6	-22.0	88.8	91.5	104	0.767	1.0	0.0	0.693	1.0	0.0	84.7	-27.6	80.3	85.0	109	0.767	1.0	0.0			
106	105	110	0.735	1.0	0.0	87.5	-24.4	85.6	89.0	106	0.75	1.0	0.0	88.5	-23.3	87.3	90.4	105	0.75	1.0	0.0	0.678	1.0	0.0	83.7	-28.5	78.6	83.6	110	0.75	1.0	0.0			
107	106	111	0.721	1.0	0.0	86.6	-25.5	83.8	87.7	107	0.735	1.0	0.0	87.5	-24.4	85.6	89.0	106	0.733	1.0	0.0	0.664	1.0	0.0	82.8	-29.4	76.8	82.3	111	0.733	1.0	0.0			
108	107	112	0.707	1.0	0.0	85.6	-26.6	82.1	86.3	108	0.721	1.0	0.0	86.6	-25.5	83.8	87.7																		

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 217 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*d361Mi			LAB*d361Mix (x=LabCh)			rgb*ds361Mi			LAB*ds361Mix (x=LabCh)			rgb*s50M			rgb*de361Mi			LAB*de361Mix (x=LabCh)			rgb*e50M			rgb*d			rgb*s			rgb*e		
121	120	127	0.511	1.0	0.0	74.3	-38.1	63.6	74.2	121	0.527	1.0	0.0	75.1	-37.3	64.8	74.8	120	0.5	1.0	0.0	0.406	1.0	0.0	70.1	-43.2	57.5	72.0	127	0.5	1.0	0.0			
122	121	128	0.495	1.0	0.0	73.5	-39.0	62.5	73.7	122	0.511	1.0	0.0	74.3	-38.1	63.6	74.2	121	0.483	1.0	0.0	0.389	1.0	0.0	69.4	-44.0	56.5	71.6	128	0.483	1.0	0.0			
123	122	130	0.477	1.0	0.0	72.8	-39.9	61.5	73.4	123	0.495	1.0	0.0	73.5	-39.0	62.5	73.7	122	0.467	1.0	0.0	0.359	1.0	0.0	68.2	-45.8	54.7	71.4	130	0.467	1.0	0.0			
124	123	131	0.459	1.0	0.0	72.1	-40.7	60.5	73.0	124	0.477	1.0	0.0	72.8	-39.9	61.5	73.4	123	0.45	1.0	0.0	0.345	1.0	0.0	67.7	-46.7	53.9	71.4	131	0.45	1.0	0.0			
125	124	132	0.442	1.0	0.0	71.5	-41.6	59.5	72.7	125	0.459	1.0	0.0	72.1	-40.7	60.5	73.0	124	0.433	1.0	0.0	0.332	1.0	0.0	67.1	-47.7	53.1	71.4	132	0.433	1.0	0.0			
126	125	133	0.424	1.0	0.0	70.8	-42.4	58.5	72.3	126	0.442	1.0	0.0	71.5	-41.6	59.5	72.7	125	0.417	1.0	0.0	0.319	1.0	0.0	66.6	-48.6	52.2	71.4	133	0.417	1.0	0.0			
127	126	134	0.406	1.0	0.0	70.1	-43.2	57.5	72.0	127	0.424	1.0	0.0	70.8	-42.4	58.5	72.3	126	0.4	1.0	0.0	0.305	1.0	0.0	66.0	-49.5	51.4	71.4	134	0.4	1.0	0.0			
128	127	135	0.389	1.0	0.0	69.4	-44.0	56.5	71.6	128	0.406	1.0	0.0	70.1	-43.2	57.5	72.0	127	0.383	1.0	0.0	0.292	1.0	0.0	65.5	-50.4	50.5	71.4	135	0.383	1.0	0.0			
129	128	137	0.372	1.0	0.0	68.8	-44.8	55.5	71.4	129	0.389	1.0	0.0	69.4	-44.0	56.5	71.6	128	0.367	1.0	0.0	0.266	1.0	0.0	64.4	-52.2	48.7	71.5	137	0.367	1.0	0.0			
130	129	138	0.359	1.0	0.0	68.2	-45.8	54.7	71.4	130	0.372	1.0	0.0	68.8	-44.8	55.5	71.4	129	0.35	1.0	0.0	0.252	1.0	0.0	63.8	-53.0	47.8	71.5	138	0.35	1.0	0.0			
131	130	139	0.345	1.0	0.0	67.7	-46.7	53.9	71.4	131	0.359	1.0	0.0	68.2	-45.8	54.7	71.4	130	0.333	1.0	0.0	0.237	1.0	0.0	63.3	-53.8	46.8	71.4	139	0.333	1.0	0.0			
132	131	140	0.332	1.0	0.0	67.1	-47.7	53.1	71.4	132	0.345	1.0	0.0	67.7	-46.7	53.9	71.4	131	0.317	1.0	0.0	0.22	1.0	0.0	62.8	-54.5	45.9	71.3	140	0.317	1.0	0.0			
133	132	141	0.319	1.0	0.0	66.6	-48.6	52.2	71.4	133	0.332	1.0	0.0	67.1	-47.7	53.1	71.4	132	0.3	1.0	0.0	0.204	1.0	0.0	62.4	-55.3	44.8	71.3	141	0.3	1.0	0.0			
134	133	142	0.305	1.0	0.0	66.0	-49.5	51.4	71.4	134	0.319	1.0	0.0	66.6	-48.6	52.2	71.4	133	0.283	1.0	0.0	0.188	1.0	0.0	61.9	-56.0	43.8	71.2	142	0.283	1.0	0.0			
135	134	144	0.292	1.0	0.0	65.5	-50.4	50.5	71.4	135	0.305	1.0	0.0	66.0	-49.5	51.4	71.4	134	0.267	1.0	0.0	0.155	1.0	0.0	60.9	-57.4	41.7	71.0	144	0.267	1.0	0.0			
136	135	145	0.279	1.0	0.0	64.9	-51.3	49.6	71.5	136	0.292	1.0	0.0	65.5	-50.4	50.5	71.4	135	0.25	1.0	0.0	0.139	1.0	0.0	60.5	-58.0	40.7	70.9	145	0.25	1.0	0.0			
137	136	146	0.266	1.0	0.0	64.4	-52.2	48.7	71.5	137	0.279	1.0	0.0	64.9	-51.3	49.6	71.5	136	0.233	1.0	0.0	0.121	1.0	0.0	60.0	-58.7	39.7	71.0	146	0.233	1.0	0.0			
138	137	147	0.252	1.0	0.0	63.8	-53.0	47.8	71.5	138	0.266	1.0	0.0	64.4	-52.2	48.7	71.5	137	0.217	1.0	0.0	0.1	1.0	0.0	59.4	-59.8	38.9	71.5	147	0.217	1.0	0.0			
139	138	148	0.237	1.0	0.0	63.3	-53.8	46.8	71.4	139	0.252	1.0	0.0	63.8	-53.0	47.8	71.5	138	0.2	1.0	0.0	0.078	1.0	0.0	58.8	-60.9	38.1	72.0	148	0.2	1.0	0.0			
140	139	149	0.222	1.0	0.0	62.8	-54.5	45.9	71.3	140	0.237	1.0	0.0	63.3	-53.8	46.8	71.4	139	0.183	1.0	0.0	0.057	1.0	0.0	58.2	-62.0	37.3	72.5	149	0.183	1.0	0.0			
141	140	151	0.204	1.0	0.0	62.4	-55.3	44.8	71.3	141	0.22	1.0	0.0	62.8	-54.5	45.9	71.3	140	0.167	1.0	0.0	0.014	1.0	0.0	57.1	-64.2	35.6	73.5	151	0.167	1.0	0.0			
142	141	152	0.188	1.0	0.0	61.9	-56.0	43.8	71.2	142	0.204	1.0	0.0	62.4	-55.3	44.8	71.3	141	0.15	1.0	0.0	0.0	1.0	0.007	56.7	-64.8	34.5	73.5	152	0.15	1.0	0.0			
143	142	153	0.171	1.0	0.0	61.4	-56.7	42.8	71.1	143	0.188	1.0	0.0	61.9	-56.0	43.8	71.2	142	0.133	1.0	0.0	0.0	1.0	0.026	56.7	-64.6	33.0	72.6	153	0.133	1.0	0.0			
144	143	154	0.155	1.0	0.0	60.9	-57.4	41.7	71.0	144	0.171	1.0	0.0	61.4	-56.7	42.8	71.1	143	0.117	1.0	0.0	0.0	1.0	0.045	56.6	-64.3	31.4	71.7	154	0.117	1.0	0.0			
145	144	155	0.139	1.0	0.0	60.5	-58.0	40.7	70.9	145	0.155	1.0	0.0	60.9	-57.4	41.7	71.0	144	0.1	1.0	0.0	0.0	1.0	0.064	56.5	-64.0	29.9	70.7	155	0.1	1.0	0.0			
146	145	156	0.121	1.0	0.0	60.0	-58.7	39.7	71.0	146	0.139	1.0	0.0	60.5	-58.0	40.7	70.9	145	0.083	1.0	0.0	0.0	1.0	0.083	56.4	-63.7	28.4	69.8	156	0.083	1.0	0.0			
147	146	158	0.1	1.0	0.0	59.4	-59.8	38.9	71.5	147	0.121	1.0	0.0	60.0	-58.7	39.7	71.0	146	0.067	1.0	0.0	0.0	1.0	0.121	56.3	-62.9	25.5	68.0	158	0.067	1.0	0.0			
148	147	159	0.078	1.0	0.0	58.8	-60.9	38.1	72.0	148	0.1	1.0	0.0	59.4	-59.8	38.9	71.5	147	0.05	1.0	0.0	0.0	1.0	0.137	56.3	-62.5	24.0	67.0	159	0.05	1.0	0.0			
149	148	160	0.057	1.0	0.0	58.2	-62.0	37.3	72.5	149	0.078	1.0	0.0	58.8	-60.9	38.1	72.0	148	0.033	1.0	0.0	0.0	1.0	0.152	56.3	-62.0	22.6	66.1	160	0.033	1.0	0.0			
150	149	161	0.035	1.0	0.0	57.7	-63.1	36.5	73.0	150	0.057	1.0	0.0	58.2	-62.0	37.3	72.5	149	0.017	1.0	0.0	0.0	1.0	0.168	56.4	-61.4	21.2	65.1	161	0.017	1.0	0.0			
151	150	162	0.014	1.0	0.0	57.1	-64.2	35.6	73.5	151	0.035	1.0	0.0	57.7	-63.1	36.5	73.0	150	0.0	1.0	0.0	0.0	1.0	0.183	56.4	-60.9	19.8	64.1	162	0.0	1.0	0.0	0.0	0.0	0.0
152	151	163	0.0	1.0	0.007	56.7	-64.8	34.5	73.5	152	0.014	1.0	0.0	57.1	-64.2	35.6	73.5	151	0.0	1.0	0.017	0.0	1.0	0.199	56.4	-60.3	18.5	63.2	163	0.0	1.0	0.017			
153	152	16																																	

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 67 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																					
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361Mi				LAB* _{dd} 361Mix (x=LabCh)				rgb* _{ds} 361Mi				LAB* _{ds} 361Mix (x=LabCh)				rgb* _s 50M				rgb* _{de} 361Mi				LAB* _{de} 361Mix (x=LabCh)				rgb* _e 50M				rgb* _{dd}	rgb* _{ds}	rgb* _{de}
166	165	176	0.0	1.0	0.245	56.5	-58.4	14.6	60.3	166	0.0	1.0	0.229	56.5	-59.1	15.9	61.2	165	0.0	1.0	0.25	0.0	1.0	0.391	56.9	-54.3	3.8	54.5	176	0.0	1.0	0.25					
167	166	177	0.0	1.0	0.26	56.6	-57.9	13.4	59.6	167	0.0	1.0	0.245	56.5	-58.4	14.6	60.3	166	0.0	1.0	0.267	0.0	1.0	0.405	57.0	-53.8	2.8	54.0	177	0.0	1.0	0.267					
168	167	178	0.0	1.0	0.274	56.6	-57.6	12.3	59.0	168	0.0	1.0	0.26	56.6	-57.9	13.4	59.6	167	0.0	1.0	0.283	0.0	1.0	0.418	57.0	-53.4	1.9	53.5	178	0.0	1.0	0.283					
169	168	179	0.0	1.0	0.289	56.7	-57.2	11.1	58.4	169	0.0	1.0	0.274	56.6	-57.6	12.3	59.0	168	0.0	1.0	0.3	0.0	1.0	0.432	57.0	-52.9	0.9	53.0	179	0.0	1.0	0.3					
170	169	180	0.0	1.0	0.304	56.7	-56.9	10.0	57.8	170	0.0	1.0	0.289	56.7	-57.2	11.1	58.4	169	0.0	1.0	0.317	0.0	1.0	0.445	57.1	-52.4	0.0	52.5	180	0.0	1.0	0.317					
171	170	180	0.0	1.0	0.319	56.7	-56.5	9.0	57.3	171	0.0	1.0	0.304	56.7	-56.9	10.0	57.8	170	0.0	1.0	0.333	0.0	1.0	0.445	57.1	-52.4	0.0	52.5	180	0.0	1.0	0.333					
172	171	181	0.0	1.0	0.333	56.8	-56.0	7.9	56.7	172	0.0	1.0	0.319	56.7	-56.5	9.0	57.3	171	0.0	1.0	0.35	0.0	1.0	0.459	57.1	-52.0	-0.8	52.1	181	0.0	1.0	0.35					
173	172	182	0.0	1.0	0.348	56.8	-55.6	6.8	56.1	173	0.0	1.0	0.333	56.8	-56.0	7.9	56.7	172	0.0	1.0	0.367	0.0	1.0	0.473	57.1	-51.4	-1.7	51.6	182	0.0	1.0	0.367					
174	173	183	0.0	1.0	0.363	56.9	-55.1	5.8	55.5	174	0.0	1.0	0.348	56.8	-55.6	6.8	56.1	173	0.0	1.0	0.383	0.0	1.0	0.486	57.2	-50.9	-2.6	51.1	183	0.0	1.0	0.383					
175	174	184	0.0	1.0	0.377	56.9	-54.7	4.8	55.0	175	0.0	1.0	0.363	56.9	-55.1	5.8	55.5	174	0.0	1.0	0.4	0.0	1.0	0.5	57.2	-50.4	-3.4	50.6	184	0.0	1.0	0.4					
176	175	185	0.0	1.0	0.391	56.9	-54.3	3.8	54.5	176	0.0	1.0	0.377	56.9	-54.7	4.8	55.0	175	0.0	1.0	0.417	0.0	1.0	0.512	57.2	-50.0	-4.3	50.3	185	0.0	1.0	0.417					
177	176	186	0.0	1.0	0.405	57.0	-53.8	2.8	54.0	177	0.0	1.0	0.391	56.9	-54.3	3.8	54.5	176	0.0	1.0	0.433	0.0	1.0	0.524	57.2	-49.6	-5.1	50.0	186	0.0	1.0	0.433					
178	177	187	0.0	1.0	0.418	57.0	-53.4	1.9	53.5	178	0.0	1.0	0.405	57.0	-53.8	2.8	54.0	177	0.0	1.0	0.45	0.0	1.0	0.536	57.3	-49.2	-6.0	49.7	187	0.0	1.0	0.45					
179	178	188	0.0	1.0	0.432	57.0	-52.9	0.9	53.0	179	0.0	1.0	0.418	57.0	-53.4	1.9	53.5	178	0.0	1.0	0.467	0.0	1.0	0.549	57.3	-48.8	-6.8	49.4	188	0.0	1.0	0.467					
180	179	189	0.0	1.0	0.445	57.1	-52.4	0.0	52.5	180	0.0	1.0	0.432	57.0	-52.9	0.9	53.0	179	0.0	1.0	0.483	0.0	1.0	0.561	57.3	-48.3	-7.6	49.0	189	0.0	1.0	0.483					
181	180	190	0.0	1.0	0.459	57.1	-52.0	-0.8	52.1	181	0.0	1.0	0.445	57.1	-52.4	0.0	52.5	180	0.0	1.0	0.5	0.0	1.0	0.573	57.3	-47.9	-8.4	48.7	190	0.0	1.0	0.5					
182	181	191	0.0	1.0	0.473	57.1	-51.4	-1.7	51.6	182	0.0	1.0	0.459	57.1	-52.0	-0.8	52.1	181	0.0	1.0	0.517	0.0	1.0	0.585	57.3	-47.4	-9.1	48.4	191	0.0	1.0	0.517					
183	182	191	0.0	1.0	0.486	57.2	-50.9	-2.6	51.1	183	0.0	1.0	0.473	57.1	-51.4	-1.7	51.6	182	0.0	1.0	0.533	0.0	1.0	0.585	57.3	-47.4	-9.1	48.4	191	0.0	1.0	0.533					
184	183	192	0.0	1.0	0.5	57.2	-50.4	-3.4	50.6	184	0.0	1.0	0.486	57.2	-50.9	-2.6	51.1	183	0.0	1.0	0.55	0.0	1.0	0.597	57.4	-47.0	-9.9	48.1	192	0.0	1.0	0.55					
185	184	193	0.0	1.0	0.512	57.2	-50.0	-4.3	50.3	185	0.0	1.0	0.5	57.2	-50.4	-3.4	50.6	184	0.0	1.0	0.567	0.0	1.0	0.61	57.4	-46.5	-10.7	47.8	193	0.0	1.0	0.567					
186	185	194	0.0	1.0	0.524	57.2	-49.6	-5.1	50.0	186	0.0	1.0	0.512	57.2	-50.0	-4.3	50.3	185	0.0	1.0	0.583	0.0	1.0	0.622	57.4	-46.0	-11.4	47.5	194	0.0	1.0	0.583					
187	186	195	0.0	1.0	0.536	57.3	-49.2	-6.0	49.7	187	0.0	1.0	0.524	57.2	-49.6	-5.1	50.0	186	0.0	1.0	0.6	0.0	1.0	0.635	57.4	-45.6	-12.2	47.3	195	0.0	1.0	0.6					
188	187	196	0.0	1.0	0.549	57.3	-48.8	-6.8	49.4	188	0.0	1.0	0.536	57.3	-49.2	-6.0	49.7	187	0.0	1.0	0.617	0.0	1.0	0.649	57.3	-45.3	-12.9	47.2	196	0.0	1.0	0.617					
189	188	197	0.0	1.0	0.561	57.3	-48.3	-7.6	49.0	189	0.0	1.0	0.549	57.3	-48.8	-6.8	49.4	188	0.0	1.0	0.633	0.0	1.0	0.663	57.2	-44.9	-13.7	47.1	197	0.0	1.0	0.633					
190	189	198	0.0	1.0	0.573	57.3	-47.9	-8.4	48.7	190	0.0	1.0	0.561	57.3	-48.3	-7.6	49.0	189	0.0	1.0	0.65	0.0	1.0	0.676	57.2	-44.6	-14.4	47.0	198	0.0	1.0	0.65					
191	190	199	0.0	1.0	0.585	57.3	-47.4	-9.1	48.4	191	0.0	1.0	0.573	57.3	-47.9	-8.4	48.7	190	0.0	1.0	0.667	0.0	1.0	0.69	57.1	-44.2	-15.2	46.9	199	0.0	1.0	0.667					
192	191	200	0.0	1.0	0.597	57.4	-47.0	-9.9	48.1	192	0.0	1.0	0.585	57.3	-47.4	-9.1	48.4	191	0.0	1.0	0.683	0.0	1.0	0.704	57.1	-43.8	-15.9	46.7	200	0.0	1.0	0.683					
193	192	201	0.0	1.0	0.61	57.4	-46.5	-10.7	47.8	193	0.0	1.0	0.597	57.4	-47.0	-9.9	48.1	192	0.0	1.0	0.7	0.0	1.0	0.717	57.0	-43.4	-16.6	46.6	201	0.0	1.0	0.7					
194	193	201	0.0	1.0	0.622	57.4	-46.0	-11.4	47.5	194	0.0	1.0	0.61	57.4	-46.5	-10.7	47.8	193	0.0	1.0	0.717	0.0	1.0	0.717	57.0	-43.4	-16.6	46.6	201	0.0	1.0	0.717					
195	194	202	0.0	1.0	0.635	57.4	-45.6	-12.2	47.3	195	0.0	1.0	0.622	57.4	-46.0	-11.4	47.5	194	0.0	1.0	0.733	0.0	1.0	0.731	57.0	-43.0	-17.3	46.5	202	0.0	1.0	0.733					
196	195	203	0.0	1.0	0.649	57.3	-45.3	-12.9	47.2	196	0.0	1.0	0.635	57.4	-45.6	-12.2	47.3	195	0.0	1.0	0.75	0.0	1.0	0.745	56.9	-42.6	-18.0	46.4	203	0.0	1.0	0.75					
197	196	204	0.0	1.0	0.663	57.2	-44.9	-13.7	47.1	197	0.0	1.0	0.649	57.3	-45.3	-12.9	47.2	196	0.0	1.0	0.767	0.0	1.0	0.758	56.8	-42.3	-18.8	46.4	204	0.0	1.0	0.767					
198	197	205	0.0	1.																																	




Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 217 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																															
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*d361Mi LAB*d361Mix (x=LabCh)									rgb*ds361Mi LAB*ds361Mix (x=LabCh)									rgb*s50M LAB*de361Mix (x=LabCh)									rgb*e50M LAB*de361Mix (x=LabCh)									rgb* _d rgb* _s rgb* _e								
			C _s									C _e																																			
211	210	217	0.0	1.0	0.845	55.6	-40.5	-24.3	47.4	211	0.0	1.0	0.832	55.8	-40.8	-23.5	47.3	210	0.0	1.0	1.0	0.0	1.0	0.904	54.4	-38.8	-29.2	48.7	217	0.0	1.0	1.0	C _s	C _e													
212	211	218	0.0	1.0	0.857	55.4	-40.2	-25.1	47.6	212	0.0	1.0	0.845	55.6	-40.5	-24.3	47.4	211	0.0	0.983	1.0	0.0	1.0	0.912	54.2	-38.5	-30.0	48.9	218	0.0	0.983	1.0															
213	212	219	0.0	1.0	0.87	55.2	-39.9	-25.9	47.7	213	0.0	1.0	0.857	55.4	-40.2	-25.1	47.6	212	0.0	0.967	1.0	0.0	1.0	0.92	53.9	-38.1	-30.9	49.2	219	0.0	0.967	1.0															
214	213	220	0.0	1.0	0.88	55.0	-39.6	-26.7	47.9	214	0.0	1.0	0.87	55.2	-39.9	-25.9	47.7	213	0.0	0.95	1.0	0.0	1.0	0.928	53.7	-37.8	-31.7	49.5	220	0.0	0.95	1.0															
215	214	221	0.0	1.0	0.888	54.8	-39.4	-27.5	48.2	215	0.0	1.0	0.88	55.0	-39.6	-26.7	47.9	214	0.0	0.933	1.0	0.0	1.0	0.936	53.5	-37.4	-32.5	49.7	221	0.0	0.933	1.0															
216	215	222	0.0	1.0	0.896	54.6	-39.1	-28.4	48.4	216	0.0	1.0	0.888	54.8	-39.4	-27.5	48.2	215	0.0	0.917	1.0	0.0	1.0	0.944	53.3	-37.0	-33.3	50.0	222	0.0	0.917	1.0															
217	216	222	0.0	1.0	0.904	54.4	-38.8	-29.2	48.7	217	0.0	1.0	0.896	54.6	-39.1	-28.4	48.4	216	0.0	0.9	1.0	0.0	1.0	0.944	53.3	-37.0	-33.3	50.0	222	0.0	0.9	1.0															
218	217	223	0.0	1.0	0.912	54.2	-38.5	-30.0	48.9	218	0.0	1.0	0.904	54.4	-38.8	-29.2	48.7	217	0.0	0.883	1.0	0.0	1.0	0.952	53.1	-36.6	-34.2	50.2	223	0.0	0.883	1.0															
219	218	224	0.0	1.0	0.92	53.9	-38.1	-30.9	49.2	219	0.0	1.0	0.912	54.2	-38.5	-30.0	48.9	218	0.0	0.867	1.0	0.0	1.0	0.96	52.8	-36.2	-35.0	50.5	224	0.0	0.867	1.0															
220	219	225	0.0	1.0	0.928	53.7	-37.8	-31.7	49.5	220	0.0	1.0	0.92	53.9	-38.1	-30.9	49.2	219	0.0	0.85	1.0	0.0	1.0	0.968	52.6	-35.8	-35.8	50.7	225	0.0	0.85	1.0															
221	220	226	0.0	1.0	0.936	53.5	-37.4	-32.5	49.7	221	0.0	1.0	0.928	53.7	-37.8	-31.7	49.5	220	0.0	0.833	1.0	0.0	1.0	0.976	52.4	-35.3	-36.6	51.0	226	0.0	0.833	1.0															
222	221	227	0.0	1.0	0.944	53.3	-37.0	-33.3	50.0	222	0.0	1.0	0.936	53.5	-37.4	-32.5	49.7	221	0.0	0.817	1.0	0.0	1.0	0.984	52.2	-34.9	-37.4	51.3	227	0.0	0.817	1.0															
223	222	228	0.0	1.0	0.952	53.1	-36.6	-34.2	50.2	223	0.0	1.0	0.944	53.3	-37.0	-33.3	50.0	222	0.0	0.8	1.0	0.0	1.0	0.992	52.0	-34.4	-38.2	51.5	228	0.0	0.8	1.0															
224	223	229	0.0	1.0	0.96	52.8	-36.2	-35.0	50.5	224	0.0	1.0	0.952	53.1	-36.6	-34.2	50.2	223	0.0	0.783	1.0	0.0	1.0	1.0	51.7	-33.9	-39.0	51.8	229	0.0	0.783	1.0															
225	224	230	0.0	1.0	0.968	52.6	-35.8	-35.8	50.7	225	0.0	1.0	0.96	52.8	-36.2	-35.0	50.5	224	0.0	0.767	1.0	0.0	1.0	0.962	1.0	51.6	-33.3	-39.7	52.0	230	0.0	0.767	1.0														
226	225	231	0.0	1.0	0.976	52.4	-35.3	-36.6	51.0	226	0.0	1.0	0.968	52.6	-35.8	-35.8	50.7	225	0.0	0.75	1.0	0.0	1.0	0.924	1.0	51.5	-32.7	-40.4	52.1	231	0.0	0.75	1.0														
227	226	232	0.0	1.0	0.984	52.2	-34.9	-37.4	51.3	227	0.0	1.0	0.976	52.4	-35.3	-36.6	51.0	226	0.0	0.733	1.0	0.0	1.0	0.885	1.0	51.4	-32.1	-41.1	52.3	232	0.0	0.733	1.0														
228	227	232	0.0	1.0	0.992	52.0	-34.4	-38.2	51.5	228	0.0	1.0	0.984	52.2	-34.9	-37.4	51.3	227	0.0	0.717	1.0	0.0	1.0	0.885	1.0	51.4	-32.1	-41.1	52.3	232	0.0	0.717	1.0														
229	228	233	0.0	1.0	1.0	51.7	-33.9	-39.0	51.8	229	0.0	1.0	0.992	52.0	-34.4	-38.2	51.5	228	0.0	0.7	1.0	0.0	1.0	0.86	1.0	51.4	-31.5	-41.8	52.5	233	0.0	0.7	1.0														
230	229	234	0.0	0.962	1.0	51.6	-33.3	-39.7	52.0	230	0.0	1.0	1.0	51.7	-33.9	-39.0	51.8	229	0.0	0.683	1.0	0.0	1.0	0.838	1.0	51.4	-30.8	-42.5	52.6	234	0.0	0.683	1.0														
231	230	235	0.0	0.924	1.0	51.5	-32.7	-40.4	52.1	231	0.0	0.962	1.0	51.6	-33.3	-39.7	52.0	230	0.0	0.667	1.0	0.0	1.0	0.817	1.0	51.4	-30.2	-43.1	52.8	235	0.0	0.667	1.0														
232	231	236	0.0	0.885	1.0	51.4	-32.1	-41.1	52.3	232	0.0	0.924	1.0	51.5	-32.7	-40.4	52.1	231	0.0	0.65	1.0	0.0	1.0	0.796	1.0	51.4	-29.5	-43.8	52.9	236	0.0	0.65	1.0														
233	232	237	0.0	0.86	1.0	51.4	-31.5	-41.8	52.5	233	0.0	0.885	1.0	51.4	-32.1	-41.1	52.3	232	0.0	0.633	1.0	0.0	1.0	0.775	1.0	51.4	-28.8	-44.4	53.1	237	0.0	0.633	1.0														
234	233	238	0.0	0.838	1.0	51.4	-30.8	-42.5	52.6	234	0.0	0.86	1.0	51.4	-31.5	-41.8	52.5	233	0.0	0.617	1.0	0.0	1.0	0.754	1.0	51.4	-28.1	-45.1	53.3	238	0.0	0.617	1.0														
235	234	239	0.0	0.817	1.0	51.4	-30.2	-43.1	52.8	235	0.0	0.838	1.0	51.4	-30.8	-42.5	52.6	234	0.0	0.6	1.0	0.0	1.0	0.738	1.0	51.1	-27.3	-45.5	53.2	239	0.0	0.6	1.0														
236	235	240	0.0	0.796	1.0	51.4	-29.5	-43.8	52.9	236	0.0	0.817	1.0	51.4	-30.2	-43.1	52.8	235	0.0	0.583	1.0	0.0	1.0	0.724	1.0	50.8	-26.5	-45.9	53.1	240	0.0	0.583	1.0														
237	236	241	0.0	0.775	1.0	51.4	-28.8	-44.4	53.1	237	0.0	0.796	1.0	51.4	-29.5	-43.8	52.9	236	0.0	0.567	1.0	0.0	1.0	0.709	1.0	50.5	-25.6	-46.3	53.0	241	0.0	0.567	1.0														
238	237	242	0.0	0.754	1.0	51.4	-28.1	-45.1	53.3	238	0.0	0.775	1.0	51.4	-28.8	-44.4	53.1	237	0.0	0.55	1.0	0.0	1.0	0.695	1.0	50.2	-24.7	-46.6	52.9	242	0.0	0.55	1.0														
239	238	243	0.0	0.738	1.0	51.1	-27.3	-45.5	53.2	239	0.0	0.754	1.0	51.4	-28.1	-45.1	53.3	238	0.0	0.533	1.0	0.0	1.0	0.68	1.0	49.9	-23.9	-47.0	52.8	243	0.0	0.533	1.0														
240	239	243	0.0	0.724	1.0	50.8	-26.5	-45.9	53.1	240	0.0	0.738	1.0	51.1	-27.3	-45.5	53.2	239	0.0	0.517	1.0	0.0	1.0	0.68	1.0	49.9	-23.9	-47.0	52.8	243	0.0	0.517	1.0														
241	240	244	0.0	0.709	1.0	50.5	-25.6	-46.3	53.0	241	0.0	0.724	1.0	50.8	-26.5	-45.9	53.1	240	0.0	0.5	1.0	0.0	1.0	0.6																							

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi			LAB*dd361Mix (x=LabCh)			rgb*ds361Mi			LAB*ds361Mix (x=LabCh)			rgb*s50M			rgb*de361Mi			LAB*de361Mix (x=LabCh)			rgb*es50M			rgb* _d rgb* _s rgb* _e								
256	255	258	0.0	0.48	1.0	43.5	-12.0	-48.4	50.0	256	0.0	0.492	1.0	44.1	-12.9	-48.4	50.2	255	0.0	0.25	1.0	0.0	0.455	1.0	42.5	-10.2	-48.5	49.6	258	0.0	0.25	1.0			
257	256	259	0.0	0.468	1.0	43.0	-11.1	-48.4	49.8	257	0.0	0.48	1.0	43.5	-12.0	-48.4	50.0	256	0.0	0.233	1.0	0.0	0.443	1.0	42.0	-9.3	-48.5	49.5	259	0.0	0.233	1.0			
258	257	260	0.0	0.455	1.0	42.5	-10.2	-48.5	49.6	258	0.0	0.468	1.0	43.0	-11.1	-48.4	49.8	257	0.0	0.217	1.0	0.0	0.43	1.0	41.5	-8.5	-48.5	49.3	260	0.0	0.217	1.0			
259	258	261	0.0	0.443	1.0	42.0	-9.3	-48.5	49.5	259	0.0	0.455	1.0	42.5	-10.2	-48.5	49.6	258	0.0	0.2	1.0	0.0	0.418	1.0	40.9	-7.6	-48.4	49.1	261	0.0	0.2	1.0			
260	259	262	0.0	0.43	1.0	41.5	-8.5	-48.5	49.3	260	0.0	0.443	1.0	42.0	-9.3	-48.5	49.5	259	0.0	0.183	1.0	0.0	0.406	1.0	40.4	-6.7	-48.4	49.0	262	0.0	0.183	1.0			
261	260	263	0.0	0.418	1.0	40.9	-7.6	-48.4	49.1	261	0.0	0.43	1.0	41.5	-8.5	-48.5	49.3	260	0.0	0.167	1.0	0.0	0.393	1.0	39.9	-5.8	-48.3	48.8	263	0.0	0.167	1.0			
262	261	264	0.0	0.406	1.0	40.4	-6.7	-48.4	49.0	262	0.0	0.418	1.0	40.9	-7.6	-48.4	49.1	261	0.0	0.15	1.0	0.0	0.381	1.0	39.4	-5.0	-48.2	48.6	264	0.0	0.15	1.0			
263	262	264	0.0	0.393	1.0	39.9	-5.8	-48.3	48.8	263	0.0	0.406	1.0	40.4	-6.7	-48.4	49.0	262	0.0	0.133	1.0	0.0	0.381	1.0	39.4	-5.0	-48.2	48.6	264	0.0	0.133	1.0			
264	263	265	0.0	0.381	1.0	39.4	-5.0	-48.2	48.6	264	0.0	0.393	1.0	39.9	-5.8	-48.3	48.8	263	0.0	0.117	1.0	0.0	0.369	1.0	38.9	-4.1	-48.2	48.5	265	0.0	0.117	1.0			
265	264	266	0.0	0.369	1.0	38.9	-4.1	-48.2	48.5	265	0.0	0.381	1.0	39.4	-5.0	-48.2	48.6	264	0.0	0.1	1.0	0.0	0.357	1.0	38.5	-3.3	-48.3	48.5	266	0.0	0.1	1.0			
266	265	267	0.0	0.357	1.0	38.5	-3.3	-48.3	48.5	266	0.0	0.369	1.0	38.9	-4.1	-48.2	48.5	265	0.0	0.083	1.0	0.0	0.345	1.0	38.0	-2.4	-48.4	48.5	267	0.0	0.083	1.0			
267	266	268	0.0	0.345	1.0	38.0	-2.4	-48.4	48.5	267	0.0	0.357	1.0	38.5	-3.3	-48.3	48.5	266	0.0	0.067	1.0	0.0	0.333	1.0	37.5	-1.6	-48.4	48.6	268	0.0	0.067	1.0			
268	267	269	0.0	0.333	1.0	37.5	-1.6	-48.4	48.6	268	0.0	0.345	1.0	38.0	-2.4	-48.4	48.5	267	0.0	0.05	1.0	0.0	0.321	1.0	37.1	-0.7	-48.5	48.6	269	0.0	0.05	1.0			
269	268	270	0.0	0.321	1.0	37.1	-0.7	-48.5	48.6	269	0.0	0.333	1.0	37.5	-1.6	-48.4	48.6	268	0.0	0.033	1.0	0.0	0.309	1.0	36.6	0.0	-48.5	48.6	270	0.0	0.033	1.0			
270	269	271	0.0	0.309	1.0	36.6	0.0	-48.5	48.6	270	0.0	0.321	1.0	37.1	-0.7	-48.5	48.6	269	0.0	0.017	1.0	0.0	0.297	1.0	36.2	0.8	-48.5	48.6	271	0.0	0.017	1.0			
271	270	272	0.0	0.297	1.0	36.2	0.8	-48.5	48.6	271	0.0	0.309	1.0	36.6	0.0	-48.5	48.6	270	0.0	0.0	1.0B _s	0.0	0.285	1.0	35.7	1.7	-48.5	48.6	272	0.0	0.0	1.0B _e			
272	271	273	0.0	0.285	1.0	35.7	1.7	-48.5	48.6	272	0.0	0.297	1.0	36.2	0.8	-48.5	48.6	271	0.017	0.0	1.0	0.0	0.273	1.0	35.3	2.5	-48.4	48.6	273	0.017	0.0	1.0			
273	272	274	0.0	0.273	1.0	35.3	2.5	-48.4	48.6	273	0.0	0.285	1.0	35.7	1.7	-48.5	48.6	272	0.033	0.0	1.0	0.0	0.261	1.0	34.8	3.4	-48.4	48.6	274	0.033	0.0	1.0			
274	273	275	0.0	0.261	1.0	34.8	3.4	-48.4	48.6	274	0.0	0.273	1.0	35.3	2.5	-48.4	48.6	273	0.05	0.0	1.0	0.0	0.249	1.0	34.4	4.2	-48.3	48.6	275	0.05	0.0	1.0			
275	274	276	0.0	0.249	1.0	34.4	4.2	-48.3	48.6	275	0.0	0.261	1.0	34.8	3.4	-48.4	48.6	274	0.067	0.0	1.0	0.0	0.239	1.0	34.4	5.1	-48.2	48.5	276	0.067	0.0	1.0			
276	275	276	0.0	0.239	1.0	34.4	5.1	-48.2	48.5	276	0.0	0.249	1.0	34.4	4.2	-48.3	48.6	275	0.083	0.0	1.0	0.0	0.239	1.0	34.4	5.1	-48.2	48.5	276	0.083	0.0	1.0			
277	276	277	0.0	0.229	1.0	34.4	5.9	-48.0	48.4	277	0.0	0.239	1.0	34.4	5.1	-48.2	48.5	276	0.1	0.0	1.0	0.0	0.229	1.0	34.4	5.9	-48.0	48.4	277	0.1	0.0	1.0			
278	277	278	0.0	0.219	1.0	34.3	6.7	-47.8	48.3	278	0.0	0.229	1.0	34.4	5.9	-48.0	48.4	277	0.117	0.0	1.0	0.0	0.219	1.0	34.3	6.7	-47.8	48.3	278	0.117	0.0	1.0			
279	278	279	0.0	0.209	1.0	34.3	7.5	-47.6	48.3	279	0.0	0.219	1.0	34.3	6.7	-47.8	48.3	278	0.133	0.0	1.0	0.0	0.209	1.0	34.3	7.5	-47.6	48.3	279	0.133	0.0	1.0			
280	279	280	0.0	0.198	1.0	34.3	8.4	-47.3	48.2	280	0.0	0.209	1.0	34.3	7.5	-47.6	48.3	279	0.15	0.0	1.0	0.0	0.198	1.0	34.3	8.4	-47.3	48.2	280	0.15	0.0	1.0			
281	280	281	0.0	0.188	1.0	34.2	9.2	-47.1	48.1	281	0.0	0.198	1.0	34.3	8.4	-47.3	48.2	280	0.167	0.0	1.0	0.0	0.188	1.0	34.2	9.2	-47.1	48.1	281	0.167	0.0	1.0			
282	281	282	0.0	0.178	1.0	34.2	10.0	-46.8	48.0	282	0.0	0.188	1.0	34.2	9.2	-47.1	48.1	281	0.183	0.0	1.0	0.0	0.178	1.0	34.2	10.0	-46.8	48.0	282	0.183	0.0	1.0			
283	282	283	0.0	0.168	1.0	34.2	10.8	-46.6	47.9	283	0.0	0.178	1.0	34.2	10.0	-46.8	48.0	282	0.2	0.0	1.0	0.0	0.168	1.0	34.2	10.8	-46.6	47.9	283	0.2	0.0	1.0			
284	283	284	0.0	0.158	1.0	34.2	11.6	-46.3	47.8	284	0.0	0.168	1.0	34.2	10.8	-46.6	47.9	283	0.217	0.0	1.0	0.0	0.158	1.0	34.2	11.6	-46.3	47.8	284	0.217	0.0	1.0			
285	284	285	0.0	0.148	1.0	34.1	12.4	-46.0	47.7	285	0.0	0.158	1.0	34.2	11.6	-46.3	47.8	284	0.233	0.0	1.0	0.0	0.148	1.0	34.1	12.4	-46.0	47.7	285	0.233	0.0	1.0			
286	285	286	0.0	0.138	1.0	34.1	13.1	-45.7	47.6	286	0.0	0.148	1.0	34.1	12.4	-46.0	47.7	285	0.25	0.0	1.0	0.0	0.138	1.0	34.1	13.1	-45.7	47.6	286	0.25	0.0	1.0			
287	286	287	0.0	0.127	1.0	34.1	13.9	-45.4	47.6	287	0.0	0.138	1.0	34.1	13.1	-45.7	47.6	286	0.267	0.0	1.0	0.0	0.127	1.0	34.1	13.9	-45.4	47.6	287	0.267	0.0	1.0			
288	287	288	0.0	0.117	1.0	33.9	14.7	-45.2	47.6	288	0.0</																								

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 217 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}			LAB* _{dd361Mix (x=LabCh)}			rgb* _{ds361Mi}			LAB* _{ds361Mix (x=LabCh)}			rgb* _{s50M}			rgb* _{de361Mi}			LAB* _{de361Mix (x=LabCh)}			rgb* _{e50M}			rgb* _{dd}	rgb* _{ds}	rgb* _{de}						
301	300	300	0.024	0.0	1.0	31.3	25.6	-42.4	49.6	301	0.01	0.0	1.0	31.3	24.7	-42.7	49.4	300	0.5	0.0	1.0	0.01	0.0	1.0	31.3	24.7	-42.7	49.4	300	0.5	0.0	1.0			
302	301	301	0.038	0.0	1.0	31.2	26.4	-42.2	49.8	302	0.024	0.0	1.0	31.3	25.6	-42.4	49.6	301	0.517	0.0	1.0	0.024	0.0	1.0	31.3	25.6	-42.4	49.6	301	0.517	0.0	1.0			
303	302	302	0.053	0.0	1.0	31.2	27.3	-41.9	50.0	303	0.038	0.0	1.0	31.2	26.4	-42.2	49.8	302	0.533	0.0	1.0	0.038	0.0	1.0	31.2	26.4	-42.2	49.8	302	0.533	0.0	1.0			
304	303	303	0.067	0.0	1.0	31.1	28.1	-41.6	50.3	304	0.053	0.0	1.0	31.2	27.3	-41.9	50.0	303	0.55	0.0	1.0	0.053	0.0	1.0	31.2	27.3	-41.9	50.0	303	0.55	0.0	1.0			
305	304	304	0.081	0.0	1.0	31.1	29.0	-41.2	50.5	305	0.067	0.0	1.0	31.1	28.1	-41.6	50.3	304	0.567	0.0	1.0	0.067	0.0	1.0	31.1	28.1	-41.6	50.3	304	0.567	0.0	1.0			
306	305	305	0.095	0.0	1.0	31.0	29.8	-40.9	50.7	306	0.081	0.0	1.0	31.1	29.0	-41.2	50.5	305	0.583	0.0	1.0	0.081	0.0	1.0	31.1	29.0	-41.2	50.5	305	0.583	0.0	1.0			
307	306	306	0.11	0.0	1.0	31.0	30.6	-40.5	50.9	307	0.095	0.0	1.0	31.0	29.8	-40.9	50.7	306	0.6	0.0	1.0	0.095	0.0	1.0	31.0	29.8	-40.9	50.7	306	0.6	0.0	1.0			
308	307	307	0.124	0.0	1.0	31.0	31.5	-40.2	51.1	308	0.11	0.0	1.0	31.0	30.6	-40.5	50.9	307	0.617	0.0	1.0	0.11	0.0	1.0	31.0	30.6	-40.5	50.9	307	0.617	0.0	1.0			
309	308	308	0.137	0.0	1.0	30.9	32.3	-39.8	51.4	309	0.124	0.0	1.0	31.0	31.5	-40.2	51.1	308	0.633	0.0	1.0	0.124	0.0	1.0	31.0	31.5	-40.2	51.1	308	0.633	0.0	1.0			
310	309	309	0.151	0.0	1.0	30.9	33.2	-39.5	51.7	310	0.137	0.0	1.0	30.9	32.3	-39.8	51.4	309	0.65	0.0	1.0	0.137	0.0	1.0	30.9	32.3	-39.8	51.4	309	0.65	0.0	1.0			
311	310	310	0.165	0.0	1.0	30.9	34.1	-39.1	51.9	311	0.151	0.0	1.0	30.9	33.2	-39.5	51.7	310	0.667	0.0	1.0	0.151	0.0	1.0	30.9	33.2	-39.5	51.7	310	0.667	0.0	1.0			
312	311	311	0.178	0.0	1.0	30.8	34.9	-38.7	52.2	312	0.165	0.0	1.0	30.9	34.1	-39.1	51.9	311	0.683	0.0	1.0	0.165	0.0	1.0	30.9	34.1	-39.1	51.9	311	0.683	0.0	1.0			
313	312	312	0.192	0.0	1.0	30.8	35.8	-38.3	52.5	313	0.178	0.0	1.0	30.8	34.9	-38.7	52.2	312	0.7	0.0	1.0	0.178	0.0	1.0	30.8	34.9	-38.7	52.2	312	0.7	0.0	1.0			
314	313	312	0.205	0.0	1.0	30.8	36.7	-37.9	52.8	314	0.192	0.0	1.0	30.8	35.8	-38.3	52.5	313	0.717	0.0	1.0	0.178	0.0	1.0	30.8	34.9	-38.7	52.2	312	0.717	0.0	1.0			
315	314	313	0.219	0.0	1.0	30.8	37.5	-37.4	53.1	315	0.205	0.0	1.0	30.8	36.7	-37.9	52.8	314	0.733	0.0	1.0	0.192	0.0	1.0	30.8	35.8	-38.3	52.5	313	0.733	0.0	1.0			
316	315	314	0.232	0.0	1.0	30.7	38.4	-37.0	53.3	316	0.219	0.0	1.0	30.8	37.5	-37.4	53.1	315	0.75	0.0	1.0	0.205	0.0	1.0	30.8	36.7	-37.9	52.8	314	0.75	0.0	1.0			
317	316	315	0.246	0.0	1.0	30.7	39.2	-36.5	53.6	317	0.232	0.0	1.0	30.7	38.4	-37.0	53.3	316	0.767	0.0	1.0	0.219	0.0	1.0	30.8	37.5	-37.4	53.1	315	0.767	0.0	1.0			
318	317	316	0.262	0.0	1.0	30.8	40.1	-36.0	53.9	318	0.246	0.0	1.0	30.7	39.2	-36.5	53.6	317	0.783	0.0	1.0	0.232	0.0	1.0	30.7	38.4	-37.0	53.3	316	0.783	0.0	1.0			
319	318	317	0.278	0.0	1.0	31.0	40.9	-35.5	54.2	319	0.262	0.0	1.0	30.8	40.1	-36.0	53.9	318	0.8	0.0	1.0	0.246	0.0	1.0	30.7	39.2	-36.5	53.6	317	0.8	0.0	1.0			
320	319	318	0.294	0.0	1.0	31.3	41.8	-34.9	54.5	320	0.278	0.0	1.0	31.0	40.9	-35.5	54.2	319	0.817	0.0	1.0	0.262	0.0	1.0	30.8	40.1	-36.0	53.9	318	0.817	0.0	1.0			
321	320	319	0.311	0.0	1.0	31.5	42.6	-34.4	54.8	321	0.294	0.0	1.0	31.3	41.8	-34.9	54.5	320	0.833	0.0	1.0	0.278	0.0	1.0	31.0	40.9	-35.5	54.2	319	0.833	0.0	1.0			
322	321	320	0.327	0.0	1.0	31.7	43.4	-33.8	55.1	322	0.311	0.0	1.0	31.5	42.6	-34.4	54.8	321	0.85	0.0	1.0	0.294	0.0	1.0	31.3	41.8	-34.9	54.5	320	0.85	0.0	1.0			
323	322	321	0.344	0.0	1.0	31.9	44.3	-33.2	55.4	323	0.327	0.0	1.0	31.7	43.4	-33.8	55.1	322	0.867	0.0	1.0	0.311	0.0	1.0	31.5	42.6	-34.4	54.8	321	0.867	0.0	1.0			
324	323	322	0.36	0.0	1.0	32.1	45.1	-32.6	55.7	324	0.344	0.0	1.0	31.9	44.3	-33.2	55.4	323	0.883	0.0	1.0	0.327	0.0	1.0	31.7	43.4	-33.8	55.1	322	0.883	0.0	1.0			
325	324	323	0.377	0.0	1.0	32.3	45.9	-32.0	56.0	325	0.36	0.0	1.0	32.1	45.1	-32.6	55.7	324	0.9	0.0	1.0	0.344	0.0	1.0	31.9	44.3	-33.2	55.4	323	0.9	0.0	1.0			
326	325	324	0.402	0.0	1.0	32.8	46.8	-31.5	56.4	326	0.377	0.0	1.0	32.3	45.9	-32.0	56.0	325	0.917	0.0	1.0	0.36	0.0	1.0	32.1	45.1	-32.6	55.7	324	0.917	0.0	1.0			
327	326	325	0.428	0.0	1.0	33.2	47.7	-30.8	56.8	327	0.402	0.0	1.0	32.8	46.8	-31.5	56.4	326	0.933	0.0	1.0	0.377	0.0	1.0	32.3	45.9	-32.0	56.0	325	0.933	0.0	1.0			
328	327	326	0.453	0.0	1.0	33.7	48.5	-30.2	57.2	328	0.428	0.0	1.0	33.2	47.7	-30.8	56.8	327	0.95	0.0	1.0	0.402	0.0	1.0	32.8	46.8	-31.5	56.4	326	0.95	0.0	1.0			
329	328	327	0.478	0.0	1.0	34.1	49.4	-29.6	57.6	329	0.453	0.0	1.0	33.7	48.5	-30.2	57.2	328	0.967	0.0	1.0	0.428	0.0	1.0	33.2	47.7	-30.8	56.8	327	0.967	0.0	1.0			
330	329	328	0.503	0.0	1.0	34.6	50.3	-28.9	58.0	330	0.478	0.0	1.0	34.1	49.4	-29.6	57.6	329	0.983	0.0	1.0	0.453	0.0	1.0	33.7	48.5	-30.2	57.2	328	0.983	0.0	1.0			
331	330	329	0.529	0.0	1.0	35.1	51.2	-28.3	58.6	331	0.503	0.0	1.0	34.6	50.3	-28.9	58.0	330	1.0	0.0	1.0M _s	0.478	0.0	1.0	34.1	49.4	-29.6	57.6	329	1.0	0.0	1.0M _e			
332	331	330	0.555	0.0	1.0	35.6	52.2	-27.7	59.1	332	0.529	0.0	1.0	35.1	51.2	-28.3	58.6	331	1.0	0.0	0.983	0.503	0.0	1.0	34.6	50.3	-28.9	58.0	330</						

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.9, 99.3, 151.6, 229.0, 299.3, 349.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd} 361Mi LAB* _{dd} 361Mix (x=LabCh)							rgb* _{ds} 361Mi LAB* _{ds} 361Mix (x=LabCh)							rgb* _{s50M} rgb* _{de} 361Mi LAB* _{de} 361Mix (x=LabCh)							rgb* _{e50M} rgb* _{ad} 361Mi rgb* _{ds} 361Mi rgb* _{de} 361Mi											
346	345	343	0.913	0.0	1.0	42.9	66.9	-16.6	69.0	346	0.889	0.0	1.0	42.2	65.8	-17.5	68.1	345	1.0	0.0	0.75	0.836	0.0	1.0	40.9	63.5	-19.3	66.4	343	1.0	0.0	0.75			
347	346	344	0.937	0.0	1.0	43.5	68.1	-15.6	69.9	347	0.913	0.0	1.0	42.9	66.9	-16.6	69.0	346	1.0	0.0	0.733	0.864	0.0	1.0	41.5	64.6	-18.4	67.2	344	1.0	0.0	0.733			
348	347	345	0.961	0.0	1.0	44.2	69.2	-14.6	70.8	348	0.937	0.0	1.0	43.5	68.1	-15.6	69.9	347	1.0	0.0	0.717	0.889	0.0	1.0	42.2	65.8	-17.5	68.1	345	1.0	0.0	0.717			
349	348	346	0.984	0.0	1.0	44.9	70.4	-13.6	71.7	349	0.961	0.0	1.0	44.2	69.2	-14.6	70.8	348	1.0	0.0	0.7	0.913	0.0	1.0	42.9	66.9	-16.6	69.0	346	1.0	0.0	0.7			
350	349	347	1.0	0.0	0.985	45.3	71.1	-12.4	72.2	350	0.984	0.0	1.0	44.9	70.4	-13.6	71.7	349	1.0	0.0	0.683	0.937	0.0	1.0	43.5	68.1	-15.6	69.9	347	1.0	0.0	0.683			
351	350	348	1.0	0.0	0.94	45.1	71.3	-11.2	72.1	351	1.0	0.0	0.985	45.3	71.1	-12.4	72.2	350	1.0	0.0	0.667	0.961	0.0	1.0	44.2	69.2	-14.6	70.8	348	1.0	0.0	0.667			
352	351	349	1.0	0.0	0.895	44.8	71.4	-9.9	72.1	352	1.0	0.0	0.94	45.1	71.3	-11.2	72.1	351	1.0	0.0	0.65	0.984	0.0	1.0	44.9	70.4	-13.6	71.7	349	1.0	0.0	0.65			
353	352	349	1.0	0.0	0.864	44.8	71.3	-8.7	71.8	353	1.0	0.0	0.895	44.8	71.4	-9.9	72.1	352	1.0	0.0	0.633	0.984	0.0	1.0	44.9	70.4	-13.6	71.7	349	1.0	0.0	0.633			
354	353	350	1.0	0.0	0.843	44.8	71.0	-7.4	71.4	354	1.0	0.0	0.864	44.8	71.3	-8.7	71.8	353	1.0	0.0	0.617	1.0	0.0	0.985	45.3	71.1	-12.4	72.2	350	1.0	0.0	0.617			
355	354	351	1.0	0.0	0.823	44.8	70.7	-6.1	71.0	355	1.0	0.0	0.843	44.8	71.0	-7.4	71.4	354	1.0	0.0	0.6	1.0	0.0	0.94	45.1	71.3	-11.2	72.1	351	1.0	0.0	0.6			
356	355	352	1.0	0.0	0.802	44.8	70.4	-4.8	70.6	356	1.0	0.0	0.823	44.8	70.7	-6.1	71.0	355	1.0	0.0	0.583	1.0	0.0	0.895	44.8	71.4	-9.9	72.1	352	1.0	0.0	0.583			
357	356	353	1.0	0.0	0.782	44.8	70.1	-3.6	70.2	357	1.0	0.0	0.802	44.8	70.4	-4.8	70.6	356	1.0	0.0	0.567	1.0	0.0	0.864	44.8	71.3	-8.7	71.8	353	1.0	0.0	0.567			
358	357	354	1.0	0.0	0.761	44.8	69.7	-2.3	69.8	358	1.0	0.0	0.782	44.8	70.1	-3.6	70.2	357	1.0	0.0	0.55	1.0	0.0	0.843	44.8	71.0	-7.4	71.4	354	1.0	0.0	0.55			
359	358	355	1.0	0.0	0.742	44.8	69.4	-1.1	69.4	359	1.0	0.0	0.761	44.8	69.7	-2.3	69.8	358	1.0	0.0	0.533	1.0	0.0	0.823	44.8	70.7	-6.1	71.0	355	1.0	0.0	0.533			
0	359	356	1.0	0.0	0.724	44.8	69.0	0.0	69.0	0	1.0	0.0	0.742	44.8	69.4	-1.1	69.4	359	1.0	0.0	0.517	1.0	0.0	0.802	44.8	70.4	-4.8	70.6	356	1.0	0.0	0.517			
1	360	357	1.0	0.0	0.706	44.8	68.7	1.2	68.7	1	1.0	0.0	0.724	44.8	69.0	0.0	69.0	0	1.0	0.0	0.5	1.0	0.0	0.782	44.8	70.1	-3.6	70.2	357	1.0	0.0	0.5			
2	361	358	1.0	0.0	0.688	44.8	68.3	2.4	68.3	2	1.0	0.0	0.706	44.8	68.7	1.2	68.7	1	1.0	0.0	0.483	1.0	0.0	0.761	44.8	69.7	-2.3	69.8	358	1.0	0.0	0.483			
3	362	359	1.0	0.0	0.671	44.8	67.8	3.6	67.9	3	1.0	0.0	0.688	44.8	68.3	2.4	68.3	2	1.0	0.0	0.467	1.0	0.0	0.742	44.8	69.4	-1.1	69.4	359	1.0	0.0	0.467			
4	363	360	1.0	0.0	0.653	44.8	67.4	4.7	67.6	4	1.0	0.0	0.671	44.8	67.8	3.6	67.9	3	1.0	0.0	0.45	1.0	0.0	0.724	44.8	69.0	0.0	69.0	0	1.0	0.0	0.45			
5	364	361	1.0	0.0	0.635	44.8	66.9	5.9	67.2	5	1.0	0.0	0.653	44.8	67.4	4.7	67.6	4	1.0	0.0	0.433	1.0	0.0	0.706	44.8	68.7	1.2	68.7	1	1.0	0.0	0.433			
6	365	362	1.0	0.0	0.615	44.8	66.5	7.0	66.9	6	1.0	0.0	0.635	44.8	66.9	5.9	67.2	5	1.0	0.0	0.417	1.0	0.0	0.688	44.8	68.3	2.4	68.3	2	1.0	0.0	0.417			
7	366	363	1.0	0.0	0.593	44.7	66.2	8.1	66.7	7	1.0	0.0	0.615	44.8	66.5	7.0	66.9	6	1.0	0.0	0.4	1.0	0.0	0.671	44.8	67.8	3.6	67.9	3	1.0	0.0	0.4			
8	367	364	1.0	0.0	0.571	44.7	65.8	9.2	66.4	8	1.0	0.0	0.593	44.7	66.2	8.1	66.7	7	1.0	0.0	0.383	1.0	0.0	0.653	44.8	67.4	4.7	67.6	4	1.0	0.0	0.383			
9	368	365	1.0	0.0	0.549	44.7	65.4	10.4	66.2	9	1.0	0.0	0.571	44.7	65.8	9.2	66.4	8	1.0	0.0	0.367	1.0	0.0	0.635	44.8	66.9	5.9	67.2	5	1.0	0.0	0.367			
10	369	366	1.0	0.0	0.527	44.7	64.9	11.5	65.9	10	1.0	0.0	0.549	44.7	65.4	10.4	66.2	9	1.0	0.0	0.35	1.0	0.0	0.615	44.8	66.5	7.0	66.9	6	1.0	0.0	0.35			
11	370	367	1.0	0.0	0.504	44.7	64.5	12.5	65.7	11	1.0	0.0	0.527	44.7	64.9	11.5	65.9	10	1.0	0.0	0.333	1.0	0.0	0.593	44.7	66.2	8.1	66.7	7	1.0	0.0	0.333			
12	371	367	1.0	0.0	0.483	44.7	64.3	13.7	65.7	12	1.0	0.0	0.504	44.7	64.5	12.5	65.7	11	1.0	0.0	0.317	1.0	0.0	0.593	44.7	66.2	8.1	66.7	7	1.0	0.0	0.317			
13	372	368	1.0	0.0	0.461	44.7	64.1	14.8	65.8	13	1.0	0.0	0.483	44.7	64.3	13.7	65.7	12	1.0	0.0	0.3	1.0	0.0	0.571	44.7	65.8	9.2	66.4	8	1.0	0.0	0.3			
14	373	369	1.0	0.0	0.44	44.7	63.9	15.9	65.8	14	1.0	0.0	0.461	44.7	64.1	14.8	65.8	13	1.0	0.0	0.283	1.0	0.0	0.549	44.7	65.4	10.4	66.2	9	1.0	0.0	0.283			
15	374	370	1.0	0.0	0.419	44.7	63.6	17.1	65.9	15	1.0	0.0	0.44	44.7	63.9	15.9	65.8	14	1.0	0.0	0.267	1.0	0.0	0.527	44.7	64.9	11.5	65.9	10	1.0	0.0	0.267			
16	375	371	1.0	0.0	0.397	44.7	63.4	18.2	65.9	16	1.0	0.0	0.419	44.7	63.6	17.1	65.9	15	1.0	0.0	0.25	1.0	0.0	0.504	44.7	64.5	12.5	65.7	11	1.0	0.0	0.25			
17	376	372	1.0	0.0	0.376	44.6	63.1	19.3	66.0	17	1.0	0.0	0.397	44.7	63.4	18.2	65.9	16	1.0	0.0	0.233	1.0	0.0	0.483	44.7	64.3	13.7	65.7	12	1.0	0.0	0.233			
18	377	373	1.0	0.0	0.355	44.7	63.0	20.5	66.2	18	1.0	0.0	0.376	44.6	63.1	19.																			

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyⁿ6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
6. The values rgb^*_{10} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d} \quad h_{ab,s} \quad h_{ab,e}$			$rgb^*_{dd}50M$			$LAB^*_{dd}50Mx(x=LabCh)$			$rgb^*_{ds}50M$			$LAB^*_{ds}50Mx(x=LabCh)$			$rgb^*_{s}50M$			$rgb^*_{de}50M$			$LAB^*_{de}50Mx(x=LabCh)$			$rgb^*_{e}50M$			rgb^*_{d}	rgb^*_{s}	rgb^*_{e}						
32.4	30.0	25.5	1.0	0.0	0.0	48.0	65.4	41.4	77.4	32.4	1.0	0.0	0.101	47.8	64.9	37.5	75.0	30	1.0	0.0	0.0	1.0	0.0	0.235	47.0	65.0	30.3	71.7	25	1.0	0.0	0.0			
42.2	37.5	33.8	1.0	0.125	0.0	54.0	61.2	55.6	82.7	42.2	1.0	0.071	0.0	51.4	63.4	49.5	80.4	38	1.0	0.125	0.0	1.0	0.021	0.0	48.9	64.9	43.8	78.3	34	1.0	0.125	0.0			
52.8	45.0	42.2	1.0	0.25	0.0	61.6	46.3	61.0	76.6	52.8	1.0	0.158	0.0	56.0	57.3	57.3	81.1	45	1.0	0.25	0.0	1.0	0.122	0.0	53.8	61.3	55.2	82.6	42	1.0	0.25	0.0			
61.8	52.5	50.5	1.0	0.375	0.0	67.4	35.4	66.2	75.1	61.8	1.0	0.253	0.0	61.7	46.1	61.1	76.5	53	1.0	0.375	0.0	1.0	0.229	0.0	60.3	48.8	60.3	77.6	51	1.0	0.375	0.0			
70.3	60.0	58.9	1.0	0.5	0.0	72.7	25.3	70.6	75.0	70.3	1.0	0.35	0.0	66.2	37.7	65.3	75.4	60	1.0	0.5	0.0	1.0	0.336	0.0	65.5	38.9	64.7	75.5	59	1.0	0.5	0.0			
76.0	67.5	67.2	1.0	0.625	0.0	76.5	18.5	74.4	76.6	76.0	1.0	0.466	0.0	71.2	28.1	69.6	75.0	68	1.0	0.625	0.0	1.0	0.451	0.0	70.6	29.3	69.1	75.0	67	1.0	0.625	0.0			
84.7	75.0	75.6	1.0	0.75	0.0	83.0	7.1	76.9	77.2	84.7	1.0	0.602	0.0	75.8	19.8	73.7	76.3	75	1.0	0.75	0.0	1.0	0.624	0.0	76.4	18.5	74.3	76.6	76	1.0	0.75	0.0			
89.9	82.5	84.0	1.0	0.875	0.0	87.5	0.1	72.7	72.7	89.9	1.0	0.725	0.0	81.7	9.4	76.5	77.1	83	1.0	0.875	0.0	1.0	0.74	0.0	82.5	8.1	76.8	77.2	84	1.0	0.875	0.0			
95.2	90.0	92.3	1.0	1.0	0.0	91.9	-7.4	82.8	83.1	95.2	1.0	0.877	0.0	87.6	0.0	72.9	72.9	90	1.0	1.0	0.0	1.0	0.925	0.0	89.3	-2.6	76.8	76.8	92	1.0	1.0	0.0			
96.9	97.5	101.1	0.875	1.0	0.0	94.0	-11.0	91.2	91.9	96.9	0.845	1.0	0.0	92.7	-12.5	89.6	90.5	98	0.875	1.0	0.0	0.759	1.0	0.0	89.2	-16.4	85.1	86.7	101	0.875	1.0	0.0			
101.3	105.0	109.8	0.75	1.0	0.0	88.8	-16.8	84.6	86.3	101.3	0.699	1.0	0.0	85.3	-20.9	78.4	81.2	105	0.75	1.0	0.0	0.63	1.0	0.0	80.6	-25.3	69.7	74.2	110	0.75	1.0	0.0			
110.3	112.5	118.5	0.625	1.0	0.0	80.2	-25.5	69.1	73.7	110.3	0.586	1.0	0.0	78.2	-28.0	66.3	72.0	113	0.625	1.0	0.0	0.5	1.0	0.0	73.6	-33.0	59.7	68.2	119	0.625	1.0	0.0			
119.0	120.0	127.3	0.5	1.0	0.0	73.5	-33.0	59.7	68.2	119.0	0.484	1.0	0.0	72.9	-33.8	58.8	67.9	120	0.5	1.0	0.0	0.373	1.0	0.0	68.5	-39.2	52.2	65.4	127	0.5	1.0	0.0			
126.9	127.5	136.0	0.375	1.0	0.0	68.6	-39.1	52.3	65.4	126.9	0.362	1.0	0.0	68.0	-40.1	51.5	65.4	128	0.375	1.0	0.0	0.268	1.0	0.0	64.0	-46.8	45.3	65.2	136	0.375	1.0	0.0			
137.6	135.0	144.7	0.25	1.0	0.0	63.2	-48.0	44.0	65.2	137.6	0.28	1.0	0.0	64.5	-46.0	46.1	65.3	135	0.25	1.0	0.0	0.144	1.0	0.0	59.9	-53.1	37.2	64.9	145	0.25	1.0	0.0			
146.3	142.5	153.5	0.125	1.0	0.0	59.4	-53.9	36.0	64.9	146.3	0.172	1.0	0.0	60.8	-51.8	39.1	65.0	143	0.125	1.0	0.0	0.0	1.0	0.002	55.9	-60.5	30.9	68.1	153	0.125	1.0	0.0			
152.9	150.0	162.2	0.0	1.0	0.0	55.9	-60.5	31.0	68.1	152.9	0.055	1.0	0.0	57.4	-57.7	33.3	66.7	150	0.0	1.0	0.0	0.0	1.0	0.15	55.4	-58.8	19.1	61.9	162	0.0	1.0	0.0			
160.2	157.5	169.1	0.0	1.0	0.125	55.4	-59.3	21.4	63.2	160.2	0.0	1.0	0.087	55.6	-59.9	24.2	64.7	158	0.0	1.0	0.125	0.0	1.0	0.247	55.6	-56.0	10.9	57.1	169	0.0	1.0	0.125			
169.2	165.0	175.9	0.0	1.0	0.25	55.6	-55.9	10.7	57.0	169.2	0.0	1.0	0.191	55.5	-57.7	15.5	59.9	165	0.0	1.0	0.25	0.0	1.0	0.344	55.8	-54.4	3.8	54.6	176	0.0	1.0	0.25			
178.2	172.5	182.8	0.0	1.0	0.375	55.9	-53.7	1.6	53.9	178.2	0.0	1.0	0.303	55.7	-55.2	6.8	55.7	173	0.0	1.0	0.375	0.0	1.0	0.439	56.0	-52.3	-2.6	52.5	183	0.0	1.0	0.375			
187.6	180.0	189.6	0.0	1.0	0.5	56.1	-50.6	-6.6	51.2	187.6	0.0	1.0	0.399	55.9	-53.3	0.0	53.4	180	0.0	1.0	0.5	0.0	1.0	0.532	56.1	-50.0	-8.7	50.8	190	0.0	1.0	0.5			
197.3	187.5	196.4	0.0	1.0	0.625	56.2	-47.5	-14.7	49.8	197.3	0.0	1.0	0.506	56.1	-50.5	-7.0	51.1	188	0.0	1.0	0.625	0.0	1.0	0.609	56.2	-47.9	-13.7	50.0	196	0.0	1.0	0.625			
205.4	195.0	203.3	0.0	1.0	0.75	55.7	-45.2	-21.4	50.2	205.4	0.0	1.0	0.596	56.2	-48.3	-12.9	50.1	195	0.0	1.0	0.75	0.0	1.0	0.714	55.8	-46.0	-19.5	50.1	203	0.0	1.0	0.75			
213.7	202.5	210.1	0.0	1.0	0.875	53.8	-44.2	-29.4	53.2	213.7	0.0	1.0	0.714	55.8	-46.0	-19.5	50.1	203	0.0	1.0	0.875	0.0	1.0	0.82	54.6	-44.8	-25.8	51.9	210	0.0	1.0	0.875			
225.9	210.0	217.0	0.0	1.0	1.0	50.1	-41.2	-42.5	59.3	225.9	0.0	1.0	0.82	54.6	-44.8	-25.8	51.9	210	0.0	1.0	1.0	0.0	1.0	0.909	52.8	-43.7	-32.9	54.9	217	0.0	1.0	1.0			

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*d361Mi$			LAB* $d361Mix$ (x=LabCh)			R_d	$rgb^*s361Mi$			LAB* $s361Mix$ (x=LabCh)			R_s	$rgb^*e361Mi$			LAB* $e361Mix$ (x=LabCh)			R_e	rgb^*e50M			R_e	rgb^*_d	rgb^*_s	rgb^*_e					
32	30	25	1.0	0.0	0.016	47.9	65.3	40.8	77.0	32	1.0	0.0	0.101	47.8	64.9	37.5	75.0	30	1.0	0.0	0.008	1.0	0.0	0.235	47.0	65.0	30.3	71.7	25	1.0	0.0	0.008			
33	31	27	1.0	0.008	0.0	48.3	65.2	42.3	77.7	33	1.0	0.0	0.058	47.9	65.1	39.1	76.0	31	1.0	0.017	0.0	1.0	0.0	0.185	47.3	65.0	33.1	72.9	27	1.0	0.017	0.0			
34	32	28	1.0	0.021	0.0	48.9	64.9	43.8	78.3	34	1.0	0.0	0.016	47.9	65.3	40.8	77.0	32	1.0	0.033	0.0	1.0	0.0	0.16	47.5	64.9	34.5	73.5	28	1.0	0.033	0.0			
35	33	29	1.0	0.033	0.0	49.6	64.5	45.2	78.8	35	1.0	0.008	0.0	48.3	65.2	42.3	77.7	33	1.0	0.05	0.0	1.0	0.0	0.136	47.7	64.8	35.9	74.1	29	1.0	0.05	0.0			
36	34	30	1.0	0.046	0.0	50.2	64.2	46.6	79.3	36	1.0	0.021	0.0	48.9	64.9	43.8	78.3	34	1.0	0.067	0.0	1.0	0.0	0.101	47.8	64.9	37.5	75.0	30	1.0	0.067	0.0			
37	35	31	1.0	0.059	0.0	50.8	63.8	48.1	79.9	37	1.0	0.033	0.0	49.6	64.5	45.2	78.8	35	1.0	0.083	0.0	1.0	0.0	0.058	47.9	65.1	39.1	76.0	31	1.0	0.083	0.0			
38	36	32	1.0	0.071	0.0	51.4	63.4	49.5	80.4	38	1.0	0.046	0.0	50.2	64.2	46.6	79.3	36	1.0	0.1	0.0	1.0	0.0	0.016	47.9	65.3	40.8	77.0	32	1.0	0.1	0.0			
39	37	33	1.0	0.084	0.0	52.0	62.9	50.9	80.9	39	1.0	0.059	0.0	50.8	63.8	48.1	79.9	37	1.0	0.117	0.0	1.0	0.008	0.0	48.3	65.2	42.3	77.7	33	1.0	0.117	0.0			
40	38	34	1.0	0.097	0.0	52.6	62.4	52.4	81.5	40	1.0	0.071	0.0	51.4	63.4	49.5	80.4	38	1.0	0.133	0.0	1.0	0.021	0.0	48.9	64.9	43.8	78.3	34	1.0	0.133	0.0			
41	39	36	1.0	0.109	0.0	53.2	61.9	53.8	82.0	41	1.0	0.084	0.0	52.0	62.9	50.9	80.9	39	1.0	0.15	0.0	1.0	0.046	0.0	50.2	64.2	46.6	79.3	36	1.0	0.15	0.0			
42	40	37	1.0	0.122	0.0	53.8	61.3	55.2	82.6	42	1.0	0.097	0.0	52.6	62.4	52.4	81.5	40	1.0	0.167	0.0	1.0	0.059	0.0	50.8	63.8	48.1	79.9	37	1.0	0.167	0.0			
43	41	38	1.0	0.134	0.0	54.5	60.1	56.1	82.2	43	1.0	0.109	0.0	53.2	61.9	53.8	82.0	41	1.0	0.183	0.0	1.0	0.071	0.0	51.4	63.4	49.5	80.4	38	1.0	0.183	0.0			
44	42	39	1.0	0.146	0.0	55.2	58.7	56.7	81.7	44	1.0	0.122	0.0	53.8	61.3	55.2	82.6	42	1.0	0.2	0.0	1.0	0.084	0.0	52.0	62.9	50.9	80.9	39	1.0	0.2	0.0			
45	43	40	1.0	0.158	0.0	56.0	57.3	57.3	81.1	45	1.0	0.134	0.0	54.5	60.1	56.1	82.2	43	1.0	0.217	0.0	1.0	0.097	0.0	52.6	62.4	52.4	81.5	40	1.0	0.217	0.0			
46	44	41	1.0	0.17	0.0	56.7	55.9	57.9	80.5	46	1.0	0.146	0.0	55.2	58.7	56.7	81.7	44	1.0	0.233	0.0	1.0	0.109	0.0	53.2	61.9	53.8	82.0	41	1.0	0.233	0.0			
47	45	42	1.0	0.182	0.0	57.4	54.5	58.4	79.9	47	1.0	0.158	0.0	56.0	57.3	57.3	81.1	45	1.0	0.25	0.0	1.0	0.122	0.0	53.8	61.3	55.2	82.6	42	1.0	0.25	0.0			
48	46	43	1.0	0.193	0.0	58.1	53.1	59.0	79.3	48	1.0	0.17	0.0	56.7	55.9	57.9	80.5	46	1.0	0.267	0.0	1.0	0.134	0.0	54.5	60.1	56.1	82.2	43	1.0	0.267	0.0			
49	47	44	1.0	0.205	0.0	58.8	51.7	59.4	78.8	49	1.0	0.182	0.0	57.4	54.5	58.4	79.9	47	1.0	0.283	0.0	1.0	0.146	0.0	55.2	58.7	56.7	81.7	44	1.0	0.283	0.0			
50	48	46	1.0	0.217	0.0	59.6	50.3	59.9	78.2	50	1.0	0.193	0.0	58.1	53.1	59.0	79.3	48	1.0	0.3	0.0	1.0	0.17	0.0	56.7	55.9	57.9	80.5	46	1.0	0.3	0.0			
51	49	47	1.0	0.229	0.0	60.3	48.8	60.3	77.6	51	1.0	0.205	0.0	58.8	51.7	59.4	78.8	49	1.0	0.317	0.0	1.0	0.182	0.0	57.4	54.5	58.4	79.9	47	1.0	0.317	0.0			
52	50	48	1.0	0.241	0.0	61.0	47.4	60.7	77.0	52	1.0	0.217	0.0	59.6	50.3	59.9	78.2	50	1.0	0.333	0.0	1.0	0.193	0.0	58.1	53.1	59.0	79.3	48	1.0	0.333	0.0			
53	51	49	1.0	0.253	0.0	61.7	46.1	61.1	76.5	53	1.0	0.229	0.0	60.3	48.8	60.3	77.6	51	1.0	0.35	0.0	1.0	0.205	0.0	58.8	51.7	59.4	78.8	49	1.0	0.35	0.0			
54	52	50	1.0	0.267	0.0	62.3	44.9	61.8	76.4	54	1.0	0.241	0.0	61.0	47.4	60.7	77.0	52	1.0	0.367	0.0	1.0	0.217	0.0	59.6	50.3	59.9	78.2	50	1.0	0.367	0.0			
55	53	51	1.0	0.281	0.0	63.0	43.7	62.4	76.2	55	1.0	0.253	0.0	61.7	46.1	61.1	76.5	53	1.0	0.383	0.0	1.0	0.229	0.0	60.3	48.8	60.3	77.6	51	1.0	0.383	0.0			
56	54	52	1.0	0.294	0.0	63.6	42.5	63.0	76.0	56	1.0	0.267	0.0	62.3	44.9	61.8	76.4	54	1.0	0.4	0.0	1.0	0.241	0.0	61.0	47.4	60.7	77.0	52	1.0	0.4	0.0			
57	55	53	1.0	0.308	0.0	64.3	41.3	63.6	75.9	57	1.0	0.281	0.0	63.0	43.7	62.4	76.2	55	1.0	0.417	0.0	1.0	0.253	0.0	61.7	46.1	61.1	76.5	53	1.0	0.417	0.0			
58	56	54	1.0	0.322	0.0	64.9	40.1	64.2	75.7	58	1.0	0.294	0.0	63.6	42.5	63.0	76.0	56	1.0	0.433	0.0	1.0	0.267	0.0	62.3	44.9	61.8	76.4	54	1.0	0.433	0.0			
59	57	56	1.0	0.336	0.0	65.5	38.9	64.7	75.5	59	1.0	0.308	0.0	64.3	41.3	63.6	75.9	57	1.0	0.45	0.0	1.0	0.294	0.0	63.6	42.5	63.0	76.0	56	1.0	0.45	0.0			
60	58	57	1.0	0.35	0.0	66.2	37.7	65.3	75.4	60	1.0	0.322	0.0	64.9	40.1	64.2	75.7	58	1.0	0.467	0.0	1.0	0.308	0.0	64.3	41.3	63.6	75.9	57	1.0	0.467	0.0			
61	59	58	1.0	0.364	0.0	66.8	36.5	65.8	75.2	61	1.0	0.336	0.0	65.5	38.9	64.7	75.5	59	1.0	0.483	0.0	1.0	0.322	0.0	64.9	40.1	64.2	75.7	58	1.0	0.483	0.0			

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																					
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*dd361Mi						LAB*dd361Mix (x=LabCh)						rgb*ds361Mi						LAB*ds361Mix (x=LabCh)						rgb*s50M						rgb*de361Mi						LAB*de361Mix (x=LabCh)						rgb*e50M						rgb*_d	rgb*_s	rgb*_e
77	75	76	1.0	0.639	0.0	77.2	17.3	74.7	76.7	77	1.0	0.602	0.0	75.8	19.8	73.7	76.3	75	1.0	0.75	0.0	1.0	0.624	0.0	76.4	18.5	74.3	76.6	76	1.0	0.75	0.0																					
78	76	77	1.0	0.653	0.0	77.9	16.0	75.1	76.8	78	1.0	0.624	0.0	76.4	18.5	74.3	76.6	76	1.0	0.767	0.0	1.0	0.639	0.0	77.2	17.3	74.7	76.7	77	1.0	0.767	0.0																					
79	77	78	1.0	0.668	0.0	78.7	14.7	75.4	76.8	79	1.0	0.639	0.0	77.2	17.3	74.7	76.7	77	1.0	0.783	0.0	1.0	0.653	0.0	77.9	16.0	75.1	76.8	78	1.0	0.783	0.0																					
80	78	79	1.0	0.682	0.0	79.4	13.4	75.7	76.9	80	1.0	0.653	0.0	77.9	16.0	75.1	76.8	78	1.0	0.8	0.0	1.0	0.668	0.0	78.7	14.7	75.4	76.8	79	1.0	0.8	0.0																					
81	79	80	1.0	0.697	0.0	80.2	12.0	76.0	77.0	81	1.0	0.668	0.0	78.7	14.7	75.4	76.8	79	1.0	0.817	0.0	1.0	0.682	0.0	79.4	13.4	75.7	76.9	80	1.0	0.817	0.0																					
82	80	81	1.0	0.711	0.0	81.0	10.7	76.3	77.1	82	1.0	0.682	0.0	79.4	13.4	75.7	76.9	80	1.0	0.833	0.0	1.0	0.697	0.0	80.2	12.0	76.0	77.0	81	1.0	0.833	0.0																					
83	81	82	1.0	0.725	0.0	81.7	9.4	76.5	77.1	83	1.0	0.697	0.0	80.2	12.0	76.0	77.0	81	1.0	0.85	0.0	1.0	0.711	0.0	81.0	10.7	76.3	77.1	82	1.0	0.85	0.0																					
84	82	83	1.0	0.74	0.0	82.5	8.1	76.8	77.2	84	1.0	0.711	0.0	81.0	10.7	76.3	77.1	82	1.0	0.867	0.0	1.0	0.725	0.0	81.7	9.4	76.5	77.1	83	1.0	0.867	0.0																					
85	83	85	1.0	0.757	0.0	83.3	6.7	76.7	77.0	85	1.0	0.725	0.0	81.7	9.4	76.5	77.1	83	1.0	0.883	0.0	1.0	0.757	0.0	83.3	6.7	76.7	77.0	85	1.0	0.883	0.0																					
86	84	86	1.0	0.781	0.0	84.1	5.3	75.9	76.1	86	1.0	0.74	0.0	82.5	8.1	76.8	77.2	84	1.0	0.9	0.0	1.0	0.781	0.0	84.1	5.3	75.9	76.1	86	1.0	0.9	0.0																					
87	85	87	1.0	0.805	0.0	85.0	3.9	75.1	75.2	87	1.0	0.757	0.0	83.3	6.7	76.7	77.0	85	1.0	0.917	0.0	1.0	0.805	0.0	85.0	3.9	75.1	75.2	87	1.0	0.917	0.0																					
88	86	88	1.0	0.829	0.0	85.9	2.6	74.3	74.3	88	1.0	0.781	0.0	84.1	5.3	75.9	76.1	86	1.0	0.933	0.0	1.0	0.829	0.0	85.9	2.6	74.3	74.3	88	1.0	0.933	0.0																					
89	87	89	1.0	0.853	0.0	86.8	1.3	73.4	73.4	89	1.0	0.805	0.0	85.0	3.9	75.1	75.2	87	1.0	0.95	0.0	1.0	0.853	0.0	86.8	1.3	73.4	73.4	89	1.0	0.95	0.0																					
90	88	90	1.0	0.877	0.0	87.6	0.0	72.9	72.9	90	1.0	0.829	0.0	85.9	2.6	74.3	74.3	88	1.0	0.967	0.0	1.0	0.877	0.0	87.6	0.0	72.9	72.9	90	1.0	0.967	0.0																					
91	89	91	1.0	0.901	0.0	88.4	-1.2	74.8	74.8	91	1.0	0.853	0.0	86.8	1.3	73.4	73.4	89	1.0	0.983	0.0	1.0	0.901	0.0	88.4	-1.2	74.8	74.8	91	1.0	0.983	0.0																					
92	90	92	1.0	0.925	0.0	89.3	-2.6	76.8	76.8	92	1.0	0.877	0.0	87.6	0.0	72.9	72.9	90	1.0	1.0	0.0	1.0	0.925	0.0	89.3	-2.6	76.8	76.8	92	1.0	1.0	0.0																					
93	91	93	1.0	0.948	0.0	90.1	-4.0	78.7	78.8	93	1.0	0.901	0.0	88.4	-1.2	74.8	74.8	91	0.983	1.0	0.0	1.0	0.948	0.0	90.1	-4.0	78.7	78.8	93	0.983	1.0	0.0																					
94	92	95	1.0	0.972	0.0	90.9	-5.5	80.6	80.8	94	1.0	0.925	0.0	89.3	-2.6	76.8	76.8	92	0.967	1.0	0.0	1.0	0.996	0.0	91.7	-7.1	82.5	82.8	95	0.967	1.0	0.0																					
95	93	96	1.0	0.996	0.0	91.7	-7.1	82.5	82.8	95	1.0	0.948	0.0	90.1	-4.0	78.7	78.8	93	0.95	1.0	0.0	1.0	0.942	1.0	0.0	92.8	-9.0	86.7	87.2	96	0.95	1.0	0.0																				
96	94	97	0.942	1.0	0.0	92.8	-9.0	86.7	87.2	96	1.0	0.972	0.0	90.9	-5.5	80.6	80.8	94	0.933	1.0	0.0	0.873	1.0	0.0	93.9	-11.1	91.1	91.8	97	0.933	1.0	0.0																					
97	95	98	0.873	1.0	0.0	93.9	-11.1	91.1	91.8	97	1.0	0.996	0.0	91.7	-7.1	82.5	82.8	95	0.917	1.0	0.0	0.845	1.0	0.0	92.7	-12.5	89.6	90.5	98	0.917	1.0	0.0																					
98	96	99	0.845	1.0	0.0	92.7	-12.5	89.6	90.5	98	0.942	1.0	0.0	92.8	-9.0	86.7	87.2	96	0.9	1.0	0.0	0.816	1.0	0.0	91.5	-13.9	88.1	89.2	99	0.9	1.0	0.0																					
99	97	100	0.816	1.0	0.0	91.5	-13.9	88.1	89.2	99	0.873	1.0	0.0	93.9	-11.1	91.1	91.8	97	0.883	1.0	0.0	0.788	1.0	0.0	90.3	-15.2	86.6	88.0	100	0.883	1.0	0.0																					
100	98	102	0.788	1.0	0.0	90.3	-15.2	86.6	88.0	100	0.845	1.0	0.0	92.7	-12.5	89.6	90.5	98	0.867	1.0	0.0	0.741	1.0	0.0	88.1	-17.6	83.5	85.4	102	0.867	1.0	0.0																					
101	99	103	0.759	1.0	0.0	89.2	-16.4	85.1	86.7	101	0.816	1.0	0.0	91.5	-13.9	88.1	89.2	99	0.85	1.0	0.0	0.727	1.0	0.0	87.2	-18.8	81.8	84.0	103	0.85	1.0	0.0																					
102	100	104	0.741	1.0	0.0	88.1	-17.6	83.5	85.4	102	0.788	1.0	0.0	90.3	-15.2	86.6	88.0	100	0.833	1.0	0.0	0.713	1.0	0.0	86.2	-19.9	80.1	82.6	104	0.833	1.0	0.0																					
103	101	105	0.727	1.0	0.0	87.2	-18.8	81.8	84.0	103	0.759	1.0	0.0	89.2	-16.4	85.1	86.7	101	0.817	1.0	0.0	0.699	1.0	0.0	85.3	-20.9	78.4	81.2	105	0.817	1.0	0.0																					
104	102	106	0.713	1.0	0.0	86.2	-19.9	80.1	82.6	104	0.741	1.0	0.0	88.1	-17.6	83.5	85.4	102	0.8	1.0	0.0	0.685	1.0	0.0	84.3	-21.9	76.7	79.8	106	0.8	1.0	0.0																					
105	103	107	0.699	1.0	0.0	85.3	-20.9	78.4	81.2	105	0.727	1.0	0.0	87.2	-18.8	81.8	84.0	103	0.783	1.0	0.0	0.671	1.0	0.0	83.4	-22.8	74.9	78.4	107	0.783	1.0	0.0																					
106	104	109	0.685	1.0	0.0	84.3	-21.9	76.7	79.8	106	0.713	1.0	0.0	86.2	-19.9	80.1	82.6	104	0.767	1.0	0.0	0.643	1.0	0.0	81.5	-24.5	71.4	75.6	109	0.767	1.0	0.0																					
107	105	110	0.671	1.0	0.0	83.4	-22.8	74.9	78.4	107	0.699	1.0	0.0	85.3	-20.9	78.4	81.2	105	0.75	1.0	0.0	0.63	1.0	0.0	80.6	-25.3	69.7	74.2	110	0.75	1.0	0.0																					
108	106	111	0.657	1.0	0.0	82.5	-23.7	73.2	77.0	108	0.685	1.0	0.0	84.3	-21.9	76.7	79.8	106	0.733	1.0	0.0	0.615	1.0	0.0	79.7	-26.2	68.4	73.3	111	0.733	1.0	0.0																					
109	107	112	0.643	1.0	0.0	81.5	-24.5	71.4	75.6	109	0.671	1.0	0.0	83.4	-22.8	74.9	78.4	107	0.717	1.0	0.0	0.601	1.0	0.0	79.0																												

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361Mi			LAB* _{dd} 361Mix (x=LabCh)			rgb* _{ds} 361Mi			LAB* _{ds} 361Mix (x=LabCh)			rgb* _s 50M			rgb* _{de} 361Mi			LAB* _{de} 361Mix (x=LabCh)			rgb* _e 50M			rgb* _{dd}	rgb* _{ds}	rgb* _{de}						
122	120	127	0.452	1.0	0.0	71.6	-35.5	56.9	67.1	122	0.484	1.0	0.0	72.9	-33.8	58.8	67.9	120	0.5	1.0	0.0	0.373	1.0	0.0	68.5	-39.2	52.2	65.4	127	0.5	1.0	0.0			
123	121	128	0.436	1.0	0.0	71.0	-36.3	56.0	66.8	123	0.468	1.0	0.0	72.3	-34.7	57.9	67.5	121	0.483	1.0	0.0	0.362	1.0	0.0	68.0	-40.1	51.5	65.4	128	0.483	1.0	0.0			
124	122	130	0.42	1.0	0.0	70.4	-37.0	55.1	66.4	124	0.452	1.0	0.0	71.6	-35.5	56.9	67.1	122	0.467	1.0	0.0	0.338	1.0	0.0	67.0	-41.9	50.0	65.3	130	0.467	1.0	0.0			
125	123	131	0.405	1.0	0.0	69.7	-37.8	54.1	66.1	125	0.436	1.0	0.0	71.0	-36.3	56.0	66.8	123	0.45	1.0	0.0	0.327	1.0	0.0	66.5	-42.8	49.3	65.3	131	0.45	1.0	0.0			
126	124	132	0.389	1.0	0.0	69.1	-38.5	53.1	65.7	126	0.42	1.0	0.0	70.4	-37.0	55.1	66.4	124	0.433	1.0	0.0	0.315	1.0	0.0	66.0	-43.6	48.5	65.3	132	0.433	1.0	0.0			
127	125	133	0.373	1.0	0.0	68.5	-39.2	52.2	65.4	127	0.405	1.0	0.0	69.7	-37.8	54.1	66.1	125	0.417	1.0	0.0	0.303	1.0	0.0	65.5	-44.4	47.8	65.3	133	0.417	1.0	0.0			
128	126	134	0.362	1.0	0.0	68.0	-40.1	51.5	65.4	128	0.389	1.0	0.0	69.1	-38.5	53.1	65.7	126	0.4	1.0	0.0	0.292	1.0	0.0	65.0	-45.2	47.0	65.3	134	0.4	1.0	0.0			
129	127	135	0.35	1.0	0.0	67.5	-41.0	50.8	65.3	129	0.373	1.0	0.0	68.5	-39.2	52.2	65.4	127	0.383	1.0	0.0	0.28	1.0	0.0	64.5	-46.0	46.1	65.3	135	0.383	1.0	0.0			
130	128	137	0.338	1.0	0.0	67.0	-41.9	50.0	65.3	130	0.362	1.0	0.0	68.0	-40.1	51.5	65.4	128	0.367	1.0	0.0	0.257	1.0	0.0	63.5	-47.6	44.5	65.2	137	0.367	1.0	0.0			
131	129	138	0.327	1.0	0.0	66.5	-42.8	49.3	65.3	131	0.35	1.0	0.0	67.5	-41.0	50.8	65.3	129	0.35	1.0	0.0	0.244	1.0	0.0	63.0	-48.4	43.6	65.2	138	0.35	1.0	0.0			
132	130	139	0.315	1.0	0.0	66.0	-43.6	48.5	65.3	132	0.338	1.0	0.0	67.0	-41.9	50.0	65.3	130	0.333	1.0	0.0	0.23	1.0	0.0	62.6	-49.1	42.8	65.2	139	0.333	1.0	0.0			
133	131	140	0.303	1.0	0.0	65.5	-44.4	47.8	65.3	133	0.327	1.0	0.0	66.5	-42.8	49.3	65.3	131	0.317	1.0	0.0	0.215	1.0	0.0	62.1	-49.8	41.9	65.1	140	0.317	1.0	0.0			
134	132	141	0.292	1.0	0.0	65.0	-45.2	47.0	65.3	134	0.315	1.0	0.0	66.0	-43.6	48.5	65.3	132	0.3	1.0	0.0	0.201	1.0	0.0	61.7	-50.5	41.0	65.1	141	0.3	1.0	0.0			
135	133	142	0.28	1.0	0.0	64.5	-46.0	46.1	65.3	135	0.303	1.0	0.0	65.5	-44.4	47.8	65.3	133	0.283	1.0	0.0	0.187	1.0	0.0	61.3	-51.2	40.0	65.0	142	0.283	1.0	0.0			
136	134	144	0.268	1.0	0.0	64.0	-46.8	45.3	65.2	136	0.292	1.0	0.0	65.0	-45.2	47.0	65.3	134	0.267	1.0	0.0	0.158	1.0	0.0	60.4	-52.5	38.2	65.0	144	0.267	1.0	0.0			
137	135	145	0.257	1.0	0.0	63.5	-47.6	44.5	65.2	137	0.28	1.0	0.0	64.5	-46.0	46.1	65.3	135	0.25	1.0	0.0	0.144	1.0	0.0	59.9	-53.1	37.2	64.9	145	0.25	1.0	0.0			
138	136	146	0.244	1.0	0.0	63.0	-48.4	43.6	65.2	138	0.268	1.0	0.0	64.0	-46.8	45.3	65.2	136	0.233	1.0	0.0	0.129	1.0	0.0	59.5	-53.7	36.3	64.9	146	0.233	1.0	0.0			
139	137	147	0.23	1.0	0.0	62.6	-49.1	42.8	65.2	139	0.257	1.0	0.0	63.5	-47.6	44.5	65.2	137	0.217	1.0	0.0	0.112	1.0	0.0	59.0	-54.6	35.5	65.2	147	0.217	1.0	0.0			
140	138	148	0.215	1.0	0.0	62.1	-49.8	41.9	65.1	140	0.244	1.0	0.0	63.0	-48.4	43.6	65.2	138	0.2	1.0	0.0	0.093	1.0	0.0	58.5	-55.6	34.8	65.7	148	0.2	1.0	0.0			
141	139	149	0.201	1.0	0.0	61.7	-50.5	41.0	65.1	141	0.23	1.0	0.0	62.6	-49.1	42.8	65.2	139	0.183	1.0	0.0	0.074	1.0	0.0	58.0	-56.6	34.1	66.2	149	0.183	1.0	0.0			
142	140	151	0.187	1.0	0.0	61.3	-51.2	40.0	65.0	142	0.215	1.0	0.0	62.1	-49.8	41.9	65.1	140	0.167	1.0	0.0	0.036	1.0	0.0	56.9	-58.7	32.6	67.2	151	0.167	1.0	0.0			
143	141	152	0.172	1.0	0.0	60.8	-51.8	39.1	65.0	143	0.201	1.0	0.0	61.7	-50.5	41.0	65.1	141	0.15	1.0	0.0	0.017	1.0	0.0	56.4	-59.7	31.8	67.7	152	0.15	1.0	0.0			
144	142	153	0.158	1.0	0.0	60.4	-52.5	38.2	65.0	144	0.187	1.0	0.0	61.3	-51.2	40.0	65.0	142	0.133	1.0	0.0	0.0	1.0	0.002	55.9	-60.5	30.9	68.1	153	0.133	1.0	0.0			
145	143	154	0.144	1.0	0.0	59.9	-53.1	37.2	64.9	145	0.172	1.0	0.0	60.8	-51.8	39.1	65.0	143	0.117	1.0	0.0	0.0	1.0	0.019	55.8	-60.5	29.5	67.4	154	0.117	1.0	0.0			
146	144	155	0.129	1.0	0.0	59.5	-53.7	36.3	64.9	146	0.158	1.0	0.0	60.4	-52.5	38.2	65.0	144	0.1	1.0	0.0	0.0	1.0	0.036	55.8	-60.4	28.2	66.7	155	0.1	1.0	0.0			
147	145	156	0.112	1.0	0.0	59.0	-54.6	35.5	65.2	147	0.144	1.0	0.0	59.9	-53.1	37.2	64.9	145	0.083	1.0	0.0	0.0	1.0	0.053	55.7	-60.2	26.9	66.0	156	0.083	1.0	0.0			
148	146	158	0.093	1.0	0.0	58.5	-55.6	34.8	65.7	148	0.129	1.0	0.0	59.5	-53.7	36.3	64.9	146	0.067	1.0	0.0	0.0	1.0	0.087	55.6	-59.9	24.2	64.7	158	0.067	1.0	0.0			
149	147	159	0.074	1.0	0.0	58.0	-56.6	34.1	66.2	149	0.112	1.0	0.0	59.0	-54.6	35.5	65.2	147	0.05	1.0	0.0	0.0	1.0	0.104	55.5	-59.6	22.9	64.0	159	0.05	1.0	0.0			
150	148	160	0.055	1.0	0.0	57.4	-57.7	33.3	66.7	150	0.093	1.0	0.0	58.5	-55.6	34.8	65.7	148	0.033	1.0	0.0	0.0	1.0	0.121	55.4	-59.4	21.7	63.3	160	0.033	1.0	0.0			
151	149	161	0.036	1.0	0.0	56.9	-58.7	32.6	67.2	151	0.074	1.0	0.0	58.0	-56.6	34.1	66.2	149	0.017	1.0	0.0	0.0	1.0	0.136	55.4	-59.1	20.4	62.6	161	0.017	1.0	0.0			
152	150	162	0.017	1.0	0.0	56.4	-59.7	31.8	67.7	152	0.055	1.0	0.0	57.4	-57.7	33.3	66.7	150	0.0	1.0	0.0	0.0	1.0	0.15	55.4	-58.8	19.1	61.9	162	0.0	1.0	0.0	0.0	0.0	0.0
153	151	163	0.0	1.0	0.002	55.9	-60.5	30.9	68.1	153	0.036	1.0	0.0	56.9	-58.7	32.6	67.2	151	0.0	1.0	0.017	0.0	1.0	0.164	55.5	-58.5	17.9	61.3	1						

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*dd361Mi LAB*dd361Mix (x=LabCh)								rgb*ds361Mi LAB*ds361Mix (x=LabCh)								rgb*s50M			rgb*de361Mi LAB*de361Mix (x=LabCh)			rgb*e50M			rgb*_d	rgb*_s	rgb*_e					
167	165	176	0.0	1.0	0.219	55.6	-56.9	13.2	58.5	167	0.0	1.0	0.191	55.5	-57.7	15.5	59.9	165	0.0	1.0	0.25	0.0	1.0	0.344	55.8	-54.4	3.8	54.6	176	0.0	1.0	0.25			
168	166	177	0.0	1.0	0.233	55.6	-56.5	12.0	57.8	168	0.0	1.0	0.205	55.5	-57.3	14.3	59.2	166	0.0	1.0	0.267	0.0	1.0	0.358	55.8	-54.1	2.8	54.3	177	0.0	1.0	0.267			
169	167	178	0.0	1.0	0.247	55.6	-56.0	10.9	57.1	169	0.0	1.0	0.219	55.6	-56.9	13.2	58.5	167	0.0	1.0	0.283	0.0	1.0	0.372	55.9	-53.8	1.9	53.9	178	0.0	1.0	0.283			
170	168	179	0.0	1.0	0.261	55.6	-55.8	9.8	56.7	170	0.0	1.0	0.233	55.6	-56.5	12.0	57.8	168	0.0	1.0	0.3	0.0	1.0	0.385	55.9	-53.5	0.9	53.6	179	0.0	1.0	0.3			
171	169	180	0.0	1.0	0.275	55.7	-55.6	8.8	56.4	171	0.0	1.0	0.247	55.6	-56.0	10.9	57.1	169	0.0	1.0	0.317	0.0	1.0	0.399	55.9	-53.3	0.0	53.4	180	0.0	1.0	0.317			
172	170	180	0.0	1.0	0.289	55.7	-55.4	7.8	56.0	172	0.0	1.0	0.261	55.6	-55.8	9.8	56.7	170	0.0	1.0	0.333	0.0	1.0	0.399	55.9	-53.3	0.0	53.4	180	0.0	1.0	0.333			
173	171	181	0.0	1.0	0.303	55.7	-55.2	6.8	55.7	173	0.0	1.0	0.275	55.7	-55.6	8.8	56.4	171	0.0	1.0	0.35	0.0	1.0	0.412	55.9	-53.0	-0.8	53.1	181	0.0	1.0	0.35			
174	172	182	0.0	1.0	0.316	55.7	-54.9	5.8	55.3	174	0.0	1.0	0.289	55.7	-55.4	7.8	56.0	172	0.0	1.0	0.367	0.0	1.0	0.425	56.0	-52.6	-1.7	52.8	182	0.0	1.0	0.367			
175	173	183	0.0	1.0	0.33	55.8	-54.7	4.8	55.0	175	0.0	1.0	0.303	55.7	-55.2	6.8	55.7	173	0.0	1.0	0.383	0.0	1.0	0.439	56.0	-52.3	-2.6	52.5	183	0.0	1.0	0.383			
176	174	184	0.0	1.0	0.344	55.8	-54.4	3.8	54.6	176	0.0	1.0	0.316	55.7	-54.9	5.8	55.3	174	0.0	1.0	0.4	0.0	1.0	0.452	56.0	-52.0	-3.5	52.2	184	0.0	1.0	0.4			
177	175	185	0.0	1.0	0.358	55.8	-54.1	2.8	54.3	177	0.0	1.0	0.33	55.8	-54.7	4.8	55.0	175	0.0	1.0	0.417	0.0	1.0	0.466	56.0	-51.6	-4.4	51.9	185	0.0	1.0	0.417			
178	176	186	0.0	1.0	0.372	55.9	-53.8	1.9	53.9	178	0.0	1.0	0.344	55.8	-54.4	3.8	54.6	176	0.0	1.0	0.433	0.0	1.0	0.479	56.1	-51.2	-5.3	51.6	186	0.0	1.0	0.433			
179	177	187	0.0	1.0	0.385	55.9	-53.5	0.9	53.6	179	0.0	1.0	0.358	55.8	-54.1	2.8	54.3	177	0.0	1.0	0.45	0.0	1.0	0.493	56.1	-50.9	-6.2	51.3	187	0.0	1.0	0.45			
180	178	188	0.0	1.0	0.399	55.9	-53.3	0.0	53.4	180	0.0	1.0	0.372	55.9	-53.8	1.9	53.9	178	0.0	1.0	0.467	0.0	1.0	0.506	56.1	-50.5	-7.0	51.1	188	0.0	1.0	0.467			
181	179	189	0.0	1.0	0.412	55.9	-53.0	-0.8	53.1	181	0.0	1.0	0.385	55.9	-53.5	0.9	53.6	179	0.0	1.0	0.483	0.0	1.0	0.519	56.1	-50.2	-7.9	51.0	189	0.0	1.0	0.483			
182	180	190	0.0	1.0	0.425	56.0	-52.6	-1.7	52.8	182	0.0	1.0	0.399	55.9	-53.3	0.0	53.4	180	0.0	1.0	0.5	0.0	1.0	0.532	56.1	-50.0	-8.7	50.8	190	0.0	1.0	0.5			
183	181	191	0.0	1.0	0.439	56.0	-52.3	-2.6	52.5	183	0.0	1.0	0.412	55.9	-53.0	-0.8	53.1	181	0.0	1.0	0.517	0.0	1.0	0.544	56.2	-49.7	-9.6	50.7	191	0.0	1.0	0.517			
184	182	191	0.0	1.0	0.452	56.0	-52.0	-3.5	52.2	184	0.0	1.0	0.425	56.0	-52.6	-1.7	52.8	182	0.0	1.0	0.533	0.0	1.0	0.544	56.2	-49.7	-9.6	50.7	191	0.0	1.0	0.533			
185	183	192	0.0	1.0	0.466	56.0	-51.6	-4.4	51.9	185	0.0	1.0	0.439	56.0	-52.3	-2.6	52.5	183	0.0	1.0	0.55	0.0	1.0	0.557	56.2	-49.3	-10.4	50.5	192	0.0	1.0	0.55			
186	184	193	0.0	1.0	0.479	56.1	-51.2	-5.3	51.6	186	0.0	1.0	0.452	56.0	-52.0	-3.5	52.2	184	0.0	1.0	0.567	0.0	1.0	0.57	56.2	-49.0	-11.2	50.4	193	0.0	1.0	0.567			
187	185	194	0.0	1.0	0.493	56.1	-50.9	-6.2	51.3	187	0.0	1.0	0.466	56.0	-51.6	-4.4	51.9	185	0.0	1.0	0.583	0.0	1.0	0.583	56.2	-48.7	-12.1	50.3	194	0.0	1.0	0.583			
188	186	195	0.0	1.0	0.506	56.1	-50.5	-7.0	51.1	188	0.0	1.0	0.479	56.1	-51.2	-5.3	51.6	186	0.0	1.0	0.6	0.0	1.0	0.596	56.2	-48.3	-12.9	50.1	195	0.0	1.0	0.6			
189	187	196	0.0	1.0	0.519	56.1	-50.2	-7.9	51.0	189	0.0	1.0	0.493	56.1	-50.9	-6.2	51.3	187	0.0	1.0	0.617	0.0	1.0	0.609	56.2	-47.9	-13.7	50.0	196	0.0	1.0	0.617			
190	188	197	0.0	1.0	0.532	56.1	-50.0	-8.7	50.8	190	0.0	1.0	0.506	56.1	-50.5	-7.0	51.1	188	0.0	1.0	0.633	0.0	1.0	0.622	56.2	-47.6	-14.5	49.8	197	0.0	1.0	0.633			
191	189	198	0.0	1.0	0.544	56.2	-49.7	-9.6	50.7	191	0.0	1.0	0.519	56.1	-50.2	-7.9	51.0	189	0.0	1.0	0.65	0.0	1.0	0.637	56.2	-47.3	-15.3	49.8	198	0.0	1.0	0.65			
192	190	199	0.0	1.0	0.557	56.2	-49.3	-10.4	50.5	192	0.0	1.0	0.532	56.1	-50.0	-8.7	50.8	190	0.0	1.0	0.667	0.0	1.0	0.652	56.1	-47.1	-16.1	49.9	199	0.0	1.0	0.667			
193	191	200	0.0	1.0	0.57	56.2	-49.0	-11.2	50.4	193	0.0	1.0	0.544	56.2	-49.7	-9.6	50.7	191	0.0	1.0	0.683	0.0	1.0	0.667	56.0	-46.8	-17.0	49.9	200	0.0	1.0	0.683			
194	192	201	0.0	1.0	0.583	56.2	-48.7	-12.1	50.3	194	0.0	1.0	0.557	56.2	-49.3	-10.4	50.5	192	0.0	1.0	0.7	0.0	1.0	0.683	56.0	-46.6	-17.8	50.0	201	0.0	1.0	0.7			
195	193	201	0.0	1.0	0.596	56.2	-48.3	-12.9	50.1	195	0.0	1.0	0.57	56.2	-49.0	-11.2	50.4	193	0.0	1.0	0.717	0.0	1.0	0.683	56.0	-46.6	-17.8	50.0	201	0.0	1.0	0.717			
196	194	202	0.0	1.0	0.609	56.2	-47.9	-13.7	50.0	196	0.0	1.0	0.583	56.2	-48.7	-12.1	50.3	194	0.0	1.0	0.733	0.0	1.0	0.698	55.9	-46.3	-18.6	50.0	202	0.0	1.0	0.733			
197	195	203	0.0	1.0	0.622	56.2	-47.6	-14.5	49.8	197	0.0	1.0	0.596	56.2	-48.3	-12.9	50.1	195	0.0	1.0	0.75	0.0	1.0	0.714	55.8	-46.0	-19.5	50.1	203	0.0	1.0	0.75			
198	196	204	0.0	1.0	0.637	56.2	-47.3	-15.3	49.8	198	0.0	1.0	0.609	56.2	-47.9	-13.7	50.0	196	0.0	1.0	0.767	0.0	1.0	0.729	55.8	-45.7	-20.3	50.1	204	0.0	1.0	0.767			
199	197	205	0.0	1.0	0.652	56.1	-47.1	-16.																											

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																				
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*d361Mi			LAB*d361Mix (x=LabCh)			rgb*d361Mi			LAB*d361Mix (x=LabCh)			rgb*s50M			rgb*de361Mi			LAB*de361Mix (x=LabCh)			rgb*e50M			rgb*dd			rgb*ds	rgb*de					
212	210	217	0.0	1.0	0.85	54.2	-44.5	-27.8	52.6	212	0.0	1.0	0.82	54.6	-44.8	-25.8	51.9	210	0.0	1.0	1.0C _s	0.0	1.0	0.909	52.8	-43.7	-32.9	54.9	217	0.0	1.0	1.0C _e				
213	211	218	0.0	1.0	0.865	54.0	-44.3	-28.8	53.0	213	0.0	1.0	0.835	54.4	-44.7	-26.8	52.2	211	0.0	0.983	1.0	0.0	1.0	0.92	52.5	-43.6	-34.0	55.4	218	0.0	0.983	1.0				
214	212	219	0.0	1.0	0.879	53.7	-44.2	-29.8	53.4	214	0.0	1.0	0.85	54.2	-44.5	-27.8	52.6	212	0.0	0.967	1.0	0.0	1.0	0.93	52.2	-43.3	-35.1	55.9	219	0.0	0.967	1.0				
215	213	220	0.0	1.0	0.889	53.4	-44.1	-30.8	53.9	215	0.0	1.0	0.865	54.0	-44.3	-28.8	53.0	213	0.0	0.95	1.0	0.0	1.0	0.94	51.9	-43.1	-36.1	56.4	220	0.0	0.95	1.0				
216	214	221	0.0	1.0	0.899	53.1	-43.9	-31.9	54.4	216	0.0	1.0	0.879	53.7	-44.2	-29.8	53.4	214	0.0	0.933	1.0	0.0	1.0	0.95	51.6	-42.8	-37.2	56.9	221	0.0	0.933	1.0				
217	215	222	0.0	1.0	0.909	52.8	-43.7	-32.9	54.9	217	0.0	1.0	0.889	53.4	-44.1	-30.8	53.9	215	0.0	0.917	1.0	0.0	1.0	0.961	51.3	-42.5	-38.3	57.4	222	0.0	0.917	1.0				
218	216	222	0.0	1.0	0.92	52.5	-43.6	-34.0	55.4	218	0.0	1.0	0.899	53.1	-43.9	-31.9	54.4	216	0.0	0.9	1.0	0.0	1.0	0.961	51.3	-42.5	-38.3	57.4	222	0.0	0.9	1.0				
219	217	223	0.0	1.0	0.93	52.2	-43.3	-35.1	55.9	219	0.0	1.0	0.909	52.8	-43.7	-32.9	54.9	217	0.0	0.883	1.0	0.0	1.0	0.971	51.0	-42.2	-39.4	57.9	223	0.0	0.883	1.0				
220	218	224	0.0	1.0	0.94	51.9	-43.1	-36.1	56.4	220	0.0	1.0	0.92	52.5	-43.6	-34.0	55.4	218	0.0	0.867	1.0	0.0	1.0	0.981	50.7	-41.9	-40.5	58.4	224	0.0	0.867	1.0				
221	219	225	0.0	1.0	0.95	51.6	-42.8	-37.2	56.9	221	0.0	1.0	0.93	52.2	-43.3	-35.1	55.9	219	0.0	0.85	1.0	0.0	1.0	0.991	50.4	-41.5	-41.5	58.9	225	0.0	0.85	1.0				
222	220	226	0.0	1.0	0.961	51.3	-42.5	-38.3	57.4	222	0.0	1.0	0.94	51.9	-43.1	-36.1	56.4	220	0.0	0.833	1.0	0.0	1.0	0.993	1.0	50.1	-41.1	-42.6	59.3	226	0.0	0.833	1.0			
223	221	227	0.0	1.0	0.971	51.0	-42.2	-39.4	57.9	223	0.0	1.0	0.95	51.6	-42.8	-37.2	56.9	221	0.0	0.817	1.0	0.0	1.0	0.944	1.0	50.0	-40.6	-43.5	59.6	227	0.0	0.817	1.0			
224	222	228	0.0	1.0	0.981	50.7	-41.9	-40.5	58.4	224	0.0	1.0	0.961	51.3	-42.5	-38.3	57.4	222	0.0	0.8	1.0	0.0	1.0	0.895	1.0	49.8	-40.0	-44.5	60.0	228	0.0	0.8	1.0			
225	223	229	0.0	1.0	0.991	50.4	-41.5	-41.5	58.9	225C _d	0.0	1.0	0.971	51.0	-42.2	-39.4	57.9	223	0.0	0.783	1.0	0.0	1.0	0.859	1.0	49.7	-39.4	-45.3	60.2	229	0.0	0.783	1.0			
226	224	230	0.0	0.993	1.0	50.1	-41.1	-42.6	59.3	226	0.0	1.0	0.981	50.7	-41.9	-40.5	58.4	224	0.0	0.767	1.0	0.0	1.0	0.833	1.0	49.7	-38.7	-46.2	60.4	230	0.0	0.767	1.0			
227	225	231	0.0	0.944	1.0	50.0	-40.6	-43.5	59.6	227	0.0	1.0	0.991	50.4	-41.5	-41.5	58.9	225	0.0	0.75	1.0	0.0	1.0	0.806	1.0	49.7	-38.0	-47.0	60.6	231	0.0	0.75	1.0			
228	226	232	0.0	0.895	1.0	49.8	-40.0	-44.5	60.0	228	0.0	0.993	1.0	50.1	-41.1	-42.6	59.3	226	0.0	0.733	1.0	0.0	1.0	0.779	1.0	49.7	-37.3	-47.8	60.8	232	0.0	0.733	1.0			
229	227	232	0.0	0.859	1.0	49.7	-39.4	-45.3	60.2	229	0.0	0.944	1.0	50.0	-40.6	-43.5	59.6	227	0.0	0.717	1.0	0.0	1.0	0.779	1.0	49.7	-37.3	-47.8	60.8	232	0.0	0.717	1.0			
230	228	233	0.0	0.833	1.0	49.7	-38.7	-46.2	60.4	230	0.0	0.895	1.0	49.8	-40.0	-44.5	60.0	228	0.0	0.7	1.0	0.0	1.0	0.752	1.0	49.7	-36.6	-48.6	61.0	233	0.0	0.7	1.0			
231	229	234	0.0	0.806	1.0	49.7	-38.0	-47.0	60.6	231	0.0	0.859	1.0	49.7	-39.4	-45.3	60.2	229	0.0	0.683	1.0	0.0	1.0	0.734	1.0	49.4	-35.6	-49.1	60.8	234	0.0	0.683	1.0			
232	230	235	0.0	0.779	1.0	49.7	-37.3	-47.8	60.8	232	0.0	0.833	1.0	49.7	-38.7	-46.2	60.4	230	0.0	0.667	1.0	0.0	1.0	0.716	1.0	49.0	-34.6	-49.5	60.6	235	0.0	0.667	1.0			
233	231	236	0.0	0.752	1.0	49.7	-36.6	-48.6	61.0	233	0.0	0.806	1.0	49.7	-38.0	-47.0	60.6	231	0.0	0.65	1.0	0.0	1.0	0.699	1.0	48.6	-33.6	-49.9	60.3	236	0.0	0.65	1.0			
234	232	237	0.0	0.734	1.0	49.4	-35.6	-49.1	60.8	234	0.0	0.779	1.0	49.7	-37.3	-47.8	60.8	232	0.0	0.633	1.0	0.0	1.0	0.681	1.0	48.2	-32.6	-50.3	60.1	237	0.0	0.633	1.0			
235	233	238	0.0	0.716	1.0	49.0	-34.6	-49.5	60.6	235	0.0	0.752	1.0	49.7	-36.6	-48.6	61.0	233	0.0	0.617	1.0	0.0	1.0	0.664	1.0	47.8	-31.6	-50.7	59.9	238	0.0	0.617	1.0			
236	234	239	0.0	0.699	1.0	48.6	-33.6	-49.9	60.3	236	0.0	0.734	1.0	49.4	-35.6	-49.1	60.8	234	0.0	0.6	1.0	0.0	1.0	0.646	1.0	47.5	-30.6	-51.0	59.6	239	0.0	0.6	1.0			
237	235	240	0.0	0.681	1.0	48.2	-32.6	-50.3	60.1	237	0.0	0.716	1.0	49.0	-34.6	-49.5	60.6	235	0.0	0.583	1.0	0.0	1.0	0.628	1.0	47.1	-29.6	-51.3	59.4	240	0.0	0.583	1.0			
238	236	241	0.0	0.664	1.0	47.8	-31.6	-50.7	59.9	238	0.0	0.699	1.0	48.6	-33.6	-49.9	60.3	236	0.0	0.567	1.0	0.0	1.0	0.61	1.0	46.5	-28.5	-51.5	58.9	241	0.0	0.567	1.0			
239	237	242	0.0	0.646	1.0	47.5	-30.6	-51.0	59.6	239	0.0	0.681	1.0	48.2	-32.6	-50.3	60.1	237	0.0	0.55	1.0	0.0	1.0	0.591	1.0	45.9	-27.3	-51.5	58.4	242	0.0	0.55	1.0			
240	238	243	0.0	0.628	1.0	47.1	-29.6	-51.3	59.4	240	0.0	0.664	1.0	47.8	-31.6	-50.7	59.9	238	0.0	0.533	1.0	0.0	1.0	0.572	1.0	45.2	-26.2	-51.5	57.9	243	0.0	0.533	1.0			
241	239	243	0.0	0.61	1.0	46.5	-28.5	-51.5	58.9	241	0.0	0.646	1.0	47.5	-30.6	-51.0	59.6	239	0.0	0.517	1.0	0.0	1.0	0.572	1.0	45.2	-26.2	-51.5	57.9	243	0.0	0.517	1.0			
242	240	244	0.0	0.591	1.0	45.9	-27.3	-51.5	58.4	242	0.0	0.628	1.0	47.1	-29.6	-51.3	59.4	240	0.0	0.5	1.0	0.0	1.0	0.553	1.0	44.6	-25.1	-51.5	57.4	244	0.0	0.5	1.0			
243	241	245	0.0	0.572	1.0	45.2	-26.2	-51.5	57.9	243	0.0	0.61	1.0	46.5	-28.5</																					

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*dd361Mi			LAB*dd361Mix (x=LabCh)			rgb*ds361Mi			LAB*ds361Mix (x=LabCh)			rgb*s50M			rgb*de361Mi			LAB*de361Mix (x=LabCh)			rgb*e50M			rgb*d	rgb*s	rgb*e						
257	255	258	0.0	0.363	1.0	37.4	-11.7	-50.8	52.2	257	0.0	0.389	1.0	38.4	-13.6	-50.9	52.8	255	0.0	0.25	1.0	0.0	0.351	1.0	36.9	-10.7	-50.8	52.1	258	0.0	0.25	1.0			
258	256	259	0.0	0.351	1.0	36.9	-10.7	-50.8	52.1	258	0.0	0.376	1.0	37.8	-12.6	-50.8	52.4	256	0.0	0.233	1.0	0.0	0.339	1.0	36.5	-9.8	-50.8	51.9	259	0.0	0.233	1.0			
259	257	260	0.0	0.339	1.0	36.5	-9.8	-50.8	51.9	259	0.0	0.363	1.0	37.4	-11.7	-50.8	52.2	257	0.0	0.217	1.0	0.0	0.326	1.0	36.0	-8.9	-50.8	51.7	260	0.0	0.217	1.0			
260	258	261	0.0	0.326	1.0	36.0	-8.9	-50.8	51.7	260	0.0	0.351	1.0	36.9	-10.7	-50.8	52.1	258	0.0	0.2	1.0	0.0	0.314	1.0	35.5	-8.0	-50.8	51.6	261	0.0	0.2	1.0			
261	259	262	0.0	0.314	1.0	35.5	-8.0	-50.8	51.6	261	0.0	0.339	1.0	36.5	-9.8	-50.8	51.9	259	0.0	0.183	1.0	0.0	0.301	1.0	35.1	-7.1	-50.8	51.4	262	0.0	0.183	1.0			
262	260	263	0.0	0.301	1.0	35.1	-7.1	-50.8	51.4	262	0.0	0.326	1.0	36.0	-8.9	-50.8	51.7	260	0.0	0.167	1.0	0.0	0.289	1.0	34.6	-6.1	-50.7	51.2	263	0.0	0.167	1.0			
263	261	264	0.0	0.289	1.0	34.6	-6.1	-50.7	51.2	263	0.0	0.314	1.0	35.5	-8.0	-50.8	51.6	261	0.0	0.15	1.0	0.0	0.277	1.0	34.2	-5.2	-50.7	51.0	264	0.0	0.15	1.0			
264	262	264	0.0	0.277	1.0	34.2	-5.2	-50.7	51.0	264	0.0	0.301	1.0	35.1	-7.1	-50.8	51.4	262	0.0	0.133	1.0	0.0	0.277	1.0	34.2	-5.2	-50.7	51.0	264	0.0	0.133	1.0			
265	263	265	0.0	0.264	1.0	33.7	-4.3	-50.6	50.9	265	0.0	0.289	1.0	34.6	-6.1	-50.7	51.2	263	0.0	0.117	1.0	0.0	0.264	1.0	33.7	-4.3	-50.6	50.9	265	0.0	0.117	1.0			
266	264	266	0.0	0.252	1.0	33.3	-3.4	-50.5	50.7	266	0.0	0.277	1.0	34.2	-5.2	-50.7	51.0	264	0.0	0.1	1.0	0.0	0.252	1.0	33.3	-3.4	-50.5	50.7	266	0.0	0.1	1.0			
267	265	267	0.0	0.242	1.0	33.2	-2.5	-50.3	50.5	267	0.0	0.264	1.0	33.7	-4.3	-50.6	50.9	265	0.0	0.083	1.0	0.0	0.242	1.0	33.2	-2.5	-50.3	50.5	267	0.0	0.083	1.0			
268	266	268	0.0	0.233	1.0	33.2	-1.7	-50.1	50.2	268	0.0	0.252	1.0	33.3	-3.4	-50.5	50.7	266	0.0	0.067	1.0	0.0	0.233	1.0	33.2	-1.7	-50.1	50.2	268	0.0	0.067	1.0			
269	267	269	0.0	0.224	1.0	33.2	-0.8	-49.9	50.0	269	0.0	0.242	1.0	33.2	-2.5	-50.3	50.5	267	0.0	0.05	1.0	0.0	0.224	1.0	33.2	-0.8	-49.9	50.0	269	0.0	0.05	1.0			
270	268	270	0.0	0.215	1.0	33.2	0.0	-49.6	49.7	270	0.0	0.233	1.0	33.2	-1.7	-50.1	50.2	268	0.0	0.033	1.0	0.0	0.215	1.0	33.2	0.0	-49.6	49.7	270	0.0	0.033	1.0			
271	269	271	0.0	0.206	1.0	33.2	0.9	-49.4	49.5	271	0.0	0.224	1.0	33.2	-0.8	-49.9	50.0	269	0.0	0.017	1.0	0.0	0.206	1.0	33.2	0.9	-49.4	49.5	271	0.0	0.017	1.0			
272	270	272	0.0	0.197	1.0	33.2	1.7	-49.1	49.3	272	0.0	0.215	1.0	33.2	0.0	-49.6	49.7	270	0.0	0.0	1.0B _s	0.0	0.197	1.0	33.2	1.7	-49.1	49.3	272	0.0	0.0	1.0B _e			
273	271	273	0.0	0.188	1.0	33.2	2.6	-48.9	49.0	273	0.0	0.206	1.0	33.2	0.9	-49.4	49.5	271	0.017	0.0	1.0	0.0	0.188	1.0	33.2	2.6	-48.9	49.0	273	0.017	0.0	1.0			
274	272	274	0.0	0.179	1.0	33.2	3.4	-48.6	48.8	274	0.0	0.197	1.0	33.2	1.7	-49.1	49.3	272	0.033	0.0	1.0	0.0	0.179	1.0	33.2	3.4	-48.6	48.8	274	0.033	0.0	1.0			
275	273	275	0.0	0.169	1.0	33.2	4.2	-48.3	48.5	275	0.0	0.188	1.0	33.2	2.6	-48.9	49.0	273	0.05	0.0	1.0	0.0	0.169	1.0	33.2	4.2	-48.3	48.5	275	0.05	0.0	1.0			
276	274	276	0.0	0.16	1.0	33.2	5.0	-47.9	48.3	276	0.0	0.179	1.0	33.2	3.4	-48.6	48.8	274	0.067	0.0	1.0	0.0	0.16	1.0	33.2	5.0	-47.9	48.3	276	0.067	0.0	1.0			
277	275	276	0.0	0.151	1.0	33.2	5.9	-47.6	48.1	277	0.0	0.169	1.0	33.2	4.2	-48.3	48.5	275	0.083	0.0	1.0	0.0	0.16	1.0	33.2	5.0	-47.9	48.3	276	0.083	0.0	1.0			
278	276	277	0.0	0.142	1.0	33.2	6.7	-47.3	47.8	278	0.0	0.16	1.0	33.2	5.0	-47.9	48.3	276	0.1	0.0	1.0	0.0	0.151	1.0	33.2	5.9	-47.6	48.1	277	0.1	0.0	1.0			
279	277	278	0.0	0.133	1.0	33.2	7.4	-46.9	47.6	279	0.0	0.151	1.0	33.2	5.9	-47.6	48.1	277	0.117	0.0	1.0	0.0	0.142	1.0	33.2	6.7	-47.3	47.8	278	0.117	0.0	1.0			
280	278	279	0.0	0.124	1.0	33.2	8.2	-46.6	47.4	280	0.0	0.142	1.0	33.2	6.7	-47.3	47.8	278	0.133	0.0	1.0	0.0	0.133	1.0	33.2	7.4	-46.9	47.6	279	0.133	0.0	1.0			
281	279	280	0.0	0.115	1.0	33.0	9.0	-46.4	47.4	281	0.0	0.133	1.0	33.2	7.4	-46.9	47.6	279	0.15	0.0	1.0	0.0	0.124	1.0	33.2	8.2	-46.6	47.4	280	0.15	0.0	1.0			
282	280	281	0.0	0.106	1.0	32.9	9.9	-46.3	47.4	282	0.0	0.124	1.0	33.2	8.2	-46.6	47.4	280	0.167	0.0	1.0	0.0	0.115	1.0	33.0	9.0	-46.4	47.4	281	0.167	0.0	1.0			
283	281	282	0.0	0.097	1.0	32.7	10.7	-46.1	47.4	283	0.0	0.115	1.0	33.0	9.0	-46.4	47.4	281	0.183	0.0	1.0	0.0	0.106	1.0	32.9	9.9	-46.3	47.4	282	0.183	0.0	1.0			
284	282	283	0.0	0.088	1.0	32.5	11.5	-45.9	47.4	284	0.0	0.106	1.0	32.9	9.9	-46.3	47.4	282	0.2	0.0	1.0	0.0	0.097	1.0	32.7	10.7	-46.1	47.4	283	0.2	0.0	1.0			
285	283	284	0.0	0.079	1.0	32.4	12.3	-45.7	47.4	285	0.0	0.097	1.0	32.7	10.7	-46.1	47.4	283	0.217	0.0	1.0	0.0	0.088	1.0	32.5	11.5	-45.9	47.4	284	0.217	0.0	1.0			
286	284	285	0.0	0.07	1.0	32.2	13.1	-45.5	47.4	286	0.0	0.088	1.0	32.5	11.5	-45.9	47.4	284	0.233	0.0	1.0	0.0	0.079	1.0	32.4	12.3	-45.7	47.4	285	0.233	0.0	1.0			
287	285	286	0.0	0.061	1.0	32.0	13.9	-45.3	47.5	287	0.0	0.079	1.0	32.4	12.3	-45.7	47.4	285	0.25	0.0	1.0	0.0	0.07	1.0	32.2	13.1	-45.5	47.4	286	0.25	0.0	1.0			
288	286	287	0.0	0.052	1.0	31.8	14.7	-45.0	47.5	288	0.0	0.07	1.0	32.2	13.1	-45.5	47.4	286	0.267	0.0	1.0	0.0	0.061	1.0	32.0	13.9	-45.3	47.5	287	0.267	0.0	1.0			
289	287	288	0.0	0.043	1.0	31.7	15.5	-44.8	47.5	2																									

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}			LAB* _{dd361Mix (x=LabCh)}			rgb* _{ds361Mi}			LAB* _{ds361Mix (x=LabCh)}			rgb* _{s50M}			rgb* _{de361Mi}			LAB* _{de361Mix (x=LabCh)}			rgb* _{e50M}			rgb* _{ad}	rgb* _{ds}	rgb* _{de}						
302	300	300	0.096	0.0	1.0	30.8	25.6	-40.9	48.4	302	0.073	0.0	1.0	30.8	24.1	-41.6	48.2	300	0.5	0.0	1.0	0.073	0.0	1.0	30.8	24.1	-41.6	48.2	300	0.5	0.0	1.0			
303	301	301	0.108	0.0	1.0	30.8	26.4	-40.6	48.5	303	0.085	0.0	1.0	30.8	24.9	-41.3	48.3	301	0.517	0.0	1.0	0.085	0.0	1.0	30.8	24.9	-41.3	48.3	301	0.517	0.0	1.0			
304	302	302	0.12	0.0	1.0	30.8	27.2	-40.2	48.6	304	0.096	0.0	1.0	30.8	25.6	-40.9	48.4	302	0.533	0.0	1.0	0.096	0.0	1.0	30.8	25.6	-40.9	48.4	302	0.533	0.0	1.0			
305	303	303	0.131	0.0	1.0	30.8	28.0	-39.8	48.7	305	0.108	0.0	1.0	30.8	26.4	-40.6	48.5	303	0.55	0.0	1.0	0.108	0.0	1.0	30.8	26.4	-40.6	48.5	303	0.55	0.0	1.0			
306	304	304	0.143	0.0	1.0	30.8	28.8	-39.5	48.9	306	0.12	0.0	1.0	30.8	27.2	-40.2	48.6	304	0.567	0.0	1.0	0.12	0.0	1.0	30.8	27.2	-40.2	48.6	304	0.567	0.0	1.0			
307	305	305	0.154	0.0	1.0	30.8	29.6	-39.1	49.1	307	0.131	0.0	1.0	30.8	28.0	-39.8	48.7	305	0.583	0.0	1.0	0.131	0.0	1.0	30.8	28.0	-39.8	48.7	305	0.583	0.0	1.0			
308	306	306	0.165	0.0	1.0	30.8	30.4	-38.8	49.3	308	0.143	0.0	1.0	30.8	28.8	-39.5	48.9	306	0.6	0.0	1.0	0.143	0.0	1.0	30.8	28.8	-39.5	48.9	306	0.6	0.0	1.0			
309	307	307	0.176	0.0	1.0	30.8	31.2	-38.4	49.5	309	0.154	0.0	1.0	30.8	29.6	-39.1	49.1	307	0.617	0.0	1.0	0.154	0.0	1.0	30.8	29.6	-39.1	49.1	307	0.617	0.0	1.0			
310	308	308	0.188	0.0	1.0	30.8	31.9	-38.0	49.7	310	0.165	0.0	1.0	30.8	30.4	-38.8	49.3	308	0.633	0.0	1.0	0.165	0.0	1.0	30.8	30.4	-38.8	49.3	308	0.633	0.0	1.0			
311	309	309	0.199	0.0	1.0	30.8	32.7	-37.6	49.9	311	0.176	0.0	1.0	30.8	31.2	-38.4	49.5	309	0.65	0.0	1.0	0.176	0.0	1.0	30.8	31.2	-38.4	49.5	309	0.65	0.0	1.0			
312	310	310	0.21	0.0	1.0	30.9	33.5	-37.1	50.1	312	0.188	0.0	1.0	30.8	31.9	-38.0	49.7	310	0.667	0.0	1.0	0.188	0.0	1.0	30.8	31.9	-38.0	49.7	310	0.667	0.0	1.0			
313	311	311	0.221	0.0	1.0	30.9	34.3	-36.7	50.3	313	0.199	0.0	1.0	30.8	32.7	-37.6	49.9	311	0.683	0.0	1.0	0.199	0.0	1.0	30.8	32.7	-37.6	49.9	311	0.683	0.0	1.0			
314	312	312	0.232	0.0	1.0	30.9	35.1	-36.2	50.5	314	0.21	0.0	1.0	30.9	33.5	-37.1	50.1	312	0.7	0.0	1.0	0.21	0.0	1.0	30.9	33.5	-37.1	50.1	312	0.7	0.0	1.0			
315	313	312	0.244	0.0	1.0	30.9	35.8	-35.7	50.7	315	0.221	0.0	1.0	30.9	34.3	-36.7	50.3	313	0.717	0.0	1.0	0.21	0.0	1.0	30.9	33.5	-37.1	50.1	312	0.717	0.0	1.0			
316	314	313	0.256	0.0	1.0	31.0	36.6	-35.2	50.9	316	0.232	0.0	1.0	30.9	35.1	-36.2	50.5	314	0.733	0.0	1.0	0.221	0.0	1.0	30.9	34.3	-36.7	50.3	313	0.733	0.0	1.0			
317	315	314	0.27	0.0	1.0	31.2	37.4	-34.8	51.1	317	0.244	0.0	1.0	30.9	35.8	-35.7	50.7	315	0.75	0.0	1.0	0.232	0.0	1.0	30.9	35.1	-36.2	50.5	314	0.75	0.0	1.0			
318	316	315	0.283	0.0	1.0	31.4	38.2	-34.3	51.4	318	0.256	0.0	1.0	31.0	36.6	-35.2	50.9	316	0.767	0.0	1.0	0.244	0.0	1.0	30.9	35.8	-35.7	50.7	315	0.767	0.0	1.0			
319	317	316	0.297	0.0	1.0	31.6	39.0	-33.8	51.6	319	0.27	0.0	1.0	31.2	37.4	-34.8	51.1	317	0.783	0.0	1.0	0.256	0.0	1.0	31.0	36.6	-35.2	50.9	316	0.783	0.0	1.0			
320	318	317	0.311	0.0	1.0	31.8	39.7	-33.3	51.9	320	0.283	0.0	1.0	31.4	38.2	-34.3	51.4	318	0.8	0.0	1.0	0.27	0.0	1.0	31.2	37.4	-34.8	51.1	317	0.8	0.0	1.0			
321	319	318	0.324	0.0	1.0	32.0	40.5	-32.7	52.1	321	0.297	0.0	1.0	31.6	39.0	-33.8	51.6	319	0.817	0.0	1.0	0.283	0.0	1.0	31.4	38.2	-34.3	51.4	318	0.817	0.0	1.0			
322	320	319	0.338	0.0	1.0	32.2	41.3	-32.2	52.4	322	0.311	0.0	1.0	31.8	39.7	-33.3	51.9	320	0.833	0.0	1.0	0.297	0.0	1.0	31.6	39.0	-33.8	51.6	319	0.833	0.0	1.0			
323	321	320	0.351	0.0	1.0	32.4	42.0	-31.6	52.6	323	0.324	0.0	1.0	32.0	40.5	-32.7	52.1	321	0.85	0.0	1.0	0.311	0.0	1.0	31.8	39.7	-33.3	51.9	320	0.85	0.0	1.0			
324	322	321	0.365	0.0	1.0	32.6	42.8	-31.0	52.9	324	0.338	0.0	1.0	32.2	41.3	-32.2	52.4	322	0.867	0.0	1.0	0.324	0.0	1.0	32.0	40.5	-32.7	52.1	321	0.867	0.0	1.0			
325	323	322	0.381	0.0	1.0	32.9	43.6	-30.4	53.2	325	0.351	0.0	1.0	32.4	42.0	-31.6	52.6	323	0.883	0.0	1.0	0.338	0.0	1.0	32.2	41.3	-32.2	52.4	322	0.883	0.0	1.0			
326	324	323	0.402	0.0	1.0	33.3	44.4	-29.9	53.6	326	0.365	0.0	1.0	32.6	42.8	-31.0	52.9	324	0.9	0.0	1.0	0.351	0.0	1.0	32.4	42.0	-31.6	52.6	323	0.9	0.0	1.0			
327	325	324	0.423	0.0	1.0	33.7	45.3	-29.3	54.0	327	0.381	0.0	1.0	32.9	43.6	-30.4	53.2	325	0.917	0.0	1.0	0.365	0.0	1.0	32.6	42.8	-31.0	52.9	324	0.917	0.0	1.0			
328	326	325	0.445	0.0	1.0	34.2	46.1	-28.7	54.3	328	0.402	0.0	1.0	33.3	44.4	-29.9	53.6	326	0.933	0.0	1.0	0.381	0.0	1.0	32.9	43.6	-30.4	53.2	325	0.933	0.0	1.0			
329	327	326	0.466	0.0	1.0	34.6	46.9	-28.1	54.7	329	0.423	0.0	1.0	33.7	45.3	-29.3	54.0	327	0.95	0.0	1.0	0.402	0.0	1.0	33.3	44.4	-29.9	53.6	326	0.95	0.0	1.0			
330	328	327	0.487	0.0	1.0	35.0	47.7	-27.5	55.1	330	0.445	0.0	1.0	34.2	46.1	-28.7	54.3	328	0.967	0.0	1.0	0.423	0.0	1.0	33.7	45.3	-29.3	54.0	327	0.967	0.0	1.0			
331	329	328	0.509	0.0	1.0	35.5	48.6	-26.8	55.6	331	0.466	0.0	1.0	34.6	46.9	-28.1	54.7	329	0.983	0.0	1.0	0.445	0.0	1.0	34.2	46.1	-28.7	54.3	328	0.983	0.0	1.0			
332	330	329	0.532	0.0	1.0	35.9	49.5	-26.2	56.1	332	0.487	0.0	1.0	35.0	47.7	-27.5	55.1	330	1.0	0.0	1.0M _s	0.466	0.0	1.0	34.6	46.9	-28.1	54.7	329	1.0	0.0	1.0M _e			
333	331	330	0.554	0.0	1.0	36.4	50.4	-25.6	56.6	333	0.509	0.0	1.0	35.5	48.6	-26.8	55.6	331	1.0	0.0	0.983	0.487	0.0	1.0	35.0	47.7	-27.5	55.1	330	1.0					

Data of Maximum color M in colorimetric system laser printer HRS16_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.4, 95.2, 152.9, 225.9, 293.8, 352.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361Mi		LAB* _{dd} 361Mix (x=LabCh)					rgb* _{ds} 361Mi		LAB* _{ds} 361Mix (x=LabCh)					rgb* _s 50M		rgb* _{de} 361Mi					LAB* _{de} 361Mix (x=LabCh)					rgb* _e 50M		rgb* _{dd}	rgb* _{ds}	rgb* _{de}		
347	345	343	0.876	0.0	1.0	43.2	64.5	-14.8	66.1	347	0.825	0.0	1.0	42.0	62.2	-16.6	64.4	345	1.0	0.0	0.75	0.775	0.0	1.0	40.8	59.9	-18.2	62.7	343	1.0	0.0	0.75			
348	346	344	0.898	0.0	1.0	43.9	65.6	-13.9	67.1	348	0.851	0.0	1.0	42.6	63.3	-15.7	65.3	346	1.0	0.0	0.733	0.8	0.0	1.0	41.4	61.1	-17.4	63.6	344	1.0	0.0	0.733			
349	347	345	0.92	0.0	1.0	44.6	66.8	-12.9	68.1	349	0.876	0.0	1.0	43.2	64.5	-14.8	66.1	347	1.0	0.0	0.717	0.825	0.0	1.0	42.0	62.2	-16.6	64.4	345	1.0	0.0	0.717			
350	348	346	0.942	0.0	1.0	45.2	68.0	-11.9	69.0	350	0.898	0.0	1.0	43.9	65.6	-13.9	67.1	348	1.0	0.0	0.7	0.851	0.0	1.0	42.6	63.3	-15.7	65.3	346	1.0	0.0	0.7			
351	349	347	0.965	0.0	1.0	45.9	69.1	-10.8	70.0	351	0.92	0.0	1.0	44.6	66.8	-12.9	68.1	349	1.0	0.0	0.683	0.876	0.0	1.0	43.2	64.5	-14.8	66.1	347	1.0	0.0	0.683			
352	350	348	0.987	0.0	1.0	46.6	70.2	-9.8	70.9	352	0.942	0.0	1.0	45.2	68.0	-11.9	69.0	350	1.0	0.0	0.667	0.898	0.0	1.0	43.9	65.6	-13.9	67.1	348	1.0	0.0	0.667			
353	351	349	1.0	0.0	0.983	46.9	71.0	-8.6	71.5	353	0.965	0.0	1.0	45.9	69.1	-10.8	70.0	351	1.0	0.0	0.65	0.92	0.0	1.0	44.6	66.8	-12.9	68.1	349	1.0	0.0	0.65			
354	352	349	1.0	0.0	0.94	46.8	71.2	-7.4	71.6	354	0.987	0.0	1.0	46.6	70.2	-9.8	70.9	352	1.0	0.0	0.633	0.92	0.0	1.0	44.6	66.8	-12.9	68.1	349	1.0	0.0	0.633			
355	353	350	1.0	0.0	0.897	46.6	71.4	-6.1	71.6	355	1.0	0.0	0.983	46.9	71.0	-8.6	71.5	353	1.0	0.0	0.617	0.942	0.0	1.0	45.2	68.0	-11.9	69.0	350	1.0	0.0	0.617			
356	354	351	1.0	0.0	0.865	46.5	71.4	-4.9	71.6	356	1.0	0.0	0.94	46.8	71.2	-7.4	71.6	354	1.0	0.0	0.6	0.965	0.0	1.0	45.9	69.1	-10.8	70.0	351	1.0	0.0	0.6			
357	355	352	1.0	0.0	0.845	46.5	71.3	-3.6	71.4	357	1.0	0.0	0.897	46.6	71.4	-6.1	71.6	355	1.0	0.0	0.583	0.987	0.0	1.0	46.6	70.2	-9.8	70.9	352	1.0	0.0	0.583			
358	356	353	1.0	0.0	0.825	46.5	71.1	-2.4	71.1	358	1.0	0.0	0.865	46.5	71.4	-4.9	71.6	356	1.0	0.0	0.567	1.0	0.0	0.983	46.9	71.0	-8.6	71.5	353	1.0	0.0	0.567			
359	357	354	1.0	0.0	0.804	46.6	70.9	-1.1	70.9	359	1.0	0.0	0.845	46.5	71.3	-3.6	71.4	357	1.0	0.0	0.55	1.0	0.0	0.94	46.8	71.2	-7.4	71.6	354	1.0	0.0	0.55			
0	358	355	1.0	0.0	0.784	46.6	70.7	0.0	70.7	0	1.0	0.0	0.825	46.5	71.1	-2.4	71.1	358	1.0	0.0	0.533	1.0	0.0	0.897	46.6	71.4	-6.1	71.6	355	1.0	0.0	0.533			
1	359	356	1.0	0.0	0.764	46.6	70.5	1.2	70.5	1	1.0	0.0	0.804	46.6	70.9	-1.1	70.9	359	1.0	0.0	0.517	1.0	0.0	0.865	46.5	71.4	-4.9	71.6	356	1.0	0.0	0.517			
2	360	357	1.0	0.0	0.744	46.6	70.2	2.5	70.3	2	1.0	0.0	0.784	46.6	70.7	0.0	70.7	0	1.0	0.0	0.5	1.0	0.0	0.845	46.5	71.3	-3.6	71.4	357	1.0	0.0	0.5			
3	361	358	1.0	0.0	0.725	46.6	70.0	3.7	70.1	3	1.0	0.0	0.764	46.6	70.5	1.2	70.5	1	1.0	0.0	0.483	1.0	0.0	0.825	46.5	71.1	-2.4	71.1	358	1.0	0.0	0.483			
4	362	359	1.0	0.0	0.707	46.6	69.7	4.9	69.9	4	1.0	0.0	0.744	46.6	70.2	2.5	70.3	2	1.0	0.0	0.467	1.0	0.0	0.804	46.6	70.9	-1.1	70.9	359	1.0	0.0	0.467			
5	363	360	1.0	0.0	0.688	46.6	69.4	6.1	69.7	5	1.0	0.0	0.725	46.6	70.0	3.7	70.1	3	1.0	0.0	0.45	1.0	0.0	0.784	46.6	70.7	0.0	70.7	0	1.0	0.0	0.45			
6	364	361	1.0	0.0	0.67	46.6	69.1	7.3	69.4	6	1.0	0.0	0.707	46.6	69.7	4.9	69.9	4	1.0	0.0	0.433	1.0	0.0	0.764	46.6	70.5	1.2	70.5	1	1.0	0.0	0.433			
7	365	362	1.0	0.0	0.652	46.6	68.7	8.4	69.2	7	1.0	0.0	0.688	46.6	69.4	6.1	69.7	5	1.0	0.0	0.417	1.0	0.0	0.744	46.6	70.2	2.5	70.3	2	1.0	0.0	0.417			
8	366	363	1.0	0.0	0.633	46.6	68.4	9.6	69.0	8	1.0	0.0	0.67	46.6	69.1	7.3	69.4	6	1.0	0.0	0.4	1.0	0.0	0.725	46.6	70.0	3.7	70.1	3	1.0	0.0	0.4			
9	367	364	1.0	0.0	0.612	46.6	68.0	10.8	68.9	9	1.0	0.0	0.652	46.6	68.7	8.4	69.2	7	1.0	0.0	0.383	1.0	0.0	0.707	46.6	69.7	4.9	69.9	4	1.0	0.0	0.383			
10	368	365	1.0	0.0	0.588	46.6	67.7	11.9	68.8	10	1.0	0.0	0.633	46.6	68.4	9.6	69.0	8	1.0	0.0	0.367	1.0	0.0	0.688	46.6	69.4	6.1	69.7	5	1.0	0.0	0.367			
11	369	366	1.0	0.0	0.564	46.5	67.4	13.1	68.6	11	1.0	0.0	0.612	46.6	68.0	10.8	68.9	9	1.0	0.0	0.35	1.0	0.0	0.67	46.6	69.1	7.3	69.4	6	1.0	0.0	0.35			
12	370	367	1.0	0.0	0.541	46.5	67.0	14.2	68.5	12	1.0	0.0	0.588	46.6	67.7	11.9	68.8	10	1.0	0.0	0.333	1.0	0.0	0.652	46.6	68.7	8.4	69.2	7	1.0	0.0	0.333			
13	371	367	1.0	0.0	0.517	46.5	66.7	15.4	68.4	13	1.0	0.0	0.564	46.5	67.4	13.1	68.6	11	1.0	0.0	0.317	1.0	0.0	0.652	46.6	68.7	8.4	69.2	7	1.0	0.0	0.317			
14	372	368	1.0	0.0	0.493	46.5	66.4	16.5	68.4	14	1.0	0.0	0.541	46.5	67.0	14.2	68.5	12	1.0	0.0	0.3	1.0	0.0	0.633	46.6	68.4	9.6	69.0	8	1.0	0.0	0.3			
15	373	369	1.0	0.0	0.47	46.5	66.2	17.8	68.6	15	1.0	0.0	0.517	46.5	66.7	15.4	68.4	13	1.0	0.0	0.283	1.0	0.0	0.612	46.6	68.0	10.8	68.9	9	1.0	0.0	0.283			
16	374	370	1.0	0.0	0.447	46.5	66.1	19.0	68.8	16	1.0	0.0	0.493	46.5	66.4	16.5	68.4	14	1.0	0.0	0.267	1.0	0.0	0.588	46.6	67.7	11.9	68.8	10	1.0	0.0	0.267			
17	375	371	1.0	0.0	0.423	46.5	65.9	20.2	68.9	17	1.0	0.0	0.47	46.5	66.2	17.8	68.6	15	1.0	0.0	0.25	1.0	0.0	0.564	46.5	67.4	13.1	68.6	11	1.0	0.0	0.25			
18	376	372	1.0	0.0	0.4	46.5	65.7	21.4	69.1	18	1.0	0.0	0.447	46.5	66.1	19.0	68.8	16	1.0	0.0	0.233	1.0	0.0	0.541	46.5	67.0	14.2	68.5	12	1.0	0.0	0.233			
19	377	373	1.0	0.0	0.377	46.5	65.5	22.6	69.3	19	1.0	0.0	0.423	46.5	65.9	20.2	68.9	17	1.0																