




Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 35.0, 92.6, 143.2, 226.7, 311.8, 337.2$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
- The values rgb^*_de produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $d: h_{ab,d} = 35.0, 92.6, 143.2, 226.7, 311.8, 337.2$; Six hue angles of the elementary colours $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$						$LAB^*_{dd361Mix}(x=LabCh)$						$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$						rgb^*_{s50M}			$rgb^*_{de361Mi}$						$LAB^*_{de361Mix}(x=LabCh)$						rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
34	30	25	1.0	0.0	0.006	34.6	59.8	40.3	72.2	34	R_d	1.0	0.0	0.033	34.7	61.1	35.3	70.5	30	1.0	0.0	0.0 R_s	1.0	0.0	0.066	34.8	62.1	29.0	68.5	25	1.0	0.0	0.0 R_e											
35	31	27	1.0	0.0	0.0	34.6	59.4	41.6	72.6	35		1.0	0.0	0.026	34.7	60.8	36.5	70.9	31	1.0	0.017	0.0	1.0	0.0	0.053	34.8	61.8	31.5	69.3	27	1.0	0.017	0.0											
36	32	28	1.0	0.014	0.0	35.4	58.7	42.6	72.5	36		1.0	0.0	0.02	34.6	60.5	37.8	71.3	32	1.0	0.033	0.0	1.0	0.0	0.046	34.8	61.6	32.7	69.7	28	1.0	0.033	0.0											
37	33	29	1.0	0.027	0.0	36.3	57.9	43.6	72.5	37		1.0	0.0	0.013	34.6	60.2	39.1	71.7	33	1.0	0.05	0.0	1.0	0.0	0.04	34.7	61.3	34.0	70.1	29	1.0	0.05	0.0											
38	34	30	1.0	0.041	0.0	37.1	57.1	44.6	72.5	38		1.0	0.0	0.006	34.6	59.8	40.3	72.2	34	1.0	0.067	0.0	1.0	0.0	0.033	34.7	61.1	35.3	70.5	30	1.0	0.067	0.0											
39	35	31	1.0	0.055	0.0	37.9	56.3	45.6	72.5	39		1.0	0.0	0.0	34.6	59.4	41.6	72.6	35	1.0	0.083	0.0	1.0	0.0	0.026	34.7	60.8	36.5	70.9	31	1.0	0.083	0.0											
40	36	32	1.0	0.068	0.0	38.8	55.5	46.6	72.5	40		1.0	0.014	0.0	35.4	58.7	42.6	72.5	36	1.0	0.1	0.0	1.0	0.0	0.02	34.6	60.5	37.8	71.3	32	1.0	0.1	0.0											
41	37	33	1.0	0.082	0.0	39.6	54.7	47.5	72.4	41		1.0	0.027	0.0	36.3	57.9	43.6	72.5	37	1.0	0.117	0.0	1.0	0.0	0.013	34.6	60.2	39.1	71.7	33	1.0	0.117	0.0											
42	38	34	1.0	0.096	0.0	40.5	53.8	48.5	72.4	42		1.0	0.041	0.0	37.1	57.1	44.6	72.5	38	1.0	0.133	0.0	1.0	0.0	0.006	34.6	59.8	40.3	72.2	34	1.0	0.133	0.0											
43	39	36	1.0	0.109	0.0	41.3	53.0	49.4	72.4	43		1.0	0.055	0.0	37.9	56.3	45.6	72.5	39	1.0	0.15	0.0	1.0	0.014	0.0	35.4	58.7	42.6	72.5	36	1.0	0.15	0.0											
44	40	37	1.0	0.123	0.0	42.2	52.1	50.3	72.4	44		1.0	0.068	0.0	38.8	55.5	46.6	72.5	40	1.0	0.167	0.0	1.0	0.027	0.0	36.3	57.9	43.6	72.5	37	1.0	0.167	0.0											
45	41	38	1.0	0.134	0.0	42.9	51.2	51.2	72.5	45		1.0	0.082	0.0	39.6	54.7	47.5	72.4	41	1.0	0.183	0.0	1.0	0.041	0.0	37.1	57.1	44.6	72.5	38	1.0	0.183	0.0											
46	42	39	1.0	0.145	0.0	43.6	50.4	52.2	72.5	46		1.0	0.096	0.0	40.5	53.8	48.5	72.4	42	1.0	0.2	0.0	1.0	0.055	0.0	37.9	56.3	45.6	72.5	39	1.0	0.2	0.0											
47	43	40	1.0	0.156	0.0	44.3	49.5	53.1	72.6	47		1.0	0.109	0.0	41.3	53.0	49.4	72.4	43	1.0	0.217	0.0	1.0	0.068	0.0	38.8	55.5	46.6	72.5	40	1.0	0.217	0.0											
48	44	41	1.0	0.166	0.0	45.1	48.6	54.0	72.7	48		1.0	0.123	0.0	42.2	52.1	50.3	72.4	44	1.0	0.233	0.0	1.0	0.082	0.0	39.6	54.7	47.5	72.4	41	1.0	0.233	0.0											
49	45	42	1.0	0.177	0.0	45.8	47.7	54.9	72.7	49		1.0	0.134	0.0	42.9	51.2	51.2	72.5	45	1.0	0.25	0.0	1.0	0.096	0.0	40.5	53.8	48.5	72.4	42	1.0	0.25	0.0											
50	46	43	1.0	0.188	0.0	46.5	46.8	55.8	72.8	50		1.0	0.145	0.0	43.6	50.4	52.2	72.5	46	1.0	0.267	0.0	1.0	0.109	0.0	41.3	53.0	49.4	72.4	43	1.0	0.267	0.0											
51	47	44	1.0	0.199	0.0	47.2	45.9	56.6	72.9	51		1.0	0.156	0.0	44.3	49.5	53.1	72.6	47	1.0	0.283	0.0	1.0	0.123	0.0	42.2	52.1	50.3	72.4	44	1.0	0.283	0.0											
52	48	46	1.0	0.209	0.0	47.9	44.9	57.5	72.9	52		1.0	0.166	0.0	45.1	48.6	54.0	72.7	48	1.0	0.3	0.0	1.0	0.145	0.0	43.6	50.4	52.2	72.5	46	1.0	0.3	0.0											
53	49	47	1.0	0.22	0.0	48.6	43.9	58.3	73.0	53		1.0	0.177	0.0	45.8	47.7	54.9	72.7	49	1.0	0.317	0.0	1.0	0.156	0.0	44.3	49.5	53.1	72.6	47	1.0	0.317	0.0											
54	50	48	1.0	0.231	0.0	49.4	42.9	59.1	73.1	54		1.0	0.188	0.0	46.5	46.8	55.8	72.8	50	1.0	0.333	0.0	1.0	0.166	0.0	45.1	48.6	54.0	72.7	48	1.0	0.333	0.0											
55	51	49	1.0	0.242	0.0	50.1	41.9	59.9	73.1	55		1.0	0.199	0.0	47.2	45.9	56.6	72.9	51	1.0	0.35	0.0	1.0	0.177	0.0	45.8	47.7	54.9	72.7	49	1.0	0.35	0.0											
56	52	50	1.0	0.253	0.0	50.8	41.0	60.7	73.3	56		1.0	0.209	0.0	47.9	44.9	57.5	72.9	52	1.0	0.367	0.0	1.0	0.188	0.0	46.5	46.8	55.8	72.8	50	1.0	0.367	0.0											
57	53	51	1.0	0.264	0.0	51.5	40.1	61.7	73.6	57		1.0	0.22	0.0	48.6	43.9	58.3	73.0	53	1.0	0.383	0.0	1.0	0.199	0.0	47.2	45.9	56.6	72.9	51	1.0	0.383	0.0											
58	54	52	1.0	0.276	0.0	52.2	39.2	62.7	73.9	58		1.0	0.231	0.0	49.4	42.9	59.1	73.1	54	1.0	0.4	0.0	1.0	0.209	0.0	47.9	44.9	57.5	72.9	52	1.0	0.4	0.0											
59	55	53	1.0	0.287	0.0	52.9	38.2	63.6	74.2	59		1.0	0.242	0.0	50.1	41.9	59.9	73.1	55	1.0	0.417	0.0	1.0	0.22	0.0	48.6	43.9	58.3	73.0	53	1.0	0.417	0.0											
60	56	54	1.0	0.299	0.0	53.7	37.3	64.5	74.5	60		1.0	0.253	0.0	50.8	41.0	60.7	73.3	56	1.0	0.433	0.0	1.0	0.231	0.0	49.4	42.9	59.1	73.1	54	1.0	0.433	0.0											
61	57	56	1.0	0.31	0.0	54.4	36.3	65.5	74.9	61		1.0	0.264	0.0	51.5	40.1	61.7	73.6	57	1.0	0.45	0.0	1.0	0.253	0.0	50.8	41.0	60.7	73.3	56	1.0	0.45	0.0											
62	58	57	1.0	0.322	0.0	55.1	35.3	66.4	75.2	62		1.0	0.276	0.0	52.2	39.2	62.7	73.9	58	1.0	0.467	0.0	1.0	0.264	0.0	51.5	40.1	61.7	73.6	57	1.0	0.467	0.0											
63	59	58	1.0	0.333	0.0	55.8	34.3	67.3	75.5	63		1.0	0.287	0.0	52.9	38.2	63.6	74.2	59	1.0	0.483	0.0	1.0	0.276	0.0	52.2	39.2	62.7	73.9	58	1.0	0.483	0.0											
64	60	59	1.0	0.345	0.0	56.5	33.2	68.1	75.8	64		1.0	0.299	0.0	53.7	37.3	64.5	74.5	60	1.0	0.5	0.0	1.0	0.287	0.0	52.9	38.2	63.6	74.2	59	1.0	0.5	0.0											
65	61	60	1.0	0.356	0.0	57.2	32.2	69.0	76.1	65		1.0	0.31	0.0	54.4	36.3	65.5	74.9	61	1.0	0.517	0.0	1.0	0.299	0.0	53.7	37.3	64.5	74.5	60	1.0	0.517	0.0											
66	62	61	1.0	0.368	0.0	58.0	31.1	69.8	76.4	66		1.0	0.322	0.0	55.1	35.3	66.4	75.2	62	1.0	0.533	0.0	1.0	0.31	0.0	54.4	36.3	65.5	74.9	61	1.0	0.533	0.0											
67	63	62	1.0	0.379	0.0	58.7	30.0	70.8	76.9	67		1.0	0.333	0.0	55.8	34.3	67.3	75.5	63	1.0	0.55	0.0	1.0	0.322	0.0	55.1	35.3	66.4	75.2	62	1.0	0.55	0.0											
68	64	63	1.0	0.392	0.0	59.5	29.1	71.9	77.6	68		1.0	0.345	0.0	56.5	33.2	68.1	75.8	64	1.0	0.567	0.0	1.0	0.333	0.0	55.8	34.3	67.3	75.5	63	1.0	0.567	0.0											
69	65	64	1.0	0.404	0.0	60.3	28.0	73.0	78.2	69		1.0	0.356	0.0	57.2	32.2	69.0	76.1	65	1.0	0.583	0.0	1.0	0.345	0.0	56.5	33.2	68.1	75.8	64	1.0	0.583	0.0											
70	66	66	1.0	0.416	0.0	61.1	27.0	74.2	78.9	70		1.0	0.368	0.0	58.0	31.1	69.8	76.4	66	1.0	0.6	0.0	1.0	0.368	0.0	58.0	31.1	69.8	76.4	66	1.0	0.6	0.0											
71	67	67	1.0	0.429	0.0	61.9	25.9	75.3	79.6	71		1.0	0.379	0.0	58.7	30.0	70.8	76.9	67	1.0	0.617	0.0	1.0	0.379	0.0	58.7	30.0	70.8	76.9	67	1.0	0.617	0.0											
72	68	68	1.0	0.441	0.0	62.7	24.8	76.3	80.3	72		1.0	0.392	0.0	59.5	29.1	71.9	77.6	68	1.0	0.633	0.0	1.0	0.392	0.0	59.5	29.1	71.9	77.6	68	1.0	0.633	0.0											
73	69	69	1.0	0.454	0.0	63.5	23.7	77.4	80.9	73		1.0																																

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours d : $h_{ab,d} = 35.0, 92.6, 143.2, 226.7, 311.8, 337.2$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{ds}dd361Mi$						$LAB^*_{ds}dd361Mix(x=LabCh)$						$rgb^*_{ds}361Mi$			$LAB^*_{ds}361Mix(x=LabCh)$						rgb^*_{s50M}			$rgb^*_{de}361Mi$						$LAB^*_{de}361Mix(x=LabCh)$						rgb^*_{e50M}			rgb^*_{d}	rgb^*_{s}	rgb^*_{e}
79	75	76	1.0	0.54	0.0	68.7	16.4	84.4	86.0	79	1.0	0.478	0.0	65.1	21.3	79.5	82.3	75	1.0	0.75	0.0	1.0	0.491	0.0	65.9	20.1	80.5	83.0	76	1.0	0.75	0.0												
80	76	77	1.0	0.557	0.0	69.6	15.1	85.7	87.1	80	1.0	0.491	0.0	65.9	20.1	80.5	83.0	76	1.0	0.767	0.0	1.0	0.504	0.0	66.7	18.8	81.6	83.7	77	1.0	0.767	0.0												
81	77	78	1.0	0.575	0.0	70.6	13.8	87.1	88.2	81	1.0	0.504	0.0	66.7	18.8	81.6	83.7	77	1.0	0.783	0.0	1.0	0.522	0.0	67.7	17.6	83.0	84.9	78	1.0	0.783	0.0												
82	78	79	1.0	0.593	0.0	71.6	12.4	88.4	89.3	82	1.0	0.522	0.0	67.7	17.6	83.0	84.9	78	1.0	0.8	0.0	1.0	0.54	0.0	68.7	16.4	84.4	86.0	79	1.0	0.8	0.0												
83	79	80	1.0	0.61	0.0	72.6	11.0	89.7	90.4	83	1.0	0.54	0.0	68.7	16.4	84.4	86.0	79	1.0	0.817	0.0	1.0	0.557	0.0	69.6	15.1	85.7	87.1	80	1.0	0.817	0.0												
84	80	81	1.0	0.629	0.0	73.6	9.6	91.1	91.6	84	1.0	0.557	0.0	69.6	15.1	85.7	87.1	80	1.0	0.833	0.0	1.0	0.575	0.0	70.6	13.8	87.1	88.2	81	1.0	0.833	0.0												
85	81	82	1.0	0.654	0.0	74.7	8.1	92.8	93.1	85	1.0	0.575	0.0	70.6	13.8	87.1	88.2	81	1.0	0.85	0.0	1.0	0.593	0.0	71.6	12.4	88.4	89.3	82	1.0	0.85	0.0												
86	82	83	1.0	0.678	0.0	75.9	6.6	94.5	94.7	86	1.0	0.593	0.0	71.6	12.4	88.4	89.3	82	1.0	0.867	0.0	1.0	0.61	0.0	72.6	11.0	89.7	90.4	83	1.0	0.867	0.0												
87	83	85	1.0	0.703	0.0	77.1	5.0	96.1	96.2	87	1.0	0.61	0.0	72.6	11.0	89.7	90.4	83	1.0	0.883	0.0	1.0	0.654	0.0	74.7	8.1	92.8	93.1	85	1.0	0.883	0.0												
88	84	86	1.0	0.728	0.0	78.2	3.4	97.7	97.8	88	1.0	0.629	0.0	73.6	9.6	91.1	91.6	84	1.0	0.9	0.0	1.0	0.678	0.0	75.9	6.6	94.5	94.7	86	1.0	0.9	0.0												
89	85	87	1.0	0.753	0.0	79.4	1.7	99.4	99.4	89	1.0	0.654	0.0	74.7	8.1	92.8	93.1	85	1.0	0.917	0.0	1.0	0.703	0.0	77.1	5.0	96.1	96.2	87	1.0	0.917	0.0												
90	86	88	1.0	0.788	0.0	80.8	0.0	101.5	101.5	90	1.0	0.678	0.0	75.9	6.6	94.5	94.7	86	1.0	0.933	0.0	1.0	0.728	0.0	78.2	3.4	97.7	97.8	88	1.0	0.933	0.0												
91	87	89	1.0	0.824	0.0	82.2	-1.7	103.5	103.5	91	1.0	0.703	0.0	77.1	5.0	96.1	96.2	87	1.0	0.95	0.0	1.0	0.753	0.0	79.4	1.7	99.4	99.4	89	1.0	0.95	0.0												
92	88	90	1.0	0.859	0.0	83.5	-3.6	105.5	105.6	92	1.0	0.728	0.0	78.2	3.4	97.7	97.8	88	1.0	0.967	0.0	1.0	0.788	0.0	80.8	0.0	101.5	101.5	90	1.0	0.967	0.0												
93	89	91	0.883	1.0	0.0	83.8	-5.5	106.2	106.3	93	1.0	0.753	0.0	79.4	1.7	99.4	99.4	89	1.0	0.983	0.0	1.0	0.824	0.0	82.2	-1.7	103.5	103.5	91	1.0	0.983	0.0												
94	90	92	0.854	1.0	0.0	83.1	-7.2	105.1	105.3	94	1.0	0.788	0.0	80.8	0.0	101.5	101.5	90	1.0	1.0	0.0	1.0	0.859	0.0	83.5	-3.6	105.5	105.6	92	1.0	1.0	0.0												
95	91	93	0.833	1.0	0.0	82.4	-9.0	104.0	104.4	95	1.0	0.824	0.0	82.2	-1.7	103.5	103.5	91	0.983	1.0	0.0	0.883	1.0	0.0	83.8	-5.5	106.2	106.3	93	0.983	1.0	0.0												
96	92	95	0.812	1.0	0.0	81.6	-10.7	102.9	103.4	96	1.0	0.859	0.0	83.5	-3.6	105.5	105.6	92	0.967	1.0	0.0	0.833	1.0	0.0	82.4	-9.0	104.0	104.4	95	0.967	1.0	0.0												
97	93	96	0.79	1.0	0.0	80.9	-12.4	101.7	102.5	97	0.883	1.0	0.0	83.8	-5.5	106.2	106.3	93	0.95	1.0	0.0	0.812	1.0	0.0	81.6	-10.7	102.9	103.4	96	0.95	1.0	0.0												
98	94	97	0.769	1.0	0.0	80.1	-14.0	100.5	101.5	98	0.854	1.0	0.0	83.1	-7.2	105.1	105.3	94	0.933	1.0	0.0	0.79	1.0	0.0	80.9	-12.4	101.7	102.5	97	0.933	1.0	0.0												
99	95	98	0.748	1.0	0.0	79.4	-15.6	99.4	100.6	99	0.833	1.0	0.0	82.4	-9.0	104.0	104.4	95	0.917	1.0	0.0	0.769	1.0	0.0	80.1	-14.0	100.5	101.5	98	0.917	1.0	0.0												
100	96	99	0.733	1.0	0.0	78.6	-17.2	98.2	99.7	100	0.812	1.0	0.0	81.6	-10.7	102.9	103.4	96	0.9	1.0	0.0	0.748	1.0	0.0	79.4	-15.6	99.4	100.6	99	0.9	1.0	0.0												
101	97	100	0.718	1.0	0.0	77.8	-18.8	97.1	98.9	101	0.79	1.0	0.0	80.9	-12.4	101.7	102.5	97	0.883	1.0	0.0	0.733	1.0	0.0	78.6	-17.2	98.2	99.7	100	0.883	1.0	0.0												
102	98	102	0.703	1.0	0.0	77.0	-20.3	95.9	98.0	102	0.769	1.0	0.0	80.1	-14.0	100.5	101.5	98	0.867	1.0	0.0	0.703	1.0	0.0	77.0	-20.3	95.9	98.0	102	0.867	1.0	0.0												
103	99	103	0.687	1.0	0.0	76.2	-21.8	94.7	97.2	103	0.748	1.0	0.0	79.4	-15.6	99.4	100.6	99	0.85	1.0	0.0	0.687	1.0	0.0	76.2	-21.8	94.7	97.2	103	0.85	1.0	0.0												
104	100	104	0.672	1.0	0.0	75.4	-23.2	93.5	96.3	104	0.733	1.0	0.0	78.6	-17.2	98.2	99.7	100	0.833	1.0	0.0	0.672	1.0	0.0	75.4	-23.2	93.5	96.3	104	0.833	1.0	0.0												
105	101	105	0.657	1.0	0.0	74.6	-24.6	92.2	95.5	105	0.718	1.0	0.0	77.8	-18.8	97.1	98.9	101	0.817	1.0	0.0	0.657	1.0	0.0	74.6	-24.6	92.2	95.5	105	0.817	1.0	0.0												
106	102	106	0.641	1.0	0.0	73.8	-26.0	91.0	94.6	106	0.703	1.0	0.0	77.0	-20.3	95.9	98.0	102	0.8	1.0	0.0	0.641	1.0	0.0	73.8	-26.0	91.0	94.6	106	0.8	1.0	0.0												
107	103	107	0.626	1.0	0.0	73.0	-27.3	89.7	93.8	107	0.687	1.0	0.0	76.2	-21.8	94.7	97.2	103	0.783	1.0	0.0	0.626	1.0	0.0	73.0	-27.3	89.7	93.8	107	0.783	1.0	0.0												
108	104	109	0.611	1.0	0.0	72.2	-28.7	88.5	93.1	108	0.672	1.0	0.0	75.4	-23.2	93.5	96.3	104	0.767	1.0	0.0	0.595	1.0	0.0	71.4	-30.0	87.3	92.4	109	0.767	1.0	0.0												
109	105	110	0.595	1.0	0.0	71.4	-30.0	87.3	92.4	109	0.657	1.0	0.0	74.6	-24.6	92.2	95.5	105	0.75	1.0	0.0	0.579	1.0	0.0	70.6	-31.3	86.2	91.7	110	0.75	1.0	0.0												
110	106	111	0.579	1.0	0.0	70.6	-31.3	86.2	91.7	110	0.641	1.0	0.0	73.8	-26.0	91.0	94.6	106	0.733	1.0	0.0	0.564	1.0	0.0	69.8	-32.5	84.9	91.0	111	0.733	1.0	0.0												
111	107	112	0.564	1.0	0.0	69.8	-32.5	84.9	91.0	111	0.626	1.0	0.0	73.0	-27.3	89.7	93.8	107	0.717	1.0	0.0	0.548	1.0	0.0	69.0	-33.7	83.7	90.3	112	0.717	1.0	0.0												
112	108	113	0.548	1.0	0.0	69.0	-33.7	83.7	90.3	112	0.611	1.0	0.0	72.2	-28.7	88.5	93.1	108	0.7	1.0	0.0	0.533	1.0	0.0	68.2	-34.9	82.5	89.6	113	0.7	1.0	0.0												
113	109	114	0.533	1.0	0.0	68.2	-34.9	82.5	89.6	113	0.595	1.0	0.0	71.4	-30.0	87.3	92.4	109	0.683	1.0	0.0	0.517	1.0	0.0	67.4	-36.1	81.2	88.9	114	0.683	1.0	0.0												
114	110	116	0.517	1.0	0.0	67.4	-36.1	81.2	88.9	114	0.579	1.0	0.0	70.6	-31.3	86.2	91.7	110	0.667	1.0	0.0	0.485	1.0	0.0	65.8	-38.4	78.8	87.7	116	0.667	1.0	0.0												
115	111	117	0.502	1.0	0.0	66.6	-37.2	80.0	88.2	115	0.564	1.0	0.0	69.8	-32.5	84.9	91.0	111	0.65	1.0	0.0	0.468	1.0	0.0	65.1	-39.5	77.7	87.3	117	0.65	1.0	0.0												
116	112	118	0.485	1.0	0.0	65.8	-38.4	78.8	87.7	116	0.548	1.0	0.0	69.0	-33.7	83.7	90.3	112	0.633	1.0	0.0	0.45	1.0	0.0	64.3	-40.6	76.6	86.8	118	0.633	1.0	0.0												
117	113	119	0.468	1.0	0.0	65.1	-39.5	77.7	87.3	117	0.533	1.0	0.0	68.2	-34.9	82.5	89.6	113	0.617	1.0	0.0	0.433	1.0	0.0	63.6	-41.7	75.5	86.3	119	0.617	1.0	0.0												
118	114	120	0.45	1.0	0.0	64.3	-40.6	76.6	86.8	118	0.517	1.0	0.0	67.4																														




Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																									
Six hue angles of the device colours d : $h_{ab,d} = 35.0, 92.6, 143.2, 226.7, 311.8, 337.2$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{db} dd361Mi						LAB^* dd361Mix (x=LabCh)						rgb^*_{db} ds361Mi			LAB^* ds361Mix (x=LabCh)						rgb^*_{db} s50M			rgb^*_{db} de361Mi			LAB^* de361Mix (x=LabCh)						rgb^*_{db} e50M			rgb^*_d	rgb^*_s	rgb^*_e
124	120	127	0.345	1.0	0.0	59.8	-47.0	69.8	84.2	124	0.416	1.0	0.0	62.8	-42.8	74.3	85.8	120	0.5	1.0	0.0	0.289	1.0	0.0	57.6	-50.0	66.5	83.3	127	0.5	1.0	0.0									
125	121	128	0.326	1.0	0.0	59.1	-48.0	68.7	83.9	125	0.399	1.0	0.0	62.1	-43.9	73.2	85.4	121	0.483	1.0	0.0	0.27	1.0	0.0	56.9	-51.0	65.4	83.0	128	0.483	1.0	0.0									
126	122	130	0.308	1.0	0.0	58.4	-49.0	67.6	83.6	126	0.382	1.0	0.0	61.3	-44.9	72.0	84.9	122	0.467	1.0	0.0	0.234	1.0	0.0	55.3	-52.9	63.1	82.4	130	0.467	1.0	0.0									
127	123	131	0.289	1.0	0.0	57.6	-50.0	66.5	83.3	127	0.364	1.0	0.0	60.6	-45.9	70.9	84.5	123	0.45	1.0	0.0	0.217	1.0	0.0	54.5	-53.8	62.0	82.1	131	0.45	1.0	0.0									
128	124	132	0.27	1.0	0.0	56.9	-51.0	65.4	83.0	128	0.345	1.0	0.0	59.8	-47.0	69.8	84.2	124	0.433	1.0	0.0	0.2	1.0	0.0	53.6	-54.7	60.8	81.9	132	0.433	1.0	0.0									
129	125	133	0.252	1.0	0.0	56.1	-52.0	64.3	82.7	129	0.326	1.0	0.0	59.1	-48.0	68.7	83.9	125	0.417	1.0	0.0	0.183	1.0	0.0	52.8	-55.5	59.7	81.6	133	0.417	1.0	0.0									
130	126	134	0.234	1.0	0.0	55.3	-52.9	63.1	82.4	130	0.308	1.0	0.0	58.4	-49.0	67.6	83.6	126	0.4	1.0	0.0	0.166	1.0	0.0	51.9	-56.4	58.5	81.3	134	0.4	1.0	0.0									
131	127	135	0.217	1.0	0.0	54.5	-53.8	62.0	82.1	131	0.289	1.0	0.0	57.6	-50.0	66.5	83.3	127	0.383	1.0	0.0	0.149	1.0	0.0	51.1	-57.2	57.3	81.0	135	0.383	1.0	0.0									
132	128	137	0.2	1.0	0.0	53.6	-54.7	60.8	81.9	132	0.27	1.0	0.0	56.9	-51.0	65.4	83.0	128	0.367	1.0	0.0	0.114	1.0	0.0	49.3	-58.7	54.8	80.4	137	0.367	1.0	0.0									
133	129	138	0.183	1.0	0.0	52.8	-55.5	59.7	81.6	133	0.252	1.0	0.0	56.1	-52.0	64.3	82.7	129	0.35	1.0	0.0	0.096	1.0	0.0	48.4	-59.4	53.6	80.1	138	0.35	1.0	0.0									
134	130	139	0.166	1.0	0.0	51.9	-56.4	58.5	81.3	134	0.234	1.0	0.0	55.3	-52.9	63.1	82.4	130	0.333	1.0	0.0	0.077	1.0	0.0	47.5	-60.1	52.3	79.7	139	0.333	1.0	0.0									
135	131	140	0.149	1.0	0.0	51.1	-57.2	57.3	81.0	135	0.217	1.0	0.0	54.5	-53.8	62.0	82.1	131	0.317	1.0	0.0	0.059	1.0	0.0	46.6	-60.7	51.0	79.4	140	0.317	1.0	0.0									
136	132	141	0.132	1.0	0.0	50.2	-58.0	56.1	80.7	136	0.2	1.0	0.0	53.6	-54.7	60.8	81.9	132	0.3	1.0	0.0	0.041	1.0	0.0	45.7	-61.3	49.7	79.0	141	0.3	1.0	0.0									
137	133	142	0.114	1.0	0.0	49.3	-58.7	54.8	80.4	137	0.183	1.0	0.0	52.8	-55.5	59.7	81.6	133	0.283	1.0	0.0	0.022	1.0	0.0	44.8	-61.9	48.5	78.7	142	0.283	1.0	0.0									
138	134	144	0.096	1.0	0.0	48.4	-59.4	53.6	80.1	138	0.166	1.0	0.0	51.9	-56.4	58.5	81.3	134	0.267	1.0	0.0	0.0	1.0	0.008	43.8	-62.7	45.6	77.6	144	0.267	1.0	0.0									
139	135	145	0.077	1.0	0.0	47.5	-60.1	52.3	79.7	139	0.149	1.0	0.0	51.1	-57.2	57.3	81.0	135	0.25	1.0	0.0	0.0	1.0	0.018	44.0	-62.7	44.0	76.7	145	0.25	1.0	0.0									
140	136	146	0.059	1.0	0.0	46.6	-60.7	51.0	79.4	140	0.132	1.0	0.0	50.2	-58.0	56.1	80.7	136	0.233	1.0	0.0	0.0	1.0	0.028	44.2	-62.8	42.4	75.8	146	0.233	1.0	0.0									
141	137	147	0.041	1.0	0.0	45.7	-61.3	49.7	79.0	141	0.114	1.0	0.0	49.3	-58.7	54.8	80.4	137	0.217	1.0	0.0	0.0	1.0	0.039	44.4	-62.8	40.8	75.0	147	0.217	1.0	0.0									
142	138	148	0.022	1.0	0.0	44.8	-61.9	48.5	78.7	142	0.096	1.0	0.0	48.4	-59.4	53.6	80.1	138	0.2	1.0	0.0	0.0	1.0	0.049	44.5	-62.7	39.3	74.1	148	0.2	1.0	0.0									
143	139	149	0.004	1.0	0.0	43.9	-62.5	47.2	78.4	143	0.077	1.0	0.0	47.5	-60.1	52.3	79.7	139	0.183	1.0	0.0	0.0	1.0	0.059	44.7	-62.6	37.7	73.2	149	0.183	1.0	0.0									
144	140	151	0.0	1.0	0.008	43.8	-62.7	45.6	77.6	144	0.059	1.0	0.0	46.6	-60.7	51.0	79.4	140	0.167	1.0	0.0	0.0	1.0	0.079	45.1	-62.4	34.6	71.4	151	0.167	1.0	0.0									
145	141	152	0.0	1.0	0.018	44.0	-62.7	44.0	76.7	145	0.041	1.0	0.0	45.7	-61.3	49.7	79.0	141	0.15	1.0	0.0	0.0	1.0	0.089	45.2	-62.2	33.1	70.6	152	0.15	1.0	0.0									
146	142	153	0.0	1.0	0.028	44.2	-62.8	42.4	75.8	146	0.022	1.0	0.0	44.8	-61.9	48.5	78.7	142	0.133	1.0	0.0	0.0	1.0	0.1	45.4	-62.0	31.6	69.7	153	0.133	1.0	0.0									
147	143	154	0.0	1.0	0.039	44.4	-62.8	40.8	75.0	147	0.004	1.0	0.0	43.9	-62.5	47.2	78.4	143	0.117	1.0	0.0	0.0	1.0	0.11	45.6	-61.7	30.2	68.8	154	0.117	1.0	0.0									
148	144	155	0.0	1.0	0.049	44.5	-62.7	39.3	74.1	148	0.0	1.0	0.008	43.8	-62.7	45.6	77.6	144	0.1	1.0	0.0	0.0	1.0	0.12	45.7	-61.5	28.7	67.9	155	0.1	1.0	0.0									
149	145	156	0.0	1.0	0.059	44.7	-62.6	37.7	73.2	149	0.0	1.0	0.018	44.0	-62.7	44.0	76.7	145	0.083	1.0	0.0	0.0	1.0	0.132	45.9	-61.2	27.3	67.1	156	0.083	1.0	0.0									
150	146	158	0.0	1.0	0.069	44.9	-62.5	36.2	72.3	150	0.0	1.0	0.028	44.2	-62.8	42.4	75.8	146	0.067	1.0	0.0	0.0	1.0	0.158	46.2	-60.6	24.5	65.5	158	0.067	1.0	0.0									
151	147	159	0.0	1.0	0.079	45.1	-62.4	34.6	71.4	151	0.0	1.0	0.039	44.4	-62.8	40.8	75.0	147	0.05	1.0	0.0	0.0	1.0	0.171	46.3	-60.3	23.2	64.7	159	0.05	1.0	0.0									
152	148	160	0.0	1.0	0.089	45.2	-62.2	33.1	70.6	152	0.0	1.0	0.049	44.5	-62.7	39.3	74.1	148	0.033	1.0	0.0	0.0	1.0	0.184	46.5	-59.9	21.8	63.9	160	0.033	1.0	0.0									
153	149	161	0.0	1.0	0.1	45.4	-62.0	31.6	69.7	153	0.0	1.0	0.059	44.7	-62.6	37.7	73.2	149	0.017	1.0	0.0	0.0	1.0	0.197	46.6	-59.5	20.5	63.1	161	0.017	1.0	0.0									
154	150	162	0.0	1.0	0.11	45.6	-61.7	30.2	68.8	154	0.0	1.0	0.069	44.9	-62.5	36.2	72.3	150	0.0	1.0	0.0	0.0	1.0	0.21	46.8	-59.1	19.2	62.2	162	0.0	1.0	0.0	0.0	0.0	0.0						
155	151	163	0.0	1.0	0.12	45.7	-61.5	28.7	67.9	155	0.0	1.0	0.079	45.1	-62.4	34.6	71.4	151	0.0	1.0	0.017	0.0	1.0	0.224	46.9	-58.7	18.0	61.4	163	0.0	1.0	0.017									
156	152	164	0.0	1.0	0.132	45.9	-61.2	27.3	67.1	156	0.0	1.0	0.089	45.2	-62.2	33.1	70.6	152	0.0	1.0	0.033	0.0	1.0	0.237	47.1	-58.2	16.7	60.6	164	0.0	1.0	0.033									
157	153	165	0.0	1.0	0.145	46.1	-60.9	25.9	66.3	157	0.0	1.0	0.1	45.4	-62.0	31.6	69.7	153	0.0	1.0	0.05	0.0	1.0	0.25	47.2	-57.7	15.5	59.8	165	0.0	1.0	0.05									
158	154	166	0.0	1.0	0.158	46.2	-60.6	24.5	65.5	158	0.0	1.0	0.11	45.6	-61.7	30.2	68.8	154	0.0	1.0	0.067	0.0	1.0	0.262	47.3	-57.3	14.3	59.2	166	0.0	1.0	0.067									
159	155	167	0.0	1.0	0.171	46.3	-60.3	23.2	64.7	159	0.0	1.0	0.12	45.7	-61.5	28.7	67.9	155	0.0	1.0	0.083	0.0	1.0	0.274	47.4	-56.9	13.2	58.5	167	0.0	1.0	0.083									
160	156	168	0.0	1.0	0.184	46.5	-59.9	21.8	63.9	160	0.0	1.0	0.132	45.9	-61.2	27.3	67.1	156	0.0	1.0	0.1	0.0	1.0	0.287	47.5	-56.5	12.0	57.9	168	0.0	1.0	0.1									
161	157	169	0.0	1.0	0.197	46.6	-59.5	20.5	63.1	161	0.0	1.0	0.145	46.1	-60.9	25.9	66.3	157	0.0	1.0	0.117	0.0	1.0	0.299	47.6	-56.1	10.9	57.2	169	0.0	1.0	0.117									
162	158	170	0.0	1.0	0.21	46.8	-59.1	19.2	62.2	162	0.0	1.0	0.158	46.2	-60.6	24.5	65.5	158	0.0	1.0	0.133	0.0	1.0	0.311	47.7	-55.6	9.8	56.6	170	0.0	1.0	0.133									
163	159	170																																							

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																									
Six hue angles of the device colours $d: h_{ab,d} = 35.0, 92.6, 143.2, 226.7, 311.8, 337.2$; Six hue angles of the elementary colours $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{361}dd361Mi$						$LAB^*_{361}dd361Mix(x=LabCh)$						$rgb^*_{361}ds361Mi$			$LAB^*_{361}ds361Mix(x=LabCh)$						rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$						rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
169	165	176	0.0	1.0	0.299	47.6	-56.1	10.9	57.2	169	0.0	1.0	0.25	47.2	-57.7	15.5	59.8	165	0.0	1.0	0.25	0.0	1.0	0.383	48.3	-52.6	3.7	52.8	176	0.0	1.0	0.25									
170	166	177	0.0	1.0	0.311	47.7	-55.6	9.8	56.6	170	0.0	1.0	0.262	47.3	-57.3	14.3	59.2	166	0.0	1.0	0.267	0.0	1.0	0.393	48.4	-52.2	2.7	52.3	177	0.0	1.0	0.267									
171	167	178	0.0	1.0	0.323	47.8	-55.1	8.7	55.9	171	0.0	1.0	0.274	47.4	-56.9	13.2	58.5	167	0.0	1.0	0.283	0.0	1.0	0.402	48.6	-51.8	1.8	51.9	178	0.0	1.0	0.283									
172	168	179	0.0	1.0	0.336	47.9	-54.6	7.7	55.3	172	0.0	1.0	0.287	47.5	-56.5	12.0	57.9	168	0.0	1.0	0.3	0.0	1.0	0.412	48.7	-51.3	0.9	51.4	179	0.0	1.0	0.3									
173	169	180	0.0	1.0	0.348	48.0	-54.1	6.7	54.6	173	0.0	1.0	0.299	47.6	-56.1	10.9	57.2	169	0.0	1.0	0.317	0.0	1.0	0.422	48.8	-50.9	0.0	51.0	180	0.0	1.0	0.317									
174	170	180	0.0	1.0	0.36	48.1	-53.6	5.6	54.0	174	0.0	1.0	0.311	47.7	-55.6	9.8	56.6	170	0.0	1.0	0.333	0.0	1.0	0.422	48.8	-50.9	0.0	51.0	180	0.0	1.0	0.333									
175	171	181	0.0	1.0	0.372	48.2	-53.0	4.6	53.3	175	0.0	1.0	0.323	47.8	-55.1	8.7	55.9	171	0.0	1.0	0.35	0.0	1.0	0.432	48.9	-50.4	-0.8	50.5	181	0.0	1.0	0.35									
176	172	182	0.0	1.0	0.383	48.3	-52.6	3.7	52.8	176	0.0	1.0	0.336	47.9	-54.6	7.7	55.3	172	0.0	1.0	0.367	0.0	1.0	0.441	49.0	-49.9	-1.6	50.1	182	0.0	1.0	0.367									
177	173	183	0.0	1.0	0.393	48.4	-52.2	2.7	52.3	177	0.0	1.0	0.348	48.0	-54.1	6.7	54.6	173	0.0	1.0	0.383	0.0	1.0	0.451	49.1	-49.4	-2.5	49.6	183	0.0	1.0	0.383									
178	174	184	0.0	1.0	0.402	48.6	-51.8	1.8	51.9	178	0.0	1.0	0.36	48.1	-53.6	5.6	54.0	174	0.0	1.0	0.4	0.0	1.0	0.461	49.2	-48.9	-3.3	49.1	184	0.0	1.0	0.4									
179	175	185	0.0	1.0	0.412	48.7	-51.3	0.9	51.4	179	0.0	1.0	0.372	48.2	-53.0	4.6	53.3	175	0.0	1.0	0.417	0.0	1.0	0.471	49.3	-48.4	-4.1	48.7	185	0.0	1.0	0.417									
180	176	186	0.0	1.0	0.422	48.8	-50.9	0.0	51.0	180	0.0	1.0	0.383	48.3	-52.6	3.7	52.8	176	0.0	1.0	0.433	0.0	1.0	0.48	49.4	-47.9	-4.9	48.2	186	0.0	1.0	0.433									
181	177	187	0.0	1.0	0.432	48.9	-50.4	-0.8	50.5	181	0.0	1.0	0.393	48.4	-52.2	2.7	52.3	177	0.0	1.0	0.45	0.0	1.0	0.49	49.5	-47.3	-5.7	47.8	187	0.0	1.0	0.45									
182	178	188	0.0	1.0	0.441	49.0	-49.9	-1.6	50.1	182	0.0	1.0	0.402	48.6	-51.8	1.8	51.9	178	0.0	1.0	0.467	0.0	1.0	0.5	49.6	-46.7	-6.5	47.3	188	0.0	1.0	0.467									
183	179	189	0.0	1.0	0.451	49.1	-49.4	-2.5	49.6	183	0.0	1.0	0.412	48.7	-51.3	0.9	51.4	179	0.0	1.0	0.483	0.0	1.0	0.508	49.7	-46.4	-7.3	47.0	189	0.0	1.0	0.483									
184	180	190	0.0	1.0	0.461	49.2	-48.9	-3.3	49.1	184	0.0	1.0	0.422	48.8	-50.9	0.0	51.0	180	0.0	1.0	0.5	0.0	1.0	0.516	49.8	-46.0	-8.0	46.8	190	0.0	1.0	0.5									
185	181	191	0.0	1.0	0.471	49.3	-48.4	-4.1	48.7	185	0.0	1.0	0.432	48.9	-50.4	-0.8	50.5	181	0.0	1.0	0.517	0.0	1.0	0.524	49.8	-45.6	-8.8	46.5	191	0.0	1.0	0.517									
186	182	191	0.0	1.0	0.48	49.4	-47.9	-4.9	48.2	186	0.0	1.0	0.441	49.0	-49.9	-1.6	50.1	182	0.0	1.0	0.533	0.0	1.0	0.524	49.8	-45.6	-8.8	46.5	191	0.0	1.0	0.533									
187	183	192	0.0	1.0	0.49	49.5	-47.3	-5.7	47.8	187	0.0	1.0	0.451	49.1	-49.4	-2.5	49.6	183	0.0	1.0	0.55	0.0	1.0	0.532	49.9	-45.2	-9.5	46.3	192	0.0	1.0	0.55									
188	184	193	0.0	1.0	0.5	49.6	-46.7	-6.5	47.3	188	0.0	1.0	0.461	49.2	-48.9	-3.3	49.1	184	0.0	1.0	0.567	0.0	1.0	0.54	50.0	-44.7	-10.2	46.0	193	0.0	1.0	0.567									
189	185	194	0.0	1.0	0.508	49.7	-46.4	-7.3	47.0	189	0.0	1.0	0.471	49.3	-48.4	-4.1	48.7	185	0.0	1.0	0.583	0.0	1.0	0.548	50.1	-44.3	-11.0	45.7	194	0.0	1.0	0.583									
190	186	195	0.0	1.0	0.516	49.8	-46.0	-8.0	46.8	190	0.0	1.0	0.48	49.4	-47.9	-4.9	48.2	186	0.0	1.0	0.6	0.0	1.0	0.556	50.1	-43.8	-11.7	45.5	195	0.0	1.0	0.6									
191	187	196	0.0	1.0	0.524	49.8	-45.6	-8.8	46.5	191	0.0	1.0	0.49	49.5	-47.3	-5.7	47.8	187	0.0	1.0	0.617	0.0	1.0	0.565	50.2	-43.4	-12.4	45.2	196	0.0	1.0	0.617									
192	188	197	0.0	1.0	0.532	49.9	-45.2	-9.5	46.3	192	0.0	1.0	0.5	49.6	-46.7	-6.5	47.3	188	0.0	1.0	0.633	0.0	1.0	0.573	50.3	-42.9	-13.0	45.0	197	0.0	1.0	0.633									
193	189	198	0.0	1.0	0.54	50.0	-44.7	-10.2	46.0	193	0.0	1.0	0.508	49.7	-46.4	-7.3	47.0	189	0.0	1.0	0.65	0.0	1.0	0.581	50.4	-42.4	-13.7	44.7	198	0.0	1.0	0.65									
194	190	199	0.0	1.0	0.548	50.1	-44.3	-11.0	45.7	194	0.0	1.0	0.516	49.8	-46.0	-8.0	46.8	190	0.0	1.0	0.667	0.0	1.0	0.589	50.4	-41.9	-14.4	44.5	199	0.0	1.0	0.667									
195	191	200	0.0	1.0	0.556	50.1	-43.8	-11.7	45.5	195	0.0	1.0	0.524	49.8	-45.6	-8.8	46.5	191	0.0	1.0	0.683	0.0	1.0	0.597	50.5	-41.4	-15.0	44.2	200	0.0	1.0	0.683									
196	192	201	0.0	1.0	0.565	50.2	-43.4	-12.4	45.2	196	0.0	1.0	0.532	49.9	-45.2	-9.5	46.3	192	0.0	1.0	0.7	0.0	1.0	0.605	50.6	-40.9	-15.6	43.9	201	0.0	1.0	0.7									
197	193	201	0.0	1.0	0.573	50.3	-42.9	-13.0	45.0	197	0.0	1.0	0.54	50.0	-44.7	-10.2	46.0	193	0.0	1.0	0.717	0.0	1.0	0.605	50.6	-40.9	-15.6	43.9	201	0.0	1.0	0.717									
198	194	202	0.0	1.0	0.581	50.4	-42.4	-13.7	44.7	198	0.0	1.0	0.548	50.1	-44.3	-11.0	45.7	194	0.0	1.0	0.733	0.0	1.0	0.613	50.7	-40.4	-16.3	43.7	202	0.0	1.0	0.733									
199	195	203	0.0	1.0	0.589	50.4	-41.9	-14.4	44.5	199	0.0	1.0	0.556	50.1	-43.8	-11.7	45.5	195	0.0	1.0	0.75	0.0	1.0	0.621	50.7	-39.9	-16.9	43.4	203	0.0	1.0	0.75									
200	196	204	0.0	1.0	0.597	50.5	-41.4	-15.0	44.2	200	0.0	1.0	0.565	50.2	-43.4	-12.4	45.2	196	0.0	1.0	0.767	0.0	1.0	0.63	50.8	-39.4	-17.5	43.2	204	0.0	1.0	0.767									
201	197	205	0.0	1.0	0.605	50.6	-40.9	-15.6	43.9	201	0.0	1.0	0.573	50.3	-42.9	-13.0	45.0	197	0.0	1.0	0.783	0.0	1.0	0.639	50.9	-39.0	-18.1	43.2	205	0.0	1.0	0.783									
202	198	206	0.0	1.0	0.613	50.7	-40.4	-16.3	43.7	202	0.0	1.0	0.581	50.4	-42.4	-13.7	44.7	198	0.0	1.0	0.8	0.0	1.0	0.648	50.9	-38.6	-18.8	43.1	206	0.0	1.0	0.8									
203	199	207	0.0	1.0	0.621	50.7	-39.9	-16.9	43.4	203	0.0	1.0	0.589	50.4	-41.9	-14.4	44.5	199	0.0	1.0	0.817	0.0	1.0	0.657	51.0	-38.2	-19.4	43.0	207	0.0	1.0	0.817									
204	200	208	0.0	1.0	0.63	50.8	-39.4	-17.5	43.2	204	0.0	1.0	0.597	50.5	-41.4	-15.0	44.2	200	0.0	1.0	0.833	0.0	1.0	0.666	51.1	-37.8	-20.0	42.9	208	0.0	1.0	0.833									
205	201	209	0.0	1.0	0.639	50.9	-39.0	-18.1	43.2	205	0.0	1.0	0.605	50.6	-40.9	-15.6	43.9	201	0.0	1.0	0.85	0.0	1.0	0.675	51.2	-37.3	-20.7	42.8	209	0.0	1.0	0.85									
206	202	210	0.0	1.0	0.648	50.9	-38.6	-18.8	43.1	206	0.0	1.0	0.613	50.7	-40.4	-16.3	43.7	202	0.0	1.0	0.867	0.0	1.0	0.684	51.2	-36.9	-21.3	42.7	210	0.0	1.0	0.867									
207	203	211	0.0	1.0	0.657	51.0	-38.2	-19.4	43.0	207	0.0	1.0	0.621	50.7	-39.9	-16.9	43.4	203	0.0	1.0	0.883	0.0	1.0	0.693	51.3	-36.4	-21.9	42.6	211	0.0	1.0	0.883									
208	204	212	0.0	1.0	0.666	51.1	-37.8	-20.0	42.9	208	0.0																														

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $d: h_{ab,d} = 35.0, 92.6, 143.2, 226.7, 311.8, 337.2$; Six hue angles of the elementary colours $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																	
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}361Mi$							$LAB^*_{dd}361Mix(x=LabCh)$							$rgb^*_{ds}361Mi$			$LAB^*_{ds}361Mix(x=LabCh)$							rgb^*_{s50M}			$rgb^*_{de}361Mi$							$LAB^*_{de}361Mix(x=LabCh)$							rgb^*_{e50M}			rgb^*_{d}	rgb^*_{s}	rgb^*_{e}
304	300	300	0.0	0.131	1.0	21.1	37.2	-55.1	66.6	304	0.0	0.178	1.0	23.9	31.2	-53.9	62.3	300	0.5	0.0	1.0	0.0	0.178	1.0	23.9	31.2	-53.9	62.3	300	0.5	0.0	1.0																	
305	301	301	0.0	0.117	1.0	20.2	38.9	-55.4	67.7	305	0.0	0.166	1.0	23.2	32.6	-54.2	63.4	301	0.517	0.0	1.0	0.0	0.166	1.0	23.2	32.6	-54.2	63.4	301	0.517	0.0	1.0																	
306	302	302	0.0	0.1	1.0	19.2	40.6	-55.8	69.1	306	0.0	0.154	1.0	22.5	34.1	-54.5	64.4	302	0.533	0.0	1.0	0.0	0.154	1.0	22.5	34.1	-54.5	64.4	302	0.533	0.0	1.0																	
307	303	303	0.0	0.083	1.0	18.2	42.3	-56.1	70.4	307	0.0	0.143	1.0	21.8	35.7	-54.8	65.5	303	0.55	0.0	1.0	0.0	0.143	1.0	21.8	35.7	-54.8	65.5	303	0.55	0.0	1.0																	
308	304	304	0.0	0.066	1.0	17.2	44.1	-56.4	71.7	308	0.0	0.131	1.0	21.1	37.2	-55.1	66.6	304	0.567	0.0	1.0	0.0	0.131	1.0	21.1	37.2	-55.1	66.6	304	0.567	0.0	1.0																	
309	305	305	0.0	0.048	1.0	16.2	45.9	-56.6	73.0	309	0.0	0.117	1.0	20.2	38.9	-55.4	67.7	305	0.583	0.0	1.0	0.0	0.117	1.0	20.2	38.9	-55.4	67.7	305	0.583	0.0	1.0																	
310	306	306	0.0	0.031	1.0	15.2	47.8	-56.8	74.3	310	0.0	0.1	1.0	19.2	40.6	-55.8	69.1	306	0.6	0.0	1.0	0.0	0.1	1.0	19.2	40.6	-55.8	69.1	306	0.6	0.0	1.0																	
311	307	307	0.0	0.014	1.0	14.2	49.6	-57.0	75.6	311	B_d	0.0	0.083	1.0	18.2	42.3	-56.1	70.4	307	0.617	0.0	1.0	0.0	0.083	1.0	18.2	42.3	-56.1	70.4	307	0.617	0.0	1.0																
312	308	308	0.016	0.0	1.0	13.7	51.5	-57.1	76.9	312	0.0	0.066	1.0	17.2	44.1	-56.4	71.7	308	0.633	0.0	1.0	0.0	0.066	1.0	17.2	44.1	-56.4	71.7	308	0.633	0.0	1.0																	
313	309	309	0.118	0.0	1.0	15.9	53.2	-57.0	78.1	313	0.0	0.048	1.0	16.2	45.9	-56.6	73.0	309	0.65	0.0	1.0	0.0	0.048	1.0	16.2	45.9	-56.6	73.0	309	0.65	0.0	1.0																	
314	310	310	0.176	0.0	1.0	17.2	54.4	-56.3	78.4	314	0.0	0.031	1.0	15.2	47.8	-56.8	74.3	310	0.667	0.0	1.0	0.0	0.031	1.0	15.2	47.8	-56.8	74.3	310	0.667	0.0	1.0																	
315	311	311	0.231	0.0	1.0	18.5	55.6	-55.5	78.6	315	0.0	0.014	1.0	14.2	49.6	-57.0	75.6	311	0.683	0.0	1.0	0.0	0.014	1.0	14.2	49.6	-57.0	75.6	311	0.683	0.0	1.0																	
316	312	312	0.273	0.0	1.0	19.6	56.6	-54.5	78.7	316	0.016	0.0	1.0	13.7	51.5	-57.1	76.9	312	0.7	0.0	1.0	0.016	0.0	1.0	13.7	51.5	-57.1	76.9	312	0.7	0.0	1.0																	
317	313	312	0.308	0.0	1.0	20.4	57.5	-53.5	78.6	317	0.118	0.0	1.0	15.9	53.2	-57.0	78.1	313	0.717	0.0	1.0	0.016	0.0	1.0	13.7	51.5	-57.1	76.9	312	0.717	0.0	1.0																	
318	314	313	0.342	0.0	1.0	21.3	58.4	-52.5	78.6	318	0.176	0.0	1.0	17.2	54.4	-56.3	78.4	314	0.733	0.0	1.0	0.118	0.0	1.0	15.9	53.2	-57.0	78.1	313	0.733	0.0	1.0																	
319	315	314	0.377	0.0	1.0	22.2	59.3	-51.5	78.6	319	0.231	0.0	1.0	18.5	55.6	-55.5	78.6	315	0.75	0.0	1.0	0.176	0.0	1.0	17.2	54.4	-56.3	78.4	314	0.75	0.0	1.0																	
320	316	315	0.41	0.0	1.0	23.1	60.3	-50.5	78.7	320	0.273	0.0	1.0	19.6	56.6	-54.5	78.7	316	0.767	0.0	1.0	0.231	0.0	1.0	18.5	55.6	-55.5	78.6	315	0.767	0.0	1.0																	
321	317	316	0.443	0.0	1.0	24.1	61.3	-49.5	78.8	321	0.308	0.0	1.0	20.4	57.5	-53.5	78.6	317	0.783	0.0	1.0	0.273	0.0	1.0	19.6	56.6	-54.5	78.7	316	0.783	0.0	1.0																	
322	318	317	0.476	0.0	1.0	25.0	62.2	-48.5	78.9	322	0.342	0.0	1.0	21.3	58.4	-52.5	78.6	318	0.8	0.0	1.0	0.308	0.0	1.0	20.4	57.5	-53.5	78.6	317	0.8	0.0	1.0																	
323	319	318	0.507	0.0	1.0	25.9	63.2	-47.5	79.1	323	0.377	0.0	1.0	22.2	59.3	-51.5	78.6	319	0.817	0.0	1.0	0.342	0.0	1.0	21.3	58.4	-52.5	78.6	318	0.817	0.0	1.0																	
324	320	319	0.533	0.0	1.0	26.7	64.2	-46.5	79.3	324	0.41	0.0	1.0	23.1	60.3	-50.5	78.7	320	0.833	0.0	1.0	0.377	0.0	1.0	22.2	59.3	-51.5	78.6	319	0.833	0.0	1.0																	
325	321	320	0.559	0.0	1.0	27.5	65.2	-45.6	79.6	325	0.443	0.0	1.0	24.1	61.3	-49.5	78.8	321	0.85	0.0	1.0	0.41	0.0	1.0	23.1	60.3	-50.5	78.7	320	0.85	0.0	1.0																	
326	322	321	0.585	0.0	1.0	28.4	66.2	-44.6	79.9	326	0.476	0.0	1.0	25.0	62.2	-48.5	78.9	322	0.867	0.0	1.0	0.443	0.0	1.0	24.1	61.3	-49.5	78.8	321	0.867	0.0	1.0																	
327	323	322	0.611	0.0	1.0	29.2	67.2	-43.5	80.1	327	0.507	0.0	1.0	25.9	63.2	-47.5	79.1	323	0.883	0.0	1.0	0.476	0.0	1.0	25.0	62.2	-48.5	78.9	322	0.883	0.0	1.0																	
328	324	323	0.636	0.0	1.0	30.0	68.2	-42.5	80.4	328	0.533	0.0	1.0	26.7	64.2	-46.5	79.3	324	0.9	0.0	1.0	0.507	0.0	1.0	25.9	63.2	-47.5	79.1	323	0.9	0.0	1.0																	
329	325	324	0.659	0.0	1.0	30.7	69.3	-41.5	80.8	329	0.559	0.0	1.0	27.5	65.2	-45.6	79.6	325	0.917	0.0	1.0	0.533	0.0	1.0	26.7	64.2	-46.5	79.3	324	0.917	0.0	1.0																	
330	326	325	0.682	0.0	1.0	31.4	70.3	-40.5	81.2	330	0.585	0.0	1.0	28.4	66.2	-44.6	79.9	326	0.933	0.0	1.0	0.559	0.0	1.0	27.5	65.2	-45.6	79.6	325	0.933	0.0	1.0																	
331	327	326	0.706	0.0	1.0	32.1	71.4	-39.5	81.6	331	0.611	0.0	1.0	29.2	67.2	-43.5	80.1	327	0.95	0.0	1.0	0.585	0.0	1.0	28.4	66.2	-44.6	79.9	326	0.95	0.0	1.0																	
332	328	327	0.729	0.0	1.0	32.8	72.4	-38.4	82.0	332	0.636	0.0	1.0	30.0	68.2	-42.5	80.4	328	0.967	0.0	1.0	0.611	0.0	1.0	29.2	67.2	-43.5	80.1	327	0.967	0.0	1.0																	
333	329	328	0.753	0.0	1.0	33.6	73.4	-37.3	82.4	333	0.659	0.0	1.0	30.7	69.3	-41.5	80.8	329	0.983	0.0	1.0	0.636	0.0	1.0	30.0	68.2	-42.5	80.4	328	0.983	0.0	1.0																	
334	330	329	0.784	0.0	1.0	34.4	74.6	-36.3	83.0	334	0.682	0.0	1.0	31.4	70.3	-40.5	81.2	330	1.0	0.0	1.0	M_s	0.659	0.0	1.0	30.7	69.3	-41.5	80.8	329	1.0	0.0	1.0	M_e															
335	331	330	0.816	0.0	1.0	35.2	75.8	-35.2	83.6	335	0.706	0.0	1.0	32.1	71.4	-39.5	81.6	331	1.0	0.0	0.983	0.682	0.0	1.0	31.4	70.3	-40.5	81.2	330	1.0	0.0	0.983																	
336	332	331	0.847	0.0	1.0	36.0	76.9	-34.2	84.2	336	0.729	0.0	1.0	32.8	72.4	-38.4	82.0	332	1.0	0.0	0.967	0.706	0.0	1.0	32.1	71.4	-39.5	81.6	331	1.0	0.0	0.967																	
337	333	331	0.914	0.0	1.0	36.8	78.1	-33.0	84.8	337	0.753	0.0	1.0	33.6	73.4	-37.3	82.4	333	1.0	0.0	0.95	0.706	0.0	1.0	32.1	71.4	-39.5	81.6	331	1.0	0.0	0.95																	
338	334	332	1.0	0.0	0.817	36.9	77.6	-31.3	83.7	338	0.784	0.0	1.0	34.4	74.6	-36.3	83.0	334	1.0	0.0	0.933	0.729	0.0	1.0	32.8	72.4	-38.4	82.0	332	1.0	0.0	0.933																	
339	335	333	1.0	0.0	0.74	36.9	76.7	-29.3	82.2	339	0.816	0.0	1.0	35.2	75.8	-35.2	83.6	335	1.0	0.0	0.917	0.753	0.0	1.0	33.6	73.4	-37.3	82.4	333	1.0	0.0	0.917																	
340	336	334	1.0	0.0	0.7	36.8	75.9	-27.5	80.8	340	0.847	0.0	1.0	36.0	76.9	-34.2	84.2	336	1.0	0.0	0.9	0.784	0.0	1.0	34.4	74.6	-36.3	83.0	334	1.0	0.0	0.9																	
341	337	335	1.0	0.0	0.66	36.7	75.1	-25.8	79.4	341	0.914	0.0	1.0	36.8	78.1	-33.0	84.8	337	1.0	0.0	0.883	0.816	0.0	1.0	35.2	75.8	-35.2	83.6	335	1.0	0.0	0.883																	
342	338	336	1.0	0.0	0.622	36.7	74.3	-24.0	78.1	342	1.0	0.0	0.817	36.9	77.6	-31.3	83.7	338	1.0	0.0	0.867	0.847	0.0	1.0	36.0	76.9	-34.2	84.2	336	1.0	0.0	0.867																	
343	339	337	1																																														

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $d: h_{ab,d} = 35.0, 92.6, 143.2, 226.7, 311.8, 337.2$; Six hue angles of the elementary colours $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$							$LAB^*_{dd361Mix}(x=LabCh)$							$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$							rgb^*_{s50M}			$rgb^*_{de361Mi}$							$LAB^*_{de361Mix}(x=LabCh)$							rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
349	345	343	1.0	0.0	0.47	36.2	70.5	-13.6	71.8	349	1.0	0.0	0.553	36.5	72.6	-19.3	75.1	345	1.0	0.0	0.75	1.0	0.0	0.599	36.6	73.7	-22.4	77.1	343	1.0	0.0	0.75																	
350	346	344	1.0	0.0	0.453	36.2	70.1	-12.3	71.2	350	1.0	0.0	0.53	36.4	72.0	-17.8	74.2	346	1.0	0.0	0.733	1.0	0.0	0.576	36.5	73.2	-20.9	76.1	344	1.0	0.0	0.733																	
351	347	345	1.0	0.0	0.436	36.1	69.7	-10.9	70.5	351	1.0	0.0	0.506	36.3	71.3	-16.4	73.2	347	1.0	0.0	0.717	1.0	0.0	0.553	36.5	72.6	-19.3	75.1	345	1.0	0.0	0.717																	
352	348	346	1.0	0.0	0.419	36.0	69.2	-9.6	69.9	352	1.0	0.0	0.488	36.3	70.9	-15.0	72.4	348	1.0	0.0	0.7	1.0	0.0	0.53	36.4	72.0	-17.8	74.2	346	1.0	0.0	0.7																	
353	349	347	1.0	0.0	0.402	36.0	68.8	-8.3	69.3	353	1.0	0.0	0.47	36.2	70.5	-13.6	71.8	349	1.0	0.0	0.683	1.0	0.0	0.506	36.3	71.3	-16.4	73.2	347	1.0	0.0	0.683																	
354	350	348	1.0	0.0	0.385	35.9	68.3	-7.1	68.7	354	1.0	0.0	0.453	36.2	70.1	-12.3	71.2	350	1.0	0.0	0.667	1.0	0.0	0.488	36.3	70.9	-15.0	72.4	348	1.0	0.0	0.667																	
355	351	349	1.0	0.0	0.369	35.9	67.9	-5.8	68.2	355	1.0	0.0	0.436	36.1	69.7	-10.9	70.5	351	1.0	0.0	0.65	1.0	0.0	0.47	36.2	70.5	-13.6	71.8	349	1.0	0.0	0.65																	
356	352	349	1.0	0.0	0.356	35.8	67.7	-4.6	67.8	356	1.0	0.0	0.419	36.0	69.2	-9.6	69.9	352	1.0	0.0	0.633	1.0	0.0	0.47	36.2	70.5	-13.6	71.8	349	1.0	0.0	0.633																	
357	353	350	1.0	0.0	0.343	35.8	67.4	-3.4	67.5	357	1.0	0.0	0.402	36.0	68.8	-8.3	69.3	353	1.0	0.0	0.617	1.0	0.0	0.453	36.2	70.1	-12.3	71.2	350	1.0	0.0	0.617																	
358	354	351	1.0	0.0	0.329	35.8	67.1	-2.2	67.2	358	1.0	0.0	0.385	35.9	68.3	-7.1	68.7	354	1.0	0.0	0.6	1.0	0.0	0.436	36.1	69.7	-10.9	70.5	351	1.0	0.0	0.6																	
359	355	352	1.0	0.0	0.316	35.7	66.9	-1.1	66.9	359	1.0	0.0	0.369	35.9	67.9	-5.8	68.2	355	1.0	0.0	0.583	1.0	0.0	0.419	36.0	69.2	-9.6	69.9	352	1.0	0.0	0.583																	
0	356	353	1.0	0.0	0.303	35.7	66.5	0.0	66.5	0	1.0	0.0	0.356	35.8	67.7	-4.6	67.8	356	1.0	0.0	0.567	1.0	0.0	0.402	36.0	68.8	-8.3	69.3	353	1.0	0.0	0.567																	
1	357	354	1.0	0.0	0.289	35.7	66.2	1.2	66.2	1	1.0	0.0	0.343	35.8	67.4	-3.4	67.5	357	1.0	0.0	0.55	1.0	0.0	0.385	35.9	68.3	-7.1	68.7	354	1.0	0.0	0.55																	
2	358	355	1.0	0.0	0.276	35.6	65.8	2.3	65.9	2	1.0	0.0	0.329	35.8	67.1	-2.2	67.2	358	1.0	0.0	0.533	1.0	0.0	0.369	35.9	67.9	-5.8	68.2	355	1.0	0.0	0.533																	
3	359	356	1.0	0.0	0.263	35.6	65.5	3.4	65.6	3	1.0	0.0	0.316	35.7	66.9	-1.1	66.9	359	1.0	0.0	0.517	1.0	0.0	0.356	35.8	67.7	-4.6	67.8	356	1.0	0.0	0.517																	
4	360	357	1.0	0.0	0.249	35.6	65.1	4.6	65.3	4	1.0	0.0	0.303	35.7	66.5	0.0	66.5	0	1.0	0.0	0.5	1.0	0.0	0.343	35.8	67.4	-3.4	67.5	357	1.0	0.0	0.5																	
5	361	358	1.0	0.0	0.239	35.5	65.0	5.7	65.2	5	1.0	0.0	0.289	35.7	66.2	1.2	66.2	1	1.0	0.0	0.483	1.0	0.0	0.329	35.8	67.1	-2.2	67.2	358	1.0	0.0	0.483																	
6	362	359	1.0	0.0	0.229	35.5	64.8	6.8	65.2	6	1.0	0.0	0.276	35.6	65.8	2.3	65.9	2	1.0	0.0	0.467	1.0	0.0	0.316	35.7	66.9	-1.1	66.9	359	1.0	0.0	0.467																	
7	363	360	1.0	0.0	0.218	35.4	64.7	7.9	65.2	7	1.0	0.0	0.263	35.6	65.5	3.4	65.6	3	1.0	0.0	0.45	1.0	0.0	0.303	35.7	66.5	0.0	66.5	0	1.0	0.0	0.45																	
8	364	361	1.0	0.0	0.208	35.4	64.5	9.1	65.1	8	1.0	0.0	0.249	35.6	65.1	4.6	65.3	4	1.0	0.0	0.433	1.0	0.0	0.289	35.7	66.2	1.2	66.2	1	1.0	0.0	0.433																	
9	365	362	1.0	0.0	0.198	35.4	64.3	10.2	65.1	9	1.0	0.0	0.239	35.5	65.0	5.7	65.2	5	1.0	0.0	0.417	1.0	0.0	0.276	35.6	65.8	2.3	65.9	2	1.0	0.0	0.417																	
10	366	363	1.0	0.0	0.188	35.3	64.1	11.3	65.1	10	1.0	0.0	0.229	35.5	64.8	6.8	65.2	6	1.0	0.0	0.4	1.0	0.0	0.263	35.6	65.5	3.4	65.6	3	1.0	0.0	0.4																	
11	367	364	1.0	0.0	0.177	35.3	63.9	12.4	65.1	11	1.0	0.0	0.218	35.4	64.7	7.9	65.2	7	1.0	0.0	0.383	1.0	0.0	0.249	35.6	65.1	4.6	65.3	4	1.0	0.0	0.383																	
12	368	365	1.0	0.0	0.167	35.2	63.6	13.5	65.0	12	1.0	0.0	0.208	35.4	64.5	9.1	65.1	8	1.0	0.0	0.367	1.0	0.0	0.239	35.5	65.0	5.7	65.2	5	1.0	0.0	0.367																	
13	369	366	1.0	0.0	0.157	35.2	63.3	14.6	65.0	13	1.0	0.0	0.198	35.4	64.3	10.2	65.1	9	1.0	0.0	0.35	1.0	0.0	0.229	35.5	64.8	6.8	65.2	6	1.0	0.0	0.35																	
14	370	367	1.0	0.0	0.146	35.2	63.0	15.7	65.0	14	1.0	0.0	0.188	35.3	64.1	11.3	65.1	10	1.0	0.0	0.333	1.0	0.0	0.218	35.4	64.7	7.9	65.2	7	1.0	0.0	0.333																	
15	371	367	1.0	0.0	0.136	35.1	62.7	16.8	64.9	15	1.0	0.0	0.177	35.3	63.9	12.4	65.1	11	1.0	0.0	0.317	1.0	0.0	0.218	35.4	64.7	7.9	65.2	7	1.0	0.0	0.317																	
16	372	368	1.0	0.0	0.126	35.1	62.4	17.9	64.9	16	1.0	0.0	0.167	35.2	63.6	13.5	65.0	12	1.0	0.0	0.3	1.0	0.0	0.208	35.4	64.5	9.1	65.1	8	1.0	0.0	0.3																	
17	373	369	1.0	0.0	0.119	35.1	62.4	19.1	65.3	17	1.0	0.0	0.157	35.2	63.3	14.6	65.0	13	1.0	0.0	0.283	1.0	0.0	0.198	35.4	64.3	10.2	65.1	9	1.0	0.0	0.283																	
18	374	370	1.0	0.0	0.112	35.0	62.5	20.3	65.7	18	1.0	0.0	0.146	35.2	63.0	15.7	65.0	14	1.0	0.0	0.267	1.0	0.0	0.188	35.3	64.1	11.3	65.1	10	1.0	0.0	0.267																	
19	375	371	1.0	0.0	0.106	35.0	62.5	21.5	66.1	19	1.0	0.0	0.136	35.1	62.7	16.8	64.9	15	1.0	0.0	0.25	1.0	0.0	0.177	35.3	63.9	12.4	65.1	11	1.0	0.0	0.25																	
20	376	372	1.0	0.0	0.099	35.0	62.5	22.7	66.5	20	1.0	0.0	0.126	35.1	62.4	17.9	64.9	16	1.0	0.0	0.233	1.0	0.0	0.167	35.2	63.6	13.5	65.0	12	1.0	0.0	0.233																	
21	377	373	1.0	0.0	0.092	34.9	62.5	24.0	66.9	21	1.0	0.0	0.119	35.1	62.4	19.1	65.3	17	1.0	0.0	0.217	1.0	0.0	0.157	35.2	63.3	14.6	65.0	13	1.0	0.0	0.217																	
22	378	374	1.0	0.0	0.086	34.9	62.4	25.2	67.3	22	1.0	0.0	0.112	35.0	62.5	20.3	65.7	18	1.0	0.0	0.2	1.0	0.0	0.146	35.2	63.0	15.7	65.0	14	1.0	0.0	0.2																	
23	379	375	1.0	0.0	0.079	34.9	62.3	26.5	67.7	23	1.0	0.0	0.106	35.0	62.5	21.5	66.1	19	1.0	0.0	0.183	1.0	0.0	0.136	35.1	62.7	16.8	64.9	15	1.0	0.0	0.183																	
24	380	376	1.0	0.0	0.073	34.9	62.2	27.7	68.1	24	1.0	0.0	0.099	35.0	62.5	22.7	66.5	20	1.0	0.0	0.167	1.0	0.0	0.126	35.1	62.4	17.9	64.9	16	1.0	0.0	0.167																	
25	381	377	1.0	0.0	0.066	34.8	62.1	29.0	68.5	25	1.0	0.0	0.092	34.9	62.5	24.0	66.9	21	1.0	0.0	0.15	1.0	0.0	0.119	35.1	62.4	19.1	65.3	17	1.0	0.0	0.15																	
26	382	378	1.0	0.0	0.059	34.8	61.9	30.2	68.9	26	1.0	0.0	0.086	34.9	62.4	25.2	67.3	22	1.0	0.0	0.133	1.0	0.0	0.112	35.0	62.5	20.3	65.7	18	1.0	0.0	0.133																	
27	383	379	1.0	0.0	0.053	34.8	61.8	31.5	69.3	27	1.0	0.0	0.079	34.9	62.3	26.5	67.7	23	1.0	0.0	0.117	1.0	0.0	0.106	35.0	62.5	21.5	66.1	19	1.0	0.0	0.117																	
28	384	380	1.0	0.0	0.046	34.8	61.6	32.7	69.7	28	1.0	0.0	0.073	34.9	62.2	27.7	68.1	24	1.0	0.0	0.1	1.0	0.0	0.099	35.0	62.5</																							



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
- The values rgb^*_de produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours d: $h_{ab,d} = 35.7, 89.5, 143.6, 221.6, 305.4, 339.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$					$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$					rgb^*_{s50M}			$rgb^*_{de361Mi}$					$LAB^*_{de361Mix}(x=LabCh)$					rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
35	30	25	1.0	0.0	0.005	36.5	63.3	44.3	77.2	35	R_d	1.0	0.0	0.042	36.6	64.6	37.3	74.6	30	1.0	0.0	0.000	1.0	0.0	0.078	36.8	65.2	30.4	72.0	25	1.0	0.0	0.000	R_e			
36	31	27	1.0	0.005	0.0	36.8	62.8	45.6	77.6	36		1.0	0.0	0.034	36.6	64.4	38.7	75.1	31	1.0	0.017	0.0	1.0	0.0	0.063	36.7	65.1	33.2	73.0	27	1.0	0.017	0.0				
37	32	28	1.0	0.021	0.0	37.8	62.0	46.7	77.6	37		1.0	0.0	0.027	36.6	64.2	40.1	75.7	32	1.0	0.033	0.0	1.0	0.0	0.056	36.7	65.0	34.5	73.6	28	1.0	0.033	0.0				
38	33	29	1.0	0.037	0.0	38.7	61.2	47.8	77.6	38		1.0	0.0	0.02	36.5	63.9	41.5	76.2	33	1.0	0.05	0.0	1.0	0.0	0.049	36.6	64.8	35.9	74.1	29	1.0	0.05	0.0				
39	34	30	1.0	0.053	0.0	39.7	60.3	48.8	77.6	39		1.0	0.0	0.012	36.5	63.6	42.9	76.7	34	1.0	0.067	0.0	1.0	0.0	0.042	36.6	64.6	37.3	74.6	30	1.0	0.067	0.0				
40	35	31	1.0	0.069	0.0	40.6	59.5	49.9	77.6	40		1.0	0.0	0.005	36.5	63.3	44.3	77.2	35	1.0	0.083	0.0	1.0	0.0	0.034	36.6	64.4	38.7	75.1	31	1.0	0.083	0.0				
41	36	32	1.0	0.085	0.0	41.6	58.6	50.9	77.6	41		1.0	0.005	0.0	36.8	62.8	45.6	77.6	36	1.0	0.1	0.0	1.0	0.0	0.027	36.6	64.2	40.1	75.7	32	1.0	0.1	0.0				
42	37	33	1.0	0.101	0.0	42.6	57.7	51.9	77.6	42		1.0	0.021	0.0	37.8	62.0	46.7	77.6	37	1.0	0.117	0.0	1.0	0.0	0.02	36.5	63.9	41.5	76.2	33	1.0	0.117	0.0				
43	38	34	1.0	0.117	0.0	43.5	56.8	52.9	77.6	43		1.0	0.037	0.0	38.7	61.2	47.8	77.6	38	1.0	0.133	0.0	1.0	0.0	0.012	36.5	63.6	42.9	76.7	34	1.0	0.133	0.0				
44	39	36	1.0	0.131	0.0	44.4	55.8	53.9	77.6	44		1.0	0.053	0.0	39.7	60.3	48.8	77.6	39	1.0	0.15	0.0	1.0	0.005	0.0	36.8	62.8	45.6	77.6	36	1.0	0.15	0.0				
45	40	37	1.0	0.144	0.0	45.2	54.9	54.9	77.7	45		1.0	0.069	0.0	40.6	59.5	49.9	77.6	40	1.0	0.167	0.0	1.0	0.021	0.0	37.8	62.0	46.7	77.6	37	1.0	0.167	0.0				
46	41	38	1.0	0.156	0.0	46.0	54.0	55.9	77.7	46		1.0	0.085	0.0	41.6	58.6	50.9	77.6	41	1.0	0.183	0.0	1.0	0.037	0.0	38.7	61.2	47.8	77.6	38	1.0	0.183	0.0				
47	42	39	1.0	0.168	0.0	46.8	53.0	56.8	77.7	47		1.0	0.101	0.0	42.6	57.7	51.9	77.6	42	1.0	0.2	0.0	1.0	0.053	0.0	39.7	60.3	48.8	77.6	39	1.0	0.2	0.0				
48	43	40	1.0	0.181	0.0	47.6	52.0	57.8	77.8	48		1.0	0.117	0.0	43.5	56.8	52.9	77.6	43	1.0	0.217	0.0	1.0	0.069	0.0	40.6	59.5	49.9	77.6	40	1.0	0.217	0.0				
49	44	41	1.0	0.193	0.0	48.4	51.0	58.7	77.8	49		1.0	0.131	0.0	44.4	55.8	53.9	77.6	44	1.0	0.233	0.0	1.0	0.085	0.0	41.6	58.6	50.9	77.6	41	1.0	0.233	0.0				
50	45	42	1.0	0.205	0.0	49.2	50.0	59.6	77.8	50		1.0	0.144	0.0	45.2	54.9	54.9	77.7	45	1.0	0.25	0.0	1.0	0.101	0.0	42.6	57.7	51.9	77.6	42	1.0	0.25	0.0				
51	46	43	1.0	0.218	0.0	50.0	49.0	60.5	77.8	51		1.0	0.156	0.0	46.0	54.0	55.9	77.7	46	1.0	0.267	0.0	1.0	0.117	0.0	43.5	56.8	52.9	77.6	43	1.0	0.267	0.0				
52	47	44	1.0	0.23	0.0	50.8	47.9	61.4	77.9	52		1.0	0.168	0.0	46.8	53.0	56.8	77.7	47	1.0	0.283	0.0	1.0	0.131	0.0	44.4	55.8	53.9	77.6	44	1.0	0.283	0.0				
53	48	46	1.0	0.242	0.0	51.6	46.9	62.2	77.9	53		1.0	0.181	0.0	47.6	52.0	57.8	77.8	48	1.0	0.3	0.0	1.0	0.156	0.0	46.0	54.0	55.9	77.7	46	1.0	0.3	0.0				
54	49	47	1.0	0.255	0.0	52.4	45.9	63.1	78.0	54		1.0	0.193	0.0	48.4	51.0	58.7	77.8	49	1.0	0.317	0.0	1.0	0.168	0.0	46.8	53.0	56.8	77.7	47	1.0	0.317	0.0				
55	50	48	1.0	0.268	0.0	53.2	44.9	64.1	78.3	55		1.0	0.205	0.0	49.2	50.0	59.6	77.8	50	1.0	0.333	0.0	1.0	0.181	0.0	47.6	52.0	57.8	77.8	48	1.0	0.333	0.0				
56	51	49	1.0	0.28	0.0	53.9	43.9	65.1	78.5	56		1.0	0.218	0.0	50.0	49.0	60.5	77.8	51	1.0	0.35	0.0	1.0	0.193	0.0	48.4	51.0	58.7	77.8	49	1.0	0.35	0.0				
57	52	50	1.0	0.293	0.0	54.7	42.9	66.1	78.8	57		1.0	0.23	0.0	50.8	47.9	61.4	77.9	52	1.0	0.367	0.0	1.0	0.205	0.0	49.2	50.0	59.6	77.8	50	1.0	0.367	0.0				
58	53	51	1.0	0.306	0.0	55.5	41.9	67.0	79.0	58		1.0	0.242	0.0	51.6	46.9	62.2	77.9	53	1.0	0.383	0.0	1.0	0.218	0.0	50.0	49.0	60.5	77.8	51	1.0	0.383	0.0				
59	54	52	1.0	0.318	0.0	56.2	40.8	68.0	79.3	59		1.0	0.255	0.0	52.4	45.9	63.1	78.0	54	1.0	0.4	0.0	1.0	0.23	0.0	50.8	47.9	61.4	77.9	52	1.0	0.4	0.0				
60	55	53	1.0	0.331	0.0	57.0	39.8	68.9	79.5	60		1.0	0.268	0.0	53.2	44.9	64.1	78.3	55	1.0	0.417	0.0	1.0	0.242	0.0	51.6	46.9	62.2	77.9	53	1.0	0.417	0.0				
61	56	54	1.0	0.344	0.0	57.8	38.7	69.8	79.8	61		1.0	0.28	0.0	53.9	43.9	65.1	78.5	56	1.0	0.433	0.0	1.0	0.255	0.0	52.4	45.9	63.1	78.0	54	1.0	0.433	0.0				
62	57	56	1.0	0.356	0.0	58.5	37.6	70.7	80.0	62		1.0	0.293	0.0	54.7	42.9	66.1	78.8	57	1.0	0.45	0.0	1.0	0.28	0.0	53.9	43.9	65.1	78.5	56	1.0	0.45	0.0				
63	58	57	1.0	0.369	0.0	59.3	36.4	71.5	80.3	63		1.0	0.306	0.0	55.5	41.9	67.0	79.0	58	1.0	0.467	0.0	1.0	0.293	0.0	54.7	42.9	66.1	78.8	57	1.0	0.467	0.0				
64	59	58	1.0	0.382	0.0	60.1	35.4	72.5	80.7	64		1.0	0.318	0.0	56.2	40.8	68.0	79.3	59	1.0	0.483	0.0	1.0	0.306	0.0	55.5	41.9	67.0	79.0	58	1.0	0.483	0.0				
65	60	59	1.0	0.395	0.0	60.9	34.3	73.6	81.3	65		1.0	0.331	0.0	57.0	39.8	68.9	79.5	60	1.0	0.5	0.0	1.0	0.318	0.0	56.2	40.8	68.0	79.3	59	1.0	0.5	0.0				
66	61	60	1.0	0.408	0.0	61.7	33.3	74.7	81.8	66		1.0	0.344	0.0	57.8	38.7	69.8	79.8	61	1.0	0.517	0.0	1.0	0.331	0.0	57.0	39.8	68.9	79.5	60	1.0	0.517	0.0				
67	62	61	1.0	0.42	0.0	62.5	32.2	75.8	82.4	67		1.0	0.356	0.0	58.5	37.6	70.7	80.0	62	1.0	0.533	0.0	1.0	0.344	0.0	57.8	38.7	69.8	79.8	61	1.0	0.533	0.0				
68	63	62	1.0	0.433	0.0	63.4	31.1	76.9	83.0	68		1.0	0.369	0.0	59.3	36.4	71.5	80.3	63	1.0	0.55	0.0	1.0	0.356	0.0	58.5	37.6	70.7	80.0	62	1.0	0.55	0.0				
69	64	63	1.0	0.446	0.0	64.2	29.9	78.0	83.5	69		1.0	0.382	0.0	60.1	35.4	72.5	80.7	64	1.0	0.567	0.0	1.0	0.369	0.0	59.3	36.4	71.5	80.3	63	1.0	0.567	0.0				
70	65	64	1.0	0.459	0.0	65.0	28.8	79.0	84.1	70		1.0	0.395	0.0	60.9	34.3	73.6	81.3	65	1.0	0.583	0.0	1.0	0.382	0.0	60.1	35.4	72.5	80.7	64	1.0	0.583	0.0				
71	66	66	1.0	0.472	0.0	65.8	27.6	80.1	84.7	71		1.0	0.408	0.0	61.7	33.3	74.7	81.8	66	1.0	0.6	0.0	1.0	0.408	0.0	61.7	33.3	74.7	81.8	66	1.0	0.6	0.0				
72	67	67	1.0	0.485	0.0	66.6	26.3	81.1	85.2	72		1.0	0.42	0.0	62.5	32.2	75.8	82.4	67	1.0	0.617	0.0	1.0	0.42	0.0	62.5	32.2	75.8	82.4	67	1.0	0.617	0.0				
73	68	68	1.0	0.498	0.0	67.4	25.1	82.1	85.8	73		1.0	0.433	0.0	63.4	31.1	76.9	83.0	68	1.0	0.633	0.0	1.0	0.433	0.0	63.4	31.1	76.9	83.0	68	1.0	0.633	0.0				
74	69	69	1.0	0.515	0.0	68.4																															

Data of Maximum color M in colorimetric system phot printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 35.7, 89.5, 143.6, 221.6, 305.4, 339.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{s5M} dd361Mi						LAB^*_{s5M} dd361Mix (x=LabCh)						rgb^*_{s5M} ds361Mi						LAB^*_{s5M} ds361Mix (x=LabCh)						rgb^*_{s5M} s50M			rgb^*_{s5M} dc361Mi			LAB^*_{s5M} dc361Mix (x=LabCh)			rgb^*_{s5M} e50M			rgb^*_{s5M} d	rgb^*_{s5M} s	rgb^*_{s5M} e
80	75	76	1.0	0.621	0.0	74.1	16.0	91.0	92.4	80	1.0	0.533	0.0	69.3	22.7	84.7	87.6	75	1.0	0.75	0.0	1.0	0.55	0.0	70.3	21.4	86.0	88.6	76	1.0	0.75	0.0									
81	76	77	1.0	0.643	0.0	75.2	14.6	92.5	93.6	81	1.0	0.55	0.0	70.3	21.4	86.0	88.6	76	1.0	0.767	0.0	1.0	0.568	0.0	71.2	20.1	87.2	89.5	77	1.0	0.767	0.0									
82	77	78	1.0	0.666	0.0	76.3	13.2	94.0	94.9	82	1.0	0.568	0.0	71.2	20.1	87.2	89.5	77	1.0	0.783	0.0	1.0	0.585	0.0	72.2	18.8	88.5	90.5	78	1.0	0.783	0.0									
83	78	79	1.0	0.69	0.0	77.4	11.7	95.5	96.3	83	1.0	0.585	0.0	72.2	18.8	88.5	90.5	78	1.0	0.8	0.0	1.0	0.603	0.0	73.1	17.4	89.7	91.4	79	1.0	0.8	0.0									
84	79	80	1.0	0.714	0.0	78.5	10.2	97.1	97.6	84	1.0	0.603	0.0	73.1	17.4	89.7	91.4	79	1.0	0.817	0.0	1.0	0.621	0.0	74.1	16.0	91.0	92.4	80	1.0	0.817	0.0									
85	80	81	1.0	0.737	0.0	79.6	8.6	98.5	98.9	85	1.0	0.621	0.0	74.1	16.0	91.0	92.4	80	1.0	0.833	0.0	1.0	0.643	0.0	75.2	14.6	92.5	93.6	81	1.0	0.833	0.0									
86	81	82	1.0	0.765	0.0	80.7	7.0	100.2	100.4	86	1.0	0.643	0.0	75.2	14.6	92.5	93.6	81	1.0	0.85	0.0	1.0	0.666	0.0	76.3	13.2	94.0	94.9	82	1.0	0.85	0.0									
87	82	83	1.0	0.798	0.0	82.0	5.3	102.1	102.2	87	1.0	0.666	0.0	76.3	13.2	94.0	94.9	82	1.0	0.867	0.0	1.0	0.69	0.0	77.4	11.7	95.5	96.3	83	1.0	0.867	0.0									
88	83	85	1.0	0.831	0.0	83.3	3.6	103.9	104.0	88	1.0	0.69	0.0	77.4	11.7	95.5	96.3	83	1.0	0.883	0.0	1.0	0.737	0.0	79.6	8.6	98.5	98.9	85	1.0	0.883	0.0									
89	84	86	1.0	0.864	0.0	84.5	1.8	105.7	105.7	89	1.0	0.714	0.0	78.5	10.2	97.1	97.6	84	1.0	0.9	0.0	1.0	0.765	0.0	80.7	7.0	100.2	100.4	86	1.0	0.9	0.0									
90	85	87	0.873	1.0	0.0	84.5	0.0	105.9	105.9	90	1.0	0.737	0.0	79.6	8.6	98.5	98.9	85	1.0	0.917	0.0	1.0	0.798	0.0	82.0	5.3	102.1	102.2	87	1.0	0.917	0.0									
91	86	88	0.853	1.0	0.0	83.8	-1.7	104.8	104.8	91	1.0	0.765	0.0	80.7	7.0	100.2	100.4	86	1.0	0.933	0.0	1.0	0.831	0.0	83.3	3.6	103.9	104.0	88	1.0	0.933	0.0									
92	87	89	0.832	1.0	0.0	83.0	-3.5	103.6	103.7	92	1.0	0.798	0.0	82.0	5.3	102.1	102.2	87	1.0	0.95	0.0	1.0	0.864	0.0	84.5	1.8	105.7	105.7	89	1.0	0.95	0.0									
93	88	90	0.811	1.0	0.0	82.2	-5.3	102.4	102.6	93	1.0	0.831	0.0	83.3	3.6	103.9	104.0	88	1.0	0.967	0.0	0.873	1.0	0.0	84.5	0.0	105.9	105.9	90	1.0	0.967	0.0									
94	89	91	0.79	1.0	0.0	81.5	-7.0	101.2	101.5	94	1.0	0.864	0.0	84.5	1.8	105.7	105.7	89	1.0	0.983	0.0	0.853	1.0	0.0	83.8	-1.7	104.8	104.8	91	1.0	0.983	0.0									
95	90	92	0.769	1.0	0.0	80.7	-8.7	100.0	100.4	95	0.873	1.0	0.0	84.5	0.0	105.9	105.9	90	1.0	1.0	0.0	0.832	1.0	0.0	83.0	-3.5	103.6	103.7	92	1.0	1.0	0.0									
96	91	93	0.749	1.0	0.0	80.0	-10.3	98.8	99.3	96	0.853	1.0	0.0	83.8	-1.7	104.8	104.8	91	0.983	1.0	0.0	0.811	1.0	0.0	82.2	-5.3	102.4	102.6	93	0.983	1.0	0.0									
97	92	95	0.734	1.0	0.0	79.2	-11.9	97.7	98.4	97	0.832	1.0	0.0	83.0	-3.5	103.6	103.7	92	0.967	1.0	0.0	0.769	1.0	0.0	80.7	-8.7	100.0	100.4	95	0.967	1.0	0.0									
98	93	96	0.719	1.0	0.0	78.4	-13.5	96.5	97.4	98	0.811	1.0	0.0	82.2	-5.3	102.4	102.6	93	0.95	1.0	0.0	0.749	1.0	0.0	80.0	-10.3	98.8	99.3	96	0.95	1.0	0.0									
99	94	97	0.705	1.0	0.0	77.6	-15.0	95.3	96.5	99	0.79	1.0	0.0	81.5	-7.0	101.2	101.5	94	0.933	1.0	0.0	0.734	1.0	0.0	79.2	-11.9	97.7	98.4	97	0.933	1.0	0.0									
100	95	98	0.69	1.0	0.0	76.8	-16.5	94.1	95.6	100	0.769	1.0	0.0	80.7	-8.7	100.0	100.4	95	0.917	1.0	0.0	0.719	1.0	0.0	78.4	-13.5	96.5	97.4	98	0.917	1.0	0.0									
101	96	99	0.675	1.0	0.0	76.0	-18.0	92.9	94.6	101	0.749	1.0	0.0	80.0	-10.3	98.8	99.3	96	0.9	1.0	0.0	0.705	1.0	0.0	77.6	-15.0	95.3	96.5	99	0.9	1.0	0.0									
102	97	100	0.661	1.0	0.0	75.2	-19.4	91.6	93.7	102	0.734	1.0	0.0	79.2	-11.9	97.7	98.4	97	0.883	1.0	0.0	0.69	1.0	0.0	76.8	-16.5	94.1	95.6	100	0.883	1.0	0.0									
103	98	102	0.646	1.0	0.0	74.4	-20.8	90.4	92.7	103	0.719	1.0	0.0	78.4	-13.5	96.5	97.4	98	0.867	1.0	0.0	0.661	1.0	0.0	75.2	-19.4	91.6	93.7	102	0.867	1.0	0.0									
104	99	103	0.631	1.0	0.0	73.6	-22.1	89.1	91.8	104	0.705	1.0	0.0	77.6	-15.0	95.3	96.5	99	0.85	1.0	0.0	0.646	1.0	0.0	74.4	-20.8	90.4	92.7	103	0.85	1.0	0.0									
105	100	104	0.617	1.0	0.0	72.8	-23.5	87.9	91.0	105	0.69	1.0	0.0	76.8	-16.5	94.1	95.6	100	0.833	1.0	0.0	0.631	1.0	0.0	73.6	-22.1	89.1	91.8	104	0.833	1.0	0.0									
106	101	105	0.602	1.0	0.0	72.0	-24.8	86.8	90.3	106	0.675	1.0	0.0	76.0	-18.0	92.9	94.6	101	0.817	1.0	0.0	0.617	1.0	0.0	72.8	-23.5	87.9	91.0	105	0.817	1.0	0.0									
107	102	106	0.587	1.0	0.0	71.2	-26.1	85.6	89.5	107	0.661	1.0	0.0	75.2	-19.4	91.6	93.7	102	0.8	1.0	0.0	0.602	1.0	0.0	72.0	-24.8	86.8	90.3	106	0.8	1.0	0.0									
108	103	107	0.573	1.0	0.0	70.4	-27.3	84.4	88.8	108	0.646	1.0	0.0	74.4	-20.8	90.4	92.7	103	0.783	1.0	0.0	0.587	1.0	0.0	71.2	-26.1	85.6	89.5	107	0.783	1.0	0.0									
109	104	109	0.558	1.0	0.0	69.6	-28.6	83.3	88.1	109	0.631	1.0	0.0	73.6	-22.1	89.1	91.8	104	0.767	1.0	0.0	0.558	1.0	0.0	69.6	-28.6	83.3	88.1	109	0.767	1.0	0.0									
110	105	110	0.543	1.0	0.0	68.8	-29.8	82.1	87.3	110	0.617	1.0	0.0	72.8	-23.5	87.9	91.0	105	0.75	1.0	0.0	0.543	1.0	0.0	68.8	-29.8	82.1	87.3	110	0.75	1.0	0.0									
111	106	111	0.529	1.0	0.0	68.1	-30.9	80.8	86.6	111	0.602	1.0	0.0	72.0	-24.8	86.8	90.3	106	0.733	1.0	0.0	0.529	1.0	0.0	68.1	-30.9	80.8	86.6	111	0.733	1.0	0.0									
112	107	112	0.514	1.0	0.0	67.3	-32.1	79.6	85.9	112	0.587	1.0	0.0	71.2	-26.1	85.6	89.5	107	0.717	1.0	0.0	0.514	1.0	0.0	67.3	-32.1	79.6	85.9	112	0.717	1.0	0.0									
113	108	113	0.5	1.0	0.0	66.5	-33.2	78.4	85.1	113	0.573	1.0	0.0	70.4	-27.3	84.4	88.8	108	0.7	1.0	0.0	0.5	1.0	0.0	66.5	-33.2	78.4	85.1	113	0.7	1.0	0.0									
114	109	114	0.484	1.0	0.0	65.8	-34.3	77.3	84.7	114	0.558	1.0	0.0	69.6	-28.6	83.3	88.1	109	0.683	1.0	0.0	0.484	1.0	0.0	65.8	-34.3	77.3	84.7	114	0.683	1.0	0.0									
115	110	116	0.468	1.0	0.0	65.1	-35.5	76.3	84.2	115	0.543	1.0	0.0	68.8	-29.8	82.1	87.3	110	0.667	1.0	0.0	0.468	1.0	0.0	64.3	-36.6	75.2	83.7	116	0.667	1.0	0.0									
116	111	117	0.452	1.0	0.0	64.3	-36.6	75.2	83.7	116	0.529	1.0	0.0	68.1	-30.9	80.8	86.6	111	0.65	1.0	0.0	0.452	1.0	0.0	63.6	-37.7	74.1	83.2	117	0.65	1.0	0.0									
117	112	118	0.436	1.0	0.0	63.6	-37.7	74.1	83.2	117	0.514	1.0	0.0	67.3	-32.1	79.6	85.9	112	0.633	1.0	0.0	0.42	1.0	0.0	62.9	-38.7	73.0	82.7	118	0.633	1.0	0.0									
118	113	119	0.42	1.0	0.0	62.9	-38.7	73.0	82.7	118	0.5	1.0	0.0	66.5	-33.2	78.4	85.1	113	0.617	1.0	0.0	0.404	1.0	0.0	62.2	-39.8	71.9	82.2	119	0.617	1.0	0.0									
119	114	120	0.404	1.0	0.0	62.2	-39.8	71.9	82.2	119	0.484	1.0	0.0																												

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $d: h_{ab,d} = 35.7, 89.5, 143.6, 221.6, 305.4, 339.1$; Six hue angles of the elementary colours $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$				$LAB^*_{dd361Mix}(x=LabCh)$				$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$				rgb^*_{s50M}			$rgb^*_{de361Mi}$				$LAB^*_{de361Mix}(x=LabCh)$				rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e	
125	120	127	0.304	1.0	0.0	57.9	-45.9	65.7	80.1	125	0.388	1.0	0.0	61.5	-40.8	70.8	81.7	120	0.5	1.0	0.0	0.27	1.0	0.0	56.6	-47.8	63.6	79.6	127	0.5	1.0	0.0			
126	121	128	0.287	1.0	0.0	57.3	-46.8	64.6	79.9	126	0.372	1.0	0.0	60.7	-41.8	69.7	81.3	121	0.483	1.0	0.0	0.253	1.0	0.0	55.9	-48.7	62.5	79.3	128	0.483	1.0	0.0			
127	122	130	0.27	1.0	0.0	56.6	-47.8	63.6	79.6	127	0.355	1.0	0.0	60.0	-42.8	68.7	81.0	122	0.467	1.0	0.0	0.221	1.0	0.0	54.3	-50.5	60.4	78.8	130	0.467	1.0	0.0			
128	123	131	0.253	1.0	0.0	55.9	-48.7	62.5	79.3	128	0.338	1.0	0.0	59.3	-43.9	67.7	80.7	123	0.45	1.0	0.0	0.206	1.0	0.0	53.5	-51.4	59.3	78.6	131	0.45	1.0	0.0			
129	124	132	0.237	1.0	0.0	55.1	-49.6	61.4	79.0	129	0.321	1.0	0.0	58.6	-44.9	66.7	80.4	124	0.433	1.0	0.0	0.19	1.0	0.0	52.7	-52.3	58.2	78.3	132	0.433	1.0	0.0			
130	125	133	0.221	1.0	0.0	54.3	-50.5	60.4	78.8	130	0.304	1.0	0.0	57.9	-45.9	65.7	80.1	125	0.417	1.0	0.0	0.175	1.0	0.0	51.9	-53.1	57.1	78.1	133	0.417	1.0	0.0			
131	126	134	0.206	1.0	0.0	53.5	-51.4	59.3	78.6	131	0.287	1.0	0.0	57.3	-46.8	64.6	79.9	126	0.4	1.0	0.0	0.159	1.0	0.0	51.1	-54.0	56.0	77.8	134	0.4	1.0	0.0			
132	127	135	0.19	1.0	0.0	52.7	-52.3	58.2	78.3	132	0.27	1.0	0.0	56.6	-47.8	63.6	79.6	127	0.383	1.0	0.0	0.144	1.0	0.0	50.3	-54.8	54.9	77.6	135	0.383	1.0	0.0			
133	128	137	0.175	1.0	0.0	51.9	-53.1	57.1	78.1	133	0.253	1.0	0.0	55.9	-48.7	62.5	79.3	128	0.367	1.0	0.0	0.111	1.0	0.0	48.7	-56.3	52.6	77.1	137	0.367	1.0	0.0			
134	129	138	0.159	1.0	0.0	51.1	-54.0	56.0	77.8	134	0.237	1.0	0.0	55.1	-49.6	61.4	79.0	129	0.35	1.0	0.0	0.095	1.0	0.0	47.9	-57.0	51.4	76.8	138	0.35	1.0	0.0			
135	130	139	0.144	1.0	0.0	50.3	-54.8	54.9	77.6	135	0.221	1.0	0.0	54.3	-50.5	60.4	78.8	130	0.333	1.0	0.0	0.078	1.0	0.0	47.0	-57.7	50.2	76.6	139	0.333	1.0	0.0			
136	131	140	0.128	1.0	0.0	49.5	-55.5	53.7	77.3	136	0.206	1.0	0.0	53.5	-51.4	59.3	78.6	131	0.317	1.0	0.0	0.061	1.0	0.0	46.2	-58.3	49.0	76.3	140	0.317	1.0	0.0			
137	132	141	0.111	1.0	0.0	48.7	-56.3	52.6	77.1	137	0.19	1.0	0.0	52.7	-52.3	58.2	78.3	132	0.3	1.0	0.0	0.044	1.0	0.0	45.3	-59.0	47.8	76.0	141	0.3	1.0	0.0			
138	133	142	0.095	1.0	0.0	47.9	-57.0	51.4	76.8	138	0.175	1.0	0.0	51.9	-53.1	57.1	78.1	133	0.283	1.0	0.0	0.027	1.0	0.0	44.5	-59.6	46.6	75.8	142	0.283	1.0	0.0			
139	134	144	0.078	1.0	0.0	47.0	-57.7	50.2	76.6	139	0.159	1.0	0.0	51.1	-54.0	56.0	77.8	134	0.267	1.0	0.0	0.0	1.0	0.004	43.1	-60.6	44.1	75.1	144	0.267	1.0	0.0			
140	135	145	0.061	1.0	0.0	46.2	-58.3	49.0	76.3	140	0.144	1.0	0.0	50.3	-54.8	54.9	77.6	135	0.25	1.0	0.0	0.0	1.0	0.013	43.3	-60.8	42.7	74.4	145	0.25	1.0	0.0			
141	136	146	0.044	1.0	0.0	45.3	-59.0	47.8	76.0	141	0.128	1.0	0.0	49.5	-55.5	53.7	77.3	136	0.233	1.0	0.0	0.0	1.0	0.022	43.4	-61.0	41.2	73.7	146	0.233	1.0	0.0			
142	137	147	0.027	1.0	0.0	44.5	-59.6	46.6	75.8	142	0.111	1.0	0.0	48.7	-56.3	52.6	77.1	137	0.217	1.0	0.0	0.0	1.0	0.032	43.6	-61.1	39.8	73.0	147	0.217	1.0	0.0			
143	138	148	0.01	1.0	0.0	43.6	-60.2	45.4	75.5	143	0.095	1.0	0.0	47.9	-57.0	51.4	76.8	138	0.2	1.0	0.0	0.0	1.0	0.041	43.7	-61.2	38.3	72.3	148	0.2	1.0	0.0			
144	139	149	0.0	1.0	0.004	43.1	-60.6	44.1	75.1	144	0.078	1.0	0.0	47.0	-57.7	50.2	76.6	139	0.183	1.0	0.0	0.0	1.0	0.051	43.9	-61.3	36.9	71.6	149	0.183	1.0	0.0			
145	140	151	0.0	1.0	0.013	43.3	-60.8	42.7	74.4	145	0.061	1.0	0.0	46.2	-58.3	49.0	76.3	140	0.167	1.0	0.0	0.0	1.0	0.07	44.2	-61.4	34.1	70.3	151	0.167	1.0	0.0			
146	141	152	0.0	1.0	0.022	43.4	-61.0	41.2	73.7	146	0.044	1.0	0.0	45.3	-59.0	47.8	76.0	141	0.15	1.0	0.0	0.0	1.0	0.079	44.3	-61.3	32.7	69.6	152	0.15	1.0	0.0			
147	142	153	0.0	1.0	0.032	43.6	-61.1	39.8	73.0	147	0.027	1.0	0.0	44.5	-59.6	46.6	75.8	142	0.133	1.0	0.0	0.0	1.0	0.088	44.5	-61.3	31.3	68.9	153	0.133	1.0	0.0			
148	143	154	0.0	1.0	0.041	43.7	-61.2	38.3	72.3	148	0.01	1.0	0.0	43.6	-60.2	45.4	75.5	143	0.117	1.0	0.0	0.0	1.0	0.098	44.6	-61.2	29.9	68.2	154	0.117	1.0	0.0			
149	144	155	0.0	1.0	0.051	43.9	-61.3	36.9	71.6	149	0.0	1.0	0.004	43.1	-60.6	44.1	75.1	144	0.1	1.0	0.0	0.0	1.0	0.107	44.8	-61.1	28.5	67.5	155	0.1	1.0	0.0			
150	145	156	0.0	1.0	0.06	44.0	-61.4	35.5	71.0	150	0.0	1.0	0.013	43.3	-60.8	42.7	74.4	145	0.083	1.0	0.0	0.0	1.0	0.117	44.9	-61.0	27.2	66.9	156	0.083	1.0	0.0			
151	146	158	0.0	1.0	0.07	44.2	-61.4	34.1	70.3	151	0.0	1.0	0.022	43.4	-61.0	41.2	73.7	146	0.067	1.0	0.0	0.0	1.0	0.139	45.2	-60.7	24.6	65.6	158	0.067	1.0	0.0			
152	147	159	0.0	1.0	0.079	44.3	-61.3	32.7	69.6	152	0.0	1.0	0.032	43.6	-61.1	39.8	73.0	147	0.05	1.0	0.0	0.0	1.0	0.151	45.3	-60.6	23.3	65.0	159	0.05	1.0	0.0			
153	148	160	0.0	1.0	0.088	44.5	-61.3	31.3	68.9	153	0.0	1.0	0.041	43.7	-61.2	38.3	72.3	148	0.033	1.0	0.0	0.0	1.0	0.163	45.5	-60.5	22.0	64.4	160	0.033	1.0	0.0			
154	149	161	0.0	1.0	0.098	44.6	-61.2	29.9	68.2	154	0.0	1.0	0.051	43.9	-61.3	36.9	71.6	149	0.017	1.0	0.0	0.0	1.0	0.176	45.6	-60.3	20.8	63.9	161	0.017	1.0	0.0			
155	150	162	0.0	1.0	0.107	44.8	-61.1	28.5	67.5	155	0.0	1.0	0.06	44.0	-61.4	35.5	71.0	150	0.0	1.0	0.0	0.0	1.0	0.188	45.7	-60.1	19.6	63.3	162	0.0	1.0	0.0			
156	151	163	0.0	1.0	0.117	44.9	-61.0	27.2	66.9	156	0.0	1.0	0.07	44.2	-61.4	34.1	70.3	151	0.0	1.0	0.017	0.0	1.0	0.2	45.8	-59.9	18.3	62.7	163	0.0	1.0	0.017			
157	152	164	0.0	1.0	0.127	45.1	-60.8	25.9	66.2	157	0.0	1.0	0.079	44.3	-61.3	32.7	69.6	152	0.0	1.0	0.033	0.0	1.0	0.212	46.0	-59.6	17.1	62.1	164	0.0	1.0	0.033			
158	153	165	0.0	1.0	0.139	45.2	-60.7	24.6	65.6	158	0.0	1.0	0.088	44.5	-61.3	31.3	68.9	153	0.0	1.0	0.05	0.0	1.0	0.225	46.1	-59.4	15.9	61.6	165	0.0	1.0	0.05			
159	154	166	0.0	1.0	0.151	45.3	-60.6	23.3	65.0	159	0.0	1.0	0.098	44.6	-61.2	29.9	68.2	154	0.0	1.0	0.067	0.0	1.0	0.237	46.2	-59.1	14.8	61.0	166	0.0	1.0	0.067			
160	155	167	0.0	1.0	0.163	45.5	-60.5	22.0	64.4	160	0.0	1.0	0.107	44.8	-61.1	28.5	67.5	155	0.0	1.0	0.083	0.0	1.0	0.249	46.3	-58.8	13.6	60.4	167	0.0	1.0	0.083			
161	156	168	0.0	1.0	0.176	45.6	-60.3	20.8	63.9	161	0.0	1.0	0.117	44.9	-61.0	27.2	66.9	156	0.0	1.0	0.1	0.0	1.0	0.261	46.4	-58.5	12.5	59.9	168	0.0	1.0	0.1			
162	157	169	0.0	1.0	0.188	45.7	-60.1	19.6	63.3	162	0.0	1.0	0.127	45.1	-60.8	25.9	66.2	157	0.0	1.0	0.117	0.0	1.0	0.273	46.5	-58.3	11.4	59.5	169	0.0	1.0	0.117			
163	158	170	0.0	1.0	0.2	45.8	-59.9	18.3	62.7	163	0.0	1.0	0.139	45.2	-60.7	24.6	65.6	158	0.0	1.0	0.133	0.0	1.0	0.285	46.6	-58.0	10.3	59.0	170	0.0	1.0	0.133			
164	159	170	0.0	1.0	0.212																														

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																													
Six hue angles of the device colours d: $h_{ab,d} = 35.7, 89.5, 143.6, 221.6, 305.4, 339.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{361Mi}							$LAB^*_{361Mix}(x=LabCh)$							$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$							rgb^*_{s50M}			$rgb^*_{dc361Mi}$			$LAB^*_{dc361Mix}(x=LabCh)$							rgb^*_{e50M}			rgb^*_{d}	rgb^*_{s}	rgb^*_{e}
170	165	176	0.0	1.0	0.285	46.6	-58.0	10.3	59.0	170	0.0	1.0	0.225	46.1	-59.4	15.9	61.6	165	0.0	1.0	0.25	0.0	1.0	0.357	47.1	-56.1	3.9	56.3	176	0.0	1.0	0.25													
171	166	177	0.0	1.0	0.297	46.7	-57.8	9.2	58.6	171	0.0	1.0	0.237	46.2	-59.1	14.8	61.0	166	0.0	1.0	0.267	0.0	1.0	0.369	47.2	-55.7	2.9	55.9	177	0.0	1.0	0.267													
172	167	178	0.0	1.0	0.309	46.8	-57.5	8.1	58.1	172	0.0	1.0	0.249	46.3	-58.8	13.6	60.4	167	0.0	1.0	0.283	0.0	1.0	0.38	47.3	-55.4	1.9	55.5	178	0.0	1.0	0.283													
173	168	179	0.0	1.0	0.321	46.9	-57.1	7.0	57.7	173	0.0	1.0	0.261	46.4	-58.5	12.5	59.9	168	0.0	1.0	0.3	0.0	1.0	0.391	47.4	-55.1	1.0	55.2	179	0.0	1.0	0.3													
174	169	180	0.0	1.0	0.333	47.0	-56.8	6.0	57.2	174	0.0	1.0	0.273	46.5	-58.3	11.4	59.5	169	0.0	1.0	0.317	0.0	1.0	0.401	47.5	-54.8	0.0	54.9	180	0.0	1.0	0.317													
175	170	180	0.0	1.0	0.345	47.0	-56.5	4.9	56.8	175	0.0	1.0	0.285	46.6	-58.0	10.3	59.0	170	0.0	1.0	0.333	0.0	1.0	0.401	47.5	-54.8	0.0	54.9	180	0.0	1.0	0.333													
176	171	181	0.0	1.0	0.357	47.1	-56.1	3.9	56.3	176	0.0	1.0	0.297	46.7	-57.8	9.2	58.6	171	0.0	1.0	0.35	0.0	1.0	0.411	47.6	-54.5	-0.9	54.6	181	0.0	1.0	0.35													
177	172	182	0.0	1.0	0.369	47.2	-55.7	2.9	55.9	177	0.0	1.0	0.309	46.8	-57.5	8.1	58.1	172	0.0	1.0	0.367	0.0	1.0	0.422	47.7	-54.1	-1.8	54.3	182	0.0	1.0	0.367													
178	173	183	0.0	1.0	0.38	47.3	-55.4	1.9	55.5	178	0.0	1.0	0.321	46.9	-57.1	7.0	57.7	173	0.0	1.0	0.383	0.0	1.0	0.432	47.8	-53.8	-2.7	54.0	183	0.0	1.0	0.383													
179	174	184	0.0	1.0	0.391	47.4	-55.1	1.0	55.2	179	0.0	1.0	0.333	47.0	-56.8	6.0	57.2	174	0.0	1.0	0.4	0.0	1.0	0.442	47.9	-53.4	-3.6	53.6	184	0.0	1.0	0.4													
180	175	185	0.0	1.0	0.401	47.5	-54.8	0.0	54.9	180	0.0	1.0	0.345	47.0	-56.5	4.9	56.8	175	0.0	1.0	0.417	0.0	1.0	0.453	48.0	-53.0	-4.5	53.3	185	0.0	1.0	0.417													
181	176	186	0.0	1.0	0.411	47.6	-54.5	-0.9	54.6	181	0.0	1.0	0.357	47.1	-56.1	3.9	56.3	176	0.0	1.0	0.433	0.0	1.0	0.463	48.1	-52.6	-5.4	53.0	186	0.0	1.0	0.433													
182	177	187	0.0	1.0	0.422	47.7	-54.1	-1.8	54.3	182	0.0	1.0	0.369	47.2	-55.7	2.9	55.9	177	0.0	1.0	0.45	0.0	1.0	0.473	48.2	-52.2	-6.3	52.7	187	0.0	1.0	0.45													
183	178	188	0.0	1.0	0.432	47.8	-53.8	-2.7	54.0	183	0.0	1.0	0.38	47.3	-55.4	1.9	55.5	178	0.0	1.0	0.467	0.0	1.0	0.483	48.3	-51.8	-7.2	52.4	188	0.0	1.0	0.467													
184	179	189	0.0	1.0	0.442	47.9	-53.4	-3.6	53.6	184	0.0	1.0	0.391	47.4	-55.1	1.0	55.2	179	0.0	1.0	0.483	0.0	1.0	0.494	48.4	-51.4	-8.1	52.1	189	0.0	1.0	0.483													
185	180	190	0.0	1.0	0.453	48.0	-53.0	-4.5	53.3	185	0.0	1.0	0.401	47.5	-54.8	0.0	54.9	180	0.0	1.0	0.5	0.0	1.0	0.504	48.5	-51.0	-8.9	51.8	190	0.0	1.0	0.5													
186	181	191	0.0	1.0	0.463	48.1	-52.6	-5.4	53.0	186	0.0	1.0	0.411	47.6	-54.5	-0.9	54.6	181	0.0	1.0	0.517	0.0	1.0	0.513	48.6	-50.6	-9.8	51.7	191	0.0	1.0	0.517													
187	182	191	0.0	1.0	0.473	48.2	-52.2	-6.3	52.7	187	0.0	1.0	0.422	47.7	-54.1	-1.8	54.3	182	0.0	1.0	0.533	0.0	1.0	0.513	48.6	-50.6	-9.8	51.7	191	0.0	1.0	0.533													
188	183	192	0.0	1.0	0.483	48.3	-51.8	-7.2	52.4	188	0.0	1.0	0.432	47.8	-53.8	-2.7	54.0	183	0.0	1.0	0.55	0.0	1.0	0.522	48.7	-50.3	-10.6	51.5	192	0.0	1.0	0.55													
189	184	193	0.0	1.0	0.494	48.4	-51.4	-8.1	52.1	189	0.0	1.0	0.442	47.9	-53.4	-3.6	53.6	184	0.0	1.0	0.567	0.0	1.0	0.532	48.7	-49.9	-11.5	51.4	193	0.0	1.0	0.567													
190	185	194	0.0	1.0	0.504	48.5	-51.0	-8.9	51.8	190	0.0	1.0	0.453	48.0	-53.0	-4.5	53.3	185	0.0	1.0	0.583	0.0	1.0	0.541	48.8	-49.6	-12.3	51.2	194	0.0	1.0	0.583													
191	186	195	0.0	1.0	0.513	48.6	-50.6	-9.8	51.7	191	0.0	1.0	0.463	48.1	-52.6	-5.4	53.0	186	0.0	1.0	0.6	0.0	1.0	0.55	48.9	-49.2	-13.1	51.0	195	0.0	1.0	0.6													
192	187	196	0.0	1.0	0.522	48.7	-50.3	-10.6	51.5	192	0.0	1.0	0.473	48.2	-52.2	-6.3	52.7	187	0.0	1.0	0.617	0.0	1.0	0.56	49.0	-48.8	-13.9	50.9	196	0.0	1.0	0.617													
193	188	197	0.0	1.0	0.532	48.7	-49.9	-11.5	51.4	193	0.0	1.0	0.483	48.3	-51.8	-7.2	52.4	188	0.0	1.0	0.633	0.0	1.0	0.569	49.1	-48.4	-14.7	50.7	197	0.0	1.0	0.633													
194	189	198	0.0	1.0	0.541	48.8	-49.6	-12.3	51.2	194	0.0	1.0	0.494	48.4	-51.4	-8.1	52.1	189	0.0	1.0	0.65	0.0	1.0	0.578	49.1	-48.0	-15.5	50.5	198	0.0	1.0	0.65													
195	190	199	0.0	1.0	0.55	48.9	-49.2	-13.1	51.0	195	0.0	1.0	0.504	48.5	-51.0	-8.9	51.8	190	0.0	1.0	0.667	0.0	1.0	0.588	49.2	-47.5	-16.3	50.4	199	0.0	1.0	0.667													
196	191	200	0.0	1.0	0.56	49.0	-48.8	-13.9	50.9	196	0.0	1.0	0.513	48.6	-50.6	-9.8	51.7	191	0.0	1.0	0.683	0.0	1.0	0.597	49.3	-47.1	-17.1	50.2	200	0.0	1.0	0.683													
197	192	201	0.0	1.0	0.569	49.1	-48.4	-14.7	50.7	197	0.0	1.0	0.522	48.7	-50.3	-10.6	51.5	192	0.0	1.0	0.7	0.0	1.0	0.606	49.4	-46.6	-17.8	50.1	201	0.0	1.0	0.7													
198	193	201	0.0	1.0	0.578	49.1	-48.0	-15.5	50.5	198	0.0	1.0	0.532	48.7	-49.9	-11.5	51.4	193	0.0	1.0	0.717	0.0	1.0	0.606	49.4	-46.6	-17.8	50.1	201	0.0	1.0	0.717													
199	194	202	0.0	1.0	0.588	49.2	-47.5	-16.3	50.4	199	0.0	1.0	0.541	48.8	-49.6	-12.3	51.2	194	0.0	1.0	0.733	0.0	1.0	0.616	49.4	-46.2	-18.6	49.9	202	0.0	1.0	0.733													
200	195	203	0.0	1.0	0.597	49.3	-47.1	-17.1	50.2	200	0.0	1.0	0.55	48.9	-49.2	-13.1	51.0	195	0.0	1.0	0.75	0.0	1.0	0.625	49.5	-45.7	-19.3	49.7	203	0.0	1.0	0.75													
201	196	204	0.0	1.0	0.606	49.4	-46.6	-17.8	50.1	201	0.0	1.0	0.56	49.0	-48.8	-13.9	50.9	196	0.0	1.0	0.767	0.0	1.0	0.636	49.6	-45.3	-20.1	49.7	204	0.0	1.0	0.767													
202	197	205	0.0	1.0	0.616	49.4	-46.2	-18.6	49.9	202	0.0	1.0	0.569	49.1	-48.4	-14.7	50.7	197	0.0	1.0	0.783	0.0	1.0	0.647	49.7	-44.9	-20.9	49.7	205	0.0	1.0	0.783													
203	198	206	0.0	1.0	0.625	49.5	-45.7	-19.3	49.7	203	0.0	1.0	0.578	49.1	-48.0	-15.5	50.5	198	0.0	1.0	0.8	0.0	1.0	0.659	49.8	-44.5	-21.7	49.7	206	0.0	1.0	0.8													
204	199	207	0.0	1.0	0.635	49.6	-45.3	-20.1	49.7	204	0.0	1.0	0.588	49.2	-47.5	-16.3	50.4	199	0.0	1.0	0.817	0.0	1.0	0.67	49.8	-44.1	-22.4	49.6	207	0.0	1.0	0.817													
205	200	208	0.0	1.0	0.647	49.7	-44.9	-20.9	49.7	205	0.0	1.0	0.597	49.3	-47.1	-17.1	50.2	200	0.0	1.0	0.833	0.0	1.0	0.681	49.9	-43.7	-23.2	49.6	208	0.0	1.0	0.833													
206	201	209	0.0	1.0	0.659	49.8	-44.5	-21.7	49.7	206	0.0	1.0	0.606	49.4	-46.6	-17.8	50.1	201	0.0	1.0	0.85	0.0	1.0	0.692	50.0	-43.3	-23.9	49.6	209	0.0	1.0	0.85													
207	202	210	0.0	1.0	0.67	49.8	-44.1	-22.4	49.6	207	0.0	1.0	0.616	49.4	-46.2	-18.6	49.9	202	0.0	1.0	0.867	0.0	1.0	0.703	50.1	-42.8	-24.7	49.6	210	0.0	1.0	0.867													
208	203	211	0.0	1.0	0.681	49.9	-43.7	-23.2	49.6	208	0.0	1.0	0.625	49.5	-45.7	-19.3	49.7	203	0.0	1.0	0.883	0.0	1.0	0.714	50.2	-42.4	-25.4	49.5	211	0.0	1.0	0.883													
209	204	212	0.0	1.0	0.692	50.0	-43.3	-23.9	49.6	209																																			

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																													
Six hue angles of the device colours d: $h_{ab,d} = 35.7, 89.5, 143.6, 221.6, 305.4, 339.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$							$LAB^*_{dd361Mix}(x=LabCh)$							$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$							rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$							rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
260	255	258	0.0	0.428	1.0	36.6	-8.0	-45.8	46.6	260	0.0	0.464	1.0	38.5	-11.8	-44.2	45.9	255	0.0	0.25	1.0	0.0	0.443	1.0	37.4	-9.5	-45.2	46.3	258	0.0	0.25	1.0													
261	256	259	0.0	0.421	1.0	36.3	-7.2	-46.0	46.7	261	0.0	0.457	1.0	38.1	-11.0	-44.6	46.0	256	0.0	0.233	1.0	0.0	0.435	1.0	37.0	-8.8	-45.5	46.4	259	0.0	0.233	1.0													
262	257	260	0.0	0.414	1.0	35.9	-6.4	-46.3	46.8	262	0.0	0.45	1.0	37.8	-10.3	-44.9	46.2	257	0.0	0.217	1.0	0.0	0.428	1.0	36.6	-8.0	-45.8	46.6	260	0.0	0.217	1.0													
263	258	261	0.0	0.407	1.0	35.5	-5.6	-46.5	47.0	263	0.0	0.443	1.0	37.4	-9.5	-45.2	46.3	258	0.0	0.2	1.0	0.0	0.421	1.0	36.3	-7.2	-46.0	46.7	261	0.0	0.2	1.0													
264	259	262	0.0	0.399	1.0	35.2	-4.8	-46.8	47.1	264	0.0	0.435	1.0	37.0	-8.8	-45.5	46.4	259	0.0	0.183	1.0	0.0	0.414	1.0	35.9	-6.4	-46.3	46.8	262	0.0	0.183	1.0													
265	260	263	0.0	0.392	1.0	34.8	-4.0	-47.0	47.3	265	0.0	0.428	1.0	36.6	-8.0	-45.8	46.6	260	0.0	0.167	1.0	0.0	0.407	1.0	35.5	-5.6	-46.5	47.0	263	0.0	0.167	1.0													
266	261	264	0.0	0.385	1.0	34.4	-3.2	-47.2	47.4	266	0.0	0.421	1.0	36.3	-7.2	-46.0	46.7	261	0.0	0.15	1.0	0.0	0.399	1.0	35.2	-4.8	-46.8	47.1	264	0.0	0.15	1.0													
267	262	264	0.0	0.378	1.0	34.1	-2.4	-47.4	47.5	267	0.0	0.414	1.0	35.9	-6.4	-46.3	46.8	262	0.0	0.133	1.0	0.0	0.399	1.0	35.2	-4.8	-46.8	47.1	264	0.0	0.133	1.0													
268	263	265	0.0	0.37	1.0	33.7	-1.6	-47.7	47.8	268	0.0	0.407	1.0	35.5	-5.6	-46.5	47.0	263	0.0	0.117	1.0	0.0	0.392	1.0	34.8	-4.0	-47.0	47.3	265	0.0	0.117	1.0													
269	264	266	0.0	0.362	1.0	33.2	-0.7	-48.1	48.2	269	0.0	0.399	1.0	35.2	-4.8	-46.8	47.1	264	0.0	0.1	1.0	0.0	0.385	1.0	34.4	-3.2	-47.2	47.4	266	0.0	0.1	1.0													
270	265	267	0.0	0.355	1.0	32.8	0.0	-48.5	48.6	270	0.0	0.392	1.0	34.8	-4.0	-47.0	47.3	265	0.0	0.083	1.0	0.0	0.378	1.0	34.1	-2.4	-47.4	47.5	267	0.0	0.083	1.0													
271	266	268	0.0	0.347	1.0	32.3	0.9	-48.9	49.0	271	0.0	0.385	1.0	34.4	-3.2	-47.2	47.4	266	0.0	0.067	1.0	0.0	0.37	1.0	33.7	-1.6	-47.7	47.8	268	0.0	0.067	1.0													
272	267	269	0.0	0.339	1.0	31.9	1.7	-49.2	49.4	272	0.0	0.378	1.0	34.1	-2.4	-47.4	47.5	267	0.0	0.05	1.0	0.0	0.362	1.0	33.2	-0.7	-48.1	48.2	269	0.0	0.05	1.0													
273	268	270	0.0	0.331	1.0	31.5	2.6	-49.6	49.8	273	0.0	0.37	1.0	33.7	-1.6	-47.7	47.8	268	0.0	0.033	1.0	0.0	0.355	1.0	32.8	0.0	-48.5	48.6	270	0.0	0.033	1.0													
274	269	271	0.0	0.323	1.0	31.0	3.5	-49.9	50.2	274	0.0	0.362	1.0	33.2	-0.7	-48.1	48.2	269	0.0	0.017	1.0	0.0	0.347	1.0	32.3	0.9	-48.9	49.0	271	0.0	0.017	1.0													
275	270	272	0.0	0.315	1.0	30.6	4.4	-50.3	50.6	275	0.0	0.355	1.0	32.8	0.0	-48.5	48.6	270	0.0	0.0	1.0B_s	0.0	0.339	1.0	31.9	1.7	-49.2	49.4	272	0.0	0.0	1.0B_e													
276	271	273	0.0	0.307	1.0	30.2	5.3	-50.6	50.9	276	0.0	0.347	1.0	32.3	0.9	-48.9	49.0	271	0.017	0.0	1.0	0.0	0.331	1.0	31.5	2.6	-49.6	49.8	273	0.017	0.0	1.0													
277	272	274	0.0	0.3	1.0	29.7	6.3	-50.9	51.3	277	0.0	0.339	1.0	31.9	1.7	-49.2	49.4	272	0.033	0.0	1.0	0.0	0.323	1.0	31.0	3.5	-49.9	50.2	274	0.033	0.0	1.0													
278	273	275	0.0	0.292	1.0	29.3	7.2	-51.1	51.7	278	0.0	0.331	1.0	31.5	2.6	-49.6	49.8	273	0.05	0.0	1.0	0.0	0.315	1.0	30.6	4.4	-50.3	50.6	275	0.05	0.0	1.0													
279	274	276	0.0	0.284	1.0	28.9	8.2	-51.4	52.1	279	0.0	0.323	1.0	31.0	3.5	-49.9	50.2	274	0.067	0.0	1.0	0.0	0.307	1.0	30.2	5.3	-50.6	50.9	276	0.067	0.0	1.0													
280	275	276	0.0	0.276	1.0	28.4	9.1	-51.6	52.5	280	0.0	0.315	1.0	30.6	4.4	-50.3	50.6	275	0.083	0.0	1.0	0.0	0.307	1.0	30.2	5.3	-50.6	50.9	276	0.083	0.0	1.0													
281	276	277	0.0	0.268	1.0	28.0	10.1	-51.8	52.9	281	0.0	0.307	1.0	30.2	5.3	-50.6	50.9	276	0.1	0.0	1.0	0.0	0.3	1.0	29.7	6.3	-50.9	51.3	277	0.1	0.0	1.0													
282	277	278	0.0	0.26	1.0	27.6	11.1	-52.0	53.3	282	0.0	0.3	1.0	29.7	6.3	-50.9	51.3	277	0.117	0.0	1.0	0.0	0.292	1.0	29.3	7.2	-51.1	51.7	278	0.117	0.0	1.0													
283	278	279	0.0	0.253	1.0	27.1	12.1	-52.2	53.7	283	0.0	0.292	1.0	29.3	7.2	-51.1	51.7	278	0.133	0.0	1.0	0.0	0.284	1.0	28.9	8.2	-51.4	52.1	279	0.133	0.0	1.0													
284	279	280	0.0	0.244	1.0	26.6	13.1	-52.6	54.3	284	0.0	0.284	1.0	28.9	8.2	-51.4	52.1	279	0.15	0.0	1.0	0.0	0.276	1.0	28.4	9.1	-51.6	52.5	280	0.15	0.0	1.0													
285	280	281	0.0	0.234	1.0	26.0	14.2	-53.0	55.0	285	0.0	0.276	1.0	28.4	9.1	-51.6	52.5	280	0.167	0.0	1.0	0.0	0.268	1.0	28.0	10.1	-51.8	52.9	281	0.167	0.0	1.0													
286	281	282	0.0	0.224	1.0	25.4	15.3	-53.4	55.7	286	0.0	0.268	1.0	28.0	10.1	-51.8	52.9	281	0.183	0.0	1.0	0.0	0.26	1.0	27.6	11.1	-52.0	53.3	282	0.183	0.0	1.0													
287	282	283	0.0	0.214	1.0	24.9	16.5	-53.8	56.4	287	0.0	0.26	1.0	27.6	11.1	-52.0	53.3	282	0.2	0.0	1.0	0.0	0.253	1.0	27.1	12.1	-52.2	53.7	283	0.2	0.0	1.0													
288	283	284	0.0	0.205	1.0	24.3	17.6	-54.2	57.1	288	0.0	0.253	1.0	27.1	12.1	-52.2	53.7	283	0.217	0.0	1.0	0.0	0.244	1.0	26.6	13.1	-52.6	54.3	284	0.217	0.0	1.0													
289	284	285	0.0	0.195	1.0	23.7	18.8	-54.5	57.7	289	0.0	0.244	1.0	26.6	13.1	-52.6	54.3	284	0.233	0.0	1.0	0.0	0.234	1.0	26.0	14.2	-53.0	55.0	285	0.233	0.0	1.0													
290	285	286	0.0	0.185	1.0	23.2	20.0	-54.8	58.4	290	0.0	0.234	1.0	26.0	14.2	-53.0	55.0	285	0.25	0.0	1.0	0.0	0.224	1.0	25.4	15.3	-53.4	55.7	286	0.25	0.0	1.0													
291	286	287	0.0	0.176	1.0	22.6	21.2	-55.1	59.1	291	0.0	0.224	1.0	25.4	15.3	-53.4	55.7	286	0.267	0.0	1.0	0.0	0.214	1.0	24.9	16.5	-53.8	56.4	287	0.267	0.0	1.0													
292	287	288	0.0	0.166	1.0	22.0	22.4	-55.4	59.8	292	0.0	0.214	1.0	24.9	16.5	-53.8	56.4	287	0.283	0.0	1.0	0.0	0.205	1.0	24.3	17.6	-54.2	57.1	288	0.283	0.0	1.0													
293	288	289	0.0	0.156	1.0	21.4	23.6	-55.6	60.5	293	0.0	0.205	1.0	24.3	17.6	-54.2	57.1	288	0.3	0.0	1.0	0.0	0.195	1.0	23.7	18.8	-54.5	57.7	289	0.3	0.0	1.0													
294	289	290	0.0	0.147	1.0	20.9	24.9	-55.8	61.2	294	0.0	0.195	1.0	23.7	18.8	-54.5	57.7	289	0.317	0.0	1.0	0.0	0.185	1.0	23.2	20.0	-54.8	58.4	290	0.317	0.0	1.0													
295	290	291	0.0	0.137	1.0	20.3	26.2	-56.0	61.9	295	0.0	0.185	1.0	23.2	20.0	-54.8	58.4	290	0.333	0.0	1.0	0.0	0.176	1.0	22.6	21.2	-55.1	59.1	291	0.333	0.0	1.0													
296	291	292	0.0	0.127	1.0	19.7	27.4	-56.2	62.6	296	0.0	0.176	1.0	22.6	21.2	-55.1	59.1	291	0.35	0.0	1.0	0.0	0.166	1.0	22.0	22.4	-55.4	59.8	292	0.35	0.0	1.0													
297	292	293	0.0	0.115	1.0	19.0	28.8	-56.4	63.4	297	0.0	0.166	1.0	22.0	22.4	-55.4	59.8	292	0.367	0.0	1.0	0.0	0.156	1.0	21.4	23.6	-55.6	60.5	293	0.367	0.0	1.0													
298	293	294	0.0	0.101	1.0	18.2	30.2	-56.7	64.3	298	0.0	0.156	1.0	21.4	23.6	-55.6	60.5	293	0.383	0.0	1.0	0.0	0.147	1.0	20.9	24.9	-55.8	61.2	294	0.383	0.0	1.0													
299	294	294	0.0	0.087	1.0	17.4	31.6	-57.0	65.2	2																																			

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																			
Six hue angles of the device colours d: $h_{ab,d} = 35.7, 89.5, 143.6, 221.6, 305.4, 339.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{30}dd361Mi$			$LAB^*_{30}dd361Mix(x=LabCh)$			$rgb^*_{30}ds361Mi$			$LAB^*_{30}ds361Mix(x=LabCh)$			$rgb^*_{30}s50M$			$rgb^*_{30}de361Mi$			$LAB^*_{30}de361Mix(x=LabCh)$			$rgb^*_{30}e50M$			$rgb^*_{30}d$	$rgb^*_{30}s$	$rgb^*_{30}e$						
305	300	300	0.0	0.006	1.0	12.7	40.5	-57.7	70.6	305B ₄	0.0	0.074	1.0	16.6	33.1	-57.2	66.1	300	0.5	0.0	1.0	0.0	0.074	1.0	16.6	33.1	-57.2	66.1	300	0.5	0.0	1.0			
306	301	301	0.037	0.0	1.0	13.2	41.9	-57.6	71.3	306	0.0	0.06	1.0	15.8	34.5	-57.3	67.0	301	0.517	0.0	1.0	0.0	0.06	1.0	15.8	34.5	-57.3	67.0	301	0.517	0.0	1.0			
307	302	302	0.103	0.0	1.0	14.7	43.2	-57.3	71.8	307	0.0	0.047	1.0	15.1	36.0	-57.5	67.9	302	0.533	0.0	1.0	0.0	0.047	1.0	15.1	36.0	-57.5	67.9	302	0.533	0.0	1.0			
308	303	303	0.15	0.0	1.0	15.9	44.4	-56.7	72.1	308	0.0	0.033	1.0	14.3	37.5	-57.6	68.8	303	0.55	0.0	1.0	0.0	0.033	1.0	14.3	37.5	-57.6	68.8	303	0.55	0.0	1.0			
309	304	304	0.187	0.0	1.0	16.8	45.4	-56.0	72.2	309	0.0	0.019	1.0	13.5	39.0	-57.7	69.7	304	0.567	0.0	1.0	0.0	0.019	1.0	13.5	39.0	-57.7	69.7	304	0.567	0.0	1.0			
310	305	305	0.224	0.0	1.0	17.8	46.4	-55.3	72.3	310	0.0	0.006	1.0	12.7	40.5	-57.7	70.6	305	0.583	0.0	1.0	0.0	0.006	1.0	12.7	40.5	-57.7	70.6	305	0.583	0.0	1.0			
311	306	306	0.257	0.0	1.0	18.7	47.4	-54.5	72.3	311	0.037	0.0	1.0	13.2	41.9	-57.6	71.3	306	0.6	0.0	1.0	0.037	0.0	1.0	13.2	41.9	-57.6	71.3	306	0.6	0.0	1.0			
312	307	307	0.282	0.0	1.0	19.4	48.4	-53.6	72.3	312	0.103	0.0	1.0	14.7	43.2	-57.3	71.8	307	0.617	0.0	1.0	0.103	0.0	1.0	14.7	43.2	-57.3	71.8	307	0.617	0.0	1.0			
313	308	308	0.307	0.0	1.0	20.1	49.3	-52.8	72.3	313	0.15	0.0	1.0	15.9	44.4	-56.7	72.1	308	0.633	0.0	1.0	0.15	0.0	1.0	15.9	44.4	-56.7	72.1	308	0.633	0.0	1.0			
314	309	309	0.331	0.0	1.0	20.8	50.2	-51.9	72.3	314	0.187	0.0	1.0	16.8	45.4	-56.0	72.2	309	0.65	0.0	1.0	0.187	0.0	1.0	16.8	45.4	-56.0	72.2	309	0.65	0.0	1.0			
315	310	310	0.356	0.0	1.0	21.5	51.1	-51.0	72.2	315	0.224	0.0	1.0	17.8	46.4	-55.3	72.3	310	0.667	0.0	1.0	0.224	0.0	1.0	17.8	46.4	-55.3	72.3	310	0.667	0.0	1.0			
316	311	311	0.38	0.0	1.0	22.2	52.0	-50.1	72.3	316	0.257	0.0	1.0	18.7	47.4	-54.5	72.3	311	0.683	0.0	1.0	0.257	0.0	1.0	18.7	47.4	-54.5	72.3	311	0.683	0.0	1.0			
317	312	312	0.405	0.0	1.0	23.0	52.9	-49.3	72.4	317	0.282	0.0	1.0	19.4	48.4	-53.6	72.3	312	0.7	0.0	1.0	0.282	0.0	1.0	19.4	48.4	-53.6	72.3	312	0.7	0.0	1.0			
318	313	313	0.429	0.0	1.0	23.8	53.9	-48.4	72.5	318	0.307	0.0	1.0	20.1	49.3	-52.8	72.3	313	0.717	0.0	1.0	0.282	0.0	1.0	19.4	48.4	-53.6	72.3	312	0.717	0.0	1.0			
319	314	314	0.453	0.0	1.0	24.5	54.8	-47.6	72.7	319	0.331	0.0	1.0	20.8	50.2	-51.9	72.3	314	0.733	0.0	1.0	0.307	0.0	1.0	20.1	49.3	-52.8	72.3	313	0.733	0.0	1.0			
320	315	315	0.477	0.0	1.0	25.3	55.8	-46.7	72.8	320	0.356	0.0	1.0	21.5	51.1	-51.0	72.2	315	0.75	0.0	1.0	0.331	0.0	1.0	20.8	50.2	-51.9	72.3	314	0.75	0.0	1.0			
321	316	316	0.501	0.0	1.0	26.0	56.7	-45.8	72.9	321	0.38	0.0	1.0	22.2	52.0	-50.1	72.3	316	0.767	0.0	1.0	0.356	0.0	1.0	21.5	51.1	-51.0	72.2	315	0.767	0.0	1.0			
322	317	317	0.521	0.0	1.0	26.7	57.7	-45.0	73.2	322	0.405	0.0	1.0	23.0	52.9	-49.3	72.4	317	0.783	0.0	1.0	0.38	0.0	1.0	22.2	52.0	-50.1	72.3	316	0.783	0.0	1.0			
323	318	318	0.541	0.0	1.0	27.4	58.7	-44.1	73.5	323	0.429	0.0	1.0	23.8	53.9	-48.4	72.5	318	0.8	0.0	1.0	0.405	0.0	1.0	23.0	52.9	-49.3	72.4	317	0.8	0.0	1.0			
324	319	319	0.561	0.0	1.0	28.1	59.7	-43.3	73.8	324	0.453	0.0	1.0	24.5	54.8	-47.6	72.7	319	0.817	0.0	1.0	0.429	0.0	1.0	23.8	53.9	-48.4	72.5	318	0.817	0.0	1.0			
325	320	320	0.581	0.0	1.0	28.8	60.7	-42.4	74.1	325	0.477	0.0	1.0	25.3	55.8	-46.7	72.8	320	0.833	0.0	1.0	0.453	0.0	1.0	24.5	54.8	-47.6	72.7	319	0.833	0.0	1.0			
326	321	321	0.6	0.0	1.0	29.5	61.6	-41.5	74.4	326	0.501	0.0	1.0	26.0	56.7	-45.8	72.9	321	0.85	0.0	1.0	0.477	0.0	1.0	25.3	55.8	-46.7	72.8	320	0.85	0.0	1.0			
327	322	322	0.62	0.0	1.0	30.2	62.6	-40.6	74.6	327	0.521	0.0	1.0	26.7	57.7	-45.0	73.2	322	0.867	0.0	1.0	0.501	0.0	1.0	26.0	56.7	-45.8	72.9	321	0.867	0.0	1.0			
328	323	323	0.639	0.0	1.0	30.8	63.6	-39.7	75.0	328	0.541	0.0	1.0	27.4	58.7	-44.1	73.5	323	0.883	0.0	1.0	0.521	0.0	1.0	26.7	57.7	-45.0	73.2	322	0.883	0.0	1.0			
329	324	324	0.658	0.0	1.0	31.4	64.7	-38.8	75.5	329	0.561	0.0	1.0	28.1	59.7	-43.3	73.8	324	0.9	0.0	1.0	0.541	0.0	1.0	27.4	58.7	-44.1	73.5	323	0.9	0.0	1.0			
330	325	325	0.677	0.0	1.0	32.1	65.7	-37.9	75.9	330	0.581	0.0	1.0	28.8	60.7	-42.4	74.1	325	0.917	0.0	1.0	0.561	0.0	1.0	28.1	59.7	-43.3	73.8	324	0.917	0.0	1.0			
331	326	326	0.695	0.0	1.0	32.7	66.8	-36.9	76.4	331	0.6	0.0	1.0	29.5	61.6	-41.5	74.4	326	0.933	0.0	1.0	0.581	0.0	1.0	28.8	60.7	-42.4	74.1	325	0.933	0.0	1.0			
332	327	327	0.714	0.0	1.0	33.4	67.8	-36.0	76.8	332	0.62	0.0	1.0	30.2	62.6	-40.6	74.6	327	0.95	0.0	1.0	0.6	0.0	1.0	29.5	61.6	-41.5	74.4	326	0.95	0.0	1.0			
333	328	328	0.733	0.0	1.0	34.0	68.8	-35.0	77.2	333	0.639	0.0	1.0	30.8	63.6	-39.7	75.0	328	0.967	0.0	1.0	0.62	0.0	1.0	30.2	62.6	-40.6	74.6	327	0.967	0.0	1.0			
334	329	329	0.752	0.0	1.0	34.6	69.8	-34.0	77.7	334	0.658	0.0	1.0	31.4	64.7	-38.8	75.5	329	0.983	0.0	1.0	0.639	0.0	1.0	30.8	63.6	-39.7	75.0	328	0.983	0.0	1.0			
335	330	329	0.778	0.0	1.0	35.4	71.0	-33.0	78.4	335	0.677	0.0	1.0	32.1	65.7	-37.9	75.9	330	1.0	0.0	1.0M _s	0.658	0.0	1.0	31.4	64.7	-38.8	75.5	329	1.0	0.0	1.0M _e			
336	331	330	0.804	0.0	1.0	36.1	72.2	-32.0	79.0	336	0.695	0.0	1.0	32.7	66.8	-36.9	76.4	331	1.0	0.0	0.983	0.677	0.0	1.0	32.1	65.7	-37.9	75.9	330	1.0	0.0	0.983			
337	332	331	0.83	0.0	1.0	36.8	73.4	-31.0	79.7	337	0.714	0.0	1.0	33.4	67.8	-36.0	76.8	332	1.0	0.0	0.967	0.695	0.0	1.0	32.7	66.8	-36.9	76.4	331	1.0	0.0	0.967			
338	333	331	0.856	0.0	1.0	37.6	74.5	-30.0	80.4	338	0.733	0.0	1.0	34.0	68.8	-35.0	77.2	333	1.0	0.0	0.95	0.695	0.0	1.0	32.7	66.8	-36.9	76.4	331	1.0	0.0	0.95			
339	334	332	0.964	0.0	1.0	38.3	75.7	-28.9	81.1	339M _d	0.752	0.0	1.0	34.6	69.8	-34.0	77.7	334	1.0	0.0	0.933	0.714	0.0	1.0	33.4	67.8	-36.0	76.8	332	1.0	0.0	0.933			
340	335	333	1.0	0.0	0.817	38.4	75.3	-27.3	80.1	340	0.778	0.0	1.0	35.4	71.0	-33.0	78.4	335	1.0	0.0	0.917	0.733	0.0	1.0	34.0	68.8	-35.0	77.2	333	1.0	0.0	0.917			
341	336	334	1.0	0.0	0.745	38.4	74.8	-25.6	79.1	341	0.804	0.0	1.0	36.1	72.2	-32.0	79.0	336	1.0	0.0	0.9	0.752	0.0	1.0	34.6	69.8	-34.0	77.7	334	1.0	0.0	0.9			
342	337	335	1.0	0.0	0.71	38.3	74.3	-24.0	78.1	342	0.83	0.0	1.0	36.8	73.4	-31.0	79.7	337	1.0	0.0	0.883	0.778	0.0	1.0	35.4	71.0	-33.0	78.4	335	1.0	0.0	0.883			
343	338	336	1.0	0.0	0.675	38.3	73.8	-22.5	77.2	343	0.856	0.0	1.0	37.6	74.5	-30.0	80.4	338	1.0	0.0	0.867	0.804	0.0	1.0	36.1	72.2	-32.0	79.0	336	1.0	0.0	0.867			</

Data of Maximum color M in colorimetric system photo printer FRS09_91; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 35.7, 89.5, 143.6, 221.6, 305.4, 339.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																												
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$						$LAB^*_{dd361Mix}(x=LabCh)$						$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$						rgb^*_{s50M}			$rgb^*_{de361Mi}$						$LAB^*_{de361Mix}(x=LabCh)$						rgb^*_{e50M}			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
350	345	343	1.0	0.0	0.506	37.9	71.0	-12.4	72.1	350	1.0	0.0	0.612	38.1	72.9	-19.4	75.4	345	1.0	0.0	0.75	1.0	0.0	0.675	38.3	73.8	-22.5	77.2	343	1.0	0.0	0.75												
351	346	344	1.0	0.0	0.488	37.9	70.7	-11.1	71.6	351	1.0	0.0	0.591	38.1	72.5	-18.0	74.8	346	1.0	0.0	0.733	1.0	0.0	0.639	38.2	73.3	-20.9	76.2	344	1.0	0.0	0.733												
352	347	345	1.0	0.0	0.472	37.8	70.5	-9.8	71.2	352	1.0	0.0	0.57	38.1	72.2	-16.6	74.1	347	1.0	0.0	0.717	1.0	0.0	0.612	38.1	72.9	-19.4	75.4	345	1.0	0.0	0.717												
353	348	346	1.0	0.0	0.456	37.8	70.3	-8.5	70.8	353	1.0	0.0	0.549	38.0	71.8	-15.2	73.4	348	1.0	0.0	0.7	1.0	0.0	0.591	38.1	72.5	-18.0	74.8	346	1.0	0.0	0.7												
354	349	347	1.0	0.0	0.439	37.7	70.0	-7.3	70.4	354	1.0	0.0	0.527	38.0	71.4	-13.8	72.7	349	1.0	0.0	0.683	1.0	0.0	0.57	38.1	72.2	-16.6	74.1	347	1.0	0.0	0.683												
355	350	348	1.0	0.0	0.423	37.7	69.7	-6.0	70.0	355	1.0	0.0	0.506	37.9	71.0	-12.4	72.1	350	1.0	0.0	0.667	1.0	0.0	0.549	38.0	71.8	-15.2	73.4	348	1.0	0.0	0.667												
356	351	349	1.0	0.0	0.406	37.7	69.4	-4.8	69.6	356	1.0	0.0	0.488	37.9	70.7	-11.1	71.6	351	1.0	0.0	0.65	1.0	0.0	0.527	38.0	71.4	-13.8	72.7	349	1.0	0.0	0.65												
357	352	349	1.0	0.0	0.39	37.6	69.1	-3.5	69.2	357	1.0	0.0	0.472	37.8	70.5	-9.8	71.2	352	1.0	0.0	0.633	1.0	0.0	0.527	38.0	71.4	-13.8	72.7	349	1.0	0.0	0.633												
358	353	350	1.0	0.0	0.374	37.6	68.8	-2.3	68.8	358	1.0	0.0	0.456	37.8	70.3	-8.5	70.8	353	1.0	0.0	0.617	1.0	0.0	0.506	37.9	71.0	-12.4	72.1	350	1.0	0.0	0.617												
359	354	351	1.0	0.0	0.36	37.5	68.6	-1.1	68.6	359	1.0	0.0	0.439	37.7	70.0	-7.3	70.4	354	1.0	0.0	0.6	1.0	0.0	0.488	37.9	70.7	-11.1	71.6	351	1.0	0.0	0.6												
0	355	352	1.0	0.0	0.347	37.5	68.5	0.0	68.5	0	1.0	0.0	0.423	37.7	69.7	-6.0	70.0	355	1.0	0.0	0.583	1.0	0.0	0.472	37.8	70.5	-9.8	71.2	352	1.0	0.0	0.583												
1	356	353	1.0	0.0	0.333	37.5	68.3	1.2	68.3	1	1.0	0.0	0.406	37.7	69.4	-4.8	69.6	356	1.0	0.0	0.567	1.0	0.0	0.456	37.8	70.3	-8.5	70.8	353	1.0	0.0	0.567												
2	357	354	1.0	0.0	0.32	37.5	68.1	2.4	68.2	2	1.0	0.0	0.39	37.6	69.1	-3.5	69.2	357	1.0	0.0	0.55	1.0	0.0	0.439	37.7	70.0	-7.3	70.4	354	1.0	0.0	0.55												
3	358	355	1.0	0.0	0.306	37.4	67.9	3.6	68.0	3	1.0	0.0	0.374	37.6	68.8	-2.3	68.8	358	1.0	0.0	0.533	1.0	0.0	0.423	37.7	69.7	-6.0	70.0	355	1.0	0.0	0.533												
4	359	356	1.0	0.0	0.293	37.4	67.7	4.7	67.9	4	1.0	0.0	0.36	37.5	68.6	-1.1	68.6	359	1.0	0.0	0.517	1.0	0.0	0.406	37.7	69.4	-4.8	69.6	356	1.0	0.0	0.517												
5	360	357	1.0	0.0	0.279	37.4	67.5	5.9	67.7	5	1.0	0.0	0.347	37.5	68.5	0.0	68.5	0	1.0	0.0	0.5	1.0	0.0	0.39	37.6	69.1	-3.5	69.2	357	1.0	0.0	0.5												
6	361	358	1.0	0.0	0.266	37.3	67.2	7.1	67.6	6	1.0	0.0	0.333	37.5	68.3	1.2	68.3	1	1.0	0.0	0.483	1.0	0.0	0.374	37.6	68.8	-2.3	68.8	358	1.0	0.0	0.483												
7	362	359	1.0	0.0	0.253	37.3	66.9	8.2	67.4	7	1.0	0.0	0.32	37.5	68.1	2.4	68.2	2	1.0	0.0	0.467	1.0	0.0	0.36	37.5	68.6	-1.1	68.6	359	1.0	0.0	0.467												
8	363	360	1.0	0.0	0.241	37.3	66.8	9.4	67.5	8	1.0	0.0	0.306	37.4	67.9	3.6	68.0	3	1.0	0.0	0.45	1.0	0.0	0.347	37.5	68.5	0.0	68.5	0	1.0	0.0	0.45												
9	364	361	1.0	0.0	0.23	37.2	66.7	10.6	67.6	9	1.0	0.0	0.293	37.4	67.7	4.7	67.9	4	1.0	0.0	0.433	1.0	0.0	0.333	37.5	68.3	1.2	68.3	1	1.0	0.0	0.433												
10	365	362	1.0	0.0	0.219	37.2	66.7	11.8	67.7	10	1.0	0.0	0.279	37.4	67.5	5.9	67.7	5	1.0	0.0	0.417	1.0	0.0	0.32	37.5	68.1	2.4	68.2	2	1.0	0.0	0.417												
11	366	363	1.0	0.0	0.208	37.2	66.6	12.9	67.8	11	1.0	0.0	0.266	37.3	67.2	7.1	67.6	6	1.0	0.0	0.4	1.0	0.0	0.306	37.4	67.9	3.6	68.0	3	1.0	0.0	0.4												
12	367	364	1.0	0.0	0.197	37.1	66.4	14.1	67.9	12	1.0	0.0	0.253	37.3	66.9	8.2	67.4	7	1.0	0.0	0.383	1.0	0.0	0.293	37.4	67.7	4.7	67.9	4	1.0	0.0	0.383												
13	368	365	1.0	0.0	0.186	37.1	66.3	15.3	68.0	13	1.0	0.0	0.241	37.3	66.8	9.4	67.5	8	1.0	0.0	0.367	1.0	0.0	0.279	37.4	67.5	5.9	67.7	5	1.0	0.0	0.367												
14	369	366	1.0	0.0	0.175	37.1	66.1	16.5	68.1	14	1.0	0.0	0.23	37.2	66.7	10.6	67.6	9	1.0	0.0	0.35	1.0	0.0	0.266	37.3	67.2	7.1	67.6	6	1.0	0.0	0.35												
15	370	367	1.0	0.0	0.164	37.0	65.9	17.7	68.2	15	1.0	0.0	0.219	37.2	66.7	11.8	67.7	10	1.0	0.0	0.333	1.0	0.0	0.253	37.3	66.9	8.2	67.4	7	1.0	0.0	0.333												
16	371	367	1.0	0.0	0.153	37.0	65.7	18.8	68.3	16	1.0	0.0	0.208	37.2	66.6	12.9	67.8	11	1.0	0.0	0.317	1.0	0.0	0.253	37.3	66.9	8.2	67.4	7	1.0	0.0	0.317												
17	372	368	1.0	0.0	0.142	37.0	65.5	20.0	68.4	17	1.0	0.0	0.197	37.1	66.4	14.1	67.9	12	1.0	0.0	0.3	1.0	0.0	0.241	37.3	66.8	9.4	67.5	8	1.0	0.0	0.3												
18	373	369	1.0	0.0	0.131	36.9	65.2	21.2	68.6	18	1.0	0.0	0.186	37.1	66.3	15.3	68.0	13	1.0	0.0	0.283	1.0	0.0	0.23	37.2	66.7	10.6	67.6	9	1.0	0.0	0.283												
19	374	370	1.0	0.0	0.122	36.9	65.1	22.4	68.8	19	1.0	0.0	0.175	37.1	66.1	16.5	68.1	14	1.0	0.0	0.267	1.0	0.0	0.219	37.2	66.7	11.8	67.7	10	1.0	0.0	0.267												
20	375	371	1.0	0.0	0.115	36.9	65.2	23.7	69.4	20	1.0	0.0	0.164	37.0	65.9	17.7	68.2	15	1.0	0.0	0.25	1.0	0.0	0.208	37.2	66.6	12.9	67.8	11	1.0	0.0	0.25												
21	376	372	1.0	0.0	0.107	36.9	65.2	25.0	69.9	21	1.0	0.0	0.153	37.0	65.7	18.8	68.3	16	1.0	0.0	0.233	1.0	0.0	0.197	37.1	66.4	14.1	67.9	12	1.0	0.0	0.233												
22	377	373	1.0	0.0	0.1	36.8	65.3	26.4	70.4	22	1.0	0.0	0.142	37.0	65.5	20.0	68.4	17	1.0	0.0	0.217	1.0	0.0	0.186	37.1	66.3	15.3	68.0	13	1.0	0.0	0.217												
23	378	374	1.0	0.0	0.093	36.8	65.3	27.7	70.9	23	1.0	0.0	0.131	36.9	65.2	21.2	68.6	18	1.0	0.0	0.2	1.0	0.0	0.175	37.1	66.1	16.5	68.1	14	1.0	0.0	0.2												
24	379	375	1.0	0.0	0.085	36.8	65.3	29.1	71.5	24	1.0	0.0	0.122	36.9	65.1	22.4	68.8	19	1.0	0.0	0.183	1.0	0.0	0.164	37.0	65.9	17.7	68.2	15	1.0	0.0	0.183												
25	380	376	1.0	0.0	0.078	36.8	65.2	30.4	72.0	25	1.0	0.0	0.115	36.9	65.2	23.7	69.4	20	1.0	0.0	0.167	1.0	0.0	0.153	37.0	65.7	18.8	68.3	16	1.0	0.0	0.167												
26	381	377	1.0	0.0	0.071	36.7	65.2	31.8	72.5	26	1.0	0.0	0.107	36.9	65.2	25.0	69.9	21	1.0	0.0	0.15	1.0	0.0	0.142	37.0	65.5	20.0	68.4	17	1.0	0.0	0.15												
27	382	378	1.0	0.0	0.063	36.7	65.1	33.2	73.0	27	1.0	0.0	0.1	36.8	65.3	26.4	70.4	22	1.0	0.0	0.133	1.0	0.0	0.131	36.9	65.2	21.2	68.6	18	1.0	0.0	0.133												
28	383	379	1.0	0.0	0.056	36.7	65.0	34.5	73.6	28	1.0	0.0	0.093	36.8	65.3	27.7	70.9	23	1.0	0.0	0.117	1.0	0.0	0.122	36.9	65.1	22.4	68.8	19	1.0	0.0	0.117												
29	384	380	1.0	0.0	0.049	36.6	64.8	35.9	74.1	29	1.0	0.0	0.085	36.8	65.3	29.1	71.5	24	1.0	0.0	0.1	1.0	0.0	0.115	36.9	65.2	23.7	69.4	20	1.0	0													