






- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.3, 96.3, 152.3, 234.1, 299.3, 353.1; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd} 50M						LAB* _{dd} 50Mx (x=LabCh)						rgb* _{ds} 50M						LAB* _{ds} 50Mx (x=LabCh)						rgb* _s 50M					
</																																




Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.3, 96.3, 152.3, 234.1, 299.3, 353.1; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
h _{ab,d}		h _{ab,s}	h _{ab,e}	rgb*dd361Mi							LAB*dd361Mix (x=LabCh)							rgb*ds361Mi							LAB*ds361Mix (x=LabCh)							rgb*s50M							rgb*de361Mi							LAB*de361Mix (x=LabCh)							rgb*e50M							rgb*a _d			rgb*b _s			rgb*c _e																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
31	30	25	1.0	0.0	0.009	48.5	66.3	39.8	77.3	31	R _d	1.0	0.0	0.037	48.5	66.4	38.3	76.7	30	1.0	0.0	0.0R _s	1.0	0.0	0.172	48.8	66.9	31.2	73.8	25	1.0	0.0	0.0R _e																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.3, 96.3, 152.3, 234.1, 299.3, 353.1; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																
h _{ab,d}		h _{ab,s}		h _{ab,e}		rgb*dd361Mi				LAB*dd361Mix (x=LabCh)				rgb*ds361Mi				LAB*ds361Mix (x=LabCh)				rgb*s50M				rgb*de361Mi				LAB*de361Mix (x=LabCh)				rgb*e50M				rgb*d			rgb*s			rgb*e				
76	75	76	1.0	0.595	0.0	73.3	17.2	69.2	71.3	76	1.0	0.582	0.0	72.6	18.4	68.5	70.9	75	1.0	0.75	0.0	1.0	0.595	0.0	73.3	17.2	69.2	71.3	76	1.0	0.75	0.0																
77	76	77	1.0	0.609	0.0	73.9	16.1	69.8	71.7	77	1.0	0.595	0.0	73.3	17.2	69.2	71.3	76	1.0	0.767	0.0	1.0	0.609	0.0	73.9	16.1	69.8	71.7	77	1.0	0.767	0.0																
78	77	78	1.0	0.622	0.0	74.5	15.0	70.5	72.0	78	1.0	0.609	0.0	73.9	16.1	69.8	71.7	77	1.0	0.783	0.0	1.0	0.622	0.0	74.5	15.0	70.5	72.0	78	1.0	0.783	0.0																
79	78	79	1.0	0.638	0.0	75.2	13.8	71.2	72.6	79	1.0	0.622	0.0	74.5	15.0	70.5	72.0	78	1.0	0.8	0.0	1.0	0.638	0.0	75.2	13.8	71.2	72.6	79	1.0	0.8	0.0																
80	79	80	1.0	0.654	0.0	75.9	12.7	72.1	73.2	80	1.0	0.638	0.0	75.2	13.8	71.2	72.6	79	1.0	0.817	0.0	1.0	0.654	0.0	75.9	12.7	72.1	73.2	80	1.0	0.817	0.0																
81	80	81	1.0	0.671	0.0	76.7	11.5	72.9	73.8	81	1.0	0.654	0.0	75.9	12.7	72.1	73.2	80	1.0	0.833	0.0	1.0	0.671	0.0	76.7	11.5	72.9	73.8	81	1.0	0.833	0.0																
82	81	82	1.0	0.687	0.0	77.4	10.4	73.7	74.4	82	1.0	0.671	0.0	76.7	11.5	72.9	73.8	81	1.0	0.85	0.0	1.0	0.687	0.0	77.4	10.4	73.7	74.4	82	1.0	0.85	0.0																
83	82	83	1.0	0.704	0.0	78.2	9.1	74.4	75.0	83	1.0	0.687	0.0	77.4	10.4	73.7	74.4	82	1.0	0.867	0.0	1.0	0.704	0.0	78.2	9.1	74.4	75.0	83	1.0	0.867	0.0																
84	83	85	1.0	0.721	0.0	78.9	7.9	75.2	75.6	84	1.0	0.704	0.0	78.2	9.1	74.4	75.0	83	1.0	0.883	0.0	1.0	0.737	0.0	79.6	6.6	75.9	76.2	85	1.0	0.883	0.0																
85	84	86	1.0	0.737	0.0	79.6	6.6	75.9	76.2	85	1.0	0.721	0.0	78.9	7.9	75.2	75.6	84	1.0	0.9	0.0	1.0	0.755	0.0	80.4	5.4	76.7	76.9	86	1.0	0.9	0.0																
86	85	87	1.0	0.755	0.0	80.4	5.4	76.7	76.9	86	1.0	0.737	0.0	79.6	6.6	75.9	76.2	85	1.0	0.917	0.0	1.0	0.777	0.0	81.3	4.1	77.8	77.9	87	1.0	0.917	0.0																
87	86	88	1.0	0.777	0.0	81.3	4.1	77.8	77.9	87	1.0	0.755	0.0	80.4	5.4	76.7	76.9	86	1.0	0.933	0.0	1.0	0.799	0.0	82.2	2.8	78.8	78.9	88	1.0	0.933	0.0																
88	87	89	1.0	0.799	0.0	82.2	2.8	78.8	78.9	88	1.0	0.777	0.0	81.3	4.1	77.8	77.9	87	1.0	0.95	0.0	1.0	0.821	0.0	83.1	1.4	79.8	79.8	89	1.0	0.95	0.0																
89	88	90	1.0	0.821	0.0	83.1	1.4	79.8	79.8	89	1.0	0.799	0.0	82.2	2.8	78.8	78.9	88	1.0	0.967	0.0	1.0	0.843	0.0	84.0	0.0	80.8	80.8	90	1.0	0.967	0.0																
90	89	91	1.0	0.843	0.0	84.0	0.0	80.8	80.8	90	1.0	0.821	0.0	83.1	1.4	79.8	79.8	89	1.0	0.983	0.0	1.0	0.865	0.0	84.8	-1.3	81.8	81.8	91	1.0	0.983	0.0																
91	90	92	1.0	0.865	0.0	84.8	-1.3	81.8	81.8	91	1.0	0.843	0.0	84.0	0.0	80.8	80.8	90	1.0	1.0	0.0J _s	1.0	0.889	0.0	85.8	-2.8	82.9	83.0	92	1.0	1.0	0.0J _e																
92	91	93	1.0	0.889	0.0	85.8	-2.8	82.9	83.0	92	1.0	0.865	0.0	84.8	-1.3	81.8	81.8	91	0.983	1.0	0.0	1.0	0.915	0.0	86.9	-4.3	84.2	84.3	93	0.983	1.0	0.0																
93	92	95	1.0	0.915	0.0	86.9	-4.3	84.2	84.3	93	1.0	0.889	0.0	85.8	-2.8	82.9	83.0	92	0.967	1.0	0.0	1.0	0.966	0.0	89.0	-7.5	86.6	87.0	95	0.967	1.0	0.0																
94	93	96	1.0	0.94	0.0	88.0	-5.9	85.4	85.6	94	1.0	0.915	0.0	86.9	-4.3	84.2	84.3	93	0.95	1.0	0.0	1.0	0.992	0.0	90.1	-9.1	87.8	88.3	96	0.95	1.0	0.0																
95	94	97	1.0	0.966	0.0	89.0	-7.5	86.6	87.0	95	1.0	0.94	0.0	88.0	-5.9	85.4	85.6	94	0.933	1.0	0.0	1.0	0.977	1.0	0.0	89.7	-10.6	87.3	87.9	97	0.933	1.0	0.0															
96	95	98	1.0	0.992	0.0	90.1	-9.1	87.8	88.3	96	1.0	0.966	0.0	89.0	-7.5	86.6	87.0	95	0.917	1.0	0.0	1.0	0.943	1.0	0.0	88.7	-12.0	85.9	86.8	98	0.917	1.0	0.0															
97	96	99	0.977	1.0	0.0	89.7	-10.6	87.3	87.9	97	1.0	0.992	0.0	90.1	-9.1	87.8	88.3	96	0.9	1.0	0.0	1.0	0.909	1.0	0.0	87.6	-13.3	84.6	85.6	99	0.9	1.0	0.0															
98	97	100	0.943	1.0	0.0	88.7	-12.0	85.9	86.8	98	0.977	1.0	0.0	89.7	-10.6	87.3	87.9	97	0.883	1.0	0.0	1.0	0.875	1.0	0.0	86.5	-14.6	83.2	84.4	100	0.883	1.0	0.0															
99	98	102	0.909	1.0	0.0	87.6	-13.3	84.6	85.6	99	0.943	1.0	0.0	88.7	-12.0	85.9	86.8	98	0.867	1.0	0.0	1.0	0.806	1.0	0.0	84.5	-17.1	80.7	82.5	102	0.867	1.0	0.0															
100	99	103	0.875	1.0	0.0	86.5	-14.6	83.2	84.4	100	0.909	1.0	0.0	87.6	-13.3	84.6	85.6	99	0.85	1.0	0.0	1.0	0.771	1.0	0.0	83.4	-18.2	79.4	81.5	103	0.85	1.0	0.0															
101	100	104	0.84	1.0	0.0	85.5	-15.8	81.9	83.5	101	0.875	1.0	0.0	86.5	-14.6	83.2	84.4	100	0.833	1.0	0.0	1.0	0.743	1.0	0.0	82.5	-19.4	78.1	80.5	104	0.833	1.0	0.0															
102	101	105	0.806	1.0	0.0	84.5	-17.1	80.7	82.5	102	0.84	1.0	0.0	85.5	-15.8	81.9	83.5	101	0.817	1.0	0.0	1.0	0.724	1.0	0.0	81.8	-20.5	76.7	79.4	105	0.817	1.0	0.0															
103	102	106	0.771	1.0	0.0	83.4	-18.2	79.4	81.5	103	0.806	1.0	0.0	84.5	-17.1	80.7	82.5	102	0.8	1.0	0.0	1.0	0.705	1.0	0.0	81.0	-21.5	75.3	78.4	106	0.8	1.0	0.0															
104	103	107	0.743	1.0																																												

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.3, 96.3, 152.3, 234.1, 299.3, 353.1; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}		h _{ab,s}		h _{ab,e}		rgb*dd361Mi LAB*dd361Mix (x=LabCh)				rgb*ds361Mi LAB*ds361Mix (x=LabCh)				rgb*s50M		rgb*de361Mi LAB*de361Mix (x=LabCh)		rgb*e50M		rgb*ad		rgb*ds		rgb*de											
166	165	176	0.0	1.0	0.227	57.5	-59.8	14.9	61.7	166	0.0	1.0	0.212	57.4	-60.2	16.2	62.5	165	0.0	1.0	0.25	0.0	1.0	0.34	58.4	-55.7	3.9	56.0	176	0.0	1.0	0.25			
167	166	177	0.0	1.0	0.241	57.6	-59.3	13.7	60.9	167	0.0	1.0	0.227	57.5	-59.8	14.9	61.7	166	0.0	1.0	0.267	0.0	1.0	0.35	58.5	-55.3	2.9	55.4	177	0.0	1.0	0.267			
168	167	178	0.0	1.0	0.254	57.7	-58.8	12.5	60.3	168	0.0	1.0	0.241	57.6	-59.3	13.7	60.9	167	0.0	1.0	0.283	0.0	1.0	0.361	58.5	-54.8	1.9	54.9	178	0.0	1.0	0.283			
169	168	179	0.0	1.0	0.265	57.8	-58.5	11.4	59.7	169	0.0	1.0	0.254	57.7	-58.8	12.5	60.3	168	0.0	1.0	0.3	0.0	1.0	0.372	58.6	-54.3	0.9	54.4	179	0.0	1.0	0.3			
170	169	180	0.0	1.0	0.276	57.8	-58.2	10.3	59.2	170	0.0	1.0	0.265	57.8	-58.5	11.4	59.7	169	0.0	1.0	0.317	0.0	1.0	0.383	58.7	-53.9	0.0	54.0	180	0.0	1.0	0.317			
171	170	180	0.0	1.0	0.286	57.9	-57.8	9.2	58.7	171	0.0	1.0	0.276	57.8	-58.2	10.3	59.2	170	0.0	1.0	0.333	0.0	1.0	0.383	58.7	-53.9	0.0	54.0	180	0.0	1.0	0.333			
172	171	181	0.0	1.0	0.297	58.0	-57.5	8.1	58.1	172	0.0	1.0	0.286	57.9	-57.8	9.2	58.7	171	0.0	1.0	0.35	0.0	1.0	0.395	58.8	-53.6	-0.8	53.7	181	0.0	1.0	0.35			
173	172	182	0.0	1.0	0.308	58.1	-57.1	7.0	57.6	173	0.0	1.0	0.297	58.0	-57.5	8.1	58.1	172	0.0	1.0	0.367	0.0	1.0	0.407	58.9	-53.2	-1.8	53.4	182	0.0	1.0	0.367			
174	173	183	0.0	1.0	0.318	58.2	-56.6	6.0	57.1	174	0.0	1.0	0.308	58.1	-57.1	7.0	57.6	173	0.0	1.0	0.383	0.0	1.0	0.419	59.0	-52.9	-2.7	53.1	183	0.0	1.0	0.383			
175	174	184	0.0	1.0	0.329	58.3	-56.2	4.9	56.5	175	0.0	1.0	0.318	58.2	-56.6	6.0	57.1	174	0.0	1.0	0.4	0.0	1.0	0.43	59.0	-52.5	-3.6	52.7	184	0.0	1.0	0.4			
176	175	185	0.0	1.0	0.34	58.4	-55.7	3.9	56.0	176	0.0	1.0	0.329	58.3	-56.2	4.9	56.5	175	0.0	1.0	0.417	0.0	1.0	0.442	59.1	-52.1	-4.5	52.4	185	0.0	1.0	0.417			
177	176	186	0.0	1.0	0.35	58.5	-55.3	2.9	55.4	177	0.0	1.0	0.34	58.4	-55.7	3.9	56.0	176	0.0	1.0	0.433	0.0	1.0	0.454	59.2	-51.7	-5.3	52.1	186	0.0	1.0	0.433			
178	177	187	0.0	1.0	0.361	58.5	-54.8	1.9	54.9	178	0.0	1.0	0.35	58.5	-55.3	2.9	55.4	177	0.0	1.0	0.45	0.0	1.0	0.466	59.3	-51.3	-6.2	51.8	187	0.0	1.0	0.45			
179	178	188	0.0	1.0	0.372	58.6	-54.3	0.9	54.4	179	0.0	1.0	0.361	58.5	-54.8	1.9	54.9	178	0.0	1.0	0.467	0.0	1.0	0.478	59.4	-50.9	-7.1	51.5	188	0.0	1.0	0.467			
180	179	189	0.0	1.0	0.383	58.7	-53.9	0.0	54.0	180	0.0	1.0	0.372	58.6	-54.3	0.9	54.4	179	0.0	1.0	0.483	0.0	1.0	0.489	59.5	-50.4	-7.9	51.2	189	0.0	1.0	0.483			
181	180	190	0.0	1.0	0.395	58.8	-53.6	-0.8	53.7	181	0.0	1.0	0.383	58.7	-53.9	0.0	54.0	180	0.0	1.0	0.5	0.0	1.0	0.501	59.5	-50.0	-8.7	50.9	190	0.0	1.0	0.5			
182	181	191	0.0	1.0	0.407	58.9	-53.2	-1.8	53.4	182	0.0	1.0	0.395	58.8	-53.6	-0.8	53.7	181	0.0	1.0	0.517	0.0	1.0	0.512	59.6	-49.7	-9.6	50.7	191	0.0	1.0	0.517			
183	182	191	0.0	1.0	0.419	59.0	-52.9	-2.7	53.1	183	0.0	1.0	0.407	58.9	-53.2	-1.8	53.4	182	0.0	1.0	0.533	0.0	1.0	0.512	59.6	-49.7	-9.6	50.7	191	0.0	1.0	0.533			
184	183	192	0.0	1.0	0.43	59.0	-52.5	-3.6	52.7	184	0.0	1.0	0.419	59.0	-52.9	-2.7	53.1	183	0.0	1.0	0.55	0.0	1.0	0.522	59.6	-49.4	-10.4	50.6	192	0.0	1.0	0.55			
185	184	193	0.0	1.0	0.442	59.1	-52.1	-4.5	52.4	185	0.0	1.0	0.43	59.0	-52.5	-3.6	52.7	184	0.0	1.0	0.567	0.0	1.0	0.533	59.7	-49.0	-11.2	50.4	193	0.0	1.0	0.567			
186	185	194	0.0	1.0	0.454	59.2	-51.7	-5.3	52.1	186	0.0	1.0	0.442	59.1	-52.1	-4.5	52.4	185	0.0	1.0	0.583	0.0	1.0	0.543	59.7	-48.7	-12.1	50.3	194	0.0	1.0	0.583			
187	186	195	0.0	1.0	0.466	59.3	-51.3	-6.2	51.8	187	0.0	1.0	0.454	59.2	-51.7	-5.3	52.1	186	0.0	1.0	0.6	0.0	1.0	0.554	59.8	-48.3	-12.9	50.1	195	0.0	1.0	0.6			
188	187	196	0.0	1.0	0.478	59.4	-50.9	-7.1	51.5	188	0.0	1.0	0.466	59.3	-51.3	-6.2	51.8	187	0.0	1.0	0.617	0.0	1.0	0.564	59.8	-47.9	-13.7	50.0	196	0.0	1.0	0.617			
189	188	197	0.0	1.0	0.489	59.5	-50.4	-7.9	51.2	189	0.0	1.0	0.478	59.4	-50.9	-7.1	51.5	188	0.0	1.0	0.633	0.0	1.0	0.575	59.9	-47.6	-14.5	49.8	197	0.0	1.0	0.633			
190	189	198	0.0	1.0	0.501	59.5	-50.0	-8.7	50.9	190	0.0	1.0	0.489	59.5	-50.4	-7.9	51.2	189	0.0	1.0	0.65	0.0	1.0	0.586	59.9	-47.1	-15.3	49.7	198	0.0	1.0	0.65			
191	190	199	0.0	1.0	0.512	59.6	-49.7	-9.6	50.7	191	0.0	1.0	0.501	59.5	-50.0	-8.7	50.9	190	0.0	1.0	0.667	0.0	1.0	0.596	60.0	-46.7	-16.0	49.5	199	0.0	1.0	0.667			
192	191	200	0.0	1.0	0.522	59.6	-49.4	-10.4	50.6	192	0.0	1.0	0.512	59.6	-49.7	-9.6	50.7	191	0.0	1.0	0.683	0.0	1.0	0.607	60.0	-46.3	-16.8	49.4	200	0.0	1.0	0.683			
193	192	201	0.0	1.0	0.533	59.7	-49.0	-11.2	50.4	193	0.0	1.0	0.522	59.6	-49.4	-10.4	50.6	192	0.0	1.0	0.7	0.0	1.0	0.617	60.1	-45.9	-17.5	49.2	201	0.0	1.0	0.7			
194	193	201	0.0	1.0	0.543	59.7	-48.7	-12.1	50.3	194	0.0	1.0	0.533	59.7	-49.0	-11.2	50.4	193	0.0	1.0	0.717	0.0	1.0	0.617	60.1	-45.9	-17.5	49.2	201	0.0	1.0	0.717			
195	194	202	0.0	1.0	0.554	59.8	-48.3	-12.9	50.1	195	0.0	1.0	0.543	59.7	-48.7	-12.1	50.3	194	0.0	1.0	0.733	0.0	1.0	0.628	60.1	-45.4	-18.3	49.1	202	0.0	1.0	0.733			
196	195	203	0.0	1.0	0.564	59.8	-47.9	-13.7	50.0	196	0.0	1.0	0.554	59.8	-48.3	-12.9	50.1	195	0.0	1.0	0.75	0.0	1.0	0.639	60.2	-45.1	-19.1	49.1	203	0.0	1.0	0.75			
197	196	204	0.0	1.0	0.575	59.9	-47.6	-14.5	49.8	197	0.0	1.0	0.564	59.8	-47.9	-13.7	50.0	196	0.0	1.0	0.767	0.0	1.0	0.649	60.3	-44.7	-19.9	49.1	204	0.0	1.0	0.767			
198	197	205	0.0	1.0	0.586	59.9	-47.1	-15.3	49.7	198	0.0	1.0	0.575	59.9	-47.6</																				

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.3, 96.3, 152.3, 234.1, 299.3, 353.1; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}			LAB* _{dd361Mix (x=LabCh)}			rgb* _{ds361Mi}			LAB* _{ds361Mix (x=LabCh)}			rgb* _{s50M}			rgb* _{de361Mi}			LAB* _{de361Mix (x=LabCh)}			rgb* _{e50M}			rgb* _{dd}	rgb* _{ds}	rgb* _{de}						
301	300	300	0.022	0.0	1.0	27.7	27.7	-46.0	53.8	301	0.009	0.0	1.0	27.5	26.8	-46.4	53.7	300	0.5	0.0	1.0	0.009	0.0	1.0	27.5	26.8	-46.4	53.7	300	0.5	0.0	1.0			
302	301	301	0.035	0.0	1.0	28.0	28.5	-45.6	53.8	302	0.022	0.0	1.0	27.7	27.7	-46.0	53.8	301	0.517	0.0	1.0	0.022	0.0	1.0	27.7	27.7	-46.0	53.8	301	0.517	0.0	1.0			
303	302	302	0.048	0.0	1.0	28.2	29.4	-45.1	53.9	303	0.035	0.0	1.0	28.0	28.5	-45.6	53.8	302	0.533	0.0	1.0	0.035	0.0	1.0	28.0	28.5	-45.6	53.8	302	0.533	0.0	1.0			
304	303	303	0.061	0.0	1.0	28.4	30.2	-44.7	54.0	304	0.048	0.0	1.0	28.2	29.4	-45.1	53.9	303	0.55	0.0	1.0	0.048	0.0	1.0	28.2	29.4	-45.1	53.9	303	0.55	0.0	1.0			
305	304	304	0.074	0.0	1.0	28.6	31.0	-44.2	54.1	305	0.061	0.0	1.0	28.4	30.2	-44.7	54.0	304	0.567	0.0	1.0	0.061	0.0	1.0	28.4	30.2	-44.7	54.0	304	0.567	0.0	1.0			
306	305	305	0.087	0.0	1.0	28.8	31.9	-43.8	54.2	306	0.074	0.0	1.0	28.6	31.0	-44.2	54.1	305	0.583	0.0	1.0	0.074	0.0	1.0	28.6	31.0	-44.2	54.1	305	0.583	0.0	1.0			
307	306	306	0.1	0.0	1.0	29.0	32.7	-43.3	54.3	307	0.087	0.0	1.0	28.8	31.9	-43.8	54.2	306	0.6	0.0	1.0	0.087	0.0	1.0	28.8	31.9	-43.8	54.2	306	0.6	0.0	1.0			
308	307	307	0.113	0.0	1.0	29.2	33.5	-42.8	54.4	308	0.1	0.0	1.0	29.0	32.7	-43.3	54.3	307	0.617	0.0	1.0	0.1	0.0	1.0	29.0	32.7	-43.3	54.3	307	0.617	0.0	1.0			
309	308	308	0.126	0.0	1.0	29.4	34.3	-42.3	54.5	309	0.113	0.0	1.0	29.2	33.5	-42.8	54.4	308	0.633	0.0	1.0	0.113	0.0	1.0	29.2	33.5	-42.8	54.4	308	0.633	0.0	1.0			
310	309	309	0.141	0.0	1.0	29.6	35.1	-41.7	54.6	310	0.126	0.0	1.0	29.4	34.3	-42.3	54.5	309	0.65	0.0	1.0	0.126	0.0	1.0	29.4	34.3	-42.3	54.5	309	0.65	0.0	1.0			
311	310	310	0.157	0.0	1.0	29.8	35.9	-41.2	54.7	311	0.141	0.0	1.0	29.6	35.1	-41.7	54.6	310	0.667	0.0	1.0	0.141	0.0	1.0	29.6	35.1	-41.7	54.6	310	0.667	0.0	1.0			
312	311	311	0.172	0.0	1.0	30.1	36.7	-40.6	54.8	312	0.157	0.0	1.0	29.8	35.9	-41.2	54.7	311	0.683	0.0	1.0	0.157	0.0	1.0	29.8	35.9	-41.2	54.7	311	0.683	0.0	1.0			
313	312	312	0.187	0.0	1.0	30.3	37.5	-40.1	54.9	313	0.172	0.0	1.0	30.1	36.7	-40.6	54.8	312	0.7	0.0	1.0	0.172	0.0	1.0	30.1	36.7	-40.6	54.8	312	0.7	0.0	1.0			
314	313	312	0.202	0.0	1.0	30.5	38.2	-39.5	55.0	314	0.187	0.0	1.0	30.3	37.5	-40.1	54.9	313	0.717	0.0	1.0	0.172	0.0	1.0	30.1	36.7	-40.6	54.8	312	0.717	0.0	1.0			
315	314	313	0.218	0.0	1.0	30.7	39.0	-38.9	55.2	315	0.202	0.0	1.0	30.5	38.2	-39.5	55.0	314	0.733	0.0	1.0	0.187	0.0	1.0	30.3	37.5	-40.1	54.9	313	0.733	0.0	1.0			
316	315	314	0.233	0.0	1.0	31.0	39.8	-38.3	55.3	316	0.218	0.0	1.0	30.7	39.0	-38.9	55.2	315	0.75	0.0	1.0	0.202	0.0	1.0	30.5	38.2	-39.5	55.0	314	0.75	0.0	1.0			
317	316	315	0.248	0.0	1.0	31.2	40.5	-37.7	55.4	317	0.233	0.0	1.0	31.0	39.8	-38.3	55.3	316	0.767	0.0	1.0	0.218	0.0	1.0	30.7	39.0	-38.9	55.2	315	0.767	0.0	1.0			
318	317	316	0.271	0.0	1.0	31.9	41.3	-37.1	55.6	318	0.248	0.0	1.0	31.2	40.5	-37.7	55.4	317	0.783	0.0	1.0	0.233	0.0	1.0	31.0	39.8	-38.3	55.3	316	0.783	0.0	1.0			
319	318	317	0.295	0.0	1.0	32.6	42.2	-36.6	55.9	319	0.271	0.0	1.0	31.9	41.3	-37.1	55.6	318	0.8	0.0	1.0	0.248	0.0	1.0	31.2	40.5	-37.7	55.4	317	0.8	0.0	1.0			
320	319	318	0.319	0.0	1.0	33.4	43.0	-36.0	56.1	320	0.295	0.0	1.0	32.6	42.2	-36.6	55.9	319	0.817	0.0	1.0	0.271	0.0	1.0	31.9	41.3	-37.1	55.6	318	0.817	0.0	1.0			
321	320	319	0.343	0.0	1.0	34.1	43.8	-35.4	56.4	321	0.319	0.0	1.0	33.4	43.0	-36.0	56.1	320	0.833	0.0	1.0	0.295	0.0	1.0	32.6	42.2	-36.6	55.9	319	0.833	0.0	1.0			
322	321	320	0.367	0.0	1.0	34.8	44.7	-34.8	56.7	322	0.343	0.0	1.0	34.1	43.8	-35.4	56.4	321	0.85	0.0	1.0	0.319	0.0	1.0	33.4	43.0	-36.0	56.1	320	0.85	0.0	1.0			
323	322	321	0.384	0.0	1.0	35.3	45.5	-34.2	57.0	323	0.367	0.0	1.0	34.8	44.7	-34.8	56.7	322	0.867	0.0	1.0	0.343	0.0	1.0	34.1	43.8	-35.4	56.4	321	0.867	0.0	1.0			
324	323	322	0.397	0.0	1.0	35.7	46.4	-33.6	57.3	324	0.384	0.0	1.0	35.3	45.5	-34.2	57.0	323	0.883	0.0	1.0	0.367	0.0	1.0	34.8	44.7	-34.8	56.7	322	0.883	0.0	1.0			
325	324	323	0.411	0.0	1.0	36.0	47.2	-32.9	57.6	325	0.397	0.0	1.0	35.7	46.4	-33.6	57.3	324	0.9	0.0	1.0	0.384	0.0	1.0	35.3	45.5	-34.2	57.0	323	0.9	0.0	1.0			
326	325	324	0.424	0.0	1.0	36.4	48.0	-32.3	57.9	326	0.411	0.0	1.0	36.0	47.2	-32.9	57.6	325	0.917	0.0	1.0	0.397	0.0	1.0	35.7	46.4	-33.6	57.3	324	0.917	0.0	1.0			
327	326	325	0.437	0.0	1.0	36.7	48.8	-31.6	58.2	327	0.424	0.0	1.0	36.4	48.0	-32.3	57.9	326	0.933	0.0	1.0	0.411	0.0	1.0	36.0	47.2	-32.9	57.6	325	0.933	0.0	1.0			
328	327	326	0.451	0.0	1.0	37.1	49.7	-30.9	58.6	328	0.437	0.0	1.0	36.7	48.8	-31.6	58.2	327	0.95	0.0	1.0	0.424	0.0	1.0	36.4	48.0	-32.3	57.9	326	0.95	0.0	1.0			
329	328	327	0.464	0.0	1.0	37.4	50.5	-30.2	58.9	329	0.451	0.0	1.0	37.1	49.7	-30.9	58.6	328	0.967	0.0	1.0	0.437	0.0	1.0	36.7	48.8	-31.6	58.2	327	0.967	0.0	1.0			
330	329	328	0.477	0.0	1.0	37.8	51.3	-29.5	59.2	330	0.464	0.0	1.0	37.4	50.5	-30.2	58.9	329	0.983	0.0	1.0	0.451	0.0	1.0	37.1	49.7	-30.9	58.6	328	0.983	0.0	1.0			
331	330	329	0.491	0.0	1.0	38.1	52.0	-28.7	59.5	331	0.477	0.0	1.0	37.8	51.3	-29.5	59.2	330	1.0	0.0	1.0M _s	0.464	0.0	1.0	37.4	50.5	-30.2	58.9	329	1.0	0.0	1.0M _e			
332	331	330	0.505	0.0	1.0	38.5	52.9	-28.0	59.9	332	0.491	0.0	1.0	38.1	52.0	-28.7	59.5	331	1.0	0.0	0.983	0.477	0.0	1.0	37.8	51.3	-29.5	59.2	3						

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 31.3, 96.3, 152.3, 234.1, 299.3, 353.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}361Mi$			$LAB^*_{dd}361Mix(x=LabCh)$			$rgb^*_{ds}361Mi$			$LAB^*_{ds}361Mix(x=LabCh)$			$rgb^*_{ss}50M$			$rgb^*_{de}361Mi$			$LAB^*_{de}361Mix(x=LabCh)$			$rgb^*_{es}50M$			rgb^*_d	rgb^*_s	rgb^*_e			
346	345	343	0.816	0.0	1.0	46.0	66.1	-16.4	68.1	346	0.792	0.0	1.0	45.5	65.0	-17.3	67.3	345	1.0	0.0	0.75	0.74	0.0	1.0	44.4	62.9	-19.1	65.8	343	1.0	0.0	0.75
347	346	344	0.841	0.0	1.0	46.6	67.1	-15.4	68.8	347	0.816	0.0	1.0	46.0	66.1	-16.4	68.1	346	1.0	0.0	0.733	0.767	0.0	1.0	45.0	64.0	-18.2	66.5	344	1.0	0.0	0.733
348	347	345	0.865	0.0	1.0	47.1	68.1	-14.4	69.6	348	0.841	0.0	1.0	46.6	67.1	-15.4	68.8	347	1.0	0.0	0.717	0.792	0.0	1.0	45.5	65.0	-17.3	67.3	345	1.0	0.0	0.717
349	348	346	0.891	0.0	1.0	47.5	69.2	-13.3	70.5	349	0.865	0.0	1.0	47.1	68.1	-14.4	69.6	348	1.0	0.0	0.7	0.816	0.0	1.0	46.0	66.1	-16.4	68.1	346	1.0	0.0	0.7
350	349	347	0.917	0.0	1.0	48.0	70.3	-12.3	71.4	350	0.891	0.0	1.0	47.5	69.2	-13.3	70.5	349	1.0	0.0	0.683	0.841	0.0	1.0	46.6	67.1	-15.4	68.8	347	1.0	0.0	0.683
351	350	348	0.944	0.0	1.0	48.5	71.4	-11.2	72.3	351	0.917	0.0	1.0	48.0	70.3	-12.3	71.4	350	1.0	0.0	0.667	0.865	0.0	1.0	47.1	68.1	-14.4	69.6	348	1.0	0.0	0.667
352	351	349	0.971	0.0	1.0	48.9	72.5	-10.1	73.2	352	0.944	0.0	1.0	48.5	71.4	-11.2	72.3	351	1.0	0.0	0.65	0.891	0.0	1.0	47.5	69.2	-13.3	70.5	349	1.0	0.0	0.65
353	352	349	0.997	0.0	1.0	49.4	73.6	-8.9	74.2	353M _d	0.971	0.0	1.0	48.9	72.5	-10.1	73.2	352	1.0	0.0	0.633	0.891	0.0	1.0	47.5	69.2	-13.3	70.5	349	1.0	0.0	0.633
354	353	350	1.0	0.0	0.972	49.4	73.4	-7.6	73.8	354	0.997	0.0	1.0	49.4	73.6	-8.9	74.2	353	1.0	0.0	0.617	0.917	0.0	1.0	48.0	70.3	-12.3	71.4	350	1.0	0.0	0.617
355	354	351	1.0	0.0	0.941	49.4	73.0	-6.3	73.3	355	1.0	0.0	0.972	49.4	73.4	-7.6	73.8	354	1.0	0.0	0.6	0.944	0.0	1.0	48.5	71.4	-11.2	72.3	351	1.0	0.0	0.6
356	355	352	1.0	0.0	0.909	49.4	72.6	-5.0	72.7	356	1.0	0.0	0.941	49.4	73.0	-6.3	73.3	355	1.0	0.0	0.583	0.971	0.0	1.0	48.9	72.5	-10.1	73.2	352	1.0	0.0	0.583
357	356	353	1.0	0.0	0.878	49.4	72.1	-3.7	72.2	357	1.0	0.0	0.909	49.4	72.6	-5.0	72.7	356	1.0	0.0	0.567	0.997	0.0	1.0	49.4	73.6	-8.9	74.2	353	1.0	0.0	0.567
358	357	354	1.0	0.0	0.844	49.4	71.9	-2.4	72.0	358	1.0	0.0	0.878	49.4	72.1	-3.7	72.2	357	1.0	0.0	0.55	1.0	0.0	0.972	49.4	73.4	-7.6	73.8	354	1.0	0.0	0.55
359	358	355	1.0	0.0	0.81	49.3	71.8	-1.2	71.8	359	1.0	0.0	0.844	49.4	71.9	-2.4	72.0	358	1.0	0.0	0.533	1.0	0.0	0.941	49.4	73.0	-6.3	73.3	355	1.0	0.0	0.533
0	359	356	1.0	0.0	0.776	49.3	71.6	0.0	71.6	0	1.0	0.0	0.81	49.3	71.8	-1.2	71.8	359	1.0	0.0	0.517	1.0	0.0	0.909	49.4	72.6	-5.0	72.7	356	1.0	0.0	0.517
1	360	357	1.0	0.0	0.744	49.2	71.4	1.2	71.4	1	1.0	0.0	0.776	49.3	71.6	0.0	71.6	0	1.0	0.0	0.5	1.0	0.0	0.878	49.4	72.1	-3.7	72.2	357	1.0	0.0	0.5
2	361	358	1.0	0.0	0.719	49.2	71.1	2.5	71.2	2	1.0	0.0	0.744	49.2	71.4	1.2	71.4	1	1.0	0.0	0.483	1.0	0.0	0.844	49.4	71.9	-2.4	72.0	358	1.0	0.0	0.483
3	362	359	1.0	0.0	0.693	49.2	70.8	3.7	70.9	3	1.0	0.0	0.719	49.2	71.1	2.5	71.2	2	1.0	0.0	0.467	1.0	0.0	0.81	49.3	71.8	-1.2	71.8	359	1.0	0.0	0.467
4	363	360	1.0	0.0	0.668	49.2	70.5	4.9	70.7	4	1.0	0.0	0.693	49.2	70.8	3.7	70.9	3	1.0	0.0	0.45	1.0	0.0	0.776	49.3	71.6	0.0	71.6	0	1.0	0.0	0.45
5	364	361	1.0	0.0	0.643	49.2	70.2	6.1	70.5	5	1.0	0.0	0.668	49.2	70.5	4.9	70.7	4	1.0	0.0	0.433	1.0	0.0	0.744	49.2	71.4	1.2	71.4	1	1.0	0.0	0.433
6	365	362	1.0	0.0	0.617	49.2	69.9	7.4	70.3	6	1.0	0.0	0.643	49.2	70.2	6.1	70.5	5	1.0	0.0	0.417	1.0	0.0	0.719	49.2	71.1	2.5	71.2	2	1.0	0.0	0.417
7	366	363	1.0	0.0	0.591	49.1	69.9	8.6	70.4	7	1.0	0.0	0.617	49.2	69.9	7.4	70.3	6	1.0	0.0	0.4	1.0	0.0	0.693	49.2	70.8	3.7	70.9	3	1.0	0.0	0.4
8	367	364	1.0	0.0	0.564	49.0	69.8	9.8	70.5	8	1.0	0.0	0.591	49.1	69.9	8.6	70.4	7	1.0	0.0	0.383	1.0	0.0	0.668	49.2	70.5	4.9	70.7	4	1.0	0.0	0.383
9	368	365	1.0	0.0	0.537	49.0	69.8	11.0	70.6	9	1.0	0.0	0.564	49.0	69.8	9.8	70.5	8	1.0	0.0	0.367	1.0	0.0	0.643	49.2	70.2	6.1	70.5	5	1.0	0.0	0.367
10	369	366	1.0	0.0	0.511	48.9	69.6	12.3	70.7	10	1.0	0.0	0.537	49.0	69.8	11.0	70.6	9	1.0	0.0	0.35	1.0	0.0	0.617	49.2	69.9	7.4	70.3	6	1.0	0.0	0.35
11	370	367	1.0	0.0	0.485	48.8	69.5	13.5	70.8	11	1.0	0.0	0.511	48.9	69.6	12.3	70.7	10	1.0	0.0	0.333	1.0	0.0	0.591	49.1	69.9	8.6	70.4	7	1.0	0.0	0.333
12	371	367	1.0	0.0	0.461	48.9	69.3	14.7	70.8	12	1.0	0.0	0.485	48.8	69.5	13.5	70.8	11	1.0	0.0	0.317	1.0	0.0	0.591	49.1	69.9	8.6	70.4	7	1.0	0.0	0.317
13	372	368	1.0	0.0	0.437	48.9	69.0	15.9	70.8	13	1.0	0.0	0.461	48.9	69.3	14.7	70.8	12	1.0	0.0	0.3	1.0	0.0	0.564	49.0	69.8	9.8	70.5	8	1.0	0.0	0.3
14	373	369	1.0	0.0	0.413	48.9	68.8	17.1	70.9	14	1.0	0.0	0.437	48.9	69.0	15.9	70.8	13	1.0	0.0	0.283	1.0	0.0	0.537	49.0	69.8	11.0	70.6	9	1.0	0.0	0.283
15	374	370	1.0	0.0	0.388	48.9	68.5	18.4	70.9	15	1.0	0.0	0.413	48.9	68.8	17.1	70.9	14	1.0	0.0	0.267	1.0	0.0	0.511	48.9	69.6	12.3	70.7	10	1.0	0.0	0.267
16	375	371	1.0	0.0	0.366	48.9	68.3	19.6	71.0	16	1.0	0.0	0.388	48.9	68.5	18.4	70.9	15	1.0	0.0	0.25	1.0	0.0	0.485	48.8	69.5	13.5	70.8	11	1.0	0.0	0.25
17	376	372	1.0	0.0	0.347	48.9	68.2	20.8	71.3	17	1.0	0.0	0.366	48.9	68.3	19.6	71.0	16	1.0	0.0	0.233	1.0	0.0	0.461	48.9	69.3	14.7	70.8	12	1.0	0.0	0.233
18	377	373	1.0	0.0	0.327	48.9	68.0	22.1	71.5	18	1.0	0.0	0.347	48.9	68.2	20.8	71.3	17	1.0	0.0	0.217	1.0	0.0	0.437	48.9	69.0	15.9	70.8	13	1.0	0.0	0.217
19	378	374	1.0	0.0	0.308	48.9	67.8	23.4	71.7	19	1.0	0.0	0.327	48.9	68.0	22.1	71.5	18	1.0	0.0	0.2	1.0	0.0	0.413	48.9	68.8	17.1	7				



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.2, 92.8, 153.3, 229.3, 292.9, 356.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd} 50M			LAB* _{dd} 50Mx (x=LabCh)			rgb* _{ds} 50M			LAB* _{ds} 50Mx (x=LabCh)			rgb* _s 50M			rgb* _{de} 50M			LAB* _{de} 50Mx (x=LabCh)			rgb* _e 50M			rgb* _d rgb* _s rgb* _e								
32.2	30.0	25.5	1.0	0.0	0.0	50.5	69.4	43.8	82.1	32.2	1.0	0.0	0.069	50.6	69.6	40.2	80.3	30	1.0	0.0	0.0	1.0	0.0	0.214	50.8	69.9	32.6	77.1	25	1.0	0.0	0.0			
38.8	37.5	33.8	1.0	0.125	0.0	54.6	60.6	48.8	77.8	38.8	1.0	0.109	0.0	54.1	61.8	48.2	78.4	38	1.0	0.125	0.0	1.0	0.034	0.0	51.6	67.1	45.3	80.9	34	1.0	0.125	0.0			
46.5	45.0	42.2	1.0	0.25	0.0	59.2	51.0	53.8	74.1	46.5	1.0	0.225	0.0	58.3	52.9	52.9	74.8	45	1.0	0.25	0.0	1.0	0.177	0.0	56.5	56.7	51.1	76.3	42	1.0	0.25	0.0			
55.4	52.5	50.5	1.0	0.375	0.0	64.3	40.7	59.1	71.7	55.4	1.0	0.341	0.0	62.9	43.6	57.8	72.4	53	1.0	0.375	0.0	1.0	0.313	0.0	61.8	45.9	56.7	72.9	51	1.0	0.375	0.0			
65.2	60.0	58.9	1.0	0.5	0.0	70.0	30.0	65.0	71.6	65.2	1.0	0.433	0.0	67.0	35.8	62.1	71.7	60	1.0	0.5	0.0	1.0	0.421	0.0	66.4	36.9	61.4	71.7	59	1.0	0.5	0.0			
74.2	67.5	67.2	1.0	0.625	0.0	75.6	20.1	71.1	73.9	74.2	1.0	0.539	0.0	71.7	27.1	67.0	72.3	68	1.0	0.625	0.0	1.0	0.525	0.0	71.1	28.1	66.3	72.0	67	1.0	0.625	0.0			
81.7	75.0	75.6	1.0	0.75	0.0	81.1	11.1	76.5	77.3	81.7	1.0	0.638	0.0	76.2	19.2	71.7	74.2	75	1.0	0.75	0.0	1.0	0.655	0.0	76.9	18.1	72.5	74.7	76	1.0	0.75	0.0			
87.6	82.5	84.0	1.0	0.875	0.0	86.0	3.4	81.9	82.0	87.6	1.0	0.777	0.0	82.1	9.5	77.7	78.3	83	1.0	0.875	0.0	1.0	0.798	0.0	83.0	8.3	78.7	79.1	84	1.0	0.875	0.0			
92.8	90.0	92.3	1.0	1.0	0.0	91.1	-4.2	87.6	87.7	92.8	1.0	0.932	0.0	88.3	0.0	84.6	84.6	90	1.0	1.0	0.0	1.0	0.98	0.0	90.3	-2.9	86.7	86.8	92	1.0	1.0	0.0			
96.5	97.5	101.1	0.875	1.0	0.0	87.0	-9.3	82.3	82.8	96.5	0.823	1.0	0.0	85.4	-11.2	80.4	81.2	98	0.875	1.0	0.0	0.734	1.0	0.0	82.5	-14.8	76.4	77.8	101	0.875	1.0	0.0			
100.1	105.0	109.8	0.75	1.0	0.0	83.2	-13.8	77.6	78.8	100.1	0.66	1.0	0.0	79.5	-18.9	70.8	73.3	105	0.75	1.0	0.0	0.57	1.0	0.0	76.1	-23.6	65.1	69.3	110	0.75	1.0	0.0			
106.9	112.5	118.5	0.625	1.0	0.0	78.1	-20.6	68.0	71.1	106.9	0.516	1.0	0.0	74.1	-26.3	62.1	67.5	113	0.625	1.0	0.0	0.42	1.0	0.0	70.5	-31.8	57.5	65.7	119	0.625	1.0	0.0			
113.9	120.0	127.3	0.5	1.0	0.0	73.5	-27.0	61.2	67.0	113.9	0.405	1.0	0.0	69.8	-32.6	56.7	65.4	120	0.5	1.0	0.0	0.332	1.0	0.0	66.5	-38.3	51.0	63.9	127	0.5	1.0	0.0			
121.9	127.5	136.0	0.375	1.0	0.0	68.7	-34.2	55.2	65.0	121.9	0.323	1.0	0.0	66.1	-39.1	50.2	63.6	128	0.375	1.0	0.0	0.255	1.0	0.0	62.7	-44.4	43.0	61.9	136	0.375	1.0	0.0			
136.6	135.0	144.7	0.25	1.0	0.0	62.4	-44.8	42.4	61.8	136.6	0.264	1.0	0.0	63.1	-43.8	43.9	62.1	135	0.25	1.0	0.0	0.129	1.0	0.0	59.1	-53.0	37.2	64.8	145	0.25	1.0	0.0			
145.2	142.5	153.5	0.125	1.0	0.0	59.0	-53.2	37.0	64.9	145.2	0.158	1.0	0.0	59.9	-51.1	38.6	64.1	143	0.125	1.0	0.0	0.005	1.0	0.0	55.4	-62.2	31.8	70.0	153	0.125	1.0	0.0			
153.3	150.0	162.2	0.0	1.0	0.0	55.3	-62.6	31.5	70.2	153.3	0.051	1.0	0.0	56.8	-58.8	34.0	68.0	150	0.0	1.0	0.0	0.0	1.0	0.143	56.1	-60.9	19.8	64.2	162	0.0	1.0	0.0			
160.7	157.5	169.1	0.0	1.0	0.125	55.9	-61.1	21.5	64.9	160.7	0.0	1.0	0.079	55.7	-61.8	25.0	66.8	158	0.0	1.0	0.125	0.0	1.0	0.239	56.7	-59.1	11.5	60.3	169	0.0	1.0	0.125			
169.8	165.0	175.9	0.0	1.0	0.25	56.7	-58.9	10.6	59.9	169.8	0.0	1.0	0.184	56.3	-60.3	16.2	62.5	165	0.0	1.0	0.25	0.0	1.0	0.314	57.2	-57.5	4.0	57.8	176	0.0	1.0	0.25			
181.8	172.5	182.8	0.0	1.0	0.375	57.6	-55.6	-1.7	55.8	181.8	0.0	1.0	0.283	57.0	-58.3	7.2	58.8	173	0.0	1.0	0.375	0.0	1.0	0.39	57.7	-55.4	-2.8	55.6	183	0.0	1.0	0.375			
191.9	180.0	189.6	0.0	1.0	0.5	58.4	-52.9	-11.1	54.2	191.9	0.0	1.0	0.356	57.5	-56.3	0.0	56.4	180	0.0	1.0	0.5	0.0	1.0	0.476	58.3	-53.6	-9.4	54.5	190	0.0	1.0	0.5			
202.5	187.5	196.4	0.0	1.0	0.625	58.9	-49.9	-20.7	54.2	202.5	0.0	1.0	0.451	58.1	-54.2	-7.5	54.8	188	0.0	1.0	0.625	0.0	1.0	0.548	58.6	-52.0	-14.8	54.2	196	0.0	1.0	0.625			
212.4	195.0	203.3	0.0	1.0	0.75	59.7	-46.4	-29.5	55.1	212.4	0.0	1.0	0.536	58.5	-52.2	-13.9	54.2	195	0.0	1.0	0.75	0.0	1.0	0.631	58.9	-49.8	-21.1	54.2	203	0.0	1.0	0.75			
220.7	202.5	210.1	0.0	1.0	0.875	60.6	-42.9	-36.8	56.7	220.7	0.0	1.0	0.631	58.9	-49.8	-21.1	54.2	203	0.0	1.0	0.875	0.0	1.0	0.719	59.5	-47.4	-27.3	54.9	210	0.0	1.0	0.875			
229.3	210.0	217.0	0.0	1.0	1.0	61.4	-38.7	-44.9	59.4	229.3	0.0	1.0	0.719	59.5	-47.4	-27.3	54.9	210	0.0	1.0	1.0	0.0	1.0	0.819	60.2	-44.6	-33.6	56.0	217	0.0	1.0	1.0			
234.1	217.5	223.8	0.0	0.875	1.0	57.4	-32.8	-45.4	56.2	234.1	0.0																								

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.2, 92.8, 153.3, 229.3, 292.9, 356.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																									
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi LAB*dd361Mix (x=LabCh)									rgb*ds361Mi LAB*ds361Mix (x=LabCh)									rgb*s50M									rgb*de361Mi LAB*de361Mix (x=LabCh) rgb*e50M									rgb*d rgb*s rgb*de		
32	30	25	1.0	0.0	0.007	50.5	69.4	43.4	81.9	32	R _d	1.0	0.0	0.069	50.6	69.6	40.2	80.3	30	1.0	0.0	0.0R _s	1.0	0.0	0.214	50.8	69.9	32.6	77.1	25	1.0	0.0	0.0R _e								
33	31	27	1.0	0.015	0.0	51.0	68.4	44.4	81.6	33		1.0	0.0	0.038	50.6	69.5	41.8	81.1	31	1.0	0.017	0.0	1.0	0.0	0.158	50.7	69.7	35.5	78.3	27	1.0	0.017	0.0								
34	32	28	1.0	0.034	0.0	51.6	67.1	45.3	80.9	34		1.0	0.0	0.007	50.5	69.4	43.4	81.9	32	1.0	0.033	0.0	1.0	0.0	0.13	50.7	69.6	37.0	78.8	28	1.0	0.033	0.0								
35	33	29	1.0	0.052	0.0	52.2	65.8	46.1	80.3	35		1.0	0.015	0.0	51.0	68.4	44.4	81.6	33	1.0	0.05	0.0	1.0	0.0	0.1	50.7	69.6	38.6	79.6	29	1.0	0.05	0.0								
36	34	30	1.0	0.071	0.0	52.8	64.4	46.8	79.6	36		1.0	0.034	0.0	51.6	67.1	45.3	80.9	34	1.0	0.067	0.0	1.0	0.0	0.069	50.6	69.6	40.2	80.3	30	1.0	0.067	0.0								
37	35	31	1.0	0.09	0.0	53.5	63.1	47.5	79.0	37		1.0	0.052	0.0	52.2	65.8	46.1	80.3	35	1.0	0.083	0.0	1.0	0.0	0.038	50.6	69.5	41.8	81.1	31	1.0	0.083	0.0								
38	36	32	1.0	0.109	0.0	54.1	61.8	48.2	78.4	38		1.0	0.071	0.0	52.8	64.4	46.8	79.6	36	1.0	0.1	0.0	1.0	0.0	0.007	50.5	69.4	43.4	81.9	32	1.0	0.1	0.0								
39	37	33	1.0	0.128	0.0	54.7	60.4	48.9	77.7	39		1.0	0.09	0.0	53.5	63.1	47.5	79.0	37	1.0	0.117	0.0	1.0	0.015	0.0	51.0	68.4	44.4	81.6	33	1.0	0.117	0.0								
40	38	34	1.0	0.144	0.0	55.3	59.2	49.7	77.3	40		1.0	0.109	0.0	54.1	61.8	48.2	78.4	38	1.0	0.135	0.0	1.0	0.034	0.0	51.6	67.1	45.3	80.9	34	1.0	0.133	0.0								
41	39	36	1.0	0.16	0.0	55.9	57.9	50.4	76.8	41		1.0	0.128	0.0	54.7	60.4	48.9	77.7	39	1.0	0.15	0.0	1.0	0.071	0.0	52.8	64.4	46.8	79.6	36	1.0	0.15	0.0								
42	40	37	1.0	0.177	0.0	56.5	56.7	51.1	76.3	42		1.0	0.144	0.0	55.3	59.2	49.7	77.3	40	1.0	0.167	0.0	1.0	0.09	0.0	53.5	63.1	47.5	79.0	37	1.0	0.167	0.0								
43	41	38	1.0	0.193	0.0	57.1	55.4	51.7	75.8	43		1.0	0.16	0.0	55.9	57.9	50.4	76.8	41	1.0	0.183	0.0	1.0	0.109	0.0	54.1	61.8	48.2	78.4	38	1.0	0.183	0.0								
44	42	39	1.0	0.209	0.0	57.7	54.2	52.3	75.3	44		1.0	0.177	0.0	56.5	56.7	51.1	76.3	42	1.0	0.2	0.0	1.0	0.128	0.0	54.7	60.4	48.9	77.7	39	1.0	0.2	0.0								
45	43	40	1.0	0.225	0.0	58.3	52.9	52.9	74.8	45		1.0	0.193	0.0	57.1	55.4	51.7	75.8	43	1.0	0.217	0.0	1.0	0.144	0.0	55.3	59.2	49.7	77.3	40	1.0	0.217	0.0								
46	44	41	1.0	0.241	0.0	58.9	51.7	53.5	74.4	46		1.0	0.209	0.0	57.7	54.2	52.3	75.3	44	1.0	0.233	0.0	1.0	0.16	0.0	55.9	57.9	50.4	76.8	41	1.0	0.233	0.0								
47	45	42	1.0	0.257	0.0	59.5	50.5	54.1	74.0	47		1.0	0.225	0.0	58.3	52.9	52.9	74.8	45	1.0	0.25	0.0	1.0	0.177	0.0	56.5	56.7	51.1	76.3	42	1.0	0.25	0.0								
48	46	43	1.0	0.271	0.0	60.1	49.3	54.8	73.7	48		1.0	0.241	0.0	58.9	51.7	53.5	74.4	46	1.0	0.267	0.0	1.0	0.193	0.0	57.1	55.4	51.7	75.8	43	1.0	0.267	0.0								
49	47	44	1.0	0.285	0.0	60.6	48.2	55.4	73.5	49		1.0	0.257	0.0	59.5	50.5	54.1	74.0	47	1.0	0.283	0.0	1.0	0.209	0.0	57.7	54.2	52.3	75.3	44	1.0	0.283	0.0								
50	48	46	1.0	0.299	0.0	61.2	47.0	56.1	73.2	50		1.0	0.271	0.0	60.1	49.3	54.8	73.7	48	1.0	0.3	0.0	1.0	0.241	0.0	58.9	51.7	53.5	74.4	46	1.0	0.3	0.0								
51	49	47	1.0	0.313	0.0	61.8	45.9	56.7	72.9	51		1.0	0.285	0.0	60.6	48.2	55.4	73.5	49	1.0	0.317	0.0	1.0	0.257	0.0	59.5	50.5	54.1	74.0	47	1.0	0.317	0.0								
52	50	48	1.0	0.327	0.0	62.4	44.7	57.2	72.6	52		1.0	0.299	0.0	61.2	47.0	56.1	73.2	50	1.0	0.333	0.0	1.0	0.271	0.0	60.1	49.3	54.8	73.7	48	1.0	0.333	0.0								
53	51	49	1.0	0.341	0.0	62.9	43.6	57.8	72.4	53		1.0	0.313	0.0	61.8	45.9	56.7	72.9	51	1.0	0.35	0.0	1.0	0.285	0.0	60.6	48.2	55.4	73.5	49	1.0	0.35	0.0								
54	52	50	1.0	0.355	0.0	63.5	42.4	58.3	72.1	54		1.0	0.327	0.0	62.4	44.7	57.2	72.6	52	1.0	0.367	0.0	1.0	0.299	0.0	61.2	47.0	56.1	73.2	50	1.0	0.367	0.0								
55	53	51	1.0	0.369	0.0	64.1	41.2	58.9	71.8	55		1.0	0.341	0.0	62.9	43.6	57.8	72.4	53	1.0	0.383	0.0	1.0	0.313	0.0	61.8	45.9	56.7	72.9	51	1.0	0.383	0.0								
56	54	52	1.0	0.383	0.0	64.7	40.1	59.5	71.7	56		1.0	0.355	0.0	63.5	42.4	58.3	72.1	54	1.0	0.4	0.0	1.0	0.327	0.0	62.4	44.7	57.2	72.6	52	1.0	0.4	0.0								
57	55	53	1.0	0.395	0.0	65.2	39.1	60.1	71.7	57		1.0	0.369	0.0	64.1	41.2	58.9	71.8	55	1.0	0.417	0.0	1.0	0.341	0.0	62.9	43.6	57.8	72.4	53	1.0	0.417	0.0								
58	56	54	1.0	0.408	0.0	65.8	38.0	60.8	71.7	58		1.0	0.383	0.0	64.7	40.1	59.5	71.7	56	1.0	0.433	0.0	1.0	0.355	0.0	63.5	42.4	58.3	72.1	54	1.0	0.433	0.0								
59	57	56	1.0	0.421	0.0	66.4	36.9	61.4	71.7	59		1.0	0.395	0.0	65.2	39.1	60.1	71.7	57	1.0	0.45	0.0	1.0	0.383	0.0	64.7	40.1	59.5	71.7	56	1.0	0.45	0.0								
60	58	57	1.0	0.433	0.0	67.0	35.8	62.1	71.7	60		1.0	0.408	0.0	65.8	38.0	60.8	71.7	58	1.0	0.467	0.0	1.0	0.395	0.0	65.2	39.1	60.1	71.7	57	1.0	0.467	0.0								
61	59	58	1.0	0.446	0.0	67.5	34.7	62.7	71.6	61		1.0	0.421	0.0	66.4	36.9	61.4	71.7	59	1.0	0.483	0.0	1.0	0.408	0.0	65.8	38.0	60.8	71.7	58	1.0	0.483	0.0								
62	60	59	1.0	0.459	0.0	68.1	33.6	63.2	71.6	62		1.0	0.433	0.0	67.0	35.8	62.1	71.7	60	1.0	0.5	0.0	1.0	0.421	0.0	66.4	36.9	61.4	71.7	59	1.0	0.5	0.0								
63	61	60	1.0	0.472	0.0	68.7	32.5	63.8	71.6	63		1.0	0.446	0.0	67.5	34.7	62.7	71.6	61	1.0	0.517	0.0	1.0	0.433	0.0	67.0	35.8	62.1	71.7	60	1.0	0.517	0.0								
64	62	61	1.0	0.484	0.0	69.3	31.4	64.3	71.6	64		1.0	0.459	0.0	68.1	33.6	63.2	71.6	62	1.0	0.533	0.0																			

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.2, 92.8, 153.3, 229.3, 292.9, 356.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*dd361Mi LAB*dd361Mix (x=LabCh)								rgb*ds361Mi LAB*ds361Mix (x=LabCh)								rgb*s50M				rgb*de361Mi LAB*de361Mix (x=LabCh)				rgb*e50M				rgb*_d	rgb*_s	rgb*_e		
167	165	176	0.0	1.0	0.211	56.5	-59.8	13.8	61.4	167	0.0	1.0	0.184	56.3	-60.3	16.2	62.5	165	0.0	1.0	0.25	0.0	1.0	0.314	57.2	-57.5	4.0	57.8	176	0.0	1.0	0.25			
168	166	177	0.0	1.0	0.225	56.6	-59.5	12.7	60.9	168	0.0	1.0	0.198	56.4	-60.0	15.0	62.0	166	0.0	1.0	0.267	0.0	1.0	0.325	57.3	-57.2	3.0	57.4	177	0.0	1.0	0.267			
169	167	178	0.0	1.0	0.239	56.7	-59.1	11.5	60.3	169	0.0	1.0	0.211	56.5	-59.8	13.8	61.4	167	0.0	1.0	0.283	0.0	1.0	0.335	57.4	-56.9	2.0	57.1	178	0.0	1.0	0.283			
170	168	179	0.0	1.0	0.252	56.7	-58.8	10.4	59.8	170	0.0	1.0	0.225	56.6	-59.5	12.7	60.9	168	0.0	1.0	0.3	0.0	1.0	0.346	57.4	-56.6	1.0	56.7	179	0.0	1.0	0.3			
171	169	180	0.0	1.0	0.262	56.8	-58.7	9.3	59.5	171	0.0	1.0	0.239	56.7	-59.1	11.5	60.3	169	0.0	1.0	0.317	0.0	1.0	0.356	57.5	-56.3	0.0	56.4	180	0.0	1.0	0.317			
172	170	180	0.0	1.0	0.273	56.9	-58.5	8.2	59.1	172	0.0	1.0	0.252	56.7	-58.8	10.4	59.8	170	0.0	1.0	0.333	0.0	1.0	0.356	57.5	-56.3	0.0	56.4	180	0.0	1.0	0.333			
173	171	181	0.0	1.0	0.283	57.0	-58.3	7.2	58.8	173	0.0	1.0	0.262	56.8	-58.7	9.3	59.5	171	0.0	1.0	0.35	0.0	1.0	0.367	57.6	-55.9	-0.9	56.0	181	0.0	1.0	0.35			
174	172	182	0.0	1.0	0.294	57.1	-58.0	6.1	58.5	174	0.0	1.0	0.273	56.9	-58.5	8.2	59.1	172	0.0	1.0	0.367	0.0	1.0	0.377	57.7	-55.6	-1.8	55.7	182	0.0	1.0	0.367			
175	173	183	0.0	1.0	0.304	57.1	-57.8	5.1	58.1	175	0.0	1.0	0.283	57.0	-58.3	7.2	58.8	173	0.0	1.0	0.383	0.0	1.0	0.39	57.7	-55.4	-2.8	55.6	183	0.0	1.0	0.383			
176	174	184	0.0	1.0	0.314	57.2	-57.5	4.0	57.8	176	0.0	1.0	0.294	57.1	-58.0	6.1	58.5	174	0.0	1.0	0.4	0.0	1.0	0.402	57.8	-55.2	-3.8	55.4	184	0.0	1.0	0.4			
177	175	185	0.0	1.0	0.325	57.3	-57.2	3.0	57.4	177	0.0	1.0	0.304	57.1	-57.8	5.1	58.1	175	0.0	1.0	0.417	0.0	1.0	0.414	57.9	-55.0	-4.7	55.3	185	0.0	1.0	0.417			
178	176	186	0.0	1.0	0.335	57.4	-56.9	2.0	57.1	178	0.0	1.0	0.314	57.2	-57.5	4.0	57.8	176	0.0	1.0	0.433	0.0	1.0	0.427	58.0	-54.7	-5.7	55.1	186	0.0	1.0	0.433			
179	177	187	0.0	1.0	0.346	57.4	-56.6	1.0	56.7	179	0.0	1.0	0.325	57.3	-57.2	3.0	57.4	177	0.0	1.0	0.45	0.0	1.0	0.439	58.0	-54.4	-6.6	55.0	187	0.0	1.0	0.45			
180	178	188	0.0	1.0	0.356	57.5	-56.3	0.0	56.4	180	0.0	1.0	0.335	57.4	-56.9	2.0	57.1	178	0.0	1.0	0.467	0.0	1.0	0.451	58.1	-54.2	-7.5	54.8	188	0.0	1.0	0.467			
181	179	189	0.0	1.0	0.367	57.6	-55.9	-0.9	56.0	181	0.0	1.0	0.346	57.4	-56.6	1.0	56.7	179	0.0	1.0	0.483	0.0	1.0	0.464	58.2	-53.9	-8.4	54.6	189	0.0	1.0	0.483			
182	180	190	0.0	1.0	0.377	57.7	-55.6	-1.8	55.7	182	0.0	1.0	0.356	57.5	-56.3	0.0	56.4	180	0.0	1.0	0.5	0.0	1.0	0.476	58.3	-53.6	-9.4	54.5	190	0.0	1.0	0.5			
183	181	191	0.0	1.0	0.39	57.7	-55.4	-2.8	55.6	183	0.0	1.0	0.367	57.6	-55.9	-0.9	56.0	181	0.0	1.0	0.517	0.0	1.0	0.488	58.3	-53.2	-10.3	54.3	191	0.0	1.0	0.517			
184	182	191	0.0	1.0	0.402	57.8	-55.2	-3.8	55.4	184	0.0	1.0	0.377	57.7	-55.6	-1.8	55.7	182	0.0	1.0	0.533	0.0	1.0	0.488	58.3	-53.2	-10.3	54.3	191	0.0	1.0	0.533			
185	183	192	0.0	1.0	0.414	57.9	-55.0	-4.7	55.3	185	0.0	1.0	0.39	57.7	-55.4	-2.8	55.6	183	0.0	1.0	0.55	0.0	1.0	0.501	58.4	-52.9	-11.2	54.2	192	0.0	1.0	0.55			
186	184	193	0.0	1.0	0.427	58.0	-54.7	-5.7	55.1	186	0.0	1.0	0.402	57.8	-55.2	-3.8	55.4	184	0.0	1.0	0.567	0.0	1.0	0.512	58.5	-52.7	-12.1	54.2	193	0.0	1.0	0.567			
187	185	194	0.0	1.0	0.439	58.0	-54.4	-6.6	55.0	187	0.0	1.0	0.414	57.9	-55.0	-4.7	55.3	185	0.0	1.0	0.583	0.0	1.0	0.524	58.5	-52.5	-13.0	54.2	194	0.0	1.0	0.583			
188	186	195	0.0	1.0	0.451	58.1	-54.2	-7.5	54.8	188	0.0	1.0	0.427	58.0	-54.7	-5.7	55.1	186	0.0	1.0	0.6	0.0	1.0	0.536	58.5	-52.2	-13.9	54.2	195	0.0	1.0	0.6			
189	187	196	0.0	1.0	0.464	58.2	-53.9	-8.4	54.6	189	0.0	1.0	0.439	58.0	-54.4	-6.6	55.0	187	0.0	1.0	0.617	0.0	1.0	0.548	58.6	-52.0	-14.8	54.2	196	0.0	1.0	0.617			
190	188	197	0.0	1.0	0.476	58.3	-53.6	-9.4	54.5	190	0.0	1.0	0.451	58.1	-54.2	-7.5	54.8	188	0.0	1.0	0.633	0.0	1.0	0.56	58.6	-51.7	-15.7	54.2	197	0.0	1.0	0.633			
191	189	198	0.0	1.0	0.488	58.3	-53.2	-10.3	54.3	191	0.0	1.0	0.464	58.2	-53.9	-8.4	54.6	189	0.0	1.0	0.65	0.0	1.0	0.572	58.7	-51.4	-16.6	54.2	198	0.0	1.0	0.65			
192	190	199	0.0	1.0	0.501	58.4	-52.9	-11.2	54.2	192	0.0	1.0	0.476	58.3	-53.6	-9.4	54.5	190	0.0	1.0	0.667	0.0	1.0	0.583	58.7	-51.1	-17.5	54.2	199	0.0	1.0	0.667			
193	191	200	0.0	1.0	0.512	58.5	-52.7	-12.1	54.2	193	0.0	1.0	0.488	58.3	-53.2	-10.3	54.3	191	0.0	1.0	0.683	0.0	1.0	0.595	58.8	-50.8	-18.4	54.2	200	0.0	1.0	0.683			
194	192	201	0.0	1.0	0.524	58.5	-52.5	-13.0	54.2	194	0.0	1.0	0.501	58.4	-52.9	-11.2	54.2	192	0.0	1.0	0.7	0.0	1.0	0.607	58.8	-50.5	-19.3	54.2	201	0.0	1.0	0.7			
195	193	201	0.0	1.0	0.536	58.5	-52.2	-13.9	54.2	195	0.0	1.0	0.512	58.5	-52.7	-12.1	54.2	193	0.0	1.0	0.717	0.0	1.0	0.607	58.8	-50.5	-19.3	54.2	201	0.0	1.0	0.717			
196	194	202	0.0	1.0	0.548	58.6	-52.0	-14.8	54.2	196	0.0	1.0	0.524	58.5	-52.5	-13.0	54.2	194	0.0	1.0	0.733	0.0	1.0	0.619	58.9	-50.1	-20.2	54.2	202	0.0	1.0	0.733			
197	195	203	0.0	1.0	0.56	58.6	-51.7	-15.7	54.2	197	0.0	1.0	0.536	58.5	-52.2	-13.9	54.2	195	0.0	1.0	0.75	0.0	1.0	0.631	58.9	-49.8	-21.1	54.2	203	0.0	1.0	0.75			
198	196	204	0.0	1.0	0.572	58.7	-51.4	-16.6	54.2	198	0.0	1.0	0.548	58.6	-52.0	-14.8	54.2	196	0.0	1.0	0.767	0.0	1.0	0.644	59.0	-49.5	-22.0	54.3	204	0.0	1.0	0.767			
199	197	205	0.0	1.0	0.583	58.7	-51.1	-17.5	54.2	199	0.0	1.0	0.56	58.6	-51.																				

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.2, 92.8, 153.3, 229.3, 292.9, 356.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}			LAB* _{dd361Mix (x=LabCh)}			rgb* _{ds361Mi}			LAB* _{ds361Mix (x=LabCh)}			rgb* _{s50M}			rgb* _{de361Mi}			LAB* _{de361Mix (x=LabCh)}			rgb* _{e50M}			rgb* _{dd}	rgb* _{ds}	rgb* _{de}						
302	300	300	0.093	0.0	1.0	28.6	27.3	-43.6	51.6	302	0.072	0.0	1.0	28.2	25.8	-44.5	51.5	300	0.5	0.0	1.0	0.072	0.0	1.0	28.2	25.8	-44.5	51.5	300	0.5	0.0	1.0			
303	301	301	0.103	0.0	1.0	28.8	28.1	-43.2	51.6	303	0.083	0.0	1.0	28.4	26.5	-44.1	51.5	301	0.517	0.0	1.0	0.083	0.0	1.0	28.4	26.5	-44.1	51.5	301	0.517	0.0	1.0			
304	302	302	0.113	0.0	1.0	29.0	28.9	-42.7	51.6	304	0.093	0.0	1.0	28.6	27.3	-43.6	51.6	302	0.533	0.0	1.0	0.093	0.0	1.0	28.6	27.3	-43.6	51.6	302	0.533	0.0	1.0			
305	303	303	0.123	0.0	1.0	29.2	29.6	-42.2	51.6	305	0.103	0.0	1.0	28.8	28.1	-43.2	51.6	303	0.55	0.0	1.0	0.103	0.0	1.0	28.8	28.1	-43.2	51.6	303	0.55	0.0	1.0			
306	304	304	0.135	0.0	1.0	29.4	30.4	-41.7	51.7	306	0.113	0.0	1.0	29.0	28.9	-42.7	51.6	304	0.567	0.0	1.0	0.113	0.0	1.0	29.0	28.9	-42.7	51.6	304	0.567	0.0	1.0			
307	305	305	0.148	0.0	1.0	29.6	31.2	-41.3	51.8	307	0.123	0.0	1.0	29.2	29.6	-42.2	51.6	305	0.583	0.0	1.0	0.123	0.0	1.0	29.2	29.6	-42.2	51.6	305	0.583	0.0	1.0			
308	306	306	0.16	0.0	1.0	29.8	31.9	-40.8	51.9	308	0.135	0.0	1.0	29.4	30.4	-41.7	51.7	306	0.6	0.0	1.0	0.135	0.0	1.0	29.4	30.4	-41.7	51.7	306	0.6	0.0	1.0			
309	307	307	0.172	0.0	1.0	30.0	32.7	-40.3	51.9	309	0.148	0.0	1.0	29.6	31.2	-41.3	51.8	307	0.617	0.0	1.0	0.148	0.0	1.0	29.6	31.2	-41.3	51.8	307	0.617	0.0	1.0			
310	308	308	0.184	0.0	1.0	30.2	33.4	-39.7	52.0	310	0.16	0.0	1.0	29.8	31.9	-40.8	51.9	308	0.633	0.0	1.0	0.16	0.0	1.0	29.8	31.9	-40.8	51.9	308	0.633	0.0	1.0			
311	309	309	0.197	0.0	1.0	30.4	34.2	-39.2	52.1	311	0.172	0.0	1.0	30.0	32.7	-40.3	51.9	309	0.65	0.0	1.0	0.172	0.0	1.0	30.0	32.7	-40.3	51.9	309	0.65	0.0	1.0			
312	310	310	0.209	0.0	1.0	30.7	34.9	-38.7	52.2	312	0.184	0.0	1.0	30.2	33.4	-39.7	52.0	310	0.667	0.0	1.0	0.184	0.0	1.0	30.2	33.4	-39.7	52.0	310	0.667	0.0	1.0			
313	311	311	0.221	0.0	1.0	30.9	35.6	-38.1	52.2	313	0.197	0.0	1.0	30.4	34.2	-39.2	52.1	311	0.683	0.0	1.0	0.197	0.0	1.0	30.4	34.2	-39.2	52.1	311	0.683	0.0	1.0			
314	312	312	0.234	0.0	1.0	31.1	36.3	-37.5	52.3	314	0.209	0.0	1.0	30.7	34.9	-38.7	52.2	312	0.7	0.0	1.0	0.209	0.0	1.0	30.7	34.9	-38.7	52.2	312	0.7	0.0	1.0			
315	313	312	0.246	0.0	1.0	31.3	37.1	-37.0	52.4	315	0.221	0.0	1.0	30.9	35.6	-38.1	52.2	313	0.717	0.0	1.0	0.209	0.0	1.0	30.7	34.9	-38.7	52.2	312	0.717	0.0	1.0			
316	314	313	0.263	0.0	1.0	31.8	37.8	-36.4	52.6	316	0.234	0.0	1.0	31.1	36.3	-37.5	52.3	314	0.733	0.0	1.0	0.221	0.0	1.0	30.9	35.6	-38.1	52.2	313	0.733	0.0	1.0			
317	315	314	0.283	0.0	1.0	32.4	38.7	-35.9	52.8	317	0.246	0.0	1.0	31.3	37.1	-37.0	52.4	315	0.75	0.0	1.0	0.234	0.0	1.0	31.1	36.3	-37.5	52.3	314	0.75	0.0	1.0			
318	316	315	0.302	0.0	1.0	33.1	39.5	-35.4	53.1	318	0.263	0.0	1.0	31.8	37.8	-36.4	52.6	316	0.767	0.0	1.0	0.246	0.0	1.0	31.3	37.1	-37.0	52.4	315	0.767	0.0	1.0			
319	317	316	0.322	0.0	1.0	33.7	40.3	-34.9	53.4	319	0.283	0.0	1.0	32.4	38.7	-35.9	52.8	317	0.783	0.0	1.0	0.263	0.0	1.0	31.8	37.8	-36.4	52.6	316	0.783	0.0	1.0			
320	318	317	0.342	0.0	1.0	34.4	41.1	-34.4	53.6	320	0.302	0.0	1.0	33.1	39.5	-35.4	53.1	318	0.8	0.0	1.0	0.283	0.0	1.0	32.4	38.7	-35.9	52.8	317	0.8	0.0	1.0			
321	319	318	0.361	0.0	1.0	35.0	41.9	-33.8	53.9	321	0.322	0.0	1.0	33.7	40.3	-34.9	53.4	319	0.817	0.0	1.0	0.302	0.0	1.0	33.1	39.5	-35.4	53.1	318	0.817	0.0	1.0			
322	320	319	0.378	0.0	1.0	35.6	42.6	-33.2	54.1	322	0.342	0.0	1.0	34.4	41.1	-34.4	53.6	320	0.833	0.0	1.0	0.322	0.0	1.0	33.7	40.3	-34.9	53.4	319	0.833	0.0	1.0			
323	321	320	0.39	0.0	1.0	35.9	43.5	-32.7	54.4	323	0.361	0.0	1.0	35.0	41.9	-33.8	53.9	321	0.85	0.0	1.0	0.342	0.0	1.0	34.4	41.1	-34.4	53.6	320	0.85	0.0	1.0			
324	322	321	0.401	0.0	1.0	36.2	44.3	-32.1	54.7	324	0.378	0.0	1.0	35.6	42.6	-33.2	54.1	322	0.867	0.0	1.0	0.361	0.0	1.0	35.0	41.9	-33.8	53.9	321	0.867	0.0	1.0			
325	323	322	0.412	0.0	1.0	36.6	45.1	-31.5	55.1	325	0.39	0.0	1.0	35.9	43.5	-32.7	54.4	323	0.883	0.0	1.0	0.378	0.0	1.0	35.6	42.6	-33.2	54.1	322	0.883	0.0	1.0			
326	324	323	0.424	0.0	1.0	36.9	45.9	-30.9	55.4	326	0.401	0.0	1.0	36.2	44.3	-32.1	54.7	324	0.9	0.0	1.0	0.39	0.0	1.0	35.9	43.5	-32.7	54.4	323	0.9	0.0	1.0			
327	325	324	0.435	0.0	1.0	37.2	46.7	-30.2	55.7	327	0.412	0.0	1.0	36.6	45.1	-31.5	55.1	325	0.917	0.0	1.0	0.401	0.0	1.0	36.2	44.3	-32.1	54.7	324	0.917	0.0	1.0			
328	326	325	0.447	0.0	1.0	37.6	47.5	-29.6	56.0	328	0.424	0.0	1.0	36.9	45.9	-30.9	55.4	326	0.933	0.0	1.0	0.412	0.0	1.0	36.6	45.1	-31.5	55.1	325	0.933	0.0	1.0			
329	327	326	0.458	0.0	1.0	37.9	48.3	-28.9	56.3	329	0.435	0.0	1.0	37.2	46.7	-30.2	55.7	327	0.95	0.0	1.0	0.424	0.0	1.0	36.9	45.9	-30.9	55.4	326	0.95	0.0	1.0			
330	328	327	0.469	0.0	1.0	38.3	49.0	-28.2	56.6	330	0.447	0.0	1.0	37.6	47.5	-29.6	56.0	328	0.967	0.0	1.0	0.435	0.0	1.0	37.2	46.7	-30.2	55.7	327	0.967	0.0	1.0			
331	329	328	0.481	0.0	1.0	38.6	49.8	-27.5	56.9	331	0.458	0.0	1.0	37.9	48.3	-28.9	56.3	329	0.983	0.0	1.0	0.447	0.0	1.0	37.6	47.5	-29.6	56.0	328	0.983	0.0	1.0			
332	330	329	0.492	0.0	1.0	38.9	50.5	-26.8	57.2	332	0.469	0.0	1.0	38.3	49.0	-28.2	56.6	330	1.0	0.0	1.0M _s	0.458	0.0	1.0	37.9	48.3	-28.9	56.3	329	1.0	0.0	1.0M _e			
333	331	330	0.504	0.0	1.0	39.3	51.3	-26.0	57.6	333	0.481	0.0	1.0	38.6	49.8	-27.5	56.9	331	1.0	0.0	0.983	0.469	0.0	1.0	38.3	49.0	-28.2	56.6	33						

Data of Maximum color M in colorimetric system Offset print ORS42_18_96; separation cmyn*6*, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.2, 92.8, 153.3, 229.3, 292.9, 356.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																																					
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361Mi								LAB* _{dd} 361Mix (x=LabCh)								rgb* _{ds} 361Mi								LAB* _{ds} 361Mix (x=LabCh)								rgb* _s 50M								rgb* _{de} 361Mi								LAB* _{de} 361Mix (x=LabCh)								rgb* _e 50M								rgb* _{dd}	rgb* _{ds}	rgb* _{de}
347	345	343	0.782	0.0	1.0	46.7	64.3	-14.7	66.0	347	0.732	0.0	1.0	45.4	62.2	-16.6	64.4	345	1.0	0.0	0.75	0.673	0.0	1.0	43.6	60.1	-18.3	62.8	343	1.0	0.0	0.75																																					
348	346	344	0.804	0.0	1.0	47.2	65.3	-13.8	66.8	348	0.759	0.0	1.0	46.2	63.2	-15.7	65.1	346	1.0	0.0	0.733	0.703	0.0	1.0	44.5	61.1	-17.4	63.6	344	1.0	0.0	0.733																																					
349	347	345	0.827	0.0	1.0	47.7	66.4	-12.8	67.6	349	0.782	0.0	1.0	46.7	64.3	-14.7	66.0	347	1.0	0.0	0.717	0.732	0.0	1.0	45.4	62.2	-16.6	64.4	345	1.0	0.0	0.717																																					
350	348	346	0.85	0.0	1.0	48.2	67.4	-11.8	68.4	350	0.804	0.0	1.0	47.2	65.3	-13.8	66.8	348	1.0	0.0	0.7	0.759	0.0	1.0	46.2	63.2	-15.7	65.1	346	1.0	0.0	0.7																																					
351	349	347	0.873	0.0	1.0	48.8	68.4	-10.7	69.3	351	0.827	0.0	1.0	47.7	66.4	-12.8	67.6	349	1.0	0.0	0.683	0.782	0.0	1.0	46.7	64.3	-14.7	66.0	347	1.0	0.0	0.683																																					
352	350	348	0.898	0.0	1.0	49.2	69.6	-9.7	70.3	352	0.85	0.0	1.0	48.2	67.4	-11.8	68.4	350	1.0	0.0	0.667	0.804	0.0	1.0	47.2	65.3	-13.8	66.8	348	1.0	0.0	0.667																																					
353	351	349	0.924	0.0	1.0	49.7	70.7	-8.6	71.3	353	0.873	0.0	1.0	48.8	68.4	-10.7	69.3	351	1.0	0.0	0.65	0.827	0.0	1.0	47.7	66.4	-12.8	67.6	349	1.0	0.0	0.65																																					
354	352	349	0.949	0.0	1.0	50.2	71.9	-7.5	72.3	354	0.898	0.0	1.0	49.2	69.6	-9.7	70.3	352	1.0	0.0	0.633	0.827	0.0	1.0	47.7	66.4	-12.8	67.6	349	1.0	0.0	0.633																																					
355	353	350	0.974	0.0	1.0	50.7	73.0	-6.3	73.3	355	0.924	0.0	1.0	49.7	70.7	-8.6	71.3	353	1.0	0.0	0.617	0.85	0.0	1.0	48.2	67.4	-11.8	68.4	350	1.0	0.0	0.617																																					
356	354	351	1.0	0.0	1.0	51.2	74.1	-5.1	74.3	356M _d	0.949	0.0	1.0	50.2	71.9	-7.5	72.3	354	1.0	0.0	0.6	0.873	0.0	1.0	48.8	68.4	-10.7	69.3	351	1.0	0.0	0.6																																					
357	355	352	1.0	0.0	0.969	51.2	73.9	-3.8	74.0	357	0.974	0.0	1.0	50.7	73.0	-6.3	73.3	355	1.0	0.0	0.583	0.898	0.0	1.0	49.2	69.6	-9.7	70.3	352	1.0	0.0	0.583																																					
358	356	353	1.0	0.0	0.938	51.2	73.6	-2.5	73.6	358	1.0	0.0	1.0	51.2	74.1	-5.1	74.3	356	1.0	0.0	0.567	0.924	0.0	1.0	49.7	70.7	-8.6	71.3	353	1.0	0.0	0.567																																					
359	357	354	1.0	0.0	0.908	51.2	73.3	-1.2	73.3	359	1.0	0.0	0.969	51.2	73.9	-3.8	74.0	357	1.0	0.0	0.55	0.949	0.0	1.0	50.2	71.9	-7.5	72.3	354	1.0	0.0	0.55																																					
0	358	355	1.0	0.0	0.877	51.2	72.9	0.0	72.9	0	1.0	0.0	0.938	51.2	73.6	-2.5	73.6	358	1.0	0.0	0.533	0.974	0.0	1.0	50.7	73.0	-6.3	73.3	355	1.0	0.0	0.533																																					
1	359	356	1.0	0.0	0.842	51.2	72.9	1.3	72.9	1	1.0	0.0	0.908	51.2	73.3	-1.2	73.3	359	1.0	0.0	0.517	1.0	0.0	1.0	51.2	74.1	-5.1	74.3	356	1.0	0.0	0.517																																					
2	360	357	1.0	0.0	0.808	51.1	72.8	2.5	72.9	2	1.0	0.0	0.877	51.2	72.9	0.0	72.9	0	1.0	0.0	0.5	1.0	0.0	0.969	51.2	73.9	-3.8	74.0	357	1.0	0.0	0.5																																					
3	361	358	1.0	0.0	0.774	51.1	72.7	3.8	72.8	3	1.0	0.0	0.842	51.2	72.9	1.3	72.9	1	1.0	0.0	0.483	1.0	0.0	0.938	51.2	73.6	-2.5	73.6	358	1.0	0.0	0.483																																					
4	362	359	1.0	0.0	0.742	51.1	72.6	5.1	72.8	4	1.0	0.0	0.808	51.1	72.8	2.5	72.9	2	1.0	0.0	0.467	1.0	0.0	0.908	51.2	73.3	-1.2	73.3	359	1.0	0.0	0.467																																					
5	363	360	1.0	0.0	0.716	51.1	72.4	6.3	72.7	5	1.0	0.0	0.774	51.1	72.7	3.8	72.8	3	1.0	0.0	0.45	1.0	0.0	0.877	51.2	72.9	0.0	72.9	0	1.0	0.0	0.45																																					
6	364	361	1.0	0.0	0.69	51.1	72.2	7.6	72.6	6	1.0	0.0	0.742	51.1	72.6	5.1	72.8	4	1.0	0.0	0.433	1.0	0.0	0.842	51.2	72.9	1.3	72.9	1	1.0	0.0	0.433																																					
7	365	362	1.0	0.0	0.664	51.1	72.0	8.8	72.5	7	1.0	0.0	0.716	51.1	72.4	6.3	72.7	5	1.0	0.0	0.417	1.0	0.0	0.808	51.1	72.8	2.5	72.9	2	1.0	0.0	0.417																																					
8	366	363	1.0	0.0	0.638	51.1	71.7	10.1	72.4	8	1.0	0.0	0.69	51.1	72.2	7.6	72.6	6	1.0	0.0	0.4	1.0	0.0	0.774	51.1	72.7	3.8	72.8	3	1.0	0.0	0.4																																					
9	367	364	1.0	0.0	0.611	51.1	71.6	11.3	72.5	9	1.0	0.0	0.664	51.1	72.0	8.8	72.5	7	1.0	0.0	0.383	1.0	0.0	0.742	51.1	72.6	5.1	72.8	4	1.0	0.0	0.383																																					
10	368	365	1.0	0.0	0.583	51.0	71.6	12.6	72.7	10	1.0	0.0	0.638	51.1	71.7	10.1	72.4	8	1.0	0.0	0.367	1.0	0.0	0.716	51.1	72.4	6.3	72.7	5	1.0	0.0	0.367																																					
11	369	366	1.0	0.0	0.555	50.9	71.6	13.9	73.0	11	1.0	0.0	0.611	51.1	71.6	11.3	72.5	9	1.0	0.0	0.35	1.0	0.0	0.69	51.1	72.2	7.6	72.6	6	1.0	0.0	0.35																																					
12	370	367	1.0	0.0	0.527	50.8	71.6	15.2	73.2	12	1.0	0.0	0.583	51.0	71.6	12.6	72.7	10	1.0	0.0	0.333	1.0	0.0	0.664	51.1	72.0	8.8	72.5	7	1.0	0.0	0.333																																					
13	371	367	1.0	0.0	0.5	50.8	71.6	16.5	73.4	13	1.0	0.0	0.555	50.9	71.6	13.9	73.0	11	1.0	0.0	0.317	1.0	0.0	0.664	51.1	72.0	8.8	72.5	7	1.0	0.0	0.317																																					
14	372	368	1.0	0.0	0.474	50.8	71.4	17.8	73.6	14	1.0	0.0	0.527	50.8	71.6	15.2	73.2	12	1.0	0.0	0.3	1.0	0.0	0.638	51.1	71.7	10.1	72.4	8	1.0	0.0	0.3																																					
15	373	369	1.0	0.0	0.448	50.8	71.3	19.1	73.8	15	1.0	0.0	0.5	50.8	71.6	16.5	73.4	13	1.0	0.0	0.283	1.0	0.0	0.611	51.1	71.6	11.3	72.5	9	1.0	0.0	0.283																																					
16	374	370	1.0	0.0	0.422	50.8	71.1	20.4	73.9	16	1.0	0.0	0.474	50.8	71.4	17.8	73.6	14	1.0	0.0	0.267	1.0	0.0	0.583	51.0	71.6	12.6	72.7	10	1.0	0.0	0.267																																					
17	375	371	1.0	0.0	0.396	50.8	70.9	21.7	74.1	17	1.0	0.0	0.448	50.8	71.3	19.1	73.8	15	1.0	0.0	0.25	1.0	0.0	0.555	50.9	71.6	13.9	73.0	11	1.0	0.0	0.25																																					
18	376	372	1.0	0.0	0.371	50.9	70.7	23.0	74.3	18	1.0	0.0	0.422	50.8	71.1	20.4	73.9	16	1.0	0.0	0.233	1.0	0.0	0.527	50.8	71.6	15.2	73.2	12	1.0	0.0	0.233																																					
19	377	373	1.0	0.0	0.35	50.9	70.6	24.3	74.7	19	1.0	0.0	0.396	50.8	70.9	21.7	74.1	17	1.0	0.0	0.217	1.0	0.0	0.5																																													