




OE561-1, Picture D4N-D-030-0: 16 equidistant steps  $N-R_d$ ;  $N-G_d$ ;  $N-B_d$ ;  $W-N$ ; PS:  $\rightarrow rgb_d$  setrgbcolor





OE561-3, Picture D5N-030-0: Script and Landolt-rings  $W$ ;  $R_d$ ;  $G_d$ ;  $B_d$ ;  $Z$ ; PS operator  $\rightarrow rgb_d$  setrgbcolor




OE561-5, Picture D6N-D-030-0: Landolt-rings  $N-R_d$ ;  $N-G_d$ ; PS operator  $\rightarrow rgb_d$  setrgbcolor




OE561-7, Picture D7N-D-030-0: Landolt-rings  $N-B_d$ ;  $W-N$ ; PS operator  $\rightarrow rgb_d$  setrgbcolor




OE561-1, Picture D4Z-Z-030-0: 16 equidistant steps  $Z-R_d$ ;  $Z-G_d$ ;  $Z-B_d$ ;  $W-N$ ; PS:  $\rightarrow rgb_d$  setrgbcolor



OE561-3, Picture D5Z-030-0: Script and Landolt-rings  $N$ ;  $R_d$ ;  $G_d$ ;  $B_d$ ;  $W$ ; PS operator  $\rightarrow rgb_d$  setrgbcolor



OE561-5, Picture D6Z-Z-030-0: Landolt-rings  $Z-R_d$ ;  $Z-G_d$ ; PS operator  $\rightarrow rgb_d$  setrgbcolor



OE561-7, Picture D7Z-Z-030-0: Landolt-rings  $Z-B_d$ ;  $W-N$ ; PS operator  $\rightarrow rgb_d$  setrgbcolor

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Test of 16 visually equally spaced steps of the colour rows  $N-R_d$ ,  $N-G_d$ ,  $N-B_d$ , and  $W-N$  according to picture D4N-030-0

$N-R_d$ Black – Orangered:	Are all the 16 steps distinguishable?	Yes/No
	If No: How many steps can be distinguished? of the given 16 steps	..... Steps
$N-G_d$ Black – Leafgreen:	Are all the 16 steps distinguishable?	Yes/No
	If No: How many steps can be distinguished? of the given 16 steps	..... Steps
$N-B_d$ Black – Violetblue:	Are all the 16 steps distinguishable?	Yes/No
	If No: How many steps can be distinguished? of the given 16 steps	..... Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?	Yes/No
	If No: How many steps can be distinguished? of the given 16 steps	..... Steps

Test of characters and Landolt-rings in four sizes according to picture D5N-030-0

Is the recognition frequency &gt; 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?

Relative size	Letters	Ring $N$	Ring $R_d$	Ring $G_d$	Ring $B_d$
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings  $N-R_d$ ,  $N-G_d$ ,  $N-B_d$ , and  $W-N$  according to pictures D6N-030-0, and D7N-030-0

Is the recognition frequency of the Landolt-rings &gt; 50% (min. 5 of 8 at least)?

Colour row $N-R_d$ background – ring	Colour row $N-G_d$ background – ring	Colour row $N-B_d$ background – ring	Colour row $W-N$ background – ring
0 – 1 Yes/No	0 – 1 Yes/No	0 – 1 Yes/No	0 – 1 Yes/No
7 – 8 Yes/No	7 – 8 Yes/No	7 – 8 Yes/No	7 – 8 Yes/No
E – F Yes/No	E – F Yes/No	E – F Yes/No	E – F Yes/No
2 – 0 Yes/No	2 – 0 Yes/No	2 – 0 Yes/No	2 – 0 Yes/No
8 – 6 Yes/No	8 – 6 Yes/No	8 – 6 Yes/No	8 – 6 Yes/No
F – D Yes/No	F – D Yes/No	F – D Yes/No	F – D Yes/No

Part 1

OE560-3N-030-1

## Documentation of file format, hardware and software for this test:

PDF-File: http://130.149.60.45/farbmetrik/OE56/OE56L0NP.PDF underline Yes/No

PS-File: http://130.149.60.45/farbmetrik/OE56/OE56L0NA.PS or underline Yes/No

## Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: underline monitor/data projector/printer

Device model, driver and version:.....

Device output with PDF/PS-file: underline PDF/PS-file

## For device output with PDF-file OE56L0NP.PDF:

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader-/Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

## For device output with PS-file OE56L0NA.PS:

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks: Special remarks, e. g. output of Landscape (L)

.....

.....

.....

Part 3

OE560-7N-030-1

OE56: Form A for test chart 4m according to ISO 15775; DH  
16 step colour scales, letter size, Landolt-ringsTest of 16 visually equally spaced steps of the colour rows  $Z-R_d$ ,  $Z-G_d$ ,  $Z-B_d$ , and  $W-N$  according to picture D4Z-030-0

$Z-R_d$ Grey – Orangered:	Are all the 16 steps distinguishable?	Yes/No
	If No: How many steps can be distinguished? of the given 16 steps	..... Steps
$Z-G_d$ Grey – Leafgreen:	Are all the 16 steps distinguishable?	Yes/No
	If No: How many steps can be distinguished? of the given 16 steps	..... Steps
$Z-B_d$ Grey – Violetblue:	Are all the 16 steps distinguishable?	Yes/No
	If No: How many steps can be distinguished? of the given 16 steps	..... Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?	Yes/No
	If No: How many steps can be distinguished? of the given 16 steps	..... Steps

Test of characters and Landolt-rings in four sizes according to picture D5Z-030-0

Is the recognition frequency &gt; 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?

Relative size	Letters	Ring $N$	Ring $R_d$	Ring $G_d$	Ring $B_d$
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings  $Z-R_d$ ,  $Z-G_d$ ,  $Z-B_d$ , and  $W-N$  according to pictures D6Z-030-0, and D7Z-030-0

Is the recognition frequency of the Landolt-rings &gt; 50% (min. 5 of 8 at least)?

Colour row $Z-R_d$ background – ring	Colour row $Z-G_d$ background – ring	Colour row $Z-B_d$ background – ring	Colour row $W-N$ background – ring
0 – 1 Yes/No	0 – 1 Yes/No	0 – 1 Yes/No	0 – 1 Yes/No
7 – 8 Yes/No	7 – 8 Yes/No	7 – 8 Yes/No	7 – 8 Yes/No
E – F Yes/No	E – F Yes/No	E – F Yes/No	E – F Yes/No
2 – 0 Yes/No	2 – 0 Yes/No	2 – 0 Yes/No	2 – 0 Yes/No
8 – 6 Yes/No	8 – 6 Yes/No	8 – 6 Yes/No	8 – 6 Yes/No
F – D Yes/No	F – D Yes/No	F – D Yes/No	F – D Yes/No

Part 1

OE560-3N-030-1

## Documentation of assessor colour vision properties for visual assessment

The assessor has normal colour vision according to one test:

- either according to DIN 6160:1996 with Anomaloskop of Nagel
- or with test charts using colour points according to Ishihara
- or tested with, please specify: .....

underline Yes/No

underline Yes/unknown

underline Yes/unknown

underline Yes/unknown

## For visual evaluation of the display (monitor, data projector) output

Office workplace illumination is daylight (clouded/north sky)

underline Yes/No

PDF file: http://130.149.60.45/farbmetrik/OE56/OE56F1P2.PDF

underline Yes/No

PS file: http://130.149.60.45/farbmetrik/OE56/OE56F1P2.PS

underline Yes/No

Picture A7-030-2: contrast range: (&gt;F:0) (F:0) (E:0) (D:0) (C:0) (A:0) (9:0) (7:0) (5:0) (3:0) (&lt;3:0)

compare standard print output according to ISO/IEC 15775 with range F:0

underline range

Remark: In daylighted offices the contrast range is in many cases:

on display between: &gt;F:0 and E:0 (monitor), D:0 and 3:0 (data projector)

## Only for optional colorimetric specification with PDF/PS file output

PDF-File: http://130.149.60.45/farbmetrik/OE56/OE56F1P2.PDF

picture A7-030-2

underline Yes/No

PS-File: http://130.149.60.45/farbmetrik/OE56/OE56F1P2.PS

picture A7-030-2

or underline Yes/No

## colour measurement and specification for:

CIE standard illuminant D65, 2 degree observer, CIE 45/0 geometry:

underline Yes/No

If No, please give other parameters: .....

## Colorimetric specification with PS file for colours in the columns A to T

Exchange of CIELAB data in file www.ps.bam.de/De17/10L/L17e00NP.PS and transfer

of the PS-file L17e00NP.PS in PDF-file L17e00NP.PDF

underline Yes/No

If No, please describe other method: .....

Part 4

OE561-7N-030-1

input:  $rgb$  ( $\rightarrow rgb^*_d$ )  $setrgbcolor$   
output 030-1: no change

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>  
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1

i	LAB*ref	L*out	LAB*out	LAB*out/c-ref	ΔE*
1	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.07	6.36	0.01
3	12.72	0.0	0.13	12.72	0.01
4	19.08	0.0	0.2	19.08	0.01
5	25.44	0.0	0.27	25.44	0.01
6	31.8	0.0	0.33	31.8	0.01
7	38.16	0.0	0.4	38.16	0.01
8	44.52	0.0	0.47	44.52	0.01
9	50.89	0.0	0.53	50.89	0.01
10	57.25	0.0	0.6	57.25	0.01
11	63.61	0.0	0.67	63.61	0.01
12	69.97	0.0	0.73	69.97	0.01
13	76.33	0.0	0.8	76.33	0.01
14	82.69	0.0	0.87	82.69	0.01
15	89.05	0.0	0.93	89.05	0.01
16	95.41	0.0	1.0	95.41	0.01
17	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.25	23.85	0.01
19	47.71	0.0	0.5	47.71	0.01
20	71.56	0.0	0.75	71.56	0.01
21	95.41	0.0	1.0	95.41	0.01


Start output S1  
Specification according to  
ISO/IEC 15775 Annex G  
and DIN 33866-1 Annex G

Mean lightness difference (16 steps)  
 $\Delta E^*_{\text{CIELAB}} = 0.0$

Mean lightness difference (5 steps)  
 $\Delta L^*_{\text{CIELAB}} = 0.0$

Mean colour reproduction index:  
 $R^*_{\text{ab,m}} = 100$

OE560-3N-030-2: File: Measure unknown; Device: Device unknown; Date: Date unknown



OE561-3N-030-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ setrgb gp=1.00 No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*_{\text{CIELAB}, r}$ (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE560-7N, Picture A7-030-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^*$  setrgbcolor

OE56: In-output relation according to ISO 9241-306; DH  
Viewing  $Y$  contrast  $Y_W:Y_N=88,9:0,31$ ;  $Y_N$  range 0,0 to <0,46

input:  $rgb (->rgb^*_d)$  setrgbcolor  
output 030-2: no change