






OE580-7, Picture B1-130-0: Flower motif, 14 CIE-test colours and 2 + 16 grey steps (sf); PS operators *settransfer*, 3 *colorimage*




OE580-5, Picture D2W-130-0: Radial gratings  $W-R_d$ ;  $W-G_d$ ;  $W-B_d$ ;  $W-N$ ; PS operator  $\rightarrow rgb_d$  *setrgbcolor*




OE580-7, Picture D3W-130-0: 14 CIE-test colours and 2 + 16 grey steps; PS operator  $\rightarrow rgb_d$  *setrgbcolor*




OE581-1, Picture D4W-L-130-0: 16 equidistant steps  $W-R_d$ ;  $W-G_d$ ;  $W-B_d$ ;  $W-N$ ; PS:  $\rightarrow rgb_d$  *setrgbcolor*



OE581-3, Picture D5W-130-0: Script and Landolt-rings  $N$ ;  $R_d$ ;  $G_d$ ;  $B_d$ ;  $Z$ ; PS operator  $\rightarrow rgb_d$  *setrgbcolor*



OE581-5, Picture D6W-L-130-0: Landolt-rings  $W-R_d$ ;  $W-G_d$ ; PS operator  $\rightarrow rgb_d$  *setrgbcolor*



OE581-7, Picture D7W-L-130-0: Landolt-rings  $W-B_d$ ;  $W-N$ ; PS operator  $\rightarrow rgb_d$  *setrgbcolor*

**PDF-File:** <http://130.149.60.45/farbmetrik/OE58/OE58L0NP.PDF> **underline** Yes/No

**PDF-File:** <http://130.149.60.45/farbmetrik/OE58/OE58L0NP.PDF> **underline** Yes/No

**PS-File:** <http://130.149.60.45/farbmetrik/OE58/OE58L0NA.PS> **or underline Yes/No**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline   monitor/data   projector/printer

Device model, driver and version:.....

| Device output with PDF/PS-file: | underline | PDF/PS-file |
|---------------------------------|-----------|-------------|
|---------------------------------|-----------|-------------|

**For device output with PDF-file OE58L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE58L0NA.PS:**

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

---

.....

.....

|   |         |         |          |          |          |          |           |           |           |           |           |           |           |           |           |           |
|---|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| $L^*/Y_{\text{intended}}$<br>(absolute)     | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| $w^* w^* w^*$<br><i>setrgb</i><br>$g_P=1.0$ |         |         |          |          |          |          |           |           |           |           |           |           |           |           |           |           |
| No. and<br>Hex code                         | 00;F    | 01;E    | 02;D     | 03;C     | 04;B     | 05;A     | 06;9      | 07;8      | 08;7      | 09;6      | 10;5      | 11;4      | 12;3      | 13;2      | 14;1      | 15;0      |
| $w^*=I^*$<br><i>CIELAB, r</i><br>(relative) |         |         |          |          |          |          |           |           |           |           |           |           |           |           |           |           |
| $w^*_{\text{intended}}$                     | 0,000   | 0,067   | 0,133    | 0,200    | 0,267    | 0,333    | 0,400     | 0,467     | 0,533     | 0,600     | 0,667     | 0,733     | 0,800     | 0,867     | 0,933     | 1,000     |
| $w^*_{\text{out}}$                          | 0.0     | 0.067   | 0.133    | 0.2      | 0.267    | 0.333    | 0.4       | 0.467     | 0.533     | 0.6       | 0.667     | 0.733     | 0.8       | 0.867     | 0.933     | 1.0       |

OE580-7A, Picture A7-130-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$