


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB

<http://130.149.60.45/~farbmetrik/OE59/OE59L0NA.TXT> /.PS; linearized output, Page 1/3
F: Output Linearization (OL) data OE59/OE59L0NA.TXT /.PS in File (F)




Radial grating W-R_d Radial grating W-G_d Radial grating W-B_d Radial grating W-N Radial grating W-Z
OE590-5, Picture D2W-130-0: Radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator ->rgb_d setrgbcolor




OE590-7, Picture D3W-130-0: 14 CIE-test colours and 2 + 16 grey steps; PS operator ->rgb_d setrgbcolor




OE59: Test chart 4 according to ISO 15775, TR 24705; 1MR, DH
Radial gratings, 16 step colour scales, Landolt-rings




OE591-1, Picture D4W-L-130-0: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; PS: ->rgb_d setrgbcolor



OE591-3, Picture D5W-130-0: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator ->rgb_d setrgbcolor




OE591-5, Picture D6W-L-130-0: Landolt-rings W-R_d; W-G_d; PS operator ->rgb_d setrgbcolor



OE591-7, Picture D7W-L-130-0: Landolt-rings W-B_d; W-N; PS operator ->rgb_d setrgbcolor


input: rgb (->rgb*_d) setrgbcolor
output 130-0: g_P=1.0; g_N=1.0





See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1.1, CIELAB

<http://130.149.60.45/~farbmetrik/OE59/OE59L0NA.TXT> /.PS; linearized output, Page 1/3
F: Output Linearization (OL) data OE59/OE59L0NA.TXT /.PS in File (F)




OE590-5, Picture D2W-132-0: Radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator →*rgb_d setrgbcolor*




OE590-7, Picture D3W-132-0: 14 CIE-test colours and 2 + 16 grey steps; PS operator →*rgb_d setrgbcolor*




OE59: Test chart 4 according to ISO 15775, TR 24705; 1MR, DH
Radial gratings, 16 step colour scales, Landolt-rings
input: *rgb* (→*rgb*_d*) *setrgbcolor*
output 132-0: *g_P*=0.85; *g_N*=1.0




OE591-1, Picture D4W-L-132-0: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; PS: →*rgb_d setrgbcolor*



OE591-3, Picture D5W-132-0: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator →*rgb_d setrgbcolor*



OE591-5, Picture D6W-L-132-0: Landolt-rings W-R_d; W-G_d; PS operator →*rgb_d setrgbcolor*




OE591-7, Picture D7W-L-132-0: Landolt-rings W-B_d; W-N; PS operator →*rgb_d setrgbcolor*

TUB registration: 20110801-OE59/OE59L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rh4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1.1, CIELAB

<http://130.149.60.45/~farbmetrik/OE59/OE59L0NA.TXT> /.PS; linearized output, Page 1/3
F: Output Linearization (OL) data OE59/OE59L0NA.TXT /.PS in File (F)




OE590-5, Picture D2W-133-0: Radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator ->rgb_d setrgbcolor




OE590-7, Picture D3W-133-0: 14 CIE-test colours and 2 + 16 grey steps; PS operator ->rgb_d setrgbcolor




OE59: Test chart 4 according to ISO 15775, TR 24705; 1MR, DH
Radial gratings, 16 step colour scales, Landolt-rings




OE591-1, Picture D4W-L-133-0: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; PS: ->rgb_d setrgbcolor



OE591-3, Picture D5W-133-0: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator ->rgb_d setrgbcolor




OE591-5, Picture D6W-L-133-0: Landolt-rings W-R_d; W-G_d; PS operator ->rgb_d setrgbcolor



OE591-7, Picture D7W-L-133-0: Landolt-rings W-B_d; W-N; PS operator ->rgb_d setrgbcolor


input: rgb (->rgb*_d) setrgbcolor
output 133-0: g_P=0.77; g_N=1.0

TUB registration: 20110801-OE59/OE59L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1.1, CIELAB

<http://130.149.60.45/~farbmetrik/OE59/OE59L0NA.TXT> /.PS; linearized output, Page 1/3
F: Output Linearization (OL) data OE59/OE59L0NA.TXT /.PS in File (F)




OE590-5, Picture D2W-135-0: Radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator ->rgb_d setrgbcolor




OE590-7, Picture D3W-135-0: 14 CIE-test colours and 2 + 16 grey steps; PS operator ->rgb_d setrgbcolor




OE59: Test chart 4 according to ISO 15775, TR 24705; 1MR, DH input: *rgb* (->*rgb**_d) setrgbcolor
Radial gratings, 16 step colour scales, Landolt-rings output 135-0: *g_P*=0.62; *g_N*=1.0




OE591-1, Picture D4W-L-135-0: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; PS: ->rgb_d setrgbcolor



OE591-3, Picture D5W-135-0: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator ->rgb_d setrgbcolor



OE591-5, Picture D6W-L-135-0: Landolt-rings W-R_d; W-G_d; PS operator ->rgb_d setrgbcolor




OE591-7, Picture D7W-L-135-0: Landolt-rings W-B_d; W-N; PS operator ->rgb_d setrgbcolor



TUB registration: 20110801-OE59/OE59L0NA.TXT /.PS TUB material: code=rh4ta
application for output of displays: monitor systems or data projector systems

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1.1, CIELAB

<http://130.149.60.45/~farbmetrik/OE59/OE59L0NA.TXT> /.PS; linearized output, Page 1/3
F: Output Linearization (OL) data OE59/OE59L0NA.TXT /.PS in File (F)



Radial grating W-R_d Radial grating W-G_d Radial grating W-B_d Radial grating W-N Radial grating W-Z


OE590-5, Picture D2W-136-0: Radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator ->rgb_d setrgbcolor




OE590-7, Picture D3W-136-0: 14 CIE-test colours and 2 + 16 grey steps; PS operator ->rgb_d setrgbcolor

OE590-7E-136-0Page 1/3


OE59: Test chart 4 according to ISO 15775, TR 24705; 1MR, DH input: rgb (->rgb*_d) setrgbcolor
Radial gratings, 16 step colour scales, Landolt-rings output 136-0: g_P=0.55; g_N=1.0




OE591-1, Picture D4W-L-136-0: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; PS: ->rgb_d setrgbcolor



OE591-3, Picture D5W-136-0: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator ->rgb_d setrgbcolor



OE591-5, Picture D6W-L-136-0: Landolt-rings W-R_d; W-G_d; PS operator ->rgb_d setrgbcolor



OE591-7, Picture D7W-L-136-0: Landolt-rings W-B_d; W-N; PS operator ->rgb_d setrgbcolor

TUB registration: 20110801-OE59/OE59L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rha4ta

