



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1


TUB registration: 20110801-OE60/OE60L1NA.TXT /PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

OE600-3N, Picture A1-000-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmkcolor




OE600-5N, Picture A2-000-0: 5 equidistant L^* -grey steps+N0+W1; PS operator: 0 0 0 n* setcmkcolor




OE600-7N, Picture A3-000-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmkcolor

OE60: similar ME16 according to ISO 9241-306; DH
Viewing Y contrast $Y_W:Y_N=88,9:0,31$; Y_N range 0,0 to <0,46


input: 000n (->rgb*d) setcmk
output 000-0: no change



OE601-1N, Picture A4-000-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmkcolor



OE601-3N, Picture A5-000-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmkcolor



OE601-5N, Picture A6-000-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmkcolor