




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Test for the best visual linearized output of Picture A7-010-0	Yes/No
Output test with the computer display () or the external display ()	
Test of the radial grating according to picture A1-010-0	
N-W-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
W-N-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
N-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
W-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
Test of 5 visual equidistant L^*-grey steps according to picture A2-010-0	
Are the 5 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished?	
of the given 5 steps:	 Steps
Test of 16 visual equidistant L^*-grey steps according to picture A3-010-0	
Are the 16 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished?	
of the given 16 steps:	 Steps


i	LAB*ref			l*out		LAB*out		LAB*out/c-ref			ΔE^*	Start output S1 Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01			
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01		
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (16 steps) $\Delta E^*_{\text{CIELAB}} = 0.0$	
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01		
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01		
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01		
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01		
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01		
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01		
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01		
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01		
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01		
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01		
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01		
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01		
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01		
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01		
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01		
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01		
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (5 steps) $\Delta L^*_{\text{CIELAB}} = 0.0$	
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01		
Mean colour reproduction index:											$R^*_{\text{ab,m}} = 100$		




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Test for the best visual linearized output of Picture A7-011-0	Yes/No
Output test with the computer display () or the external display ()	
Test of the radial grating according to picture A1-011-0	
N-W-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
W-N-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
N-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
W-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
Test of 5 visual equidistant L^*-grey steps according to picture A2-011-0	
Are the 5 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished?	
of the given 5 steps:	 Steps
Test of 16 visual equidistant L^*-grey steps according to picture A3-011-0	
Are the 16 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished?	
of the given 16 steps:	 Steps


i	LAB*ref			l*out		LAB*out		LAB*out/c-ref			ΔE*	Start output S1	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G	
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01		
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01		
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01		
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01		
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01		
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01		
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01		
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01		
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01		
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01		
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01		
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01		
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01		
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (16 steps)	
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔE* _{CIELAB} = 0.0	
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01		
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01		
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01		
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (5 steps)	
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔL* _{CIELAB} = 0.0	
Mean colour reproduction index:											R* _{ab,m} = 100		




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Test for the best visual linearized output of Picture A7-012-0	Yes/No
Output test with the computer display () or the external display ()	
Test of the radial grating according to picture A1-012-0	
N-W-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
W-N-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
N-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
W-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
Test of 5 visual equidistant L^*-grey steps according to picture A2-012-0	
Are the 5 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished? of the given 5 steps:	 Steps
Test of 16 visual equidistant L^*-grey steps according to picture A3-012-0	
Are the 16 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished? of the given 16 steps:	 Steps


i	LAB*ref			l*out		LAB*out		LAB*out/c-ref			ΔE*	Start output S1	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G	
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01		
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01		
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01		
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01		
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01		
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01		
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01		
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01		
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01		
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01		
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01		
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01		
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01		
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (16 steps)	
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔE* _{CIELAB} = 0.0	
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01		
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01		
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01		
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (5 steps)	
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔL* _{CIELAB} = 0.0	
Mean colour reproduction index:											R* _{ab,m} = 100		




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Test for the best visual linearized output of Picture A7-013-0	Yes/No
Output test with the computer display () or the external display ()	
Test of the radial grating according to picture A1-013-0	
N-W-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
W-N-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
N-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
W-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
Test of 5 visual equidistant L^*-grey steps according to picture A2-013-0	
Are the 5 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished?	
of the given 5 steps:	 Steps
Test of 16 visual equidistant L^*-grey steps according to picture A3-013-0	
Are the 16 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished?	
of the given 16 steps:	 Steps


i	LAB*ref			l*out		LAB*out		LAB*out/c-ref			ΔE*	Start output S1
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01	
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01	
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01	
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01	
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01	
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01	
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01	
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01	
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01	
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01	
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01	
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01	
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01	
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (16 steps)
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔE* _{CIELAB} = 0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01	
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01	
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (5 steps)
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔL* _{CIELAB} = 0.0
Mean colour reproduction index:											R* _{ab,m} = 100	




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Test for the best visual linearized output of Picture A7-014-0	Yes/No
Output test with the computer display () or the external display ()	
Test of the radial grating according to picture A1-014-0	
N-W-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
W-N-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
N-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
W-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
Test of 5 visual equidistant L^*-grey steps according to picture A2-014-0	
Are the 5 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished? of the given 5 steps:	 Steps
Test of 16 visual equidistant L^*-grey steps according to picture A3-014-0	
Are the 16 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished? of the given 16 steps:	 Steps


i	LAB*ref			l*out		LAB*out		LAB*out/c-ref			ΔE*	Start output S1	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G	
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01		
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01		
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01		
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01		
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01		
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01		
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01		
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01		
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01		
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01		
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01		
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01		
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01		
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (16 steps)	
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔE* _{CIELAB} = 0.0	
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01		
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01		
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01		
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (5 steps)	
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔL* _{CIELAB} = 0.0	
Mean colour reproduction index:											R* _{ab,m} = 100		




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Test for the best visual linearized output of Picture A7-015-0	Yes/No
Output test with the computer display () or the external display ()	
Test of the radial grating according to picture A1-015-0	
N-W-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
W-N-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
N-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
W-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
Test of 5 visual equidistant L^*-grey steps according to picture A2-015-0	
Are the 5 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished? of the given 5 steps:	 Steps
Test of 16 visual equidistant L^*-grey steps according to picture A3-015-0	
Are the 16 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished? of the given 16 steps:	 Steps


i	LAB*ref			l*out		LAB*out		LAB*out/c-ref			ΔE*	Start output S1
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01	
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01	
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01	
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01	
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01	
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01	
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01	
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01	
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01	
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01	
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01	
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01	
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01	
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (16 steps)
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔE* _{CIELAB} = 0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01	
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01	
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (5 steps)
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔL* _{CIELAB} = 0.0
Mean colour reproduction index:											R* _{ab,m} = 100	




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Test for the best visual linearized output of Picture A7-016-0	Yes/No
Output test with the computer display () or the external display ()	
Test of the radial grating according to picture A1-016-0	
N-W-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
W-N-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
N-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
W-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x) resolution diameter	 mm
Test of 5 visual equidistant L^*-grey steps according to picture A2-016-0	
Are the 5 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished? of the given 5 steps:	 Steps
Test of 16 visual equidistant L^*-grey steps according to picture A3-016-0	
Are the 16 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished? of the given 16 steps:	 Steps


i	LAB*ref			l*out		LAB*out		LAB*out/c-ref			ΔE*	Start output S1	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	Specification according to	
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01	ISO/IEC 15775 Annex G	
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01	and DIN 33866-1 Annex G	
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01		
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01		
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01		
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01		
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01		
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01		
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01		
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01		
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01		
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01		
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01		
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (16 steps)	
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔE* _{CIELAB} = 0.0	
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01		
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01		
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01		
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (5 steps)	
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔL* _{CIELAB} = 0.0	
Mean colour reproduction index:											R* _{ab,m} = 100		




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N



Radial grating (Siemens-star) N-Z



Radial grating (Siemens-star) W-Z

Test for the best visual linearized output of Picture A7-017-0	Yes/No
Output test with the computer display () or the external display ()	
Test of the radial grating according to picture A1-017-0	
N-W-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
W-N-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
N-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
W-Z-radial grating: Is the resolution diameter < 6 mm?	Yes/No
Test with magnifying glass (e.g. 6x)	
resolution diameter	 mm
Test of 5 visual equidistant L^*-grey steps according to picture A2-017-0	
Are the 5 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished?	
of the given 5 steps:	 Steps
Test of 16 visual equidistant L^*-grey steps according to picture A3-017-0	
Are the 16 steps on the upper rows distinguishable?	Yes/No
If No: How many steps can be distinguished?	
of the given 16 steps:	 Steps

i	LAB*ref			l*out		LAB*out		LAB*out/c-ref			ΔE*	Start output S1	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01	Specification according to	
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01	ISO/IEC 15775 Annex G	
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01	and DIN 33866-1 Annex G	
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01		
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01		
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01		
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01		
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01		
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01		
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01		
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01		
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01		
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01		
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01		
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (16 steps)	
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔE* _{CIELAB} = 0.0	
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01		
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01		
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01		
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01	Mean lightness difference (5 steps)	
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01	ΔL* _{CIELAB} = 0.0	
Mean colour reproduction index:											R* _{ab,m} = 100		