

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.3/0.7 | 12.7/1.5 | 19.0/2.7 | 25.4/4.5 | 31.8/6.9 | 38.1/10.1 | 44.5/14.2 | 50.8/19.1 | 57.2/25.1 | 63.6/32.3 | 69.9/40.7 | 76.3/50.4 | 82.6/61.5 | 89.0/74.2 | 95.4/88.5 |
| w^* <i>setgray</i> $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A3-010-0: 16 visual equidistant L^* -grey steps; PS operator: w^* setgray

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NP.PDF> **underline Yes/No**

PS-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NA.PS> **or underline Yes/No**

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: **underline monitor/data projector/printer**

Device model, driver and version:.....

Device output with PDF/PS-file: **underline PDF/PS-file**

For device output with PDF-file OE61L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE61L0NA.PS:

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

.....

.....

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> | | | | | | | | | | | | | | | | |
| $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A7-010-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* \text{ setgray}$

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A3-011-0: 16 visual equidistant L^* -grey steps; PS operator: w^* setgray

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NP.PDF> **underline Yes/No**

PS-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NA.PS> **or underline Yes/No**

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: **underline monitor/data projector/printer**

Device model, driver and version:.....

Device output with PDF/PS-file: **underline PDF/PS-file**

For device output with PDF-file OE61L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE61L0NA.PS:

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

.....

.....

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| $L^*/Y_{intended}$ (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $gP=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A7-011-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* setgray$

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A3-012-0: 16 visual equidistant L^* -grey steps; PS operator: w^* setgray

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NP.PDF> **underline Yes/No**

PS-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NA.PS> **or underline Yes/No**

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: **underline monitor/data projector/printer**

Device model, driver and version:.....

Device output with PDF/PS-file: **underline PDF/PS-file**

For device output with PDF-file OE61L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE61L0NA.PS:

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

.....

.....

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $gP=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A7-012-2: 16 visual equidistant L^* -grey steps; PS operator: w^* *setgray*

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A3-013-0: 16 visual equidistant L^* -grey steps; PS operator: w^* setgray

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NP.PDF> **underline Yes/No**

PS-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NA.PS> **or underline Yes/No**

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: **underline monitor/data projector/printer**

Device model, driver and version:.....

Device output with PDF/PS-file: **underline PDF/PS-file**

For device output with PDF-file OE61L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE61L0NA.PS:

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

.....

.....

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> | | | | | | | | | | | | | | | | |
| $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A7-013-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* \text{ setgray}$

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A3-014-0: 16 visual equidistant L^* -grey steps; PS operator: w^* setgray

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NP.PDF> **underline Yes/No**

PS-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NA.PS> **or underline Yes/No**

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: **underline monitor/data projector/printer**

Device model, driver and version:.....

Device output with PDF/PS-file: **underline PDF/PS-file**

For device output with PDF-file OE61L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE61L0NA.PS:

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

.....

.....

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> | | | | | | | | | | | | | | | | |
| $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A7-014-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* \text{ setgray}$

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A3-015-0: 16 visual equidistant L^* -grey steps; PS operator: w^* setgray

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NP.PDF> **underline Yes/No**

PS-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NA.PS> **or underline Yes/No**

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: **underline monitor/data projector/printer**

Device model, driver and version:.....

Device output with PDF/PS-file: **underline PDF/PS-file**

For device output with PDF-file OE61L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE61L0NA.PS:

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

.....

.....

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> | | | | | | | | | | | | | | | | |
| $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A7-015-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* \text{ setgray}$

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A3-016-0: 16 visual equidistant L^* -grey steps; PS operator: w^* setgray

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NP.PDF> **underline Yes/No**

PS-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NA.PS> **or underline Yes/No**

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: **underline monitor/data projector/printer**

Device model, driver and version:.....

Device output with PDF/PS-file: **underline PDF/PS-file**

For device output with PDF-file OE61L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE61L0NA.PS:

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

.....

.....

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> | | | | | | | | | | | | | | | | |
| $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A7-016-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* \text{ setgray}$

| | | | | | | | | | | | | | | | | |
|--|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> $g_p=1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^*=l^*_$ <i>CIELAB, r</i> (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A3-017-0: 16 visual equidistant L^* -grey steps; PS operator: w^* setgray

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NP.PDF> **underline Yes/No**

PS-File: <http://130.149.60.45/farbmetrik/OE61/OE61L0NA.PS> **or underline Yes/No**

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: **underline monitor/data projector/printer**

Device model, driver and version:.....

Device output with PDF/PS-file: **underline PDF/PS-file**

For device output with PDF-file OE61L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE61L0NA.PS:

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....

.....

.....

| | | | | | | | | | | | | | | | | |
|---|---------|---------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| L^*/Y_{intended} (absolute) | 0.0/0.0 | 6.4/0.7 | 12.7/1.5 | 19.1/2.8 | 25.4/4.6 | 31.8/7.0 | 38.2/10.2 | 44.5/14.2 | 50.9/19.2 | 57.2/25.2 | 63.6/32.3 | 70.0/40.7 | 76.3/50.4 | 82.7/61.6 | 89.0/74.3 | 95.4/88.6 |
| w^* <i>setgray</i> | | | | | | | | | | | | | | | | |
| $g_p = 1.00$ | | | | | | | | | | | | | | | | |
| No. and Hex code | 00;F | 01;E | 02;D | 03;C | 04;B | 05;A | 06;9 | 07;8 | 08;7 | 09;6 | 10;5 | 11;4 | 12;3 | 13;2 | 14;1 | 15;0 |
| $w^* = l^*_CIELAB, r$ (relative) | | | | | | | | | | | | | | | | |
| w^* intended | 0,000 | 0,067 | 0,133 | 0,200 | 0,267 | 0,333 | 0,400 | 0,467 | 0,533 | 0,600 | 0,667 | 0,733 | 0,800 | 0,867 | 0,933 | 1,000 |
| w^* out | 0.0 | 0.067 | 0.133 | 0.2 | 0.267 | 0.333 | 0.4 | 0.467 | 0.533 | 0.6 | 0.667 | 0.733 | 0.8 | 0.867 | 0.933 | 1.0 |

OE610-7A, Picture A7-017-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* \text{ setgray}$