



See similar ISO test charts: <http://www.ps.bam.de/247051E>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1


TUB registration: 20110801-OE61/OE61L1NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

OE610-3N, Picture A1-010-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: w* setgray



OE610-5N, Picture A2-010-0: 5 equidistant L^* -grey steps+ N_0 + W_1 ; PS operator: w* setgray



OE610-7N, Picture A3-010-0: 16 visual equidistant L^* -grey steps; PS operator: w* setgray

OE61: similar ME16 according to ISO 9241-306; DH
Viewing Y contrast $Y_W:Y_N=88,9:0,31$; Y_N range 0,0 to <0,46

input: w (->rgb*a) setgray
output 010-0: no change

background step 0
Hex code

7

E

2

8

F

1 ring step
Hex code

8

F

0

6

D

0-1

7-8

E-F

2-0


8-6

F-D


Landolt-rings W-N

code: background-ring

OE611-1N, Picture A4-010-0: Landolt-rings W-N; PS operator: w* setgray



OE611-3N, Picture A5-010-0: Line raster under 45° (or 135°); PS operator: w* setgray



OE611-5N, Picture A6-010-0: Line raster under 90° (or 0°); PS operator: w* setgray