



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

OE640-3N, Picture A1-100-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-100-0: 5 equidistant L^* -grey steps+N0+W1; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-100-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor

OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:0,31$; Y_N range 0,0 to <0,46




Landolt-rings W-N




code: background-ring

OE641-1N, Picture A4-100-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor



line raster diameter in lpi

OE641-3N, Picture A5-100-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor



line raster diameter in lpi

OE641-5N, Picture A6-100-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor

input: all (->rgb*_{de}) setrgbcolor
output 130-0: $g_p=1.0$; $g_N=1.0$

TUB registration: 20110801-OE64/OE64L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta