



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

OE640-3N, Picture A1-100-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-100-0: 5 equidistant L^* -grey steps+N0+W1; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-100-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor

OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:0,31$; Y_N range 0,0 to <0,46




Landolt-rings W-N




code: background-ring

OE641-1N, Picture A4-100-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor



line raster diameter in lpi

OE641-3N, Picture A5-100-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor




line raster diameter in lpi

OE641-5N, Picture A6-100-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor


input: all (->rgb*_{de}) setrgbcolor
output 130-0: $g_p=1.0$; $g_N=1.0$

TUB registration: 20110801-OE64/OE64L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE640-3N, Picture A1-101-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-101-0: 5 equidistant L^* -grey steps+N0+W1; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-101-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor

OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:0,62$; Y_N range 0,46 to <0,93


input: all ($\rightarrow rgb^*_{de}$) setrgbcolor
output 131-0: $g_p=0.92$; $g_N=1.0$



OE641-1N, Picture A4-101-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor




OE641-3N, Picture A5-101-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor




OE641-5N, Picture A6-101-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor

TUB registration: 20110801-OE64/OE64L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

OE640-3N, Picture A1-102-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-102-0: 5 equidistant L^* -grey steps+N0+W1; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-102-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor

OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:1,25$; Y_N range 0,93 to <1,87




Landolt-rings W-N




code: background-ring

OE641-1N, Picture A4-102-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor



line raster diameter in lpi

OE641-3N, Picture A5-102-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor




line raster diameter in lpi

OE641-5N, Picture A6-102-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor


input: all (->rgb*_{de}) setrgbcolor
output 132-0: $g_p=0.85$; $g_N=1.0$

TUB registration: 20110801-OE64/OE64L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

OE640-3N, Picture A1-103-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-103-0: 5 equidistant L^* -grey steps + N_0 + W_1 ; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-103-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor

OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:2,5$; Y_N range 1,87 to <3,75




Landolt-rings W-N




code: background-ring

OE641-1N, Picture A4-103-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor



line raster diameter in lpi

OE641-3N, Picture A5-103-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor




line raster diameter in lpi

OE641-5N, Picture A6-103-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor


input: all (->rgb*_{de}) setrgbcolor
output 133-0: $g_p=0.77$; $g_N=1.0$

TUB registration: 20110801-OE64/OE64L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE640-3N, Picture A1-104-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-104-0: 5 equidistant L^* -grey steps+ N_0 + W_1 ; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-104-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor

OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:5$; Y_N range 3,75 to <7,5


input: all ($\rightarrow rgb^*_{de}$) setrgbcolor
output 134-0: $g_p=0.7$; $g_N=1.0$



OE641-1N, Picture A4-104-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor




OE641-3N, Picture A5-104-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor




OE641-5N, Picture A6-104-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE640-3N, Picture A1-105-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-105-0: 5 equidistant L^* -grey steps+N0+W1; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-105-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor

OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:10$; Y_N range 7,5 to <15


input: all ($\rightarrow rgb^*_{de}$) setrgbcolor
output 135-0: $g_p=0.62$; $g_N=1.0$



OE641-1N, Picture A4-105-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor




OE641-3N, Picture A5-105-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor




OE641-5N, Picture A6-105-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor

TUB registration: 20110801-OE64/OE64L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE640-3N, Picture A1-106-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-106-0: 5 equidistant L^* -grey steps+ N_0 + W_1 ; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-106-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor


OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:20$; Y_N range 15 to <30



OE641-1N, Picture A4-106-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor



OE641-3N, Picture A5-106-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor




OE641-5N, Picture A6-106-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor


input: all ($\rightarrow rgb^*_{de}$) setrgbcolor
output 136-0: $g_p=0.55$; $g_N=1.0$

TUB registration: 20110801-OE64/OE64L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=th4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE640-3N, Picture A1-107-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: 0 0 0 n* setcmykcolor




OE640-5N, Picture A2-107-0: 5 equidistant L^* -grey steps+ N_0 + W_1 ; PS operator: 0 0 0 n* setcmykcolor




OE640-7N, Picture A3-107-0: 16 visual equidistant L^* -grey steps; PS operator: 0 0 0 n* setcmykcolor

OE64: similar ME16 according to ISO 9241-306; 1MR, DEH
Viewing Y contrast $Y_W:Y_N=88,9:40$; Y_N range 30 to <60


input: all ($\rightarrow rgb^*_{de}$) setrgbcolor
output 137-0: $g_p=0.47$; $g_N=1.0$



OE641-1N, Picture A4-107-0: Landolt-rings W-N; PS operator: 0 0 0 n* setcmykcolor



OE641-3N, Picture A5-107-0: Line raster under 45° (or 135°); PS operator: 0 0 0 n* setcmykcolor



OE641-5N, Picture A6-107-0: Line raster under 90° (or 0°); PS operator: 0 0 0 n* setcmykcolor

TUB registration: 20110801-OE64/OE64L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta