



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1




OE661-1, Picture D4N-D-030-0: 16 equidistant steps $N-R_e$; $N-G_e$; $N-B_e$; $W-N$; PS: $\rightarrow rgb_e$ setrgbcolor



OE661-3, Picture D5N-030-0: Script and Landolt-rings W ; R_e ; G_e ; B_e ; Z ; PS operator $\rightarrow rgb_e$ setrgbcolor



OE661-5, Picture D6N-D-030-0: Landolt-rings $N-R_e$; $N-G_e$; PS operator $\rightarrow rgb_e$ setrgbcolor



OE661-7, Picture D7N-D-030-0: Landolt-rings $N-B_e$; $W-N$; PS operator $\rightarrow rgb_e$ setrgbcolor



OE66: Test chart 4m according to ISO 15775, TR 24705; DH
16 step colour scales, letter size, Landolt-rings

input: rgb ($\rightarrow rgb_d$) setrgbcolor
output 030-0: no change

TUB registration: 20110801-OE66/OE66L1NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta