




See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmymcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmymcolor



Use of the PS operator www* setrgbcOLOR

OE740-7N-130-0: Use of four different equivalent PS operators


OE74: Test chart 1 according to DIN 33872-3; 1MR, DH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*d)
output 130-0: $g_P=1.0$; $g_N=1.0$


TUB registration: 20110801-OE74/OE74L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmymcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmymcolor



Use of the PS operator www* setrgbcolor

OE740-7N-131-0: Use of four different equivalent PS operators





OE74: Test chart 1 according to DIN 33872-3; 1MR, DH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*d)
output 131-0: $g_P=0.92$; $g_N=1.0$

TUB registration: 20110801-OE74/OE74L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rh4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




OE740-7N-132-0: Use of four different equivalent PS operators

OE74: Test chart 1 according to DIN 33872-3; 1MR, DH
Equality; Discriminability with 4 colour definitions,


input: 000n/w/cmy0/rgb(->rgb*d)
output 132-0: $g_P=0.85$; $g_N=1.0$

TUB registration: 20110801-OE74/OE74L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmymcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmymcolor



Use of the PS operator www* setrgbcolor





OE740-7N-133-0: Use of four different equivalent PS operators

OE74: Test chart 1 according to DIN 33872-3; 1MR, DH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*d)
output 133-0: $g_P=0.77$; $g_N=1.0$

TUB registration: 20110801-OE74/OE74L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=th4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE740-7N-134-0: Use of four different equivalent PS operators





OE74: Test chart 1 according to DIN 33872-3; 1MR, DH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*d)
output 134-0: g_P=0.7; g_N=1.0

TUB registration: 20110801-OE74/OE74L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=th4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB








OE740-7N-135-0: Use of four different equivalent PS operators

OE74: Test chart 1 according to DIN 33872-3; 1MR, DH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*d)
output 135-0: $g_P=0.62$; $g_N=1.0$





TUB registration: 20110801-OE74/OE74L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=th4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




TUB registration: 20110801-OE74/OE74L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=th4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE740-7N-137-0: Use of four different equivalent PS operators



OE74: Test chart 1 according to DIN 33872-3; 1MR, DH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*d)
output 137-0: g_P=0.47; g_N=1.0



TUB registration: 20110801-OE74/OE74L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=th4ta