




See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241IE>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1, CIELAB

1 UB registration: 20110801-OE/9/OE/9L0NA.1A1 / .PS 1 UB material: code=ma4ta

OE790-7N-132-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE79: Test chart 2 according to DIN 33872-6; 1MR, DH
Equivalent and regular colour spacing of *O-C*, *Y-V*, *L-M*

input: *cmy0* ($\rightarrow cmy0*d$) *setcmyk*
output 132-0: $g_P=0.85$; $g_N=1.0$


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241IE>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1, CIELAB

application for output of displays: monitor systems or data projector systems

OE790-7N-133-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE79: Test chart 2 according to DIN 33872-6; 1MR, DH
Equivalent and regular colour spacing of *O-C*, *Y-V*, *L-M*

input: *cmy0* ($\rightarrow cmy0^*_d$) *setcmyk*
output 133-0: $g_P=0.77$; $g_N=1.0$



—See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
 Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1, CIELAB

UB registration: 20110801-UE/9/UE/9LUNA.1X1/.PS UB material: code=ma4ta
application for output of displays: monitor systems or data projector systems

OE790-7N-135-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE79: Test chart 2 according to DIN 33872-6; 1MR, DH
Equivalent and regular colour spacing of *O-C*, *Y-V*, *L-M*

input: *cmy0* ($\rightarrow cmy0^*_d$) *setcmyk*
output 135-0: $g_P=0.62$; $g_N=1.0$

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241IE>
 Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB

UB registration: 20110801-UE/9/UE/9L0UNA.1X1/.PS UB material: code=ma4ta
application for output of displays: monitor systems or data projector systems

OE790-7N-136-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE79: Test chart 2 according to DIN 33872-6; 1MR, DH
Equivalent and regular colour spacing of *O-C*, *Y-V*, *L-M*

input: *cmy0* ($\rightarrow cmy0*d$) *setcmyk*
output 136-0: $g_P=0.55$; $g_N=1.0$

