

Input: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

| TLS00a; adapted (a) CIELAB data |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
|                                 | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                 | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>                 | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>                 | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>                 | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>                 | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>                 | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>                 | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                 | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>                | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>                | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>                | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>                | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut


$u^*_{rel} = 158$

%Regularity


$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

| TLS00a; adapted (a) CIELAB data |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
|                                 | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                 | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>                 | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>                 | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>                 | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>                 | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>                 | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>                 | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                 | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>                | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>                | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>                | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>                | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE830-7N-130-6: 5 step scales for constant CIE LAB hue 25/360 = 0.071 (left)



16 step scales for constant CIE LAB hue 25/360 = 0.071 (right)

OE83: Test chart 2 according to DIN 33872-2, Hue R; 1MR, DEEH input:  $cmy0$  ( $\rightarrow cmy0^*_{dee}$ ) set  $cmy$   
Discrimination of 5 and 16 step colour scales  
output 130-6:  $g_P=1.0$ ;  $g_N=1.0$

TUB registration: 20110801-OE83/OE83L0NA.TXT /.PS  
application for output of displays: monitor systems or data projector systems

TUB material: code=th4ta

Input: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$


$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE830-7N-130-6: 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

OE83: Test chart 2 according to DIN 33872-2, Hue R; 1MR, DEEH input:  $cmy0$  ( $\rightarrow cmy0^*_{dee}$ ) setcmy  
Discrimination of 5 and 16 step colour scales  
output 131-6:  $g_P=0.92$ ;  $g_N=1.0$

TUB registration: 20110801-OE83/OE83L0NA.TXT /.PS  
application for output of displays: monitor systems or data projector systems

TUB material: code=th4ta

Input: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$


$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE830-7N-130-6: 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

OE83: Test chart 2 according to DIN 33872-2, Hue R; 1MR, DEEH input:  $cmy0$  ( $\rightarrow cmy0^*_{dee}$ ) setcmy  
Discrimination of 5 and 16 step colour scales  
output 132-6:  $g_P=0.85$ ;  $g_N=1.0$

TUB registration: 20110801-OE83/OE83L0NA.TXT /.PS  
application for output of displays: monitor systems or data projector systems

TUB material: code=th4ta

Input: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$


$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE830-7N-130-6: 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

OE83: Test chart 2 according to DIN 33872-2, Hue R; 1MR, DEEH input:  $cmy0$  ( $\rightarrow cmy0^*_{dee}$ ) setcmy  
Discrimination of 5 and 16 step colour scales  
output 133-6:  $g_P=0.77$ ;  $g_N=1.0$

TUB registration: 20110801-OE83/OE83L0NA.TXT /.PS  
application for output of displays: monitor systems or data projector systems

TUB material: code=th4ta

Input: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

olv\*Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

olv\*Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$


$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE830-7N-130-6: 5 step scales for constant CIE LAB hue 25/360 = 0.071 (left)



16 step scales for constant CIE LAB hue 25/360 = 0.071 (right)

OE83: Test chart 2 according to DIN 33872-2, Hue R; 1MR, DEEH input:  $cmy0$  ( $\rightarrow cmy0^*_{dee}$ ) setcmy  
Discrimination of 5 and 16 step colour scales  
output 134-6:  $g_P=0.7$ ;  $g_N=1.0$

TUB registration: 20110801-OE83/OE83L0NA.TXT /.PS  
application for output of displays: monitor systems or data projector systems

TUB material: code=th4ta

Input: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$


$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE830-7N-130-6: 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

OE83: Test chart 2 according to DIN 33872-2, Hue R; 1MR, DEEH input:  $cmy0$  ( $\rightarrow cmy0^*_{dee}$ ) setcmy  
Discrimination of 5 and 16 step colour scales  
output 135-6:  $g_P=0.62$ ;  $g_N=1.0$

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>  
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE83/OE83L0NA.TXT /.PS  
application for output of displays: monitor systems or data projector systems  
TUB material: code=th4ta

Input: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

ol $v^*$ Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$


$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE830-7N-130-6: 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

OE83: Test chart 2 according to DIN 33872-2, Hue R; 1MR, DEEH input:  $cmy0$  ( $\rightarrow cmy0^*_{dee}$ ) setcmy  
Discrimination of 5 and 16 step colour scales  
output 136-6:  $g_P=0.55$ ;  $g_N=1.0$

TUB registration: 20110801-OE83/OE83L0NA.TXT /.PS  
application for output of displays: monitor systems or data projector systems

TUB material: code=th4ta

Input: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

olv\*Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |

Output: Colorimetric Television Luminous System TLS00a

for hue  $h^* = lab^*h = 25/360 = 0.071$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 52 89 25

olv\*Ma: 1.0 0.0 0.21

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 158$


%Regularity

$g^*_{H,rel} = 20$


$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

|                  | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|------------------|-------------|---------|---------|--------------|--------------|
| O <sub>Ma</sub>  | 50.5        | 76.92   | 64.55   | 100.42       | 40           |
| Y <sub>Ma</sub>  | 92.66       | -20.69  | 90.75   | 93.08        | 103          |
| L <sub>Ma</sub>  | 83.63       | -82.75  | 79.9    | 115.04       | 136          |
| C <sub>Ma</sub>  | 86.88       | -46.16  | -13.55  | 48.12        | 196          |
| V <sub>Ma</sub>  | 30.39       | 76.06   | -103.59 | 128.52       | 306          |
| M <sub>Ma</sub>  | 57.3        | 94.35   | -58.41  | 110.97       | 328          |
| N <sub>Ma</sub>  | 0.01        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>  | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub> | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub> | 81.26       | -2.88   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub> | 52.23       | -42.41  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub> | 30.57       | 1.41    | -46.46  | 46.49        | 272          |



OE830-7N-130-6: 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

OE83: Test chart 2 according to DIN 33872-2, Hue R; 1MR, DEEH input:  $cmy0$  ( $\rightarrow cmy0^*_{dee}$ ) setcmy  
Discrimination of 5 and 16 step colour scales  
output 137-6:  $g_P=0.47$ ;  $g_N=1.0$

TUB registration: 20110801-OE83/OE83L0NA.TXT /.PS  
application for output of displays: monitor systems or data projector systems

TUB material: code=th4ta