




Use of the PS operator 000n\* setcmykcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmykcolor



Use of the PS operator www\* setrgbcolor

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE84L0NP.PDF:**


- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....


**For device output with PS-file OE84L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....







Use of the PS operator 000n\* setcmykcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmykcolor



Use of the PS operator www\* setrgbcolor

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline PDF/PS-file

**For device output with PDF-file OE84L0NP.PDF:**

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE84L0NA.PS:**


- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	5.7/0.6	11.7/1.4	17.7/2.4	23.6/4.0	29.6/6.1	35.6/8.8	41.6/12.2	47.6/16.5	53.5/21.5	59.5/27.6	65.5/34.7	71.5/42.9	77.5/52.3	83.4/63.0	89.4/75.1	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_p=0.85$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*$ CIELAB, $r$ (relative)																
$w^*_{\text{intended}}$	0.000	0.067	0.133	0.200	0.267	0.333	0.400	0.467	0.533	0.600	0.667	0.733	0.800	0.867	0.933	1.000
$w^*_{\text{out}}$	0.0	0.101	0.181	0.256	0.327	0.394	0.46	0.525	0.587	0.649	0.71	0.769	0.828	0.886	0.943	1.0


OE840-7A, Picture A7-131-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^*$  *setrgbcolor*




Use of the PS operator 000n\* setcmkcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmkcolor



Use of the PS operator www\* setrgbcolor

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE84L0NP.PDF:**

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE84L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....




$L^*/Y_{\text{intended}}$ (absolute)	11.0/1.3	16.6/2.2	22.2/3.6	27.9/5.4	33.5/7.8	39.1/10.7	44.8/14.4	50.4/18.7	56.0/23.9	61.6/30.0	67.3/37.0	72.9/45.0	78.5/54.1	84.2/64.4	89.8/75.8	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_p=0.74$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*$ CIELAB, $r$ (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.137	0.227	0.306	0.379	0.446	0.51	0.571	0.63	0.687	0.742	0.796	0.849	0.9	0.95	1.0


OE840-7A, Picture A7-132-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$




Use of the PS operator 000n\* setcmkcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmkcolor



Use of the PS operator www\* setrgbcolor

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE84L0NP.PDF:**

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE84L0NA.PS:**


- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	18.0/2.5	23.2/3.8	28.3/5.6	33.5/7.8	38.6/10.5	43.8/13.7	49.0/17.6	54.1/22.1	59.3/27.3	64.4/33.4	69.6/40.2	74.8/47.9	79.9/56.6	85.1/66.2	90.2/76.8	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_p=0.65$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*$ CIELAB, $r$ (relative)																
$w^*_{\text{intended}}$	0.000	0.067	0.133	0.200	0.267	0.333	0.400	0.467	0.533	0.600	0.667	0.733	0.800	0.867	0.933	1.000
$w^*_{\text{out}}$	0.0	0.173	0.27	0.352	0.424	0.49	0.552	0.61	0.665	0.718	0.769	0.817	0.865	0.911	0.956	1.0


OE840-7A, Picture A7-133-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^*$  *setrgbcolor*




Use of the PS operator 000n\* setcmkcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmkcolor



Use of the PS operator www\* setrgbcolor

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline PDF/PS-file

**For device output with PDF-file OE84L0NP.PDF:**


- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....


**For device output with PS-file OE84L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....







Use of the PS operator 000n\* setcmkcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmkcolor



Use of the PS operator www\* setrgbcolor



**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE84L0NP.PDF:**


- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....


**For device output with PS-file OE84L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....







Use of the PS operator `000n* setcmykcolor`



Use of the PS operator `w* setgray`



Use of the PS operator `nnn0* setcmykcolor`



Use of the PS operator `www* setrgbcolor`

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE84L0NP.PDF:**


- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE84L0NA.PS:**


- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....




OE840-7A, Picture A7-136-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^*$  *setrgbcolor*




Use of the PS operator `000n* setcmykcolor`



Use of the PS operator `w* setgray`



Use of the PS operator `nnn0* setcmykcolor`



Use of the PS operator `www* setrgbcolor`

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE84/OE84L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE84L0NP.PDF:**

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE84L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....

