




See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmymcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmymcolor



Use of the PS operator www* setrgbcolor


OE840-7N-130-0: Use of four different equivalent PS operators

OE84: Test chart 1 according to DIN 33872-3; 1MR, DEH
Equality; Discriminability with 4 colour definitions,


input: 000n/w/cmy0/rgb(->rgb*de
output 130-0: $g_P=1.0$; $g_N=1.0$

TUB registration: 20110801-OE84/OE84L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmymcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmymcolor



Use of the PS operator www* setrgbcolor






OE840-7N-131-0: Use of four different equivalent PS operators

OE84: Test chart 1 according to DIN 33872-3; 1MR, DEH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*_{de}
output 130-0: $g_P=1.0$; $g_N=1.08$

TUB registration: 20110801-OE84/OE84L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




TUB registration: 20110801-OE84/OE84L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmkcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmkcolor



Use of the PS operator www* setrgbcolor


OE840-7N-133-0: Use of four different equivalent PS operators

OE84: Test chart 1 according to DIN 33872-3; 1MR, DEH
Equality; Discriminability with 4 colour definitions,


input: 000n/w/cmy0/rgb(->rgb*_{de})
output 130-0: $g_P=1.0$; $g_N=1.29$

TUB registration: 20110801-OE84/OE84L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmkcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmkcolor



Use of the PS operator www* setrgbcolor


OE840-7N-134-0: Use of four different equivalent PS operators

OE84: Test chart 1 according to DIN 33872-3; 1MR, DEH
Equality; Discriminability with 4 colour definitions,


input: 000n/w/cmy0/rgb(->rgb*_{de})
output 130-0: $g_P=1.0$; $g_N=1.42$

TUB registration: 20110801-OE84/OE84L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmkcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmkcolor



Use of the PS operator www* setrgbcolor

OE840-7N-135-0: Use of four different equivalent PS operators


OE84: Test chart 1 according to DIN 33872-3; 1MR, DEH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*_de
output 130-0: g_P=1.0; g_N=1.6


TUB registration: 20110801-OE84/OE84L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmkcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmkcolor



Use of the PS operator www* setrgbcolor

OE840-7N-136-0: Use of four different equivalent PS operators


OE84: Test chart 1 according to DIN 33872-3; 1MR, DEH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*_{de}
output 130-0: $g_P=1.0$; $g_N=1.81$


TUB registration: 20110801-OE84/OE84L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rh4ta


See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




Use of the PS operator 000n* setcmykcolor



Use of the PS operator w* setgray



Use of the PS operator nnn0* setcmykcolor



Use of the PS operator www* setrgbcolor

OE840-7N-137-0: Use of four different equivalent PS operators

OE84: Test chart 1 according to DIN 33872-3; 1MR, DEH
Equality; Discriminability with 4 colour definitions,

input: 000n/w/cmy0/rgb(->rgb*_{de})
output 130-0: $g_P=1.0$; $g_N=2.1$

TUB registration: 20110801-OE84/OE84L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rh4ta