





See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




OE890-7N-131-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE89: Test chart 2 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of O-C, Y-V, L-M

input: $cmy0 (-> cmy0^*_{de}) setcmyk$
output 131-0: $g_P=0.92; g_N=1.0$

TUB registration: 20110801-OE89/OE89L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




TUB registration: 20110801-OE89/OE89L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

OE890-7N-132-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE89: Test chart 2 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of O-C, Y-V, L-M

input: $cmy0 (-> cmy0^*_{de})$ setcmyk
output 132-0: $g_P=0.85$; $g_N=1.0$

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB






TUB registration: 20110801-OE89/OE89L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

OE890-7N-133-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE89: Test chart 2 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of O-C, Y-V, L-M


input: $cmy0 (-> cmy0^*_{de}) setcmyk$
output 133-0: $g_P=0.77; g_N=1.0$







See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE89/OE89L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=th4ta




OE890-7N-135-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3



OE89: Test chart 2 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of O-C, Y-V, L-M

input: $cmy0 (-> cmy0^*_{de}) setcmyk$
output 135-0: $g_P=0.62; g_N=1.0$

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




TUB registration: 20110801-OE89/OE89L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

OE890-7N-136-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE89: Test chart 2 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of O-C, Y-V, L-M

input: $cmy0$ ($\rightarrow cmy0^*_{de}$) setcmyk
output 136-0: $g_P=0.55$; $g_N=1.0$

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE890-7N-137-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; cmyk colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE89: Test chart 2 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of O-C, Y-V, L-M

input: $cmy_0 (-> cmy_0^*_{de})$ setcmyk
output 137-0: $g_P=0.47$; $g_N=1.0$

TUB registration: 20110801-OE89/OE89L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=th4ta