




See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




OE960-7N-130-0: Test chart 2o with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^{**}(A_n)$, $colorml = 1$

OE96: Test chart 2o with 40x27=1080 colours; 1MR, DEH
Digital equidistant 9 or 16 step colour scales

input: 000n/w/cmy0/rgb (->rgb*_de
output 130-0: $g_P=1.0$; $g_N=1.0$

TUB registration: 20110801-OE96/OE96L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




OE960-7N-131-0: Test chart 2o with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^{**}(A_n)$, $colorml = 1$

OE96: Test chart 2o with 40x27=1080 colours; 1MR, DEH
Digital equidistant 9 or 16 step colour scales

input: $000n/w/cmy0/rgb (->rgb^{*}_{de})$
output 131-0: $g_P=0.92; g_N=1.0$

TUB registration: 20110801-OE96/OE96L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB





OE960-7N-132-0: Test chart 2o with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^{**}(A_n)$, $colorml = 1$




OE96: Test chart 2o with 40x27=1080 colours; 1MR, DEH
Digital equidistant 9 or 16 step colour scales

input: $000n/w/cmy0/rgb (->rgb^{*}_{de})$
output 132-0: $g_P=0.85$; $g_N=1.0$

TUB registration: 20110801-OE96/OE96L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB





OE960-7N-133-0: Test chart 2o with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^{*}(A_n)$, $colorml = 1$

OE96: Test chart 2o with 40x27=1080 colours; 1MR, DEH
Digital equidistant 9 or 16 step colour scales




input: $000n/w/cmy0/rgb (->rgb^{*}_{de})$
output 133-0: $g_P=0.77; g_N=1.0$

TUB registration: 20110801-OE96/OE96L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rha4ta



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB





OE960-7N-134-0: Test chart 2o with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^* \cdot (A_n)$, $colorml = 1$




OE96: Test chart 2o with 40x27=1080 colours; 1MR, DEH
Digital equidistant 9 or 16 step colour scales

input: $000n/w/cmy0/rgb$ ($\rightarrow rgb^*_{de}$)
output 134-0: $g_P=0.7$; $g_N=1.0$

TUB registration: 20110801-OE96/OE96L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




OE960-7N-135-0: Test chart 2o with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^* \cdot (A_n)$, $colorml = 1$

OE96: Test chart 2o with 40x27=1080 colours; 1MR, DEH
Digital equidistant 9 or 16 step colour scales

input: $000n/w/cmy0/rgb (->rgb^*_{de})$
output 135-0: $g_P=0.62; g_N=1.0$

TUB registration: 20110801-OE96/OE96L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




OE960-7N-136-0: Test chart 2o with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^* \cdot (A_n)$, $colorml = 1$

OE96: Test chart 2o with 40x27=1080 colours; 1MR, DEH
Digital equidistant 9 or 16 step colour scales

input: $000n/w/cmy0/rgb \rightarrow rgb^*_{de}$
output 136-0: $g_P=0.55$; $g_N=1.0$

TUB registration: 20110801-OE96/OE96L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE960-7N-137-0: Test chart 2o with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^* \cdot (A_n)$, $colorml = 1$

OE96: Test chart 2o with 40x27=1080 colours; 1MR, DEH
Digital equidistant 9 or 16 step colour scales

input: $000n/w/cmy0/rgb (->rgb^*_{de})$
output 137-0: $g_P=0.47$; $g_N=1.0$

TUB registration: 20110801-OE96/OE96L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta