

TUB registration: 20130201-PE13/PE13L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/PE13/PE13L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMYK)

Series:
maximum
m

maximum
m

whitish
W

central
Z



blackish
n

grey
g


TUB-test chart PE13; colour rendering
54 standard colours; image technology

input: *rgb/cmyk* $\rightarrow$ *rgb/cmyk*
output: no change

see similar files: <http://130.149.60.45/~farbmeterik/PE13/PE13.HTM>
technical information: <http://www.ps.ban.de> or <http://130.149.60.45/~farbmeterik>



Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMYK); $rgb \rightarrow rgb^*_d$



01: R00Y_100_100_d 02: R25Y_100_100_d 03: R50Y_100_100_d 04: R75Y_100_100_d 05: Y00G_100_100_d 06: Y25G_100_100_d 07: Y50G_100_100_d 08: Y75G_100_100_d 09=10: G00B_100_100_d



10: G00B_100_100_d 11: G25B_100_100_d 12: G50B_100_100_d 13: G75B_100_100_d 14: B00M_100_100_d 15: B25R_100_100_d 16: B50R_100_100_d 17: B75R_100_100_d 18=01: R00Y_100_100_d



19: R00Y_100_050_d 20: R50Y_100_050_d 21: Y00G_100_050_d 22: Y50G_100_050_d 23: G00B_100_050_d 24: G50B_100_050_d 25: B00R_100_050_d 26: B50R_100_050_d 27=19: R00Y_100_050_d



28: R00Y_075_050_d 29: R50Y_075_050_d 30: Y00G_075_050_d 31: Y50G_075_050_d 32: G00B_075_050_d 33: G50B_075_050_d 34: B00R_075_050_d 35: B50R_075_050_d 36=28: R00Y_075_050_d



37: R00Y_050_050_d 38: R50Y_050_050_d 39: Y00G_050_050_d 40: Y50G_050_050_d 41: G00B_050_050_d 42: G50B_050_050_d 43: B00R_050_050_d 44: B50R_050_050_d 45=37: R00Y_050_050_d



46: NW_000_d 47: NW_013_d 48: NW_025_d 49: NW_038_d 50: NW_050_d 51: NW_063_d 52: NW_075_d 53: NW_088_d 54: NW_100_d

Series:
maximum
m

maximum
m

whitish
w

central
z


blackish
n

grey
g

see similar files: <http://130.149.60.45/~farbmetrik/PE13/PE13.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE13/PE13L0NA.TXT /.PS
application for measurement of offset print output, separation cmyk6 (CMYK)
TUB material: code=rha4ta

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMYK)



see similar files: <http://130.149.60.45/~farbmetrik/PE13/PE13.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE13/PE13L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/PE13/PE13.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMYK); *rgb*→*rgb***e*



Series:
maximum
m

maximum
m

whitish
w

central
z

blackish
n

grey
g

TUB registration: 20130201-PE13/PE13L0NA.TXT /.PS
application for measurement of offset print output, separation cmyk6 (CMYK)

TUB material: code=rha4ta

1-013130-L0 PE130-71

TUB-test chart PE13; colour rendering
54 standard colours, 3D=0, de=1, *cmyk*

input: *rgb/cmyk* → *rgb*_e
output: transfer to *cmyk*_e