


Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0)




see similar files: <http://130.149.60.45/~farbmetrik/PE16/PE16L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE16/PE16L0FA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0)



see similar files: <http://130.149.60.45/~farbmetrik/PE16/PE16L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE16/PE16L0FA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta



see similar files: <http://130.149.60.45/~farbmetrik/PE16/PE16L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE16/PE16L0FA.TXT /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rha4ta

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); $rgb \rightarrow rgb^*_{de}$



Series:
maximum
m

maximum
m

whitish
w

central
z

blackish
n

grey
g



1-113131-L0 PE160-73

TUB-test chart PE16; colour rendering
54 standard colours, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$