


http://130.149.60.45/~farbmetrik/PE40/PE40L0FA.TXT /.PS; start output  
F: 3D-linearization PE40/PE40LE30FA.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/PE40/PE40L0FA.TXT> /.PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE40/PE40L0FA.TXT /.PS  
application for measurement of display output

TUB material: code=rha4ta





1-103030-L0

PE400-7N


Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n):  $rgb + cmyk(A_j + k26_{n27}), 000n(k), w(l), mnn0(m), www(n), 3D = 1$

TUB-test chart PE40; standard test chart  
1080 standard colours; image technology

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
output: no change






http://130.149.60.45/~farbmetrik/PE40/PE40L0FA.TXT /.PS; 3D-linearization  
F: 3D-linearization PE40/PE40LE30FA.DAT in file (F), page 2/2



see similar files: <http://130.149.60.45/~farbmetrik/PE40/PE40L0FA.TXT> /.PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE40/PE40L0FA.TXT /.PS  
application for measurement of display output, no separation

TUB material: code=rha4ta



TUB-test chart PE40; standard test chart  
1080 standard colours, 3D=1, de=0, sRGB\*


input: *rgb/cmyk* -> *rgb<sub>dd</sub>*  
output: 3D-linearization to *rgb<sub>dd</sub>*

http://130.149.60.45/~farbmetrik/PE40/PE40L0FA.TXT /.PS; start output  
F: 3D-linearization PE40/PE40LE30FA.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/PE40/PE40L0FA.TXT> /.PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE40/PE40L0FA.TXT /.PS  
application for measurement of display output

TUB material: code=rha4ta





1-113030-L0

PE400-7N



Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n):  $rgb + cmyk(A_j + k26_{n27}), 000n(k), w(l), mnn0(m), www(n), 3D = 1$

TUB-test chart PE40; standard test chart  
1080 standard colours; image technology

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
output: no change





http://130.149.60.45/~farbmetrik/PE40/PE40L0FA.TXT /.PS; 3D-linearization  
F: 3D-linearization PE40/PE40LE30FA.DAT in file (F), page 2/2



see similar files: <http://130.149.60.45/~farbmetrik/PE40/PE40L0FA.TXT> /.PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE40/PE40L0FA.TXT /.PS  
application for measurement of display output, no separation

TUB material: code=rha4ta



1-113130-L0

PE400-73

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n):  $rgb(A_n)$ , 3D = 1

TUB-test chart PE40; standard test chart  
1080 standard colours, 3D=1, de=1, sRGB\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $rgb^*_{de}$

1-113130-F0

