




http://130.149.60.45/~farbmetrik/PE40/PE40L0FP.PDF /.PS; start output
F: 3D-linearization PE40/PE40LE30FP.DAT in file (F), page 1/2



see similar files: <http://130.149.60.45/~farbmetrik/PE40/PE40L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE40/PE40L0FP.PDF /.PS
application for measurement of display output

TUB material: code=rha4ta




1-103030-L0

PE400-7N

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): *rgb + cmyk* (A-j + k26_n27), 000n (k), w (l), nnnn (m), www (n), 3D = 1

TUB-test chart PE40; standard test chart
1080 standard colours; image technology




input: *rgb/cmyk* -> *rgb/cmyk*
output: no change



see similar files: <http://130.149.60.45/~farbmetrik/PE40/PE40L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE40/PE40L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta



1-103130-L0

PE400-72

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): **rgb (A,n), 3D = 1**

TUB-test chart PE40; standard test chart
1080 standard colours, 3D=1, de=0, **sRGB***

input: **rgb/cmyk** -> **rgb_{dd}**
output: 3D-linearization to **rgb*_{dd}**

1-103130-F0

C

M

Y

O


L

V

C

http://130.149.60.45/~farbmetrik/PE40/PE40L0FP.PDF /.PS; start output
F: 3D-linearization PE40/PE40LE30FP.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/PE40/PE40L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113030-L0 PE400-7N Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): $rgb + cmyk(A_j + k26_{n27}), 000n(k), w(l), mnn0(m), www(n), 3D = 1$

TUB-test chart PE40; standard test chart
1080 standard colours; image technology


input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

http://130.149.60.45/~farbmetrik/PE40/PE40L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization PE40/PE40LE30FP.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/PE40/PE40L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE40/PE40L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta



1-113130-L0

PE400-73

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): $rgb(A_n)$, 3D = 1

TUB-test chart PE40; standard test chart
1080 standard colours, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

1-113130-F0

C

M

Y

O

L

V

C