


http://130.149.60.45/~farbmetrik/PE43/PE43L0FP.PDF /.PS; start output
F: 3D-linearization PE43/PE43LE30FP.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/PE43/PE43L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE43/PE43L0FP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta






1-103030-L0

PE430-7N

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): **rgb** (A_j+k26_n27), 000n (k), w (l), nnn0 (m), www (n) + cmy0(all)

TUB-test chart PE43; standard test chart
1080 standard colours; image technology


input: *rgb/cmyk* -> *rgb/cmyk*
output: no change



http://130.149.60.45/~farbmetrik/PE43/PE43L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization PE43/PE43LE30FP.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/PE43/PE43L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE43/PE43L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk* (CMYK)
TUB material: code=rha4ta



1-103130-L0


PE430-72

TUB-test chart PE43; standard test chart
1080 standard colours, 3D=1, de=0, cmyk*




input: *rgb/cmyk* -> *rgb*_{dd}
output: 3D-linearization to *cmyk*_{dd}

1-103130-F0

http://130.149.60.45/~farbmetrik/PE43/PE43L0FP.PDF /.PS; start output
F: 3D-linearization PE43/PE43LE30FP.DAT in file (F), page 1/2



see similar files: <http://130.149.60.45/~farbmetrik/PE43/PE43L0FP.PDF> / .PS; start output
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113030-L0

PE430-7N

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): **rgb** (A_j+k26_n27), 000n (k), w (l), nnn0 (m), www (n) + cmy0(all)

TUB-test chart PE43; standard test chart
1080 standard colours; image technology

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change




C M Y O L V

C M Y O L V



see similar files: <http://130.149.60.45/~farbmetrik/PE43/PE43L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE43/PE43L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk* (CMYK)
TUB material: code=rha4ta



1-113130-L0

PE430-73

TUB-test chart PE43; standard test chart
1080 standard colours, 3D=1, de=1, cmyk*

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *cmyk*_{de}*



1-113130-F0

C M Y O L V