





http://130.149.60.45/~farbmetrik/PE43/PE43L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2



see similar files: <http://130.149.60.45/~farbmetrik/PE43/PE43.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE43/PE43L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta



1-003030-L0


PE430-7N

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): **rgb** (A_j+k26_n27), **000n** (k), **w** (l), **nnn0** (m), **www** (n) + **cmY0**(all)

TUB-test chart PE43; standard test chart
1080 standard colours; image technology

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change


see similar files: <http://130.149.60.45/~farbmetrik/PE43/PE43.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-PE43/PE43L0NA.TXT /.PS
application for measurement of offset print output, separation cmyk6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/PE43/PE43.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-PE43/PE43L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta



1-013030-L0

PE430-7N


Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): **rgb** (A_j+k26_n27), **000n** (k), **w** (l), **nnn0** (m), **www** (n) + **cmY0**(all)

TUB-test chart PE43; standard test chart
1080 standard colours; image technology

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change



see similar files: <http://130.149.60.45/~farbmetrik/PE43/PE43L0NA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-PE43/PE43L0NA.TXT /.PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rha4ta

1-013130-L0

PE430-71

TUB-test chart PE43; standard test chart
1080 standard colours, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013130-F0

1-013130-F0