


http://130.149.60.45/~farbmetrik/PE46/PE46L0FP.PDF /.PS; start output
F: 3D-linearization PE46/PE46LE30FP.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/PE46/PE46L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE46/PE46L0FP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta






1-103031-L0

PE460-7N

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): **rgb** (A_j+k26_n27), **000n** (k), **w** (l), **nnn0** (m), **www** (n) + **cmY0**(all)

TUB-test chart PE46; standard test chart
1080 standard colours; image technology



input: *rgb/cmyk* -> *rgb/cmyk*
output: no change





see similar files: <http://130.149.60.45/~farbmetrik/PE46/PE46L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE46/PE46L0FP.PDF /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rha4ta



1-103131-L0

PE460-72

TUB-test chart PE46; standard test chart
1080 standard colours, 3D=1, de=0, $cmY0^*$



input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$



1-103131-F0

C M Y O L V




http://130.149.60.45/~farbmetrik/PE46/PE46L0FP.PDF /.PS; start output
F: 3D-linearization PE46/PE46LE30FP.DAT in file (F), page 1/2



see similar files: <http://130.149.60.45/~farbmetrik/PE46/PE46L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE46/PE46L0FP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta



1-113031-L0

PE460-7N

Test chart G with 1080 colours; 9 or 16 step colour scales; data in column (A-n): **rgb** (A_j+k26_n27), 000n (k), w (l), nnn0 (m), www (n) + cmy0(all)



TUB-test chart PE46; standard test chart
1080 standard colours; image technology

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change



see similar files: <http://130.149.60.45/~farbmetrik/PE46/PE46L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE46/PE46L0FP.PDF /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rha4ta



1-113131-L0

PE460-73

TUB-test chart PE46; standard test chart
1080 standard colours, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113131-F0

C

M

Y

O

L

V

C