

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:

HIC^* -


hue text for the colours

of this page:

$H^*_- = R00Y_-$, $R25Y_-$, ..., $B75R_-$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_-,Ma	47.9	65.3	50.5	82.6
Y_-,Ma	90.3	-10.2	91.7	92.3
G_-,Ma	50.9	-62.8	34.9	71.9
C_-,Ma	58.6	-30.3	-45.0	54.2
B_-,Ma	25.7	31.0	-44.4	54.2
M_-,Ma	48.1	75.2	-8.3	75.7
N_-,Ma	18.0	0.0	0.0	0.0
W_-,Ma	95.4	0.0	0.0	0.0
R_-,CIE	39.9	58.7	27.9	65.0
Y_-,CIE	81.2	-2.8	71.5	71.6
G_-,CIE	52.2	-42.4	13.6	44.5
B_-,CIE	30.5	1.4	-46.4	46.4



1-103030-L0 PE840-7N

TUB-test chart PE84; 16 step hue circle

Test chart according to DIN 33872, 3D=1, de=0, $cm\dot{y}k^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$

output: no change

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:

$$HIC^*_d$$


hue text for the colours

of this page:

$$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	47.3	63.8	41.2	76.0
R25Y_100_100_d	55.3	45.8	52.2	69.5
R50Y_100_100_d	67.2	22.6	67.6	71.2
R75Y_100_100_d	79.9	1.0	83.9	83.9
Y00G_100_100_d	88.3	-11.9	95.1	95.8
Y25G_100_100_d	83.3	-19.2	83.7	85.9
Y50G_100_100_d	72.7	-31.3	66.0	73.1
Y75G_100_100_d	60.4	-48.8	46.7	67.6
G00B_100_100_d	51.9	-68.8	28.1	74.3
G25B_100_100_d	54.8	-51.0	-12.3	52.5
G50B_100_100_d	58.3	-29.2	-43.7	52.6
G75B_100_100_d	42.7	-6.0	-45.0	45.4
B00R_100_100_d	25.3	23.5	-47.3	52.8
B25R_100_100_d	37.8	53.8	-26.3	59.9
B50R_100_100_d	48.2	72.8	-8.5	73.3
B75R_100_100_d	47.7	67.7	14.0	69.1



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0
Y _{d, Ma}	88.3	-11.9	95.1	95.8
G _{d, Ma}	51.9	-68.8	28.1	74.3
C _{d, Ma}	58.3	-29.2	-43.7	52.6
B _{d, Ma}	25.3	23.5	-47.3	52.8
M _{d, Ma}	48.2	72.8	-8.5	73.3
N _{d, Ma}	17.7	0.0	0.0	0.0
W _{d, Ma}	95.4	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4



1-103130-L0 PE840-72

TUB-test chart PE84; 16 step hue circle
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$

output: 3D-linearization to $cmyk^*_{dd}$

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:

$$H^*_{1d}$$

hue text for the colours
of this page:



$$H^*_{1d} = R00Y_{1d}, R25Y_{1d}, \dots, B75R_{1d}$$

see similar files: <http://130.149.60.45/~farbmetrik/PE84/PE84L0FP.PDF> / .PS;
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-PE84/PE84L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk* (CMYK)
TUB material: code=rha4ta



%Gamut
u*_{rel} = 92
%Regularity
g*H_{rel} = 57
g*C_{rel} = 58



1-103230-L0 PE840-72



TUB-test chart PE84; 16 step hue circle
Test chart according to DIN 33872, 3D=1, de=0, cmyk*


input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *cmyk*_{dd}*

1-103230-F0

see similar files: <http://130.149.60.45/~farbmetrik/PE84/PE84.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-PE84/PE84L0FP.PDF /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmyk* (CMYK)





1-103430-L0 PE840-72

TUB-test chart PE84; 16 step hue circle
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103430-F0

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:

HIC^*_d


hue text for the colours

of this page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	47.3	63.8	41.2	76.0	32
R25Y_100_100_d	55.3	45.8	52.2	69.5	48
R50Y_100_100_d	67.2	22.6	67.6	71.2	71
R75Y_100_100_d	79.9	1.0	83.9	83.9	89
Y00G_100_100_d	88.3	-11.9	95.1	95.8	97
Y25G_100_100_d	83.3	-19.2	83.7	85.9	102
Y50G_100_100_d	72.7	-31.3	66.0	73.1	115
Y75G_100_100_d	60.4	-48.8	46.7	67.6	136
G00B_100_100_d	51.9	-68.8	28.1	74.3	157
G25B_100_100_d	54.8	-51.0	-12.3	52.5	193
G50B_100_100_d	58.3	-29.2	-43.7	52.6	236
G75B_100_100_d	42.7	-6.0	-45.0	45.4	262
B00R_100_100_d	25.3	23.5	-47.3	52.8	296
B25R_100_100_d	37.8	53.8	-26.3	59.9	333
B50R_100_100_d	48.2	72.8	-8.5	73.3	353
B75R_100_100_d	47.7	67.7	14.0	69.1	11



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271



1-103530-L0 PE840-72



TUB-test chart PE84; 16 step hue circle

Test chart according to DIN 33872, 3D=1, de=0, cmyk*


input: $rgb/cmyk \rightarrow rgb_{dd}$

output: 3D-linearization to $cmyk^*_{dd}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_s the equation:

$$h_{ab,s} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \cos(150)}{1 + \frac{r^*_d \sin(30) + g^*_d \sin(150)}{b^*_d}} \right] \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours e : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,si} = h_{ab,si} + j \left[\frac{h_{ab,si+1} - h_{ab,si}}{18} \right] \quad (i=0, 1, \dots, 5; j=0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j \left[\frac{h_{ab,si+1} - h_{ab,si}}{60} \right] \quad (i=0, 1, \dots, 5; j=0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j \left[\frac{h_{ab,ei+1} - h_{ab,ei}}{18} \right] \quad (i=0, 1, \dots, 5; j=0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j \left[\frac{h_{ab,ei+1} - h_{ab,ei}}{60} \right] \quad (i=0, 1, \dots, 5; j=0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

Output: Offset standard print; separation cmyk*, D65, page 7/33

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

TUB-test chart PE84; 16 step hue circle
48 step hue circles; $rgb-LabCh$ -tables

see similar files: <http://130.149.60.45/~farbmetrik/PE84/PE84.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmatrik/PE84/PE84L0FP.PDF> /PS; 3D-linearization
F: 3D-linearization PE84/PE84LE30FP.DAT in file (F), page 8/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmv66*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB_{sc}; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																															
rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*																						
$d64M$	$d361M$	$d361M$	$d361M$	$d361M$	$d361M$	$d361M$	$d361M$	$d361M$	$d361M$																						
LAB^*	LAB^*	LAB^*	LAB^*	LAB^*	LAB^*	LAB^*	LAB^*	LAB^*	LAB^*																						
$x = LabCh$	$x = LabCh$	$x = LabCh$	$x = LabCh$	$x = LabCh$	$x = LabCh$	$x = LabCh$	$x = LabCh$	$x = LabCh$	$x = LabCh$																						
1.0	0.0	0.0	47.4	63.9	41.2	76.0	32	1.0	0.0	0.084	47.4	64.3	37.1	74.3	30	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25								
1.0	0.0	0.0	51.2	54.9	46.7	72.1	40.4	1.0	0.117	0.0	51.0	55.5	46.5	72.4	39	1.0	0.007	0.0	49.5	59.0	44.5	73.9	37	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33
1.0	0.25	0.0	56.0	44.4	53.0	69.2	50	1.0	0.25	0.0	56.0	44.4	53.0	69.2	50	1.0	0.148	0.0	53.5	50.0	50.0	70.7	45	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42
1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	1.0	0.367	0.0	61.1	34.0	59.9	68.9	60	1.0	0.272	0.0	57.0	42.6	54.5	69.1	52	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49
1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	1.0	0.5	0.0	67.2	22.6	67.6	71.3	71	1.0	0.362	0.0	60.9	34.5	59.7	68.9	60	1.0	0.35	0.0	60.0	35.6	53.0	69.0	58
1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	1.0	0.617	0.0	73.2	11.9	75.7	76.6	81	1.0	0.446	0.0	64.7	27.4	64.7	70.3	67	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66
1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	1.0	0.75	0.0	79.3	2.0	83.1	83.1	88	1.0	0.543	0.0	69.4	19.0	70.7	73.2	75	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75
1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	1.0	0.867	0.0	84.0	-5.1	89.1	89.2	93	1.0	0.629	0.0	73.8	10.7	76.5	77.2	82	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83
1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	1.0	1.0	0.0	88.4	-11.9	95.1	95.9	97	1.0	0.785	0.0	80.7	0.0	84.9	84.9	90	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92
0.883	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	0.883	1.0	0.0	86.0	-15.9	89.0	90.5	100	1.0	0.994	0.0	88.2	-11.5	94.8	95.6	97	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100
0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	0.75	1.0	0.0	83.0	-19.6	83.0	85.3	103	0.709	1.0	0.0	81.0	-21.6	80.9	83.7	105	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109
0.625	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	0.623	1.0	0.0	77.5	-24.8	76.8	80.8	107	0.56	1.0	0.0	74.9	-28.6	71.1	76.6	112	0.455	1.0	0.0	71.4	-33.4	63.2	71.6	117
0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	0.5	1.0	0.0	72.8	-31.3	66.1	73.1	115	0.418	1.0	0.0													

[illegible]

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.1
E840-72

Output: Offset standard print: separation cmyk6*: D65, page 8/33

TUB registration: 20150701-PE84/PE84L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk6* (CMYK)

TUB material: code=rha4ta

Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;										Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$													
LAB* d64M (x=LabCh)										LAB* d64M (x=LabCh)													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*				
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	32.8	1.0	0.0	0.0	209.9	47.6	64.9	30.9	71.9				
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	40.4	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33				
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	50.0	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42				
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	61.1	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49				
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	71.4	1.0	0.375	0.0	60.3	35.6	59.0	69.0	58				
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	81.7	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66				
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	88.5	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75				
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	93.6	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83				
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	97.1	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92				
100.3	97.5	101.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	100.3	0.875	1.0	0.0	85.8	-16.2	88.4	89.9	100				
103.3	105.0	109.7	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	103.3	0.75	1.0	0.0	76.2	-26.6	74.3	78.9	109				
108.3	112.5	118.5	0.625	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	108.3	0.625	1.0	0.0	71.4	-33.4	63.2	71.6	117				
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	115.3	0.5	1.0	0.0	65.8	-41.3	54.4	68.4	127				
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	122.4	0.375	1.0	0.0	60.7	-48.1	47.5	67.6	135				
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	134.9	0.25	1.0	0.0	57.4	-54.9	38.9	67.4	144				
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	144.6	0.125	1.0	0.0	54.0	-63.8	32.7	71.7	152				
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162				
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	163.7	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168				
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	170.9	0.0	1.0	0.311	53.7	-59.7	4.3	59.9	175				
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	181.0	0.0	1.0	0.387	54.2	-56.4	-2.2	56.5	182				
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	193.5	0.0	1.0	0.46	54.6	-53.1	-8.9	54.0	189				
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	205.9	0.0	1.0	0.538	55.6	-46.5	-19.9	50.7	203				
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	218.4	0.0	1.0	0.662	56.1	-43.4	-24.7	50.1	209				
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	227.3	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216				
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	236.1	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223				
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	240.3	0.0	0.875	1.0	0.0	0.922	57.9	-32.5	39.7	230			
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	245.8	0.0	0.75	1.0	0.0	0.974	1.0	57.7	-28.3	43.7	237		
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	252.5	0.0	0.625	1.0	0.0	0.785	1.0	52.7	-21.1	44.1	244		
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	262.3	0.0	0.5	1.0	0.0	0.659	1.0	48.9	-15.4	44.3	250		
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	271.7	0.0	0.375	1.0	0.0	0.555	1.0	45.0	-9.4	44.8	258		
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	281.6	0.0	0.25	1.0	0.0	0.472	1.0	41.7	-4.3	45.1	264		
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	290.3	0.0	0.125	1.0	0.0	0.375	1.0	37.9	1.4	45.3	271		
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	296.4	0.0	0.0	1.0	0.0	0.291	1.0	34.9	6.8	45.9	278		
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	306.7	0.125	0.0	1.0	0.0	0.188	1.0	31.0	13.3	46.6	285		
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	312.7	0.25	0.0	1.0	0.0	0.079	1.0	27.4	19.6	47.1	292		
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	326.7	0.375	0.0	1.0	0.0	0.046	0.0	1.0	26.8	26.6	45.7	300	
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	333.9	0.5	0.0	1.0	0.0	0.0	0.0	1.0	29.4	31.9	42.5	306	
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7	339.6	339.6	0.625	0.0	1.0	0.0	0.0	0.0	1.0	31.8	37.7	38.4	314	
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347.2	347.2	0.75	0.0	1.0	0.0	0.0	0.0	1.0	32.9	43.2	34.8	321	
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5	350.2	350.2	0.875	0.0	1.0	0.0	0.0	0.0	1.0	34.9	49.3	30.0	328	
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	353.3	1.0	0.0	1.0	0.0	0.0	0.0	1.0	38.6	55.0	25.3	335	
356.5	337.5	335.7	1.0	0.0	0.875	48.2	71.6	-4.3	71.7	356.5	356.5	0.875	1.0	0.0	0.0	0.0	0.0	1.0	41.9	61.9	19.0	342	
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	360.3	0.75	1.0	0.0	0.0	0.0	0.0	1.0	45.2	68.6	12.7	349	
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	365.8	0.625	1.0	0.0	0.0	0.0	0.0	1.0	47.3	71.5	-9.9	352	
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	371.6	0.5	1.0	0.0	0.0	0.0	0.0	1.0	0.765	48.2	70.6	-0.1	359
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	378.2	0.375	1.0	0.0	0.0	0.0	0.0	1.0	0.563	47.9	68.4	10.6	368
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	383.9	0.25	1.0	0.0	0.0	0.0	0.0	1.0	0.408	47.8	66.7	19.8	376
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	388.6	0.125	1.0	0.0	0.0	0.0	0.0	1.0	0.209	47.6	64.9	30.9	385
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	392.8	0.0	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	385

LAB*lab,0 YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart PE84; 16 step hue circle
48 step hue circles; $rgb^* - LabCh$ *tables

input: $rgb^*/cmyk -> rgb^*$
output: 3D-linearization to $cmyk^*dd$

Output: Offset standard print; separation cmyk6*, D65, page 9/33

Six hue angles of the device colours RYGBCM; $h_{ab,d}$ = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM; $h_{ab,e}$ = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6										Six hue angles of the elementary colours RYGBCM; $h_{ab,e}$ = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																							
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	rgb^*_s	LAB^*_{d361M}	LAB^*_{s361M}	$rgb^*_{ds361MI}$	$rgb^*_{ss361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ss361MI}$	$rgb^*_{dd361MI}$	$rgb^*_{sd361MI}$	$LAB^*_{dd361MI}$	$LAB^*_{sd361MI}$	$rgb^*_{dd361MI}$	$rgb^*_{sd361MI}$																	
88	75	75	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88	1.0	0.543	0.0	69.4	19.0	70.7	73.2	75	1.0	0.75	0.0	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75	1.0	0.75	0.0	
89	76	76	1.0	0.766	0.0	79.9	1.0	83.9	83.9	89	1.0	0.555	0.0	70.0	17.9	71.6	73.8	76	1.0	0.767	0.0	1.0	0.564	0.0	70.5	17.0	72.2	74.2	76	1.0	0.767	0.0	
89	77	77	1.0	0.783	0.0	80.6	0.0	84.8	84.8	89	1.0	0.567	0.0	70.7	16.7	72.4	74.3	77	1.0	0.783	0.0	1.0	0.577	0.0	71.2	15.8	73.1	74.8	77	1.0	0.783	0.0	
90	78	78	1.0	0.8	0.0	81.2	-0.9	85.7	85.7	90	1.0	0.579	0.0	71.3	15.6	73.3	74.9	78	1.0	0.8	0.0	1.0	0.591	0.0	71.9	14.5	74.0	75.4	78	1.0	0.8	0.0	
91	79	80	1.0	0.816	0.0	81.9	-1.9	86.5	86.5	91	1.0	0.591	0.0	71.9	14.4	74.1	75.5	79	1.0	0.817	0.0	1.0	0.604	0.0	72.6	13.1	74.9	76.0	80	1.0	0.817	0.0	
91	80	81	1.0	0.833	0.0	82.6	-3.0	87.4	87.4	91	1.0	0.604	0.0	72.5	13.2	74.9	76.6	80	1.0	0.833	0.0	1.0	0.618	0.0	73.3	11.8	75.8	76.7	81	1.0	0.833	0.0	
92	81	82	1.0	0.85	0.0	83.2	-4.0	88.2	88.3	92	1.0	0.616	0.0	73.2	12.0	75.6	76.6	81	1.0	0.85	0.0	1.0	0.635	0.0	74.1	10.4	76.8	77.5	82	1.0	0.85	0.0	
93	82	83	1.0	0.866	0.0	83.9	-5.1	89.0	89.2	93	1.0	0.629	0.0	73.8	10.7	76.5	77.2	82	1.0	0.867	0.0	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83	1.0	0.867	0.0	
93	83	84	1.0	0.883	0.0	84.5	-6.1	89.8	90.0	93	1.0	0.648	0.0	74.7	9.5	77.5	78.1	83	1.0	0.883	0.0	1.0	0.675	0.0	75.9	7.6	79.1	79.5	84	1.0	0.883	0.0	
94	84	85	1.0	0.9	0.0	85.1	-6.9	90.6	90.8	94	1.0	0.666	0.0	75.5	8.3	78.6	79.0	84	1.0	0.9	0.0	1.0	0.696	0.0	76.8	6.1	80.2	80.5	85	1.0	0.9	0.0	
94	85	86	1.0	0.916	0.0	85.6	-7.7	91.3	91.7	94	1.0	0.684	0.0	76.3	7.0	79.6	79.9	85	1.0	0.917	0.0	1.0	0.716	0.0	77.8	4.6	81.3	81.5	86	1.0	0.917	0.0	
95	86	87	1.0	0.933	0.0	86.1	-8.5	92.1	92.5	95	1.0	0.703	0.0	77.1	5.6	80.6	80.8	86	1.0	0.933	0.0	1.0	0.736	0.0	78.7	3.1	82.4	82.5	87	1.0	0.933	0.0	
95	87	88	1.0	0.95	0.0	86.7	-9.3	92.9	93.3	95	1.0	0.721	0.0	78.0	4.3	81.6	81.7	87	1.0	0.95	0.0	1.0	0.759	0.0	79.7	1.5	83.6	83.6	88	1.0	0.95	0.0	
96	88	90	1.0	0.966	0.0	87.2	-10.2	93.6	94.2	96	1.0	0.739	0.0	78.8	2.9	82.5	82.6	88	1.0	0.967	0.0	1.0	0.787	0.0	80.8	0.0	85.0	85.0	90	1.0	0.967	0.0	
96	89	91	1.0	0.983	0.0	87.8	-11.1	94.3	95.0	96	1.0	0.76	0.0	79.7	1.5	83.6	83.6	89	1.0	0.983	0.0	1.0	0.814	0.0	81.9	-1.7	86.5	86.5	91	1.0	0.983	0.0	
97	90	92	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97	1.0	0.785	0.0	80.7	0.0	84.9	84.9	90	1.0	1.0	0.0	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92	1.0	1.0	0.0	
97	91	93	0.983	1.0	0.0	88.0	-12.5	94.2	95.1	97	1.0	0.809	0.0	81.7	-1.4	86.2	86.2	91	0.983	1.0	0.0	1.0	0.871	0.0	84.1	-5.3	89.2	89.4	93	0.983	1.0	0.0	
98	92	94	0.966	1.0	0.0	87.7	-13.1	93.4	94.3	98	1.0	0.834	0.0	82.7	-3.0	87.5	87.5	92	0.967	1.0	0.0	1.0	0.91	0.0	85.4	-7.3	91.1	91.4	94	0.967	1.0	0.0	
98	93	95	0.95	1.0	0.0	87.3	-13.7	92.5	93.5	98	1.0	0.859	0.0	83.6	-4.5	88.7	88.8	93	0.95	1.0	0.0	1.0	0.951	0.0	86.8	-9.4	93.0	93.4	95	0.95	1.0	0.0	
98	94	96	0.933	1.0	0.0	87.0	-14.3	91.6	92.7	98	1.0	0.887	0.0	84.7	-6.2	90.0	90.3	94	0.933	1.0	0.0	1.0	0.993	0.0	88.1	-11.5	94.8	95.5	96	0.933	1.0	0.0	
99	95	98	0.916	1.0	0.0	86.6	-14.8	90.8	92.0	99	1.0	0.923	0.0	85.8	-7.9	91.7	92.0	95	0.917	1.0	0.0	0.963	1.0	0.0	87.6	-13.2	93.2	94.1	98	0.917	1.0	0.0	
99	96	99	0.9	1.0	0.0	86.3	-15.4	89.9	91.2	99	1.0	0.958	0.0	87.0	-9.7	93.3	93.8	96	0.9	1.0	0.0	0.917	1.0	0.0	86.7	-14.8	90.8	92.0	99	0.9	1.0	0.0	
100	97	100	0.883	1.0	0.0	86.0	-15.9	89.0	90.4	100	1.0	0.994	0.0	88.2	-11.5	94.8	95.6	97	0.883	1.0	0.0	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100	0.883	1.0	0.0	
100	98	101	0.866	1.0	0.0	85.6	-16.4	88.2	89.7	100	1.0	0.968	1.0	0.0	87.7	-13.0	93.5	94.4	98	0.867	1.0	0.0	0.823	1.0	0.0	84.7	-17.7	86.3	88.1	101	0.867	1.0	0.0
100	99	102	0.85	1.0	0.0	85.2	-16.9	87.4	89.1	100	1.0	0.929	1.0	0.0	86.9	-14.4	91.4	92.6	99	0.85	1.0	0.0	0.774	1.0	0.0	83.5	-19.0	84.1	86.2	102	0.85	1.0	0.0
101	100	103	0.833	1.0	0.0	84.8	-17.4	86.7	88.4	101	0.89	1.0	0.0	86.2	-15.7	89.4	90.8	100	0.833	1.0	0.0	0.735	1.0	0.0	82.3	-20.3	82.2	84.7	103	0.833	1.0	0.0	
101	101	105	0.816	1.0	0.0	84.5	-17.9	86.0	87.8	101	0.849	1.0	0.0	85.3	-16.9	87.5	89.1	101	0.817	1.0	0.0	0.706	1.0	0.0	80.9	-21.7	80.7	83.6	105	0.817	1.0	0.0	
102	102	106	0.8	1.0	0.0	84.1	-18.3	85.2	87.2	102	0.807	1.0	0.0	84.3	-18.1	85.6	87.5	102	0.8	1.0	0.0	0.676	1.0	0.0	79.5	-23.0	79.1	82.4	106	0.8	1.0	0.0	
102	103	107	0.783	1.0	0.0	83.7	-18.8	84.5	86.5	102	0.765	1.0	0.0	83.3	-19.2	83.7	85.9	103	0.783	1.0	0.0	0.647	1.0	0.0	78.1	-24.3	77.5	81.3	107	0.783	1.0	0.0	
102	104	108	0.766	1.0	0.0	83.3	-19.2	83.7	85.9	102	0.734	1.0	0.0	82.2	-20.4	82.2	84.7	104	0.767	1.0	0.0	0.62	1.0	0.0	76.9	-25.5	75.9	80.1	108	0.767	1.0	0.0	
103	105	109	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103	0.709	1.0	0.0	81.0	-21.6	80.9	83.7	105	0.75	1.0	0.0	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109	0.75	1.0	0.0	
104	106	110	0.733	1.0	0.0	82.2	-20.5	82.1	84.6	104	0.684	1.0	0.0	79.9	-22.7	79.5	82.7	106	0.733	1.0	0.0	0.578	1.0	0.0	75.5	-27.7	72.6	77.7	110	0.733	1.0	0.0	
104	107	112	0.716	1.0	0.0	81.4	-21.3	81.2	84.0	104	0.658	1.0	0.0	78.7	-23.8	78.2	81.7	107	0.717	1.0	0.0	0.558	1.0	0.0	74.8	-28.7	70.9	76.5	112	0.717	1.0	0.0	
105	108	113	0.7	1.0	0.0	80.6	-22.0	80.3	83.3	105	0.633	1.0	0.0	77.5	-24.9	76.8	80.8	108	0.7	1.0	0.0	0.537	1.0	0.0	74.1								



TUB material: code=rha4ta
myn6* (CMYK)


input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmyk*_{dd}*

PF840-7N Page 19/33-E

1-1031830-F0

[illegible]

n=F	HfC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb_Fid	LabCh*Fid	cmyn*sep_Fid	hax_id	rgb_Mid	LabCh*Mid	delta
1	NW 0000ad	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	95.4	0.0
2	BOOR.012.012ad	0.0	0.125	0.062	0.0	18.6	2.9	270	0.0	25.3	23.5
3	BOOR.025.025ad	0.0	0.25	0.125	0.0	19.6	5.8	270	0.0	25.3	23.5
4	BOOR.037.037ad	0.0	0.375	0.187	0.0	20.5	8.8	270	0.0	25.3	23.5
5	BOOR.050.050ad	0.0	0.5	0.25	0.0	21.5	11.7	270	0.0	25.3	23.5
6	BOOR.062.062ad	0.0	0.625	0.312	0.0	22.4	14.6	270	0.0	25.3	23.5
7	BOOR.075.075ad	0.0	0.75	0.375	0.0	23.4	17.6	270	0.0	25.3	23.5
8	BOOR.087.087ad	0.0	0.875	0.437	0.0	24.3	20.5	270	0.0	25.3	23.5
9	BOOR.100.100ad	0.0	1.0	0.5	0.0	25.3	23.5	270	0.0	25.3	23.5
10	G5B8.012.012ad	0.0	0.125	0.062	0.150	22.7	-3.6	149	0.0	51.9	-68.8
11	G5B8.025.025ad	0.0	0.25	0.125	0.240	22.9	-5.4	210	0.0	58.3	-29.2
12	G5B8.037.037ad	0.0	0.375	0.187	0.251	23.9	-8.1	240	0.0	58.3	-29.2
13	G5B8.050.050ad	0.0	0.5	0.25	0.256	24.9	-11.2	257	0.0	58.3	-29.2
14	G5B8.062.062ad	0.0	0.625	0.312	0.259	25.9	-14.3	260	0.0	58.3	-29.2
15	G5B8.075.075ad	0.0	0.75	0.375	0.261	26.5	-17.4	262	0.0	58.3	-29.2
16	G5B8.087.087ad	0.0	0.875	0.437	0.262	27.5	-20.5	262	0.0	58.3	-29.2
17	G5B8.100.100ad	0.0	1.0	0.5	0.263	28.3	-23.6	263	0.0	58.3	-29.2
18	G5B8.012.012ad	0.0	0.125	0.062	0.150	26.9	-12.7	149	0.0	51.9	-68.8
19	G5B8.025.025ad	0.0	0.25	0.125	0.180	27.8	-15.9	180	0.0	54.8	-51.0
20	G5B8.037.037ad	0.0	0.375	0.187	0.229	29.6	-6.2	228	0.0	58.3	-29.2
21	G5B8.050.050ad	0.0	0.5	0.25	0.240	30.2	-9.3	228	0.0	58.3	-29.2
22	G5B8.062.062ad	0.0	0.625	0.312	0.247	30.5	-12.4	247	0.0	58.3	-29.2
23	G5B8.075.075ad	0.0	0.75	0.375	0.251	31.2	-15.5	247	0.0	58.3	-29.2
24	G5B8.087.087ad	0.0	0.875	0.437	0.254	31.9	-18.6	251	0.0	58.3	-29.2
25	G5B8.100.100ad	0.0	1.0	0.5	0.256	32.7	-21.7	255	0.0	58.3	-29.2
26	G5B8.012.012ad	0.0	0.125	0.062	0.150	30.5	-25.8	149	0.0	51.9	-68.8
27	G5B8.025.025ad	0.0	0.25	0.125	0.180	31.2	-15.9	168	0.0	53.7	-59.5
28	G5B8.037.037ad	0.0	0.375	0.187	0.191	32.1	-10.9	191	0.0	56.2	-42.4
29	G5B8.050.050ad	0.0	0.5	0.25	0.224	32.9	-8.2	222	0.0	58.3	-29.2
30	G5B8.062.062ad	0.0	0.625	0.312	0.233	34.9	-10.2	232	0.0	58.3	-29.2
31	G5B8.075.075ad	0.0	0.75	0.375	0.240	36.5	-4.5	232	0.0	58.3	-29.2
32	G5B8.087.087ad	0.0	0.875	0.437	0.245	38.9	-9.7	245	0.0	58.3	-29.2
33	G5B8.100.100ad	0.0	1.0	0.5	0.248	40.5	-14.0	248	0.0	58.3	-29.2
34	G5B8.012.012ad	0.0	0.125	0.062	0.150	37.6	1.8	149	0.0	51.9	-68.8
35	G5B8.025.025ad	0.0	0.25	0.125	0.180	38.4	-34.4	162	0.0	53.2	-62.6
36	G5B8.037.037ad	0.0	0.375	0.187	0.191	39.1	-31.5	162	0.0	53.2	-62.6
37	G5B8.050.050ad	0.0	0.5	0.25	0.224	40.5	-14.0	180	0.0	54.8	-51.0
38	G5B8.062.062ad	0.0	0.625	0.312	0.233	41.4	-19.2	180	0.0	54.8	-51.0
39	G5B8.075.075ad	0.0	0.75	0.375	0.239	42.9	-15.8	197	0.0	56.8	-38.4
40	G5B8.087.087ad	0.0	0.875	0.437	0.241	44.1	-14.0	197	0.0	56.8	-38.4
41	G5B8.100.100ad	0.0	1.0	0.5	0.240	45.5	-12.4	219	0.0	58.3	-29.2
42	G5B8.012.012ad	0.0	0.125	0.062	0.150	42.7	-6.0	228	0.0	53.2	-62.6
43	G5B8.025.025ad	0.0	0.25	0.125	0.180	43.0	-17.5	228	0.0	53.2	-62.6
44	G5B8.037.037ad	0.0	0.375	0.187	0.191	43.9	-14.0	234	0.0	53.2	-62.6
45	G5B8.050.050ad	0.0	0.5	0.25	0.224	44.1	-14.0	234	0.0	53.2	-62.6
46	G5B8.062.062ad	0.0	0.625	0.312	0.233	45.5	-12.4	240	0.0	53.2	-62.6
47	G5B8.075.075ad	0.0	0.75	0.375	0.239	46.1	-12.4	240	0.0	53.2	-62.6
48	G5B8.087.087ad	0.0	0.875	0.437	0.245	47.5	-9.7	248	0.0	53.2	-62.6
49	G5B8.100.100ad	0.0	1.0	0.5	0.248	48.7	-14.0	248	0.0	53.2	-62.6
50	G5B8.012.012ad	0.0	0.125	0.062	0.150	46.1	-14.0	149	0.0	51.9	-68.8
51	G5B8.025.025ad	0.0	0.25	0.125	0.180	47.5	-17.5	159	0.0	51.9	-68.8
52	G5B8.037.037ad	0.0	0.375	0.187	0.191	48.1	-14.0	172	0.0	51.9	-68.8
53	G5B8.050.050ad	0.0	0.5	0.25	0.224	49.5	-12.4	187	0.0	51.9	-68.8
54	G5B8.062.062ad	0.0	0.625	0.312	0.233	50.9	-9.7	200	0.0	51.9	-68.8
55	G5B8.075.075ad	0.0	0.75	0.375	0.239	52.3	-14.0	217	0.0	51.9	-68.8
56	G5B8.087.087ad	0.0	0.875	0.437	0.245	53.7	-17.5	234	0.0	51.9	-68.8
57	G5B8.100.100ad	0.0	1.0	0.5	0.248	54.9	-12.4	244	0.0	51.9	-68.8
58	G5B8.012.012ad	0.0	0.125	0.062	0.150	52.3	-14.0	224	0.0	51.9	-68.8
59	G5B8.025.025ad	0.0	0.25	0.125	0.180	53.7	-17.5	231	0.0	51.9	-68.8
60	G5B8.037.037ad	0.0	0.375	0.187	0.191	54.9	-12.4	231	0.0	51.9	-68.8
61	G5B8.050.050ad	0.0	0.5	0.25	0.224	56.3	-9.7	244	0.0	51.9	-68.8
62	G5B8.062.062ad	0.0	0.625	0.312	0.233	57.7	-12.4	244	0.0	51.9	-68.8
63	G5B8.075.075ad	0.0	0.75	0.375	0.239	59.1	-17.5	257	0.0	51.9	-68.8
64	G5B8.087.087ad	0.0	0.875	0.437	0.241	60.3	-14.0	257	0.0	51.9	-68.8
65	G5B8.100.100ad	0.0	1.0	0.5	0.240	61.7	-12.4	257	0.0	51.9	-68.8
66	G5B8.012.012ad	0.0	0.125	0.062	0.150	59.1	-14.0	149	0.0	51.9	-68.8
67	G5B8.025.025ad	0.0	0.25	0.125	0.180	60.5	-17.5	159	0.0	51.9	-68.8
68	G5B8.037.037ad	0.0	0.375	0.187	0.191	61.9	-14.0	172	0.0	51.9	-68.8
69	G5B8.050.050ad	0.0	0.5	0.25	0.224	63.3	-9.7	187	0.0	51.9	-68.8
70	G5B8.062.062ad	0.0	0.625	0.312	0.233	64.7	-12.4	200	0.0	51.9	-68.8
71	G5B8.075.075ad	0.0	0.75	0.375	0.239	66.1	-17.5	217	0.0	51.9	-68.8
72	G5B8.087.087ad	0.0	0.875	0.437	0.245	67.5	-14.0	234	0.0	51.9	-68.8
73	G5B8.100.100ad	0.0	1.0	0.5	0.248	68.9	-12.4	244	0.0	51.9	-68.8
74	G5B8.012.012ad	0.0	0.125	0.062	0.150	66.3	-14.0	149	0.0	51.9	-68.8
75	G5B8.025.025ad	0.0	0.25	0.125	0.180	67.7	-17.5	156	0.0	51.9	-68.8
76	G5B8.037.037ad	0.0	0.375	0.187	0.191	69.1	-14.0	166	0.0	51.9	-68.8
77	G5B8.050.050ad	0.0	0.5	0.25	0.224	70.5	-12.4	171	0.0	51.9	-68.8
78	G5B8.062.062ad	0.0	0.625	0.312	0.233	71.9	-9.7	180	0.0	51.9	-68.8
79	G5B8.075.075ad	0.0	0.75	0.375	0.239	73.3	-14.0	188	0.0	51.9	-68.8
80	G5B8.087.087ad	0.0	0.875	0.437	0.245	74.7	-17.5	200	0.0	51.9	-68.8
81	G5B8.100.100ad	0.0	1.0	0.5	0.248	76.1	-12.4	203	0.0	51.9	-68.8
82	G5B8.012.012ad	0.0	0.125	0.062	0.150	73.5	-14.0	149	0.0	51.9	-68.8
83	G5B8.025.025ad	0.0	0.25	0.125	0.180	74.9	-17.5	156	0.0	51.9	-68.8
84	G5B8.037.037ad	0.0	0.375	0.187	0.191	76.3	-14.0	166	0.0	51.9	-68.8
85	G5B8.050.050ad	0.0	0.5	0.25	0.224	77.7	-12.4	171	0.0	51.9	-68.8
86	G5B8.062.062ad	0.0	0.625	0.312	0.233	79.1	-9.7	180	0.0	51.9	-68.8
87	G5B8.075.075ad	0.0	0.75	0.375	0.239	80.5	-14.0	188	0.0	51.9	-68.8
88	G5B8.087.087ad	0.0	0.875	0.437	0.245	81.9	-17.5	200	0.0	51.9	-68.8
89	G5B8.100.100ad	0.0	1.0	0.5							



TUB material: code=rha4ta
nyn6* (CMYK)


input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmyk_{dd}*

TUB-test chart PE84; 16 step hue circle
colors and differences, ΔE^*

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<i>n</i>	<i>HIC</i> * <i>Fold</i>	<i>rgb</i> * <i>Fold</i>	<i>ict</i> * <i>Fold</i>	<i>hsa</i> * <i>Fold</i>	<i>rgb</i> * <i>Fold</i>	<i>LabCh</i> * <i>Fold</i>	<i>cmv</i> * <i>exp</i> * <i>Fold</i>	<i>hsa</i> * <i>Mid</i>	<i>rgb</i> * <i>Mid</i>	<i>LabCh</i> * <i>Mid</i>
81	R00Y_012_012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	21.4 9.1	5.1 9.5	32.8 0.0	0.476 0.874	0.484 0.874
82	B50R_012_012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	21.5 9.1	-1.0 9.1	353.3 0.0	0.0 0.0	47.2 63.8
83	B25R_025_025ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	21.5 9.1	-1.0 9.1	353.3 0.0	0.0 0.0	48.3 73.0
84	B15R_037_037ad	0.125 0.0	0.375 0.0	0.125 0.0	0.125 0.0	22.7 13.4	-13.2 14.9	333.9 0.0	0.0 0.0	72.8 8.5
85	B11R_050_050ad	0.125 0.0	0.375 0.0	0.125 0.0	0.125 0.0	23.3 15.9	-13.2 20.7	320.2 0.0	0.0 0.0	37.8 53.8
86	B09R_062_062ad	0.125 0.0	0.625 0.0	0.125 0.0	0.125 0.0	24.4 17.8	-19.8 26.6	311.9 0.0	0.0 0.0	42.4 -35.3
87	B07R_075_075ad	0.125 0.0	0.625 0.0	0.125 0.0	0.125 0.0	25.6 21.2	-25.6 33.2	309.5 0.0	0.0 0.0	31.9 35.6
88	B06R_087_087ad	0.125 0.0	0.75 0.0	0.125 0.0	0.125 0.0	26.7 24.5	-31.4 39.9	307.9 0.0	0.0 0.0	33.9 -41.0
89	B05R_100_100ad	0.125 0.0	0.75 0.0	0.125 0.0	0.125 0.0	28.1 31.2	-37.0 46.5	307.1 0.0	0.0 0.0	32.7 -41.9
90	Y00G_012_012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	29.0 31.2	-42.9 53.1	306.0 0.0	0.0 0.0	53.1 307.1
91	NW_012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	26.5 27.4	11.9 36.1	96.0 0.0	0.0 0.0	-11.9 95.1
92	B00R_025_012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	28.3 29.9	-5.9 6.6	296.4 0.0	0.0 0.0	95.4 0.0
93	B00R_037_025ad	0.125 0.0	0.375 0.0	0.125 0.0	0.125 0.0	29.3 30.2	-8.8 -11.7	296.4 0.0	0.0 0.0	25.3 23.5
94	B00R_050_037ad	0.125 0.0	0.375 0.0	0.125 0.0	0.125 0.0	31.2 31.7	-23.6 26.4	296.4 0.0	0.0 0.0	25.3 23.5
95	B00R_062_050ad	0.125 0.0	0.625 0.0	0.125 0.0	0.125 0.0	32.1 32.1	-29.5 33.0	296.4 0.0	0.0 0.0	25.3 23.5
96	B00R_075_062ad	0.125 0.0	0.75 0.0	0.125 0.0	0.125 0.0	34.1 34.1	-35.5 39.6	296.4 0.0	0.0 0.0	25.3 23.5
97	B00R_087_075ad	0.125 0.0	0.875 0.0	0.125 0.0	0.125 0.0	35.1 35.1	-40.4 46.2	296.4 0.0	0.0 0.0	25.3 23.5
98	B00R_100_087ad	0.125 0.0	0.875 0.0	0.125 0.0	0.125 0.0	36.2 36.2	-41.4 48.1	296.4 0.0	0.0 0.0	25.3 23.5
99	Y50G_025_025ad	0.125 0.0	0.25 0.0	0.125 0.0	0.125 0.0	31.4 31.7	-8.6 9.5	115.3 0.0	0.0 0.0	72.7 -31.3
100	G00B_025_012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.5 32.5	-3.6 -5.4	157.7 0.0	0.0 0.0	68.1 74.3
101	G50B_025_012ad	0.125 0.0	0.375 0.0	0.125 0.0	0.125 0.0	33.6 33.6	-5.4 -6.5	157.7 0.0	0.0 0.0	43.7 52.6
102	G40B_050_037ad	0.125 0.0	0.375 0.0	0.125 0.0	0.125 0.0	35.3 35.3	-17.2 17.3	157.7 0.0	0.0 0.0	43.7 52.6
103	G40B_050_037ad	0.125 0.0	0.375 0.0	0.125 0.0	0.125 0.0	36.2 36.2	-19.1 19.1	157.7 0.0	0.0 0.0	43.7 52.6
104	G00B_075_062ad	0.125 0.0	0.625 0.0	0.125 0.0	0.125 0.0	34.5 34.5	-39.1 46.2	157.7 0.0	0.0 0.0	43.7 52.6
105	G00B_087_062ad	0.125 0.0	0.75 0.0	0.125 0.0	0.125 0.0	35.6 35.6	-41.4 48.1	157.7 0.0	0.0 0.0	43.7 52.6
106	G00B_100_087ad	0.125 0.0	0.875 0.0	0.125 0.0	0.125 0.0	37.2 37.2	-41.0 48.1	157.		




TUB material: code=rha4ta
nyn6* (CMYK)

input: *rgb/cmyk* -> *rgb*_{dd}
output: 3D-linearization to *cmyk**_{dd}

n	HIC*Ftd	rgb_Ftd	lcr_Ftd	hls_Ftd	rgb*Ftd	LabCH*Ftd	cmym*sepFtd	hsv_Ftd	rgb*Mid	LabCH*Mid	delta													
324	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
325	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
326	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
327	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
328	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
329	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
330	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
331	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
332	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
333	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
334	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
335	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
336	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
337	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
338	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
339	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
340	R26Y_050_050d	0.5	0.0	0.0	0.5	0.0	0.0	32.5	31.9	20.6	38.0	32.8	0.0	0.845	0.803	0.544	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
341	R26Y_050_050d	0.5	0.0	0.0																				

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCh*Fid	cmyn*sep_Fid	rgb*Mid	hsa_Mid	LabCh*Mid	delta
567	R00Y,087,087,Ad	0.875, 0.0, 0.0	0.875, 0.875, 0.437	390	0.875, 0.0, 0.0	43.6, 55.8, 36.0	0.0, 0.963, 0.971	1.0, 0.0, 0.0	389	47.3, 63.8, 41.2	76.0, 32.8, 32.8
568	R36Y,087,087,Ad	0.875, 0.0, 0.125	0.875, 0.875, 0.437	392	0.875, 0.0, 0.116	43.7, 56.8, 36.4	0.0, 0.963, 0.84	1.0, 0.0, 0.133	382	47.4, 64.5, 34.7	73.2, 28.3, 28.3
569	R72Y,087,087,Ad	0.875, 0.0, 0.25	0.875, 0.875, 0.437	394	0.875, 0.0, 0.233	43.9, 57.1, 36.4	0.0, 0.962, 0.713	1.0, 0.0, 0.266	375	47.4, 65.2, 27.9	71.0, 23.2, 23.2
570	R108Y,087,087,Ad	0.875, 0.0, 0.375	0.875, 0.875, 0.437	396	0.875, 0.0, 0.364	44.0, 58.4, 36.8	0.0, 0.964, 0.578	1.0, 0.0, 0.416	365	47.6, 66.7, 19.2	69.5, 16.0, 16.0
571	B63R,087,087,Ad	0.875, 0.0, 0.5	0.875, 0.875, 0.437	355	0.875, 0.0, 0.541	44.1, 60.0, 37.2	0.0, 0.961, 0.427	1.0, 0.0, 0.583	354	48.1, 67.6, 9.4	69.2, 7.8, 7.8
572	B56R,087,087,Ad	0.875, 0.0, 0.625	0.875, 0.875, 0.437	346	0.875, 0.0, 0.641	44.3, 61.5, 37.6	0.0, 0.961, 0.282	1.0, 0.0, 0.733	344	48.1, 67.3, 48.1	70.3, 1.3, 70.3
573	B50R,087,087,Ad	0.875, 0.0, 0.75	0.875, 0.875, 0.437	338	0.875, 0.0, 0.758	44.4, 62.6, 38.0	0.0, 0.961, 0.163	1.0, 0.0, 0.866	337	48.2, 71.5, -4.0	71.7, 356.7, 356.7
574	B50R,087,087,Ad	0.875, 0.0, 0.875	0.875, 0.875, 0.437	330	0.875, 0.0, 0.875	44.4, 63.7, 38.4	0.0, 0.96, 0.035	1.0, 0.0, 1.0	330	48.2, 72.8, -8.5	73.3, 353.3, 353.3
575	B44R,100,100,Ad	0.875, 0.0, 1.0	0.875, 0.875, 0.437	323	0.875, 0.0, 0.875	44.4, 63.7, 38.4	0.0, 0.96, 0.035	1.0, 0.0, 1.0	323	48.2, 71.8, -11.7	70.7, 350.4, 350.4
576	R13Y,087,087,Ad	0.875, 0.125, 0.0	0.875, 0.875, 0.437	38	0.875, 0.116, 0.0	47.3, 47.4, 41.3	0.0, 0.85, 0.971	1.0, 0.0, 0.133	37	51.5, 54.2, 47.1	71.9, 41.0, 41.0
577	R00Y,087,087,Ad	0.875, 0.125, 0.125	0.875, 0.875, 0.437	381	0.875, 0.125, 0.125	49.6, 47.4, 41.3	0.0, 0.836, 0.76	1.0, 0.0, 0.15	389	47.3, 63.8, 41.2	76.0, 32.8, 32.8
578	R36Y,087,087,Ad	0.875, 0.125, 0.25	0.875, 0.875, 0.437	380	0.875, 0.125, 0.237	49.7, 48.4, 41.3	0.0, 0.837, 0.663	1.0, 0.0, 0.15	382	47.3, 64.6, 33.9	72.9, 27.6, 27.6
579	R72Y,087,087,Ad	0.875, 0.125, 0.375	0.875, 0.875, 0.437	371	0.875, 0.125, 0.362	49.9, 49.3, 41.8	0.0, 0.838, 0.561	1.0, 0.0, 0.15	371	47.3, 65.7, 25.1	70.4, 20.9, 20.9
580	R108Y,087,087,Ad	0.875, 0.125, 0.5	0.875, 0.875, 0.437	360	0.875, 0.125, 0.5	49.9, 50.7, 41.8	0.0, 0.839, 0.431	1.0, 0.0, 0.15	360	47.7, 67.7, 14.0	69.1, 11.6, 11.6
581	B65R,087,087,Ad	0.875, 0.125, 0.625	0.875, 0.875, 0.437	349	0.875, 0.125, 0.637	50.2, 52.3, 42.3	0.0, 0.842, 0.298	1.0, 0.0, 0.15	348	48.1, 69.7, 40.0	69.8, 3.2, 69.8
582	B57R,087,087,Ad	0.875, 0.125, 0.75	0.875, 0.875, 0.437	339	0.875, 0.125, 0.75	50.3, 53.5, 35.7	0.0, 0.842, 0.177	1.0, 0.0, 0.15	337	48.2, 71.4, -3.3	71.5, 357.2, 357.2
583	B50R,087,087,Ad	0.875, 0.125, 0.875	0.875, 0.875, 0.437	330	0.875, 0.125, 0.875	50.3, 54.6, 42.3	0.0, 0.842, 0.072	1.0, 0.0, 0.15	330	48.2, 72.8, -8.5	73.3, 353.3, 353.3
584	B43R,100,100,Ad	0.875, 0.125, 1.0	0.875, 0.875, 0.437	322	0.875, 0.125, 1.0	51.9, 60.6, -10.6	0.0, 0.88, 0.014	1.0, 0.0, 0.266	322	48.2, 72.8, -12.1	70.3, 350.0, 350.0
585	R15Y,087,087,Ad	0.875, 0.25, 0.0	0.875, 0.875, 0.437	46	0.875, 0.233, 0.0	51.8, 37.6, 41.3	0.0, 0.727, 0.971	1.0, 0.0, 0.416	44	47.3, 63.8, 41.2	76.0, 32.8, 32.8
586	R31Y,087,087,Ad	0.875, 0.25, 0.125	0.875, 0.875, 0.437	39	0.875, 0.237, 0.125	53.2, 39.6, 41.3	0.0, 0.74, 0.8	1.0, 0.0, 0.416	37	51.5, 54.2, 47.1	71.9, 41.0, 41.0
587	R67Y,087,087,Ad	0.875, 0.25, 0.25	0.875, 0.875, 0.437	390	0.875, 0.25, 0.25	55.6, 39.6, 41.3	0.0, 0.729, 0.614	1.0, 0.0, 0.416	389	47.3, 63.8, 41.2	76.0, 32.8, 32.8
588	R103Y,087,087,Ad	0.875, 0.25, 0.375	0.875, 0.875, 0.437	379	0.875, 0.25, 0.364	55.8, 40.5, 41.3	0.0, 0.728, 0.53	1.0, 0.0, 0.183	380	47.3, 64.8, 32.2	72.4, 26.4, 26.4
589	R139Y,087,087,Ad	0.875, 0.25, 0.5	0.875, 0.875, 0.437	367	0.875, 0.25, 0.489	55.9, 41.4, 41.3	0.0, 0.728, 0.431	1.0, 0.0, 0.183	367	47.3, 66.3, 21.3	69.6, 17.8, 17.8
590	B60R,087,087,Ad	0.875, 0.25, 0.625	0.875, 0.875, 0.437	353	0.875, 0.25, 0.635	56.1, 43.0, 41.3	0.0, 0.731, 0.299	1.0, 0.0, 0.183	352	48.1, 68.8, 7.5	69.2, 6.2, 69.2
591	B50R,087,087,Ad	0.875, 0.25, 0.75	0.875, 0.875, 0.437	341	0.875, 0.25, 0.76	56.2, 44.4, -1.3	0.0, 0.732, 0.178	1.0, 0.0, 0.183	339	48.2, 71.8, -2.1	71.1, 358.3, 358.3
592	B42R,100,100,Ad	0.875, 0.25, 0.875	0.875, 0.875, 0.437	329	0.875, 0.25, 0.875	56.2, 44.4, -1.3	0.0, 0.733, 0.08	1.0, 0.0, 0.183	330	48.2, 72.8, -8.5	73.3, 353.3, 353.3
593	R15Y,087,087,Ad	0.875, 0.375, 0.0	0.875, 0.875, 0.437	55	0.875, 0.364, 0.0	57.6, 26.1, 55.0	0.0, 0.592, 0.971	1.0, 0.0, 0.416	54	48.2, 71.8, -2.1	71.1, 358.3, 358.3
594	R31Y,087,087,Ad	0.875, 0.375, 0.125	0.875, 0.875, 0.437	49	0.875, 0.362, 0.125	58.3, 28.9, 55.0	0.0, 0.61, 0.971	1.0, 0.0, 0.416	48	48.2, 71.8, -2.1	71.1, 358.3, 358.3
595	R67Y,087,087,Ad	0.875, 0.375, 0.25	0.875, 0.875, 0.437	41	0.875, 0.364, 0.25	59.4, 31.3, 55.0	0.0, 0.633, 0.971	1.0, 0.0, 0.416	39	48.2, 71.8, -2.1	71.1, 358.3, 358.3
596	R103Y,087,087,Ad	0.875, 0.375, 0.375	0.875, 0.875, 0.437	390	0.875, 0.375, 0.375	61.6, 31.9, 55.0	0.0, 0.617, 0.971	1.0, 0.0, 0.416	389	48.2, 71.8, -2.1	71.1, 358.3, 358.3
597	R139Y,087,087,Ad	0.875, 0.375, 0.5	0.875, 0.875, 0.437	376	0.875, 0.375, 0.491	61.8, 33.8, 55.0	0.0, 0.616, 0.971	1.0, 0.0, 0.416	377	48.2, 71.8, -2.1	71.1, 358.3, 358.3
598	B50R,087,087,Ad	0.875, 0.375, 0.625	0.875, 0.875, 0.437	360	0.875, 0.375, 0.625	62.1, 35.3, 55.0	0.0, 0.631, 0.971	1.0, 0.0, 0.416	360	48.2, 71.8, -2.1	71.1, 358.3, 358.3
599	B61R,087,087,Ad	0.875, 0.375, 0.75	0.875, 0.875, 0.437	344	0.875, 0.375, 0.758	62.1, 35.3, 55.0	0.0, 0.632, 0.971	1.0, 0.0, 0.416	342	48.2, 71.8, -2.1	71.1, 358.3, 358.3
600	B40R,100,100,Ad	0.875, 0.375, 1.0	0.875, 0.875, 0.437	330	0.875, 0.375, 1.0	63.7, 34.2, 55.0	0.0, 0.632, 0.971	1.0, 0.0, 0.416	330	48.2, 72.8, -8.5	73.3, 353.3, 353.3
601	R58Y,087,087,Ad	0.875, 0.5, 0.0	0.875, 0.875, 0.437	61	0.875, 0.51, 0.0	64.7, 13.2, 64.3	0.0, 0.442, 0.971	1.0, 0.0, 0.583	65	47.3, 63.8, 41.2	76.0, 32.8, 32.8
602	R58Y,087,087,Ad	0.875, 0.5, 0.125	0.875, 0.875, 0.437	53	0.875, 0.489, 0.125	64.7, 13.2, 64.3	0.0, 0.442, 0.971	1.0, 0.0, 0.583	59	47.3, 63.8, 41.2	76.0, 32.8, 32.8
603	R58Y,087,087,Ad	0.875, 0.5, 0.25	0.875, 0.875, 0.437	53	0.875, 0.489, 0.25	64.7, 13.2, 64.3	0.0, 0.442, 0.971	1.0, 0.0, 0.583	59	47.3, 63.8, 41.2	76.0, 32.8, 32.8
604	R23Y,087,087,Ad	0.875, 0.5, 0.375	0.875, 0.875, 0.437	44	0.875, 0.491, 0.375	65.7, 23.9, 65.1	0.0, 0.497, 0.971	1.0, 0.0, 0.583	52	47.3, 63.8, 41.2	76.0, 32.8, 32.8
605	R00Y,087,087,Ad	0.875, 0.5, 0.5	0.875, 0.875, 0.437	390	0.875, 0.5, 0.5	67.7, 23.9, 65.1	0.0, 0.517, 0.971	1.0, 0.0, 0.583	52	47.3, 63.8, 41.2	76.0, 32.8, 32.8
606	R139Y,087,087,Ad	0.875, 0.5, 0.625	0.875, 0.875, 0.437	371	0.875, 0.5, 0.618	67.8, 24.6, 65.1	0.0, 0.504, 0.971	1.0, 0.0, 0.583	389	47.3, 63.8, 41.2	76.0, 32.8, 32.8
607	B65R,087,087,Ad	0.875, 0.5, 0.75	0.875, 0.875, 0.437	349	0.875, 0.5, 0.756	67.9, 26.1, 65.1	0.0, 0.504, 0.971	1.0, 0.0, 0.583	371	47.3, 63.8, 41.2	76.0, 32.8, 32.8
608	B50R,087,087,Ad	0.875, 0.5, 0.875	0.875, 0.875, 0.437	336	0.875, 0.5, 0.875	68.0, 27.3, 65.1	0.0, 0.509, 0.971	1.0, 0.0, 0.583	348	47.3, 63.8, 41.2	76.0, 32.8, 32.8
609	B38R,100,100,Ad	0.875, 0.5, 1.0	0.875, 0.875, 0.437	316	0.875, 0.5, 1.0	69.4, 33.2, 65.1	0.0, 0.509, 0.971	1.0, 0.0, 0.583	330	47.3, 63.8, 41.2	76.0, 32.8, 32.8
610	R73Y,087,087,Ad	0.875, 0.625, 0.0	0.875, 0.875, 0.437	74	0.875, 0.641, 0.0	70.9, 29.2, 65.1	0.0, 0.295, 0.971	1.0, 0.0, 0.733	71	48.2, 72.8, -8.5	73.3, 353.3, 353.3
611	R68Y,087,087,Ad	0.875, 0.625, 0.125	0.875, 0.875, 0.437	67	0.875, 0.637, 0.125	71.3, 29.2, 65.1	0.0, 0.295, 0.971	1.0, 0.0, 0.733	71	48.2, 72.8, -8.5	73.3, 353.3, 353.3
612	R68Y,087,087,Ad	0.875, 0.625, 0.25	0.875, 0.875, 0.437	60	0.875, 0.635, 0.25	71.8, 7.4, 47.2	0.0, 0.328, 0.971	1.0, 0.0, 0.733	75	48.2, 72.8,	

n	HC*Field	rgb_Field	icr_Field	hsa_Field	rgb*Field	LabCh*Field	cmyn*sep.Field	hsa_id	rgb*id	LabCh*id	mean color difference of this page:	delta
648	R00Y_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
649	R38Y_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
650	R26Y_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
651	R13Y_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
652	R00Y_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
653	R68R_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
654	B55R_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
655	B55R_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
656	B55R_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
657	R11Y_100_100ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	0.0	0.0
658	R00Y_100_097ad	1.0	0.0875	0.562	390	1.0	125	389	1.0	0.0	0.0	0.0
659	R38Y_100_097ad	1.0	0.0875	0.562	382	1.0	125	382	1.0	0.0	0.0	0.0
660	R23Y_100_097ad	1.0	0.0875	0.562	374	1.0	125	374	1.0	0.0	0.0	0.0
661	R00Y_100_097ad	1.0	0.0875	0.562	365	1.0	125	365	1.0	0.0	0.0	0.0
662	B70R_100_097ad	1.0	0.0875	0.562	355	1.0	125	355	1.0	0.0	0.0	0.0
663	B63R_100_097ad	1.0	0.0875	0.562	346	1.0	125	346	1.0	0.0	0.0	0.0
664	B55R_100_097ad	1.0	0.0875	0.562	338	1.0	125	338	1.0	0.0	0.0	0.0
665	B55R_100_097ad	1.0	0.0875	0.562	330	1.0	125	330	1.0	0.0	0.0	0.0
666	R23Y_100_100ad	1.0	0.0875	0.562	382	1.0	125	382	1.0	0.0	0.0	0.0
667	R13Y_100_100ad	1.0	0.0875	0.562	381	1.0	125	381	1.0	0.0	0.0	0.0
668	R00Y_100_100ad	1.0	0.0875	0.562	390	1.0	125	390	1.0	0.0	0.0	0.0
669	R38Y_100_100ad	1.0	0.0875	0.562	382	1.0	125	382	1.0	0.0	0.0	0.0
670	R23Y_100_100ad	1.0	0.0875	0.562	374	1.0	125	374	1.0	0.0	0.0	0.0
671	R00Y_100_100ad	1.0	0.0875	0.562	365	1.0	125	365	1.0	0.0	0.0	0.0
672	B63R_100_075ad	1.0	0.0875	0.625	349	1.0	125	349	1.0	0.0	0.0	0.0
673	B55R_100_075ad	1.0	0.0875	0.625	340	1.0	125	340	1.0	0.0	0.0	0.0
674	B55R_100_075ad	1.0	0.0875	0.625	330	1.0	125	330	1.0	0.0	0.0	0.0
675	R38Y_100_100ad	1.0	0.0875	0.562	382	1.0	125	382	1.0	0.0	0.0	0.0
676	R26Y_100_097ad	1.0	0.0875	0.562	46	1.0	125	46	1.0	0.0	0.0	0.0
677	R15Y_100_075ad	1.0	0.0875	0.625	39	1.0	125	39	1.0	0.0	0.0	0.0
678	R00Y_100_062ad	1.0	0.0875	0.687	39	1.0	125	39	1.0	0.0	0.0	0.0
679	R31Y_100_062ad	1.0	0.0875	0.687	379	1.0	125	379	1.0	0.0	0.0	0.0
680	R11Y_100_062ad	1.0	0.0875	0.687	367	1.0	125	367	1.0	0.0	0.0	0.0
681	B69R_100_062ad	1.0	0.0875	0.687	353	1.0	125	353	1.0	0.0	0.0	0.0
682	B59R_100_062ad	1.0	0.0875	0.687	341	1.0	125	341	1.0	0.0	0.0	0.0
683	B50Y_100_062ad	1.0	0.0875	0.687	330	1.0	125	330	1.0	0.0	0.0	0.0
684	R50Y_100_100ad	1.0	0.0875	0.562	55	1.0	125	55	1.0	0.0	0.0	0.0
685	R41Y_100_097ad	1.0	0.0875	0.562	55	1.0	125	55	1.0	0.0	0.0	0.0
686	R31Y_100_075ad	1.0	0.0875	0.625	49	1.0	125	49	1.0	0.0	0.0	0.0
687	R18Y_100_062ad	1.0	0.0875	0.687	41	1.0	125	41	1.0	0.0	0.0	0.0
688	R00Y_100_050ad	1.0	0.0875	0.75	390	1.0	125	390	1.0	0.0	0.0	0.0
689	R26Y_100_050ad	1.0	0.0875	0.75	376	1.0	125	376	1.0	0.0	0.0	0.0
690	R00Y_100_050ad	1.0	0.0875	0.75	360	1.0	125	360	1.0	0.0	0.0	0.0
691	B61R_100_050ad	1.0	0.0875	0.75	344	1.0	125	344	1.0	0.0	0.0	0.0
692	B50R_100_050ad	1.0	0.0875	0.75	330	1.0	125	330	1.0	0.0	0.0	0.0
693	R63Y_100_100ad	1.0	0.0875	0.562	68	1.0	125	68	1.0	0.0	0.0	0.0
694	R38Y_100_097ad	1.0	0.0875	0.562	65	1.0	125	65	1.0	0.0	0.0	0.0
695	R30Y_100_075ad	1.0	0.0875	0.625	25	1.0	125	25	1.0	0.0	0.0	0.0
696	R38Y_100_062ad	1.0	0.0875	0.687	53	1.0	125	53	1.0	0.0	0.0	0.0
697	R23Y_100_050ad	1.0	0.0875	0.75	44	1.0	125	44	1.0	0.0	0.0	0.0
698	R00Y_100_037ad	1.0	0.0875	0.812	390	1.0	125	390	1.0	0.0	0.0	0.0
699	R18Y_100_037ad	1.0	0.0875	0.812	371	1.0	125	371	1.0	0.0	0.0	0.0
700	B63R_100_037ad	1.0	0.0875	0.812	349	1.0	125	349	1.0	0.0	0.0	0.0
701	B50R_100_037ad	1.0	0.0875	0.812	330	1.0	125	330	1.0	0.0	0.0	0.0
702	R76Y_100_100ad	1.0	0.0875	0.562	74	1.0	125	74	1.0	0.0	0.0	0.0
703	R31Y_100_075ad	1.0	0.0875	0.625	71	1.0	125	71	1.0	0.0	0.0	0.0
704	B63R_100_062ad	1.0	0.0875	0.687	67	1.0	125	67	1.0	0.0	0.0	0.0
705	B50Y_100_062ad	1.0	0.0875	0.687	67	1.0	125	67	1.0	0.0	0.0	0.0
706	R50Y_100_050ad	1.0	0.0875	0.75	60	1.0	125	60	1.0	0.0	0.0	0.0
707	R31Y_100_037ad	1.0	0.0875	0.812	49	1.0	125	49	1.0	0.0	0.0	0.0
708	R00Y_100_025ad	1.0	0.0875	0.937	390	1.0	125	390	1.0	0.0	0.0	0.0
709	R38Y_100_025ad	1.0	0.0875	0.937	360	1.0	125	360	1.0	0.0	0.0	0.0
710	B50R_100_025ad	1.0	0.0875	0.937	330	1.0	125	330	1.0	0.0	0.0	0.0
711	R88Y_100_100ad	1.0	0.0875	0.562	82	1.0	125	82	1.0	0.0	0.0	0.0
712	R85Y_100_097ad	1.0	0.0875	0.562	81	1.0	125	81	1.0	0.0	0.0	0.0
713	R85Y_100_062ad	1.0	0.0875	0.625	81	1.0	125	81	1.0	0.0	0.0	0.0
714	R81Y_100_062ad	1.0	0.0875	0.625	79	1.0	125	79	1.0	0.0	0.0	0.0
715	R76Y_100_050ad	1.0	0.0875	0.75	76	1.0	125	76	1.0	0.0	0.0	0.0
716	R88Y_100_037ad	1.0	0.0875	0.812	71	1.0	125	71	1.0	0.0	0.0	0.0
717	R85Y_100_025ad	1.0	0.0875	0.937	60	1.0	125	60	1.0	0.0	0.0	0.0
718	R00Y_100_012ad	1.0	0.0875	0.937	390	1.0	125	390	1.0	0.0	0.0	0.0
719	B50R_100_012ad	1.0	0.0875	0.937	330	1.0	125	330	1.0	0.0	0.0	0.0
720	Y00C_100_100ad	1.0	0.0875	0.562	90	1.0	125	90	1.0	0.0	0.0	0.0
721	Y00C_100_087ad	1.0	0.0875	0.562	90	1.0	125	90	1.0	0.0	0.0	0.0
722	Y00C_100_075ad	1.0	0.0875	0.625	90	1.0	125	90	1.0	0.0	0.0	0.0
723	Y00C_100_062ad	1.0	0.0875	0.687	90	1.0	125	90	1.0	0.0	0.0	0.0
724	Y00C_100_050ad	1.0	0.0875	0.75	90	1.0	125	90	1.0	0.0	0.0	0.0
725	Y00C_100_037ad	1.0	0.0875	0.812	90	1.0	125	90	1.0	0.0	0.0	0.0
726	Y00C_100_025ad	1.0	0.0875	0.937	90	1.0	125	90	1.0	0.0	0.0	0.0
727	Y00C_100_012ad	1.0	0.0875	0.937	90	1.0	125	90	1.0	0.0	0.0	0.0
728	NW_100ad	1.0	0.0875	0.937	360	1.0	125	360	1.0	0.0	0.0	0.0



TUB material: code=rha4ta
nyn6* (CMYK)


input: *rgb/cmyk* -> *rgb*_{dd}
output: 3D-linearization to *cmyk**_{dd}

Colors and differences, ΔE^*

PE840-7N, Page 30/33-F

1-1032930-F0


see similar files: <http://130.149.60.45/~farbmatrik/PE84/PE84.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



TUB material: code=rha4ta
nyn6* (CMYK)

input: *rgb/cmyk* -> *rgbd*
output: 3D-linearization to *cmyk*^{*}_{dd}

TUB-test chart PE84; 16 step hue circle
colors and differences, ΔE^* [illegible]




TUB material: code=rha4ta
nyn6* (CMYK)

```
input: rgb/cmyk -> rgbdd  
output: 3D-linearization to cmyk*dd
```

PE840-7N, Page 32/33-F

1-1033130-F0

<i>n</i>	<i>HIC[°]Fold</i>	<i>rgb[°]Fold</i>	<i>lcr[°]Fold</i>	<i>hs_g[°]Fold</i>	<i>rgb[°]Fold</i>	<i>LabCH[°]Fold</i>	<i>cmv[°]sep[°]Fold</i>	<i>hs_g[°]Mid</i>	<i>rgb[°]Mid</i>	<i>LabCH[°]Mid</i>	<i>delta</i>
972	NW_0000d	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
973	NW_0124d	0.125	0.125	0.125	0.0	0.0	0.0	360	1.0	1.0	0.0
974	NW_0254d	0.25	0.25	0.25	0.0	0.0	0.031	360	1.0	1.0	0.0
975	NW_0374d	0.375	0.375	0.375	0.0	0.0	0.034	360	1.0	1.0	0.0
976	NW_0504d	0.5	0.5	0.5	0.0	0.0	0.026	360	1.0	1.0	0.0
977	NW_0624d	0.625	0.625	0.625	0.0	0.0	0.02	360	1.0	1.0	0.0
978	NW_0754d	0.75	0.75	0.75	0.0	0.0	0.018	360	1.0	1.0	0.0
979	NW_0874d	0.875	0.875	0.875	0.0	0.0	0.023	360	1.0	1.0	0.0
980	NW_1004d	1.0	1.0	1.0	0.0	0.0	0.0	360	1.0	1.0	0.0
981	NW_0000d	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
982	NW_0124d	0.125	0.125	0.125	0.0	0.0	0.037	360	1.0	1.0	0.0
983	NW_0254d	0.25	0.25	0.25	0.0	0.0	0.031	360	1.0	1.0	0.0
984	NW_0374d	0.375	0.375	0.375	0.0	0.0	0.034	360	1.0	1.0	0.0
985	NW_0504d	0.5	0.5	0.5	0.0	0.0	0.026	360	1.0	1.0	0.0
986	NW_0624d	0.625	0.625	0.625	0.0	0.0	0.02	360	1.0	1.0	0.0
987	NW_0754d	0.75	0.75	0.75	0.0	0.0	0.018	360	1.0	1.0	0.0
988	NW_0874d	0.875	0.875	0.875	0.0	0.0	0.023	360	1.0	1.0	0.0
989	NW_1004d	1.0	1.0	1.0	0.0	0.0	0.0	360	1.0	1.0	0.0
990	NW_0000d	0.125	0.125	0.125	0.0	0.0	0.037	360	1.0	1.0	0.0
991	NW_0124d	0.25	0.25	0.25	0.0	0.0	0.031	360	1.0	1.0	0.0
992	NW_0254d	0.375	0.375	0.375	0.0	0.0	0.034	360	1.0	1.0	0.0
993	NW_0374d	0.5	0.5	0.5	0.0	0.0	0.026	360	1.0	1.0	0.0
994	NW_0504d	0.625	0.625	0.625	0.0	0.0	0.02	360	1.0	1.0	0.0
995	NW_0624d	0.75	0.75	0.75	0.0	0.0	0.018	360	1.0	1.0	0.0
996	NW_0754d	0.875	0.875	0.875	0.0	0.0	0.023	360	1.0	1.0	0.0
997	NW_0874d	1.0	1.0	1.0	0.0	0.0	0.0	360	1.0	1.0	0.0
998	NW_1004d	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
999	NW_0000d	0.125	0.125	0.125	0.0	0.0	0.037	360	1.0	1.0	0.0
1000	NW_0124d	0.25	0.25	0.25	0.0	0.0	0.031	360	1.0	1.0	0.0
1001	NW_0254d	0.375	0.375	0.375	0.0	0.0	0.034	360	1.0	1.0	0.0
1002	NW_0374d	0.5	0.5	0.5	0.0	0.0	0.026	360	1.0	1.0	0.0
1003	NW_0504d	0.625	0.625	0.625	0.0	0.0	0.02	360	1.0	1.0	0.0
1004	NW_0624d	0.75	0.75	0.75	0.0	0.0	0.018	360	1.0	1.0	0.0
1005	NW_0754d	0.875	0.875	0.875	0.0	0.0	0.023	360	1.0	1.0	0.0
1006	NW_0874d	1.0	1.0	1.0	0.0	0.0	0.0	360	1.0	1.0	0.0
1007	NW_1004d	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
1008	NW_0000d	0.066	0.066	0.066	0.066	0.0	0.139	360	1.0	1.0	0.0
1009	NW_0064d	0.133	0.133	0.133	0.133	0.0	0.043	360	1.0	1.0	0.0
1010	NW_0134d	0.2	0.2	0.2	0.2	0.0	0.057	360	1.0	1.0	0.0
1011	NW_0204d	0.266	0.266	0.266	0.266	0.0	0.013	360	1.0	1.0	0.0
1012	NW_0264d	0.333	0.333	0.333	0.333	0.0	0.016	360	1.0	1.0	0.0
1013	NW_0334d	0.4	0.4	0.4	0.4	0.0	0.027	360	1.0	1.0	0.0
1014	NW_0404d	0.466	0.466	0.466	0.466	0.0	0.019	360	1.0	1.0	0.0
1015	NW_0464d	0.533	0.533	0.533	0.533	0.0	0.021	360	1.0	1.0	0.0
1016	NW_0534d	0.6	0.6	0.6	0.6	0.0	0.006	360	1.0	1.0	0.0
1017	NW_0604d	0.666	0.666	0.666	0.666	0.0	0.006	360	1.0	1.0	0.0
1018	NW_0664d	0.734	0.734	0.734	0.734	0.0	0.021	360	1.0	1.0	0.0
1019	NW_0734d	0.8	0.8	0.8	0.8	0.0	0.005	360	1.0	1.0	0.0
1020	NW_0804d	0.866	0.866	0.866	0.866	0.0	0.007	360	1.0	1.0	0.0
1021	NW_0864d	0.933	0.933	0.933	0.933	0.0	0.024	360	1.0	1.0	0.0
1022	NW_0934d	1.0	1.0	1.0	1.0	0.0	0.005	360	1.0	1.0	0.0
1023	NW_1004d	0.066	0.066	0.066	0.066	0.0	0.139	360	1.0	1.0	0.0
1024	NW_0000d	0.133	0.133	0.133	0.133	0.0	0.043	360	1.0	1.0	0.0
1025	NW_0064d	0.2	0.2	0.2	0.2	0.0	0.057	360	1.0	1.0	0.0
1026	NW_0134d	0.266	0.266	0.266	0.266	0.0	0.013	360	1.0	1.0	0.0
1027	NW_0204d	0.333	0.333	0.333	0.333	0.0	0.016	360	1.0	1.0	0.0
1028	NW_0264d	0.4	0.4	0.4	0.4	0.0	0.027	360	1.0	1.0	0.0
1029	NW_0334d	0.466	0.466	0.466	0.466	0.0	0.021	360	1.0	1.0	0.0
1030	NW_0404d	0.533	0.533	0.533	0.533	0.0	0.006	360	1.0	1.0	0.0
1031	NW_0464d	0.6	0.6	0.6	0.6	0.0	0.006	360	1.0	1.0	0.0
1032	NW_0534d	0.666	0.666	0.666	0.666	0.0	0.005	360	1.0	1.0	0.0
1033	NW_0604d	0.734	0.734	0.734	0.734	0.0	0.021	360	1.0	1.0	0.0
1034	NW_0664d	0.8	0.8	0.8	0.8	0.0	0.007	360	1.0	1.0	0.0
1035	NW_0734d	0.866	0.866	0.866	0.866	0.0	0.024	360	1.0	1.0	0.0
1036	NW_0804d	0.933	0.933	0.933	0.933	0.0	0.005	360	1.0	1.0	0.0
1037	NW_0864d	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0
1038	NW_0934d	0.066	0.066	0.066	0.066	0.0	0.139	360	1.0	1.0	0.0
1039	NW_1004d	0.133	0.133	0.133	0.133	0.0	0.043	360	1.0	1.0	0.0
1040	NW_0000d	0.2	0.2	0.2	0.2	0.0	0.057	360	1.0	1.0	0.0
1041	NW_0064d	0.266	0.266	0.266	0.266	0.0	0.013	360	1.0	1.0	0.0
1042	NW_0134d	0.333	0.333	0.333	0.333	0.0	0.016	360	1.0	1.0	0.0
1043	NW_0204d	0.4	0.4	0.4	0.4	0.0	0.027	360	1.0	1.0	0.0
1044	NW_0264d	0.466	0.466	0.466	0.466	0.0	0.021	360	1.0	1.0	0.0
1045	NW_0334d	0.533	0.533	0.533	0.533	0.0	0.006	360	1.0	1.0	0.0
1046	NW_0404d	0.6	0.6	0.6	0.6	0.0	0.006	360	1.0	1.0	0.0
1047	NW_0464d	0.666	0.666	0.666	0.666	0.0	0.005	360	1.0	1.0	0.0
1048	NW_0534d	0.734	0.734	0.734	0.734	0.0	0.021	360	1.0	1.0	0.0
1049	NW_0604d	0.8	0.8	0.8	0.8	0.0	0.006	360	1.0	1.0	0.0
1050	NW_0664d	0.866	0.866	0.866	0.866	0.0	0.005	360	1.0	1.0	0.0
1051	NW_0734d	0.933	0.933	0.933	0.933	0.0	0.021	360	1.0	1.0	0.0
1052	NW_0804d	1.0	1.0	1.0	1.0	0.0	0.007	360	1.0	1.0	0.0



TUB material: code=rha4ta
myn6* (CMYK)

input: *rgb/cmyk* → *rgb_{dd}*
 output: 3D-linearization to *cmyk*_{dd}*

TUB-test chart PE84; 16 step hue circle
colors and differences ΔE^*

PF 840-7N Page 33/33-F

-1033230-E0

ID	HIC*Fdd	rgb_Fdd			iCr_Fdd			hsa_Fdd			rgb*Fdd			LabCh*Fdd			delta		
		0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	
0053	NW_086dd	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	
0054	NW_093dd	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	
0055	NW_100dd	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
0056	NW_006dd	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
0057	NW_006dd	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	
0058	NW_013dd	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	
0059	NW_020dd	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
0060	NW_026dd	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	
0061	NW_033dd	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	
0062	NW_040dd	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	
0063	NW_046dd	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	
0064	NW_053dd	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	
0065	NW_060dd	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	
0066	NW_066dd	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	
0067	NW_073dd	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	
0068	NW_080dd	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	
0069	NW_086dd	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	
0070	NW_093dd	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	
0071	NW_100dd	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
0072	NW_100dd	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
0073	NW_100dd	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
0074	R00Y_100_100dd	1.0	0.0	0.0	1.0	1.0	1.0	0.5	390	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	32.8	
0075	G50B_100_100dd	0.0	1.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	0.0	58.3	-29.2	-43.7	52.6	236.1	236.1	
0076	Y00C_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.5	90	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	97.1	
0077	B00R_100_100dd	0.0	0.0	1.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	296.4	
0078	G00B_100_100dd	0.0	1.0	0.0	1.0	1.0	1.0	0.5	150	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	
0079	B50R_100_100dd	1.0	0.0	1.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	353.3	