

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
 elementary (e) colour:

HIC^* -


hue text for the colours

of this page:

$H^*_e = R00Y-, R25Y-, ..., B75R-$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6
Y-,Ma	90.3	-10.2	91.7	92.3
G-,Ma	50.9	-62.8	34.9	71.9
C-,Ma	58.6	-30.3	-45.0	54.2
B-,Ma	25.7	31.0	-44.4	54.2
M-,Ma	48.1	75.2	-8.3	75.7
N-,Ma	18.0	0.0	0.0	0.0
W-,Ma	95.4	0.0	0.0	0.0
R-,CIE	39.9	58.7	27.9	65.0
Y-,CIE	81.2	-2.8	71.5	71.6
G-,CIE	52.2	-42.4	13.6	44.5
B-,CIE	30.5	1.4	-46.4	46.4



1-003031-L0 PE870-7N

TUB-test chart PE87; 16 step hue circle
 Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: *rgb/cmyk* -> *rgb/cmyk*
 output: no change

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:

 HIC^*_d


hue text for the colours

of this page:

 $H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	45.4	70.9	44.8	83.9
R25Y_100_100_d	53.0	53.4	54.8	76.5
R50Y_100_100_d	64.9	28.9	68.6	74.5
R75Y_100_100_d	78.6	4.3	84.7	84.8
Y00G_100_100_d	87.8	-10.2	95.4	96.0
Y25G_100_100_d	81.2	-17.0	84.3	86.0
Y50G_100_100_d	70.6	-29.7	66.5	72.8
Y75G_100_100_d	57.9	-48.3	45.8	66.5
G00B_100_100_d	50.0	-65.0	29.6	71.4
G25B_100_100_d	52.9	-48.6	-8.0	49.3
G50B_100_100_d	56.8	-25.5	-41.5	48.7
G75B_100_100_d	41.7	-1.2	-40.6	40.6
B00R_100_100_d	25.0	29.5	-40.4	50.0
B25R_100_100_d	35.6	58.6	-20.7	62.1
B50R_100_100_d	46.1	79.3	-0.2	79.3
B75R_100_100_d	45.9	74.2	21.1	77.1



% Gamut



 $u^*_{rel} = 92$

% Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9
Y _{d, Ma}	87.8	-10.2	95.4	96.0
G _{d, Ma}	50.0	-65.0	29.6	71.4
C _{d, Ma}	56.8	-25.5	-41.5	48.7
B _{d, Ma}	25.0	29.5	-40.4	50.0
M _{d, Ma}	46.1	79.3	-0.2	79.3
N _{d, Ma}	24.3	0.0	0.0	0.0
W _{d, Ma}	95.6	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4



1-003131-L0 PE870-70

TUB-test chart PE87; 16 step hue circle

Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$ output: transfer to $cmy0_d$

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:

HIC^*_d


hue text for the colours

of this page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	45.4	70.9	44.8	83.9
R25Y_100_100_d	53.0	53.4	54.8	76.5
R50Y_100_100_d	64.9	28.9	68.6	74.5
R75Y_100_100_d	78.6	4.3	84.7	84.8
Y00G_100_100_d	87.8	-10.2	95.4	96.0
Y25G_100_100_d	81.2	-17.0	84.3	86.0
Y50G_100_100_d	70.6	-29.7	66.5	72.8
Y75G_100_100_d	57.9	-48.3	45.8	66.5
G00B_100_100_d	50.0	-65.0	29.6	71.4
G25B_100_100_d	52.9	-48.6	-8.0	49.3
G50B_100_100_d	56.8	-25.5	-41.5	48.7
G75B_100_100_d	41.7	-1.2	-40.6	40.6
B00R_100_100_d	25.0	29.5	-40.4	50.0
B25R_100_100_d	35.6	58.6	-20.7	62.1
B50R_100_100_d	46.1	79.3	-0.2	79.3
B75R_100_100_d	45.9	74.2	21.1	77.1



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9
Y _{d, Ma}	87.8	-10.2	95.4	96.0
G _{d, Ma}	50.0	-65.0	29.6	71.4
C _{d, Ma}	56.8	-25.5	-41.5	48.7
B _{d, Ma}	25.0	29.5	-40.4	50.0
M _{d, Ma}	46.1	79.3	-0.2	79.3
N _{d, Ma}	24.3	0.0	0.0	0.0
W _{d, Ma}	95.6	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4



1-003231-L0 PE870-70

TUB-test chart PE87; 16 step hue circle

Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$

output: transfer to $cmy0_d$

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:

HIC^*_d


hue text for the colours

of this page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	45.4	70.9	44.8	83.9
R25Y_100_100_d	53.0	53.4	54.8	76.5
R50Y_100_100_d	64.9	28.9	68.6	74.5
R75Y_100_100_d	78.6	4.3	84.7	84.8
Y00G_100_100_d	87.8	-10.2	95.4	96.0
Y25G_100_100_d	81.2	-17.0	84.3	86.0
Y50G_100_100_d	70.6	-29.7	66.5	72.8
Y75G_100_100_d	57.9	-48.3	45.8	66.5
G00B_100_100_d	50.0	-65.0	29.6	71.4
G25B_100_100_d	52.9	-48.6	-8.0	49.3
G50B_100_100_d	56.8	-25.5	-41.5	48.7
G75B_100_100_d	41.7	-1.2	-40.6	40.6
B00R_100_100_d	25.0	29.5	-40.4	50.0
B25R_100_100_d	35.6	58.6	-20.7	62.1
B50R_100_100_d	46.1	79.3	-0.2	79.3
B75R_100_100_d	45.9	74.2	21.1	77.1



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9
Y _{d, Ma}	87.8	-10.2	95.4	96.0
G _{d, Ma}	50.0	-65.0	29.6	71.4
C _{d, Ma}	56.8	-25.5	-41.5	48.7
B _{d, Ma}	25.0	29.5	-40.4	50.0
M _{d, Ma}	46.1	79.3	-0.2	79.3
N _{d, Ma}	24.3	0.0	0.0	0.0
W _{d, Ma}	95.6	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4



Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:

HIC^*_d


hue text for the colours

of this page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	45.4	70.9	44.8	83.9	32
R25Y_100_100_d	53.0	53.4	54.8	76.5	45
R50Y_100_100_d	64.9	28.9	68.6	74.5	67
R75Y_100_100_d	78.6	4.3	84.7	84.8	87
Y00G_100_100_d	87.8	-10.2	95.4	96.0	96
Y25G_100_100_d	81.2	-17.0	84.3	86.0	101
Y50G_100_100_d	70.6	-29.7	66.5	72.8	114
Y75G_100_100_d	57.9	-48.3	45.8	66.5	136
G00B_100_100_d	50.0	-65.0	29.6	71.4	155
G25B_100_100_d	52.9	-48.6	-8.0	49.3	189
G50B_100_100_d	56.8	-25.5	-41.5	48.7	238
G75B_100_100_d	41.7	-1.2	-40.6	40.6	268
B00R_100_100_d	25.0	29.5	-40.4	50.0	306
B25R_100_100_d	35.6	58.6	-20.7	62.1	340
B50R_100_100_d	46.1	79.3	-0.2	79.3	359
B75R_100_100_d	45.9	74.2	21.1	77.1	15



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271





1-003431-L0 PE870-70

TUB-test chart PE87; 16 step hue circle



Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$


output: transfer to $cmy0_d$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
2. For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:
$$h_{ab,s} = \arctan \left[\frac{r^* \cos(30) + g^* \sin(30)}{1 - r^* \sin(30) + g^* \sin(150) + b^* \sin(270)} \right] \quad (1)$$
3. For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j \frac{h_{ab,si+1} - h_{ab,si}}{18} \quad (i=0, 1, \dots, 5; j=0, 1, \dots, 7) \quad (2)$$
$$h_{360ab,sij} = h_{ab,si} + j \frac{h_{ab,si+1} - h_{ab,si}}{60} \quad (i=0, 1, \dots, 5; j=0, 1, \dots, 59) \quad (3)$$
4. For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j \frac{h_{ab,ei+1} - h_{ab,ei}}{18} \quad (i=0, 1, \dots, 5; j=0, 1, \dots, 7) \quad (4)$$
$$h_{360ab,eij} = h_{ab,ei} + j \frac{h_{ab,ei+1} - h_{ab,ei}}{60} \quad (i=0, 1, \dots, 5; j=0, 1, \dots, 59) \quad (5)$$
5. For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
6. The values rgb^*_e produce the output of the device-independent elementary hues

1-003631-L0 PE870-70 LAB*_{ab0}, YN=0%, XY Z_{mnw}=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{mnw}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart PE87; 16 step hue circle
48 step hue circles; rgb^*_d -LabCh*tables

input: rgb^*_d / $cmyk$ -> rgb^*_d
output: transfer to $cmy0_d$

Output: Offset standard print; separation cmy0*, D65, page 7/33

Response Category	Percentage
Strongly Agree	100%
Agree	90%
Disagree	80%
Strongly Disagree	70%
Neutral	60%
Other	50%
Not Answered	40%

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-PE87/PE87LONA.TXT /PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM _d : h _{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;			LAB* _{dx64M} (x=LabCh)			rgb* _{dx361M}			LAB* _{dx361M}			rgb* _{dx361M}		
h _{ab,d}	h _{ab,s}	h _{ab,e}	h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*	dx361M	rgb*	dx361M	rgb*	dx361M	rgb*	dx361M	rgb*
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	32.3	1.0	0.0	0.0
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	38.1	1.0	0.021	0.0
46.8	45.0	42.1	1.0	0.25	0.0	51.9	55.5	55.5	76.0	46.8	46.8	1.0	0.183	0.0
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	56.9	1.0	0.288	0.0
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	67.1	1.0	0.398	0.0
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	78.6	1.0	0.494	0.0
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	86.2	1.0	0.592	0.0
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	92.1	1.0	0.703	0.0
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	96.1	1.0	0.879	0.0
98.8	97.5	101.0	1.0	0.875	1.0	84.3	-13.9	89.2	90.3	98.8	98.8	1.0	0.807	1.0
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	101.8	0.75	0.583	1.0
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	107.6	0.625	0.434	1.0
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	114.0	0.5	0.322	1.0
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	121.4	0.375	0.249	1.0
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	135.3	0.25	0.122	1.0
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	144.4	0.125	0.0	1.0
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	155.5	0.0	0.151	50.7
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	160.7	0.0	0.261	51.3
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	167.7	0.0	0.364	52.0
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	176.7	0.0	0.43	52.5
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	189.3	0.0	0.502	53.0
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	203.2	0.0	0.56	53.5
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	217.2	0.0	0.626	54.1
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	228.3	0.0	0.682	54.5
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	238.4	0.0	0.747	55.0
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	242.9	0.0	0.819	55.5
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	249.3	0.0	0.904	56.1
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	256.9	0.0	0.983	56.7
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	268.2	0.0	0.847	1.0
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	278.6	0.0	0.726	1.0
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	289.6	0.0	0.613	1.0
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	299.0	0.0	0.542	1.0
306.2	270.0	271.7	0.0	0.0	1.0	25.9	29.5	-40.4	50.0	306.2	306.2	0.0	0.458	1.0
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	314.7	0.0	0.378	1.0
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	322.1	0.0	0.292	1.0
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	333.3	0.0	0.211	1.0
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	340.5	0.0	0.106	1.0
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	347.9	0.0	0.009	0.0
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	352.5	0.0	0.0	0.0
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	356.1	0.0	0.0	0.0
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	359.8	0.0	0.0	0.0
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	363.0	0.0	0.0	0.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	366.4	0.0	0.0	0.0
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	371.1	0.0	0.0	0.0
381.2	367.5	364.1	1.0	0.0	0.5	45.9	74.2	21.1	77.1	381.2	381.2	0.0	0.0	0.0
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	385.6	0.0	0.0	0.0
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	389.3	0.0	0.0	0.0
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	392.3	0.0	0.0	0.0

LAB*_{dx64M} (x=LabCh) LAB*_{dx361M} (x=LabCh) LAB*_{dx361M} (x=LabCh) LAB*_{dx361M} (x=LabCh) LAB*_{dx361M} (x=LabCh) LAB*_{dx361M} (x=LabCh)

input: rgb/cmyk -> rgba
output: transfer to cmy0d

Output: Offset standard print; separation cmy0*, D65, page 9/33

see similar files: <http://130.149.60.45/~farbmatrik/PE87/PE87.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/PE87/PE87L0NA.TXT> /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

PE870-70 LAB*a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

1-003131-I0	PE870-70	LAB*a0, YN=0%, XYZ ₁₀₀ =36.4, 2.6, 1.85, LAB* ₁₀₀ =24.4, 0.0, 0.95, 6.0, 0.0
-------------	----------	--

Output: Offset standard print: separation cmv0*. D65 page 15/83/

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmatrik/PE87/PE87L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmv0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

-0031631-I.O	PE870-70	LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4 0.0, 0.0, 95.6, 0.0, 0.0
--------------	----------	--

input: *rgb/cmyk* → *rgbd*
output: transfer to *cmy0a*

Output: Offset standard print; separation cmy0*, D65 page 17/33



TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy0*

PE870-7N, Page 18/33-F

-0031731-F0

-see similar files: <http://130.149.60.45/~farbmatrik/PE87/PE87.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

[illegible]



TUB material: code=rha4ta
my0 (CMY0)

input: *rgb/cmyk* $\rightarrow$ *rgb*
output: transfer to *cmy0a*

TUB-test chart PE87; 16 step hue circle
colors and differences, ΔE^* ,

PF870-7N Page 19/33-F

-0031831-F0

see similar files: <http://130.149.60.45/~farbmatrik/PE87/PE87.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

[illegible]




TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* → *rgb*_d
output: transfer to *cmy*_d

OF 870-7N Page 20/33-E

9-1

1



TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* -> *rgb*_{da}
output: transfer to *cmv0*_{da}

1-0032031-F0
PF:870-7N Page 21/33-F

1-0032031-E0

input: *rgb/cmyk* → *rgb*_d
output: transfer to *cmy*_{0d}

PE870-7N Page 21/33-F


1-0032031-E0



TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* $\rightarrow$ *rgb*
output: transfer to *cmy0d*

DE 970-7N Doc 77/22-E



TUB material: code=rha4ta
ny0 (CMY0)

input: $rgb/cmyk \rightarrow rgb$
output: transfer to $cmy0_d$

TUB-test chart PE87; 16 step hue circle
colors and differences, ΔE^* ,

A diagram illustrating equipotential surfaces for a positive point charge $+Q$. The charge is represented by a small circle with a cross at the center. Concentric circles are drawn around it, representing surfaces of constant electric potential. An arrow points from the charge towards the right, indicating the direction of the electric field.

PE870-7N, Page 23/33-F

[illegible]

http://130.149.60.45/~farbmatrik/PE87/PE87LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33


input: *rgb/cmyk* → *rgb*_d
output: transfer to *cmy*_d

TUB-test chart PE87; 16 step hue circle colors and differences, ΔE^* ,

PE.870-7N. Page 24/33-F

1-0032331-F0

see similar files: <http://130.149.60.45/~farbmatrik/PE87/PE87.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



TUB material: code=rha4ta
ny0 (CMY0)

TUB-test chart PE87; 16 step hue circle colors and differences. ΔE^* ,

input: *rgb/cmyk* -> *rgb*
output: transfer to *cmy0a*

<i>n</i>	HIC* <i>Ed</i>	<i>rgb_red</i>	<i>icEd</i>	<i>h₀_Ed</i>	<i>rgb_Fd</i>	<i>LabCH*<i>Ed</i></i>	<i>rgb_Fd</i>	<i>LabCH*<i>Ed</i></i>	<i>DE*<i>Ed</i></i>	<i>h₀Δ<i>Ed</i></i>	<i>rgb_Md</i>	<i>LabCH*<i>Md</i></i>	83.9	88.5	32.3
486	R00Y_075_075Δ	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	33.6	0.0	40.7	59.2	36.3	69.4
487	R35Y_075_075Δ	0.75	0.0	0.112	0.0	40.2	53.7	29.2	61.1	28.5	0.0	0.0	45.4	70.9	44.8
488	R18Y_075_075Δ	0.75	0.0	0.237	0.0	40.4	54.5	23.2	59.3	23.2	0.0	0.0	45.4	71.6	39.0
489	R00Y_075_075Δ	0.75	0.0	0.375	0.0	40.5	55.6	15.8	57.8	15.9	0.0	0.0	45.4	72.6	31.1
490	B65R_075_075Δ	0.75	0.0	0.512	0.0	40.5	57.3	8.9	58.0	8.9	0.0	0.0	45.4	74.2	21.1
491	B57R_075_075Δ	0.75	0.0	0.637	0.0	40.5	58.5	3.7	58.6	3.7	0.0	0.0	45.4	76.0	11.9
492	B43R_075_075Δ	0.75	0.0	0.763	0.0	40.6	59.4	-0.1	59.4	359.8	0.0	0.0	45.4	78.0	5.0
493	B30R_075_075Δ	0.75	0.0	0.888	0.0	40.6	60.5	-4.6	60.5	359.8	0.0	0.0	45.4	79.8	-0.2
494	B18R_100_100Δ	0.75	0.0	1.0	0.0	42.1	71.6	-8.7	72.1	353.0	0.0	0.0	46.1	74.9	-5.3
495	R15Y_075_075Δ	0.75	0.0	0.112	0.0	43.4	45.5	38.0	59.3	39.9	0.0	0.0	46.1	73.3	39.9
496	R00Y_075_062Δ	0.75	0.125	0.125	0.0	43.4	46.5	28.0	52.4	32.3	0.0	0.0	46.1	70.9	38.1
497	R31Y_075_062Δ	0.75	0.125	0.239	0.0	44.3	28.0	52.4	50.6	27.5	0.0	0.0	46.1	71.8	32.5
498	R11Y_075_062Δ	0.75	0.125	0.364	0.0	46.6	45.6	17.4	48.8	20.8	0.0	0.0	46.1	73.0	27.8
499	B69R_075_062Δ	0.75	0.125	0.512	0.0	46.8	47.2	9.5	48.1	11.4	0.0	0.0	46.1	75.5	15.2
500	B59R_075_062Δ	0.75	0.125	0.635	0.0	46.8	48.5	4.6	48.7	4.6	0.0	0.0	46.1	77.7	6.2
501	B50R_075_062Δ	0.75	0.125	0.758	0.0	46.8	49.5	-0.1	49.5	359.8	0.0	0.0	46.1	79.3	-0.2
502	B42R_087_087Δ	0.75	0.125	0.885	0.0	47.8	55.7	-4.4	55.9	355.4	0.0	0.0	46.1	74.9	-5.3
503	B36R_100_087Δ	0.75	0.125	1.0	0.0	48.1	61.5	-8.7	62.1	351.9	0.0	0.0	46.1	70.3	39.9
504	R31Y_075_062Δ	0.75	0.25	0.237	0.0	48.5	34.3	48.4	58.2	32.2	0.0	0.0	46.1	74.3	39.9
505	R18Y_075_062Δ	0.75	0.25	0.364	0.0	50.1	36.1	35.8	48.2	24.2	0.0	0.0	46.1	76.6	32.2
506	R00Y_075_060Δ	0.75	0.25	0.512	0.0	52.7	35.4	22.2	48.1	15.9	0.0	0.0	46.1	78.9	24.2
507	B65R_075_060Δ	0.75	0.25	0.637	0.0	52.7	36.6	16.5	48.1	15.9	0.0	0.0	46.1	81.2	15.9
508	R00Y_075_050Δ	0.75	0.25	0.763	0.0	52.7	37.1	10.5	48.1	15.9	0.0	0.0	46.1	83.5	6.2
509	B61R_075_050Δ	0.75	0.25	0.888	0.0	52.9	38.4	4.1	48.7	4.1	0.0	0.0	46.1	85.8	-0.2
510	B50R_075_050Δ	0.75	0.25	1.0	0.0	53.0	39.6	-0.1	39.6	359.8	0.0	0.0	46.1	87.3	-0.2
511	B40R_087_062Δ	0.75	0.25	0.885	0.0	53.9									




TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* → *rgb*_d
output: transfer to *cmy*_{0d}

PE870-7N, Page 27/33-F


	HIC*Fd	h ₉ *Fd	rgb*Fd	LabCh*Fd	LabCh*Fd	rgb*Fd	DE*Fd	h _{an} *Fd	rgb*Fd	LabCh*Fd																			
567	ROXY_087_087A	390	0.875	0.0	42.8	62.0	39.2	73.4	32.3	0.875	0.0	43.2	65.4	40.5	76.9	31.8	3.6	389	1.0	0.0	45.4	70.9	44.8	83.9	32.3				
568	R3XY_087_087A	382	0.875	0.0	0.116	42.9	62.5	34.7	71.6	29.0	0.875	0.0	0.125	43.3	66.0	35.3	74.9	28.1	3.5	382	1.0	0.0	0.133	71.5	39.7	81.8	29.0		
569	R23Y_087_087A	374	0.875	0.0	0.233	43.0	63.2	29.5	68.8	25.5	0.875	0.0	0.235	43.6	66.5	29.8	72.8	23.9	3.3	375	1.0	0.0	0.266	45.8	73.4	33.8	77.9	25.0	
570	ROXY_087_087A	365	0.875	0.0	0.364	43.1	64.2	22.7	68.1	19.4	0.875	0.0	0.375	43.6	67.7	23.3	71.6	19.0	3.5	365	1.0	0.0	0.416	45.8	73.4	35.9	79.0	24.0	
571	B7OR_087_087A	355	0.875	0.0	0.432	65.8	14.8	67.4	12.7	0.875	0.0	0.5	43.7	60.5	43.7	60.5	71.2	13.0	3.7	354	1.0	0.0	0.583	45.9	75.2	16.9	77.1	12.7	
572	B63R_087_087A	346	0.875	0.0	0.641	43.2	67.3	67.8	7.0	0.875	0.0	0.625	43.8	70.8	9.3	71.4	7.5	3.6	344	1.0	0.0	0.733	45.9	77.0	4.4	77.5	7.0		
573	B56R_087_087A	338	0.875	0.0	0.758	43.2	68.4	3.8	68.5	3.2	0.875	0.0	0.75	43.8	72.3	4.2	72.5	3.3	4.0	337	1.0	0.0	0.866	45.9	78.1	4.4	78.3	3.2	
574	B50R_087_087A	330	0.875	0.0	0.883	0.0	69.4	-0.1	69.4	359.8	0.875	0.0	0.875	44.0	73.5	-0.8	73.5	359.3	4.2	330	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	
575	B44R_100_100A	323	0.883	0.0	1.0	44.3	75.4	47.7	75.6	356.3	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	4.0	323	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	356.3	
576	R13Y_087_087A	38	0.875	0.116	0.0	46.1	54.3	43.6	69.7	38.7	0.875	0.125	0.0	47.3	56.4	44.0	71.5	38.0	2.4	37	1.0	0.0	0.133	46.1	79.3	-0.2	79.3	356.3	
577	ROXY_087_075A	381	0.875	0.125	0.125	49.1	53.2	33.6	62.9	32.3	0.875	0.125	0.125	47.6	56.0	38.5	67.9	34.5	5.8	389	1.0	0.0	0.0	45.4	79.6	49.8	79.6	38.7	
578	R35Y_087_075A	380	0.875	0.125	0.237	49.1	53.7	29.2	61.1	28.5	0.875	0.125	0.235	47.9	56.7	32.6	65.4	29.8	4.6	382	1.0	0.0	0.0	45.4	79.6	49.8	79.6	38.7	
579	R18Y_087_075A	370	0.875	0.125	0.362	49.3	54.5	23.4	59.3	23.8	0.875	0.125	0.375	48.2	57.1	25.3	62.8	23.7	3.7	371	1.0	0.0	0.0	45.4	79.6	49.8	79.6	38.7	
580	ROXY_087_075A	360	0.875	0.125	0.484	54.5	53.8	57.8	15.9	0.875	0.125	0.484	59.1	61.5	15.9	61.5	15.9	3.7	360	1.0	0.0	0.0	45.4	79.6	49.8	79.6	38.7		
581	B63R_087_075A	350	0.875	0.125	0.637	49.4	57.3	8.9	58.0	9.9	0.875	0.125	0.625	48.8	60.3	9.3	61.0	8.1	3.1	348	1.0	0.0	0.0	45.4	79.6	49.8	79.6	38.7	
582	B57R_087_075A	339	0.875	0.125	0.758	49.4	58.5	3.9	58.6	29.9	0.875	0.125	0.75	49.3	62.0	29.9	62.0	29.9	3.6	339	1.0	0.0	0.0	45.4	79.6	49.8	79.6	38.7	
583	B51R_087_075A	330	0.881	0.125	0.883	0.0	69.4	-0.1	69.4	359.8	0.875	0.125	0.875	44.0	73.5	-0.8	73.5	359.3	4.2	330	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	
584	B48R_100_100A	322	0.883	0.125	1.0	50.6	62.4	46.6	65.7	35.9	0.875	0.25	1.0	49.6	56.7	46.6	62.4	35.9	3.2	322	1.0	0.0	0.866	45.9	78.1	-5.2	78.3	35.9	
585	R25Y_087_087A	46	0.875	0.333	0.0	50.6	44.4	49.4	66.2	48.2	0.875	0.25	0.0	51.7	45.6	50.7	68.2	48.2	2.3	44	1.0	0.0	0.266	50.0	54.4	50.4	56.5	75.7	48.2
586	R15Y_087_087A	39	0.875	0.333	0.0	50.6	44.4	49.4	66.2	48.2	0.875	0.25	0.0	51.7	45.6	50.7	68.2	48.2	2.3	44	1.0	0.0	0.266	50.0	54.4	50.4	56.5	75.7	48.2
587	R15Y_087_075A	39	0.875	0.333	0.125	52.4	45.5	38.0	52.4	39.9	0.875	0.25	0.125	52.6	45.0	43.6	62.7	41.1	5.6	37	1.0	0.0	0.15	45.4	79.6	50.7	79.1	39.9	49.8
588	ROXY_087_062A	390	0.875	0.237	0.125	52.4	45.5	38.0	52.4	39.9	0.875	0.25	0.125	52.6	45.0	43.6	62.7	41.1	5.6	37	1.0	0.0	0.15	45.4	79.6	50.7	79.1	39.9	49.8
589	R11Y_087_062A	379	0.875	0.237	0.235	52.4	44.3	28.0	52.4	32.3	0.875	0.25	0.235	53.7	44.1	35.9	56.8	39.1	4.8	380	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
590	R11Y_087_062A	367	0.875	0.237	0.364	55.4	45.6	17.4	48.8	20.8	0.875	0.25	0.375	54.3	44.5	28.2	52.7	23.2	4.8	367	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
591	B69R_087_062A	356	0.875	0.237	0.484	55.6	45.9	17.4	48.8	20.8	0.875	0.25	0.484	55.6	45.9	19.9	50.0	23.4	2.7	367	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
592	B69R_087_062A	341	0.875	0.237	0.635	55.7	47.2	9.5	48.1	11.4	0.875	0.25	0.635	55.7	47.2	9.5	48.1	11.4	11.4	352	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
593	B69R_087_062A	330	0.875	0.237	0.758	55.7	47.2	9.5	48.1	11.4	0.875	0.25	0.758	55.7	47.2	9.5	48.1	11.4	11.4	352	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
594	B42R_100_075A	321	0.887	0.25	1.0	56.7	55.7	49.5	-0.1	49.5	359.8	0.875	0.25	1.0	56.7	55.7	49.5	-0.1	49.5	359.8	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
595	R11Y_087_075A	55	0.875	0.364	0.0	56.7	55.7	49.5	-0.1	49.5	359.8	0.875	0.25	0.364	56.7	55.7	49.5	-0.1	49.5	359.8	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
596	R18Y_087_075A	49	0.875	0.364	0.125	57.4	34.3	54.4	55.9	35.8	0.875	0.25	0.364	56.7	55.7	49.5	-0.1	49.5	359.8	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8	
597	ROXY_087_050A	401	0.875	0.364	0.235	58.9	36.1	32.8	48.8	42.2	0.875	0.375	0.235	58.9	36.1	32.8	48.8	42.2	48.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
598	R26Y_087_050A	390	0.875	0.364	0.375	61.6	35.4	22.4	41.9	32.3	0.875	0.375	0.375	61.6	35.4	22.4	41.9	32.3	41.9	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
599	ROXY_087_050A	376	0.875	0.364	0.484	61.7	36.1	17.6	40.1	26.1	0.875	0.375	0.484	61.7	36.1	17.6	40.1	26.1	26.1	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
600	B61R_087_050A	360	0.875	0.364	0.635	61.8	37.1	10.5	38.5	15.9	0.875	0.375	0.635	61.8	37.1	10.5	38.5	15.9	15.9	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
601	B50R_087_050A	344	0.875	0.364	0.758	61.8	38.6	4.0	38.6	39.9	0.875	0.375	0.758	61.8	38.6	4.0	38.6	39.9	39.9	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
602	B40R_100_062A	330	0.885	0.375	1.0	62.8	45.8	-0.1	39.6	359.8	0.875	0.375	1.0	62.8	45.8	-0.1	39.6	359.8	359.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
603	R38Y_087_050A	319	0.875	0.375	0.885	0.375	61.9	39.6	-0.1	39.6	359.8	0.875	0.375	0.885	0.375	61.9	39.6	-0.1	39.6	359.8	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
604	R38Y_087_050A	307	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	74.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
605	R38Y_087_050A	297	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	74.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
606	R38Y_087_050A	285	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	74.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
607	R38Y_087_050A	274	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	74.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
608	R38Y_087_050A	263	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	74.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
609	R38Y_087_050A	252	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	74.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
610	R38Y_087_050A	241	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	74.8	389	1.0	0.0	0.0	45.4	79.6	50.7	79.1	39.9	49.8
611	R38Y_087_050A	230	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	0.875	0.375	1.0	64.0	17.7	65.2	67.0	74.8	74.8	389	1.0	0.0	0.0	45.4	79.6	50.7			



TUB material: code=rha4ta
ny0 (CMY0)

input: $rgb/cmyk \rightarrow rgbd$
output: transfer to $cmy0_d$

[illegible]



TUB material: code=rha4ta
ny0 (CMY0)

input: $rgb/cmyk \rightarrow rgbd$
output: transfer to $cmy0_d$

PE870-7N, Page 32/33-F

1-0033131-F0



n	HIC ^{Fr} _{id}	rgb_{Fr} _{id}	lcr_{Fr} _{id}	hs_{Fr} _{id}	rgb^{Fr} _{id}	$LabCh^{Fr}$ _{id}	$LabCh^{Fr}$ _{Fr}	rgb^{Fr} _{Fr}	$LabCh^{Fr}$ _{Fr}	$delta_{Fr} = 9.2$
972	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	23.1	1.9
973	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	-1.6
974	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	4.0
975	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	8.9
976	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	12.6
977	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	18.5
978	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	24.4
979	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	30.3
980	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	36.2
981	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	37.1
982	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	43.0
983	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	48.9
984	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	54.8
985	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	60.7
986	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	66.6
987	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	72.5
988	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	78.4
989	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	84.3
990	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	91.2
991	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	97.1
992	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	103.0
993	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	108.9
994	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	114.8
995	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	120.7
996	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	126.6
997	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	132.5
998	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	138.4
999	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	144.3
1000	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	150.2
1001	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	156.1
1002	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	162.0
1003	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	167.9
1004	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	173.8
1005	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	179.7
1006	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	185.6
1007	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	191.5
1008	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	197.4
1009	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	203.3
1010	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	209.2
1011	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	215.1
1012	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	221.0
1013	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	226.9
1014	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	232.8
1015	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	238.7
1016	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	244.6
1017	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	250.5
1018	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	256.4
1019	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	262.3
1020	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	268.2
1021	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	274.1
1022	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	280.0
1023	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	285.9
1024	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	291.8
1025	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	297.7
1026	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	303.6
1027	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	309.5
1028	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	315.4
1029	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	321.3
1030	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	327.2
1031	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	333.1
1032	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	339.0
1033	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	344.9
1034	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	350.8
1035	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	356.7
1036	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	362.6
1037	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	368.5
1038	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	374.4
1039	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	380.3
1040	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	386.2
1041	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	392.1
1042	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	398.0
1043	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	403.9
1044	NW_000a	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	409.8
1045	NW_012a	0.125	0.125	0.125	0.0	360	0.0	0.125	0.125	415.7
1046	NW_025a	0.25	0.25	0.25	0.0	360	0.0	0.25	0.25	421.6
1047	NW_037a	0.375	0.375	0.375	0.0	360	0.0	0.375	0.375	427.5
1048	NW_050a	0.5	0.5	0.5	0.0	360	0.0	0.5	0.5	433.4
1049	NW_062a	0.625	0.625	0.625	0.0	360	0.0	0.625	0.625	439.3
1050	NW_075a	0.75	0.75	0.75	0.0	360	0.0	0.75	0.75	445.2
1051	NW_087a	0.875	0.875	0.875	0.0	360	0.0	0.875	0.875	451.1
1052	NW_100a	1.0	1.0	1.0	0.0	360	0.0	1.0	1.0	457.0

TUB registration: 20150701-PE87/PE87L0NA.TXT /PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/PE87/PE87.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/PE87/PE87L0NA.TXT /PS; transfer output>
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	H1C*Fid	rgb_Fid	icL_Fid	h5a_Fid	rgb*Fid	LabCh*Fid	LabCh*Fid	DE*Fid	h5aM_d	rgb*Md	LabCh*Md
1053	NW_086q	0.866 0.866 0.866	0.866 0.0 0.866	360 360 360	0.866 0.866 0.866	86.1 1.2 3.4	86.1 1.2 3.4	3.7 69.9 3.7	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1054	NW_093d	0.933 0.933 0.933	0.933 0.0 0.933	360 360 360	0.933 0.933 0.933	90.8 0.4 1.4	90.8 0.4 1.4	1.5 71.6 1.5	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1055	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.1	95.6 0.0 0.1	0.1 114.3 0.1	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1056	NW_000d	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	0.0 0.0 0.0	23.0 0.7 -0.9	23.0 0.7 -0.9	1.1 308.5 1.7	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1057	NW_006q	0.066 0.066 0.066	0.066 0.0 0.066	360 360 360	0.066 0.066 0.066	25.6 5.5 0.6	25.6 5.5 0.6	6.7 6.5 6.7	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1058	NW_013d	0.133 0.133 0.133	0.133 0.0 0.133	360 360 360	0.133 0.133 0.133	28.2 8.3 3.4	28.2 8.3 3.4	9.0 22.4 30.4	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1059	NW_026q	0.2 0.2 0.2	0.2 0.0 0.2	360 360 360	0.266 0.266 0.266	32.0 10.0 5.8	32.0 10.0 5.8	11.6 30.4 12.4	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1060	NW_033d	0.333 0.333 0.333	0.333 0.0 0.333	360 360 360	0.333 0.333 0.333	36.7 8.8 8.7	36.7 8.8 8.7	14.0 36.0 14.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1061	NW_040d	0.4 0.4 0.4	0.4 0.0 0.4	360 360 360	0.466 0.466 0.466	40.7 10.4 10.2	40.7 10.4 10.2	13.3 40.7 14.7	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1062	NW_046q	0.466 0.466 0.466	0.466 0.0 0.466	360 360 360	0.466 0.466 0.466	46.8 8.8 9.9	46.8 8.8 9.9	13.3 48.4 14.5	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1063	NW_053d	0.533 0.533 0.533	0.533 0.0 0.533	360 360 360	0.533 0.533 0.533	51.8 7.3 9.2	51.8 7.3 9.2	11.0 56.7 11.5	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1064	NW_059q	0.593 0.593 0.593	0.593 0.0 0.593	360 360 360	0.593 0.593 0.593	57.5 6.0 8.3	57.5 6.0 8.3	8.1 57.5 8.3	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1065	NW_066d	0.6 0.6 0.6	0.6 0.0 0.6	360 360 360	0.666 0.666 0.666	63.3 5.2 6.5	63.3 5.2 6.5	5.9 62.0 5.9	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1066	NW_073d	0.734 0.734 0.734	0.734 0.0 0.734	360 360 360	0.734 0.734 0.734	74.5 4.8 5.2	74.5 4.8 5.2	3.6 69.4 3.6	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1067	NW_080q	0.8 0.8 0.8	0.8 0.0 0.8	360 360 360	0.866 0.866 0.866	80.5 2.7 1.4	80.5 2.7 1.4	1.5 71.7 1.5	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1068	NW_086q	0.866 0.866 0.866	0.866 0.0 0.866	360 360 360	0.866 0.866 0.866	86.1 1.2 3.4	86.1 1.2 3.4	0.1 118.4 0.1	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1069	NW_093d	0.933 0.933 0.933	0.933 0.0 0.933	360 360 360	0.933 0.933 0.933	90.7 0.4 1.4	90.7 0.4 1.4	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1070	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360 360 360	1.0 1.0 1.0	95.7 0.0 0.0	95.7 0.0 0.0	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1071	NW_000d	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	0.0 0.0 0.0	23.3 1.3 -2.4	23.3 1.3 -2.4	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1072	NW_006q	0.066 0.066 0.066	0.066 0.0 0.066	360 360 360	0.066 0.066 0.066	25.6 5.5 0.6	25.6 5.5 0.6	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1073	NW_013d	0.133 0.133 0.133	0.133 0.0 0.133	360 360 360	0.133 0.133 0.133	28.2 8.3 3.4	28.2 8.3 3.4	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1074	NW_026q	0.2 0.2 0.2	0.2 0.0 0.2	360 360 360	0.266 0.266 0.266	32.0 10.0 5.8	32.0 10.0 5.8	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1075	NW_033d	0.333 0.333 0.333	0.333 0.0 0.333	360 360 360	0.333 0.333 0.333	36.7 8.8 8.7	36.7 8.8 8.7	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1076	NW_040d	0.4 0.4 0.4	0.4 0.0 0.4	360 360 360	0.466 0.466 0.466	40.7 10.4 10.2	40.7 10.4 10.2	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1077	NW_046q	0.466 0.466 0.466	0.466 0.0 0.466	360 360 360	0.466 0.466 0.466	46.8 8.8 9.9	46.8 8.8 9.9	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1078	NW_053d	0.533 0.533 0.533	0.533 0.0 0.533	360 360 360	0.533 0.533 0.533	51.8 7.3 9.2	51.8 7.3 9.2	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0
1079	NW_059q	0.593 0.593 0.593	0.593 0.0 0.593	360 360 360	0.593 0.593 0.593	57.5 6.0 8.3	57.5 6.0 8.3	0.0 138.7 0.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.0

Mean color difference of this page:

delta E** = 5.8

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmy0d*

TUB-test chart PE87; 16 step hue circle
colors and differences, ΔE^*