

Entrée et sortie: Système Offset Reflective ORS18a

Données de couleurs périphériques (d)  
ou élémentaires (e):


$HIC^*_d$

code de teinte pour les cou-  
leurs de cette page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; données CIELAB (a) adaptées

| $H^*_d$        | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|----------------|-------------------|---------|--------------|--------------|
| R00Y_100_100_d | 47.3              | 63.8    | 41.2         | 76.0         |
| R25Y_100_100_d | 55.3              | 45.8    | 52.2         | 69.5         |
| R50Y_100_100_d | 67.2              | 22.6    | 67.6         | 71.2         |
| R75Y_100_100_d | 79.9              | 1.0     | 83.9         | 83.9         |
| Y00G_100_100_d | 88.3              | -11.9   | 95.1         | 95.8         |
| Y25G_100_100_d | 83.3              | -19.2   | 83.7         | 85.9         |
| Y50G_100_100_d | 72.7              | -31.3   | 66.0         | 73.1         |
| Y75G_100_100_d | 60.4              | -48.8   | 46.7         | 67.6         |
| G00B_100_100_d | 51.9              | -68.8   | 28.1         | 74.3         |
| G25B_100_100_d | 54.8              | -51.0   | -12.3        | 52.5         |
| G50B_100_100_d | 58.3              | -29.2   | -43.7        | 52.6         |
| G75B_100_100_d | 42.7              | -6.0    | -45.0        | 45.4         |
| B00R_100_100_d | 25.3              | 23.5    | -47.3        | 52.8         |
| B25R_100_100_d | 37.8              | 53.8    | -26.3        | 59.9         |
| B50R_100_100_d | 48.2              | 72.8    | -8.5         | 73.3         |
| B75R_100_100_d | 47.7              | 67.7    | 14.0         | 69.1         |



% Gamme

$u^*_{rel} = 92$


% Régularité

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; données CIELAB (a) adaptées

| nom                 | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|---------------------|-------------------|---------|--------------|--------------|
| R <sub>d, Ma</sub>  | 47.3              | 63.8    | 41.2         | 76.0         |
| Y <sub>d, Ma</sub>  | 88.3              | -11.9   | 95.1         | 95.8         |
| G <sub>d, Ma</sub>  | 51.9              | -68.8   | 28.1         | 74.3         |
| C <sub>d, Ma</sub>  | 58.3              | -29.2   | -43.7        | 52.6         |
| B <sub>d, Ma</sub>  | 25.3              | 23.5    | -47.3        | 52.8         |
| M <sub>d, Ma</sub>  | 48.2              | 72.8    | -8.5         | 73.3         |
| N <sub>d, Ma</sub>  | 17.7              | 0.0     | 0.0          | 0            |
| W <sub>d, Ma</sub>  | 95.4              | 0.0     | 0.0          | 0            |
| R <sub>d, CIE</sub> | 39.9              | 58.7    | 27.9         | 65.0         |
| Y <sub>d, CIE</sub> | 81.2              | -2.8    | 71.5         | 71.6         |
| G <sub>d, CIE</sub> | 52.2              | -42.4   | 13.6         | 44.5         |
| B <sub>d, CIE</sub> | 30.5              | 1.4     | -46.4        | 46.4         |



3-103130-L0 PF830-72

graphique TUB-PF83; cercle de teinte, 16 étapes  
graphique conforme à DIN 33872, 3D=1, de=0, cmyk\*

entrée : rgb/cmyk -> rgb<sub>dd</sub>  
sortie : linéarisation 3D selon cmyk\*<sub>dd</sub>

3-103130-F0