


Données de couleurs périphériques (d)  
ou élémentaires (e):

$HIC^*_d$   
code de teinte pour les cou-  
leurs de cette page:  
 $H^*_d = R00Y_d$   
triangle de luminosité  $T^*$



| LRS18a; données CIELAB (a) adaptées |             |         |         |              |              |
|-------------------------------------|-------------|---------|---------|--------------|--------------|
| nom                                 | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R <sub>d</sub> ,Ma                  | 47.5        | 57.2    | 37.8    | 68.6         | 33           |
| Y <sub>d</sub> ,Ma                  | 91.5        | -15.8   | 84.6    | 86.1         | 100          |
| G <sub>d</sub> ,Ma                  | 54.3        | -67.6   | 30.8    | 74.3         | 155          |
| C <sub>d</sub> ,Ma                  | 53.1        | -30.0   | -43.1   | 52.5         | 235          |
| B <sub>d</sub> ,Ma                  | 32.5        | 16.9    | -44.6   | 47.7         | 290          |
| M <sub>d</sub> ,Ma                  | 48.1        | 65.4    | -12.7   | 66.6         | 348          |
| N <sub>d</sub> ,Ma                  | 23.8        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>d</sub> ,Ma                  | 95.8        | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>d</sub> ,CIE                 | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| Y <sub>d</sub> ,CIE                 | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| G <sub>d</sub> ,CIE                 | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| B <sub>d</sub> ,CIE                 | 30.5        | 1.4     | -46.4   | 46.4         | 271          |

Les données de couleur maximale (Ma):

$LabCh^*_{d,Ma}$ : 47 57 37 68 33

$HIC^*_{d,Ma}$ : R00Y\_100\_100d



$rgbic^*_{d,Ma}$ :

1.0 0.0 0.0 1.0 1.0

triangle de luminosité  $T^*$


% Gamme  
 $u^*_{rel} = 114$   
% Régularité  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

| LRS18a; données CIELAB (a) adaptées |             |         |         |              |              |
|-------------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_d$                             | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R00Y_100_100d                       | 47.5        | 57.2    | 37.8    | 68.6         | 33           |
| R25Y_100_100d                       | 57.4        | 43.5    | 54.5    | 69.7         | 51           |
| R50Y_100_100d                       | 70.5        | 19.2    | 66.2    | 69.0         | 73           |
| R75Y_100_100d                       | 83.5        | -2.9    | 76.8    | 76.9         | 92           |
| Y00G_100_100d                       | 91.5        | -15.8   | 84.6    | 86.1         | 100          |
| Y25G_100_100d                       | 90.4        | -20.9   | 86.5    | 89.0         | 103          |
| Y50G_100_100d                       | 70.9        | -41.7   | 54.8    | 68.9         | 127          |
| Y75G_100_100d                       | 60.1        | -57.9   | 39.6    | 70.2         | 145          |
| G00B_100_100d                       | 54.3        | -67.6   | 30.8    | 74.3         | 155          |
| G25B_100_100d                       | 55.0        | -51.4   | -8.9    | 52.2         | 189          |
| G50B_100_100d                       | 53.1        | -30.0   | -43.1   | 52.5         | 235          |
| G75B_100_100d                       | 46.1        | -13.3   | -49.4   | 51.1         | 254          |
| B00R_100_100d                       | 32.5        | 16.9    | -44.6   | 47.7         | 290          |
| B25R_100_100d                       | 37.2        | 43.1    | -30.8   | 53.0         | 324          |
| B50R_100_100d                       | 48.1        | 65.4    | -12.7   | 66.6         | 348          |
| B75R_100_100d                       | 47.8        | 58.9    | 10.4    | 59.9         | 10           |



Données de couleurs périphériques (d)  
ou élémentaires (e):

$HIC^*_e$   
code de teinte pour les cou-  
leurs de cette page:  
 $H^*_e = R00Y_e$   
triangle de luminosité  $T^*$



| LRS18a; données CIELAB (a) adaptées |             |         |         |              |              |
|-------------------------------------|-------------|---------|---------|--------------|--------------|
| nom                                 | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| $R_{e,Ma}$                          | 47.5        | 56.0    | 26.7    | 62.1         | 25           |
| $Y_{e,Ma}$                          | 83.6        | -3.1    | 76.8    | 76.9         | 92           |
| $G_{e,Ma}$                          | 53.8        | -65.9   | 21.1    | 69.2         | 162          |
| $C_{e,Ma}$                          | 54.9        | -38.7   | -29.1   | 48.4         | 216          |
| $B_{e,Ma}$                          | 37.3        | 1.4     | -48.6   | 48.7         | 271          |
| $M_{e,Ma}$                          | 38.5        | 46.7    | -28.5   | 54.7         | 328          |
| $N_{e,Ma}$                          | 23.8        | 0.0     | 0.0     | 0.0          | 0            |
| $W_{e,Ma}$                          | 95.8        | 0.0     | 0.0     | 0.0          | 0            |
| $R_{e,CIE}$                         | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| $Y_{e,CIE}$                         | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| $G_{e,CIE}$                         | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| $B_{e,CIE}$                         | 30.5        | 1.4     | -46.4   | 46.4         | 271          |

Les données de couleur maximale (Ma):

$LabCh^*_{e,Ma}$ : 47 56 26 62 25

$HIC^*_{e,Ma}$ : R00Y\_100\_100\_e



$rgbic^*_{e,Ma}$ :

1.0 0.0 0.26 1.0 1.0

triangle de luminosité  $T^*$


% Gamme  
 $u^*_{rel} = 114$   
% Régularité  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

| LRS18a; données CIELAB (a) adaptées |             |         |         |              |              |
|-------------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_e$                             | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| $R00Y_{100_{100}_e}$                | 47.5        | 56.0    | 26.7    | 62.1         | 25           |
| $R25Y_{100_{100}_e}$                | 51.4        | 54.8    | 47.7    | 72.6         | 41           |
| $R50Y_{100_{100}_e}$                | 61.8        | 35.2    | 58.4    | 68.2         | 58           |
| $R75Y_{100_{100}_e}$                | 72.3        | 16.1    | 68.2    | 70.1         | 76           |
| $Y00G_{100_{100}_e}$                | 83.6        | -3.1    | 76.8    | 76.9         | 92           |
| $Y25G_{100_{100}_e}$                | 85.8        | -26.4   | 78.5    | 82.9         | 108          |
| $Y50G_{100_{100}_e}$                | 71.0        | -41.7   | 54.8    | 68.9         | 127          |
| $Y75G_{100_{100}_e}$                | 59.9        | -58.2   | 39.3    | 70.2         | 145          |
| $G00B_{100_{100}_e}$                | 53.8        | -65.9   | 21.1    | 69.2         | 162          |
| $G25B_{100_{100}_e}$                | 55.0        | -51.6   | -8.7    | 52.3         | 189          |
| $G50B_{100_{100}_e}$                | 54.9        | -38.7   | -29.1   | 48.4         | 216          |
| $G75B_{100_{100}_e}$                | 51.7        | -23.3   | -48.6   | 53.9         | 244          |
| $B00R_{100_{100}_e}$                | 37.3        | 1.4     | -48.6   | 48.7         | 271          |
| $B25R_{100_{100}_e}$                | 31.5        | 24.4    | -41.9   | 48.5         | 300          |
| $B50R_{100_{100}_e}$                | 38.5        | 46.7    | -28.5   | 54.7         | 328          |
| $B75R_{100_{100}_e}$                | 49.4        | 65.5    | -9.1    | 66.2         | 352          |



Données de couleurs périphériques (d)  
ou élémentaires (e):

$HIC^*_d$   
code de teinte pour les cou-  
leurs de cette page:  
 $H^*_d = R00Y_d$   
triangle de luminosité  $T^*$



| LRS18a; données CIELAB (a) adaptées |             |         |         |              |              |
|-------------------------------------|-------------|---------|---------|--------------|--------------|
| nom                                 | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R <sub>d</sub> ,Ma                  | 47.5        | 57.2    | 37.8    | 68.6         | 33           |
| Y <sub>d</sub> ,Ma                  | 91.5        | -15.8   | 84.6    | 86.1         | 100          |
| G <sub>d</sub> ,Ma                  | 54.3        | -67.6   | 30.8    | 74.3         | 155          |
| C <sub>d</sub> ,Ma                  | 53.1        | -30.0   | -43.1   | 52.5         | 235          |
| B <sub>d</sub> ,Ma                  | 32.5        | 16.9    | -44.6   | 47.7         | 290          |
| M <sub>d</sub> ,Ma                  | 48.1        | 65.4    | -12.7   | 66.6         | 348          |
| N <sub>d</sub> ,Ma                  | 23.8        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>d</sub> ,Ma                  | 95.8        | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>d</sub> ,CIE                 | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| Y <sub>d</sub> ,CIE                 | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| G <sub>d</sub> ,CIE                 | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| B <sub>d</sub> ,CIE                 | 30.5        | 1.4     | -46.4   | 46.4         | 271          |

Les données de couleur maximale (Ma):

$LabCh^*_d, Ma$ : 47 57 37 68 33

$HIC^*_d, Ma$ : R00Y\_100\_100d


$rgbic^*_d, Ma$ :

1.0 0.0 0.0 1.0 1.0

triangle de luminosité  $T^*$


% Gamme  
 $u^*_{rel} = 114$   
% Régularité  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

| LRS18a; données CIELAB (a) adaptées |             |         |         |              |              |
|-------------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_d$                             | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R00Y_100_100d                       | 47.5        | 57.2    | 37.8    | 68.6         | 33           |
| R25Y_100_100d                       | 57.4        | 43.5    | 54.5    | 69.7         | 51           |
| R50Y_100_100d                       | 70.5        | 19.2    | 66.2    | 69.0         | 73           |
| R75Y_100_100d                       | 83.5        | -2.9    | 76.8    | 76.9         | 92           |
| Y00G_100_100d                       | 91.5        | -15.8   | 84.6    | 86.1         | 100          |
| Y25G_100_100d                       | 90.4        | -20.9   | 86.5    | 89.0         | 103          |
| Y50G_100_100d                       | 70.9        | -41.7   | 54.8    | 68.9         | 127          |
| Y75G_100_100d                       | 60.1        | -57.9   | 39.6    | 70.2         | 145          |
| G00B_100_100d                       | 54.3        | -67.6   | 30.8    | 74.3         | 155          |
| G25B_100_100d                       | 55.0        | -51.4   | -8.9    | 52.2         | 189          |
| G50B_100_100d                       | 53.1        | -30.0   | -43.1   | 52.5         | 235          |
| G75B_100_100d                       | 46.1        | -13.3   | -49.4   | 51.1         | 254          |
| B00R_100_100d                       | 32.5        | 16.9    | -44.6   | 47.7         | 290          |
| B25R_100_100d                       | 37.2        | 43.1    | -30.8   | 53.0         | 324          |
| B50R_100_100d                       | 48.1        | 65.4    | -12.7   | 66.6         | 348          |
| B75R_100_100d                       | 47.8        | 58.9    | 10.4    | 59.9         | 10           |



Données de couleurs périphériques (d)  
ou élémentaires (e):

$HIC^*_e$   
code de teinte pour les cou-  
leurs de cette page:  
 $H^*_e = R00Y_e$   
triangle de luminosité  $T^*$



| LRS18a; données CIELAB (a) adaptées |             |         |         |              |              |
|-------------------------------------|-------------|---------|---------|--------------|--------------|
| nom                                 | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| $R_{e,Ma}$                          | 47.5        | 56.0    | 26.7    | 62.1         | 25           |
| $Y_{e,Ma}$                          | 83.6        | -3.1    | 76.8    | 76.9         | 92           |
| $G_{e,Ma}$                          | 53.8        | -65.9   | 21.1    | 69.2         | 162          |
| $C_{e,Ma}$                          | 54.9        | -38.7   | -29.1   | 48.4         | 216          |
| $B_{e,Ma}$                          | 37.3        | 1.4     | -48.6   | 48.7         | 271          |
| $M_{e,Ma}$                          | 38.5        | 46.7    | -28.5   | 54.7         | 328          |
| $N_{e,Ma}$                          | 23.8        | 0.0     | 0.0     | 0.0          | 0            |
| $W_{e,Ma}$                          | 95.8        | 0.0     | 0.0     | 0.0          | 0            |
| $R_{e,CIE}$                         | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| $Y_{e,CIE}$                         | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| $G_{e,CIE}$                         | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| $B_{e,CIE}$                         | 30.5        | 1.4     | -46.4   | 46.4         | 271          |

Les données de couleur maximale (Ma):

$LabCh^*_{e,Ma}$ : 47 56 26 62 25

$HIC^*_{e,Ma}$ : R00Y\_100\_100\_e

$rgbic^*_{e,Ma}$ :

1.0 0.0 0.26 1.0 1.0

triangle de luminosité  $T^*$   
% Gamme  
 $u^*_{rel} = 114$   
% Régularité  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

| LRS18a; données CIELAB (a) adaptées |             |         |         |              |              |
|-------------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_e$                             | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| $R00Y_{100_100_e}$                  | 47.5        | 56.0    | 26.7    | 62.1         | 25           |
| $R25Y_{100_100_e}$                  | 51.4        | 54.8    | 47.7    | 72.6         | 41           |
| $R50Y_{100_100_e}$                  | 61.8        | 35.2    | 58.4    | 68.2         | 58           |
| $R75Y_{100_100_e}$                  | 72.3        | 16.1    | 68.2    | 70.1         | 76           |
| $Y00G_{100_100_e}$                  | 83.6        | -3.1    | 76.8    | 76.9         | 92           |
| $Y25G_{100_100_e}$                  | 85.8        | -26.4   | 78.5    | 82.9         | 108          |
| $Y50G_{100_100_e}$                  | 71.0        | -41.7   | 54.8    | 68.9         | 127          |
| $Y75G_{100_100_e}$                  | 59.9        | -58.2   | 39.3    | 70.2         | 145          |
| $G00B_{100_100_e}$                  | 53.8        | -65.9   | 21.1    | 69.2         | 162          |
| $G25B_{100_100_e}$                  | 55.0        | -51.6   | -8.7    | 52.3         | 189          |
| $G50B_{100_100_e}$                  | 54.9        | -38.7   | -29.1   | 48.4         | 216          |
| $G75B_{100_100_e}$                  | 51.7        | -23.3   | -48.6   | 53.9         | 244          |
| $B00R_{100_100_e}$                  | 37.3        | 1.4     | -48.6   | 48.7         | 271          |
| $B25R_{100_100_e}$                  | 31.5        | 24.4    | -41.9   | 48.5         | 300          |
| $B50R_{100_100_e}$                  | 38.5        | 46.7    | -28.5   | 54.7         | 328          |
| $B75R_{100_100_e}$                  | 49.4        | 65.5    | -9.1    | 66.2         | 352          |

